

Abuse and neglect reports, children

Health Priority G: Intentional and Unintentional Injuries and Violence

Objective G1: By 2010, there will be a 10 percent reduction in the reported number of children who are abused and neglected in Wisconsin.

2010 Target: 25.0 child abuse/neglect reports per 1,000 population under age 18

Indicator: Abuse and neglect reports, children

Wisconsin Child Abuse and Neglect Reports and Substantiations

Year	Total Reports	Reports per 1,000 Population Under Age 18	Males	Females	Abuse/Neglect Found Likely to Occur	Abuse/Neglect Substantiated
2000	38,010	27.8	18,935	22,545	2,465	10,144
2001	40,215	29.4	20,045	23,418	2,589	9,795
2002	42,698	30.7	20,829	24,820	2,588	9,329
2003	40,473	28.9	19,140	22,525	2,111	7,994

Source: Annual Report to the Governor and Legislature on Wisconsin Child Abuse and Neglect; Office of Program Evaluation and Planning; Division of Children and Family Services; Department of Health and Family Services.

Note: A report may include more than one child.

Wisconsin Child Abuse and Neglect Reports Determined Substantiated or Likely to Occur, by Age

Year	Abuse/Neglect Substantiated Or Likely to Occur	Ages 0 to 2	Ages 3 to 5	Ages 6 to 8	Ages 9 to 11	Ages 12 to 14	Ages 15 to 17
2000	12,609	1,800	2,021	2,086	1,801	2,526	2,372
2001	12,384	1,872	1,863	2,047	1,769	2,488	2,339
2002	11,917	1,721	1,761	1,830	1,720	2,650	2,233
2003	10,105	1,494	1,512	1,507	1,398	2,156	2,233

Source: Annual Report to the Governor and Legislature on Wisconsin Child Abuse and Neglect; Office of Program Evaluation and Planning; Division of Children and Family Services; Department of Health and Family Services.

Abuse and neglect deaths, children

Health Priority G: Intentional and Unintentional Injuries and Violence

Objective G1: By 2010, there will be a 10 percent reduction in the reported number of children who are abused and neglected in Wisconsin.

2010 Target: 9 deaths due to substantiated child abuse or neglect

Indicator: Abuse and neglect deaths, children

Wisconsin Deaths due to Substantiated Child Abuse or Neglect, by Sex and Age

Year	Total	Males	Females	Under Age 1	Ages 1-11	Ages 12-17
2000	10	4	6	4	3	3
2001	17	11	6	9	8	0
2002	12	7	5	5	5	2
2003	12	8	4	6	5	1

Source: Annual Report to the Governor and Legislature on Wisconsin Child Abuse and Neglect; Office of Program Evaluation and Planning; Division of Children and Family Services; Department of Health and Family Services.

Wisconsin Deaths due to Substantiated Child Abuse or Neglect, by Race/Ethnicity

Year	Total	African American*	American Indian*	Asian*	Hispanic	White*
2000	10	4	1	0	2	3
2001	17	6	0	0	3	8
2002	12	5	1	0	0	6
2003	12	6	0	1	1	4

Source: Annual Report to the Governor and Legislature on Wisconsin Child Abuse and Neglect; Office of Program Evaluation and Planning; Division of Children and Family Services; Department of Health and Family Services.

* Non-Hispanic

Motor vehicle crash deaths and incapacitating injuries

Health Priority G: Intentional and Unintentional Injuries and Violence

Objective G2a: By 2010, the rate of motor vehicle crash-related deaths and incapacitating injuries will be 104 per 100,000 population.

2010 Target: 104 crash-related deaths and incapacitating injuries per 100,000 population

Indicator: Motor vehicle crash deaths and incapacitating injuries

Persons Killed or Incapacitated in Wisconsin Motor Vehicle Crashes, by Type of Crash

Year	Total				Alcohol-Related			Pedestrian Involved		
	Total	Rate per 100,000 Population	Injured	Died	Total	Injured	Died	Total	Injured	Died
2000	7,472	139.3	6,661	811	1,515	1,213	302	485	432	53
2001	6,736	124.1	5,966	770	1,649	1,344	305	477	431	46
2002	6,848	125.4	6,039	809	1,691	1,397	294	460	408	52
2003	6,639	120.4	5,798	841	1,631	1,284	348	427	369	58

Source: Center for Health Systems Research and Analysis (CHSRA), University of Wisconsin-Madison, unpublished data from the Wisconsin CODES system. See data documentation.

Note: An incapacitating injury is a non-fatal injury that prevents walking, driving, or performing other activities that were performed before the crash (2002 Wisconsin Traffic Crash Facts).

Persons Killed or Incapacitated in Wisconsin Motor Vehicle Crashes, by Sex

Year	Total	Males			Females		
		Total	Injured	Died	Total	Injured	Died
2000	7,472	4,337	3,790	547	3,135	2,871	264
2001	6,736	4,269	3,720	549	2,467	2,246	221
2002	6,848	3,958	3,425	533	2,890	2,614	276
2003	6,639	3,719	3,150	569	2,912	2,640	272

Source: Center for Health Systems Research and Analysis (CHSRA), University of Wisconsin-Madison, unpublished data from the Wisconsin CODES system. See data documentation.

Note: An incapacitating injury is a non-fatal injury that prevents walking, driving, or performing other activities that were performed before the crash (2002 Wisconsin Traffic Crash Facts).

Motor vehicle crash deaths and incapacitating injuries, continued

Persons Killed or Incapacitated in Wisconsin Motor Vehicle Crashes, by Age

Year	Total	Ages 0-15	Ages 16-18	Ages 19-24	Ages 25-34	Ages 35-54	Ages 55-64	Ages 65-69	Ages 70-74	Ages 75-79	Ages 80+
2000	7,472	645	837	1,295	1,240	2,202	479	185	183	178	228
2001	6,736	434	826	1,223	1,152	2,051	444	156	130	136	184
2002	6,848	543	816	1,229	1,089	2,029	479	185	143	133	202
2003	6,639	510	744	1,210	1,030	1,985	514	148	145	139	206

Source: Center for Health Systems Research and Analysis (CHSRA), University of Wisconsin-Madison, unpublished data from the Wisconsin CODES system. See data documentation.

Note: An incapacitating injury is a non-fatal injury that prevents walking, driving, or performing other activities that were performed before the crash (2002 Wisconsin Traffic Crash Facts).

Rate per 100,000 Population of Persons Killed or Incapacitated in Wisconsin Motor Vehicle Crashes, by Age

Year	Total	Ages 0-15	Ages 16-18	Ages 19-24	Ages 25-34	Ages 35-54	Ages 55-64	Ages 65-69	Ages 70-74	Ages 75-79	Ages 80+
2000	139.3	53.4	345.0	294.5	175.6	137.0	104.6	101.6	105.7	121.4	113.7
2001	124.1	36.3	337.1	264.9	165.4	124.8	92.8	86.5	75.4	92.4	88.5
2002	125.4	46.1	331.1	257.4	156.9	122.6	95.5	103.4	83.9	90.5	95.0
2003	120.7	43.4	302.9	248.1	149.4	119.7	97.7	80.4	87.0	94.1	94.9

Source: Center for Health Systems Research and Analysis (CHSRA), University of Wisconsin-Madison, unpublished data from the Wisconsin CODES system. See data documentation.

Note: An incapacitating injury is a non-fatal injury that prevents walking, driving, or performing other activities that were performed before the crash (2002 Wisconsin Traffic Crash Facts).

Motor vehicle crash deaths and incapacitating injuries per miles traveled

Health Priority G: Intentional and Unintentional Injuries and Violence

Objective G2b: By 2010, the rate of motor vehicle crash-related deaths and incapacitating injuries will be 9.4 per hundred million vehicle miles traveled.

2010 Target: 9.4 deaths and incapacitating injuries per hundred million vehicle miles traveled

Indicator: Motor vehicle crash deaths and incapacitating injuries per miles traveled

Persons Killed or Incapacitated in Wisconsin Motor Vehicle Crashes and Rate per Hundred Million Miles Traveled, by Type of Crash

Year	Total				Alcohol-Related			Pedestrian Involved		
	Total	Rate per Hundred Million Miles	Injured	Died	Total	Injured	Died	Total	Injured	Died
2000	7,472	13.1	6,661	811	1,515	1,213	302	485	432	53
2001	6,736	11.8	5,966	770	1,649	1,344	305	477	431	46
2002	6,848	11.7	6,039	809	1,691	1,397	294	460	408	52
2003	6,639	11.1	5,798	841	1,631	1,284	348	427	369	58

Source: Center for Health Systems Research and Analysis (CHSRA), University of Wisconsin-Madison, unpublished data from the Wisconsin CODES system. See data documentation.

Note: An incapacitating injury is a non-fatal injury that prevents walking, driving, or performing other activities that were performed before the crash (2002 Wisconsin Traffic Crash Facts).

Persons Killed or Incapacitated in Wisconsin Motor Vehicle Crashes, by Sex

Year	Total	Males			Females		
		Total	Injured	Died	Total	Injured	Died
2000	7,472	4,337	3,790	547	3,135	2,871	264
2001	6,736	4,269	3,720	549	2,467	2,246	221
2002	6,848	3,958	3,425	533	2,890	2,614	276
2003	6,639	3,719	3,150	569	2,912	2,640	272

Source: Center for Health Systems Research and Analysis (CHSRA), University of Wisconsin-Madison, unpublished data from the Wisconsin CODES system. See data documentation.

Note: An incapacitating injury is a non-fatal injury that prevents walking, driving, or performing other activities that were performed before the crash (2002 Wisconsin Traffic Crash Facts).

Motor vehicle crash deaths and incapacitating injuries per miles traveled, continued

Persons Killed or Incapacitated in Wisconsin Motor Vehicle Crashes, by Age

Year	Total	Ages 0-15	Ages 16-18	Ages 19-24	Ages 25-34	Ages 35-54	Ages 55-64	Ages 65-69	Ages 70-74	Ages 75-79	Ages 80+
2000	7,472	645	837	1,295	1,240	2,202	479	185	183	178	228
2001	6,736	434	826	1,223	1,152	2,051	444	156	130	136	184
2002	6,848	543	816	1,229	1,089	2,029	479	185	143	133	202
2003	6,639	510	744	1,210	1,030	1,985	514	148	145	139	206

Source: Center for Health Systems Research and Analysis (CHSRA), University of Wisconsin-Madison, unpublished data from the Wisconsin CODES system. See data documentation.

Note: An incapacitating injury is a non-fatal injury that prevents walking, driving, or performing other activities that were performed before the crash (2002 Wisconsin Traffic Crash Facts).

Rate per 100,000 Population of Persons Killed or Incapacitated in Wisconsin Motor Vehicle Crashes, by Age

Year	Total	Ages 0-15	Ages 16-18	Ages 19-24	Ages 25-34	Ages 35-54	Ages 55-64	Ages 65-69	Ages 70-74	Ages 75-79	Ages 80+
2000	139.3	53.4	345.0	294.5	175.6	137.0	104.6	101.6	105.7	121.4	113.7
2001	124.1	36.3	337.1	264.9	165.4	124.8	92.8	86.5	75.4	92.4	88.5
2002	125.4	46.1	331.1	257.4	156.9	122.6	95.5	103.4	83.9	90.5	95.0
2003	120.7	43.4	302.9	248.1	149.4	119.7	97.7	80.4	87.0	94.1	94.9

Source: Center for Health Systems Research and Analysis (CHSRA), University of Wisconsin-Madison, unpublished data from the Wisconsin CODES system. See data documentation.

Note: An incapacitating injury is a non-fatal injury that prevents walking, driving, or performing other activities that were performed before the crash (2002 Wisconsin Traffic Crash Facts).

Motor vehicle deaths, age-adjusted rate

Health Priority G: Intentional and Unintentional Injuries and Violence

Objective G2c: By 2010, the age-adjusted overall motor vehicle death rate will be 14.0 per 100,000 population.

2010 Target: 14 per 100,000 population

Indicator: Motor vehicle deaths, age-adjusted rate

Age-Adjusted Wisconsin Motor Vehicle Death Rate

Year	Total Deaths		Males		Females	
	Number	Rate	Number	Rate	Number	Rate
2000	810	14.9	545	20.8	265	9.5
2001	773	14.0	533	19.9	240	8.5
2002	786	14.1	509	18.7	277	9.6
2003	820	14.6	561	20.4	259	9.0
2004	756	13.3	510	18.5	246	8.4

Source: Resident death certificates, Bureau of Health Information and Policy, Division of Public Health, Department of Health and Family Services.

Note: Rate is the number of deaths per 100,000 population, age-adjusted to the 2000 U.S. standard population. (See data documentation.)

Age-Adjusted Wisconsin Motor Vehicle Death Rate, by Race/Ethnicity

Year	Total Deaths		African American*		American Indian*		Asian*		Hispanic		White*	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
2000	810	14.9	31	11.1	12	--	10	--	11	--	745	15.4
2001	773	14.0	26	8.6	20	37.6	6	--	19	--	702	14.4
2002	786	14.1	28	8.7	22	42.3	11	--	22	11.8	703	14.3
2003	820	14.6	26	8.9	11	--	14	--	34	15.3	735	14.9
2004	756	13.3	41	14.7	12	--	12	--	8	--	683	13.8

Source: Resident death certificates, Bureau of Health Information and Policy, Division of Public Health, Department of Health and Family Services.

* Non-Hispanic

-- A rate is not calculated when there were fewer than 20 deaths.

Note: Rate is the number of deaths per 100,000 population, age-adjusted to the 2000 U.S. standard population. (See data documentation.)

Motor vehicle deaths, age-adjusted rate, continued

Wisconsin Motor Vehicle Death Rate, By Age

	Total	Ages 0-15		Ages 16-18		Ages 19-24		Ages 25-34		Ages 35-54	
Year	Number	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
2000	810	47	4.2	76	31.1	121	23.2	105	14.9	231	14.4
2001	773	43	3.9	56	23.0	129	23.5	125	17.9	224	13.6
2002	786	42	3.8	85	35.2	125	22.1	111	16.1	224	13.5
2003	820	39	3.6	78	31.8	150	26.4	112	16.2	229	13.8
2004	756	38	3.5	64	26.4	134	23.2	112	16.0	201	12.0

Wisconsin Motor Vehicle Death Rate, By Age (Continued)

	Ages 55-64		Ages 65-69		Ages 70-74		Ages 75-79		Ages 80+	
Year	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
2000	62	13.6	36	19.7	36	20.8	35	23.9	61	30.4
2001	69	14.4	25	13.8	25	14.5	23	15.6	54	26.0
2002	69	13.8	24	13.2	17	--	23	15.6	66	31.0
2003	60	11.4	20	10.9	35	21.0	37	25.1	60	27.7
2004	53	9.6	33	17.6	27	16.5	34	22.8	60	27.3

Source: Resident death certificates, Bureau of Health Information and Policy, Division of Public Health, Department of Health and Family Services.

-- A rate is not calculated when there were fewer than 20 deaths.

Note: Rate is the number of deaths per 100,000 population in the age group. (See data documentation.)

Deaths from falls

Health Priority G: Intentional and Unintentional Injuries and Violence

Objective G3a: By 2010, the age-adjusted death rate due to falls will be 9.0 per 100,000 population.

2010 Target: 9.0 per 100,000 population

Indicator: Deaths from falls

Wisconsin Deaths from Falls, by Sex and Ethnicity

Year	Deaths per 100,000 Population	Number of Deaths				
		Total	Sex		Ethnicity	
			Females	Males	Hispanic	Not Hispanic
2000	10.9	632	338	294	3	629
2001	11.4	681	366	315	3	678
2002	12.3	753	424	329	2	751
2003	12.5	775	428	347	3	772
2004	12.5	804	443	361	3	801

Source: Resident death certificates, Bureau of Health Information and Policy, Division of Public Health, Department of Health and Family Services.

Note: Death rates are age-adjusted to the 2000 U.S. standard population.

Wisconsin Deaths from Falls, by Race

Year	Deaths per 100,000 Population	Number of Deaths					
		Total	African American*	American Indian*	Asian*	White*	Unknown
2000	10.9	632	9	3	1	619	0
2001	11.4	681	8	6	3	664	0
2002	12.3	753	13	4	0	736	0
2003	12.5	775	14	7	6	747	1
2004	12.5	804	11	4	1	788	0

Source: Resident death certificates, Bureau of Health Information and Policy, Division of Public Health, Department of Health and Family Services.

Note: Death rates are age-adjusted to the 2000 U.S. standard population.

*Race groups in this table include Hispanics.

Deaths from falls, continued

Wisconsin Deaths from Falls, by Age

Year	Deaths per 100,000 Population	Number of Deaths							
		Total	Age <1 year	Ages 1-14	Ages 15-24	Ages 25-44	Ages 45-64	Ages 65-84	Ages 85+
2000	10.9	632	0	4	8	19	48	240	313
2001	11.4	681	0	2	8	17	58	262	334
2002	12.3	753	1	1	4	25	74	254	394
2003	12.5	775	1	5	6	36	66	285	376
2004	12.5	804	1	1	9	25	69	276	423

Source: Resident death certificates, Bureau of Health Information and Policy, Division of Public Health, Department of Health and Family Services.

Note: Death rates are age-adjusted to the 2000 U.S. standard population.

Hospitalizations from falls

Health Priority G: Intentional and Unintentional Injuries and Violence

Objective G3b: Reduce the rate of hospitalizations due to falls.

2010 Target: No target established

Indicator: Hospitalizations from falls

Wisconsin Hospitalizations due to Falls, by Sex and Ethnicity

Year	Hospitalizations per 100,000 Population	Number of Hospitalizations					
		Total	Sex		Ethnicity		
			Males	Females	Hispanic	Not Hispanic	Unknown
2000	382.4	21,574	7,885	13,689	168	19,876	1,530
2001	406.1	23,382	9,016	14,366	214	21,985	1,183
2002	385.8	22,540	8,555	13,985	211	21,654	675

Source: Inpatient hospitalization discharge file, Bureau of Health Information and Policy, Division of Public Health, Wisconsin Department of Health and Family Services.

Note: Rates are age-adjusted to the 2000 U.S. standard population.

Wisconsin Hospitalizations due to Falls, by Race

Year	Hospitalizations per 100,000 Population	Number of Hospitalizations						
		Total	African American*	American Indian*	Asian*	White*	Other*	Unknown*
2000	382.4	21,574	604	87	58	19,481	232	1,112
2001	406.1	23,382	637	106	65	21,586	263	725
2002	385.8	22,540	598	134	52	21,241	263	252

Source: Inpatient hospitalization discharge file, Bureau of Health Information and Policy, Division of Public Health, Wisconsin Department of Health and Family Services.

Note: Rates are age-adjusted to the 2000 U.S. standard population.

* Race groups in this table include Hispanics.

Wisconsin Hospitalizations due to Falls, by Age

Year	Hospitalizations per 100,000 Population	Number of Hospitalizations							
		Total	Age < 1 year	Ages 1-14	Ages 15-24	Ages 25-44	Ages 45-64	Ages 65-84	Ages 85+
2000	382.4	21,574	79	692	513	1,738	2,960	9,329	6,263
2001	406.1	23,382	77	751	596	2,064	3,576	9,762	6,556
2002	385.8	22,540	71	732	556	1,813	3,312	9,503	6,553

Source: Inpatient hospitalization discharge file, Bureau of Health Information and Policy, Division of Public Health, Wisconsin Department of Health and Family Services.

Note: Rates are age-adjusted to the 2000 U.S. standard population.