

Edit Number	Severity	Category	Program	New element	Data Type	Min Len	Max Len	HIPAA Valid Values	Description	Message
D094A	Batch Reject	S	FC, FCP, CS, IRIS	Admitting Diagnosis Code <admitting_diagnosis_code>	Alphanumeric	1	30	ICD-10-CM or ICD-9-CM depending on the service dates	Admitting Diagnosis Code is a situational alphanumeric field with a maximum length of 30.	INVALID DATA: When provided admitting_diagnosis_code must be alphanumeric with a maximum length of 30. Field is situational.
D131A	Batch Reject	S	FC, FCP, CS, IRIS	Patient Reason For Visit <patient_reason_for_visit_1>	Alphanumeric	1	30	ICD-10-CM or ICD-9-CM depending on the service dates	Patient Reason For Visit 1 is a situational alphanumeric field with a maximum length of 30.	INVALID DATA: When provided patient_reason_for_visit_1 must be alphanumeric with a maximum length of 30. Field is situational.
D132A	Batch Reject	S	FC, FCP, CS, IRIS	Patient Reason For Visit <patient_reason_for_visit_2>	Alphanumeric	1	30	ICD-10-CM or ICD-9-CM depending on the service dates	Patient Reason For Visit 2 is a situational alphanumeric field with a maximum length of 30.	INVALID DATA: When provided patient_reason_for_visit_2 must be alphanumeric with a maximum length of 30. Field is situational.
D133A	Batch Reject	S	FC, FCP, CS, IRIS	Patient Reason For Visit <patient_reason_for_visit_3>	Alphanumeric	1	30	ICD-10-CM or ICD-9-CM depending on the service dates	Patient Reason For Visit 3 is a situational alphanumeric field with a maximum length of 30.	INVALID DATA: When provided patient_reason_for_visit_3 must be alphanumeric with a maximum length of 30. Field is situational.
D095A	Batch Reject	S	FC, FCP, CS, IRIS	External Cause of Injury Code 1 <external_cause_of_injury_code_1> Note: Name change from existng	Alphanumeric	1	30	ICD-10-CM or ICD-9-CM depending on the service dates	External Cause of Injury Code 1 is a situational alphanumeric field with a maximum length of 30 characters.	INVALID DATA: When provided external_cause_of_injury_code_1 must be alphanumeric with a maximum length of 30. Field is situational.
D134A	Batch Reject	S	FC, FCP, CS, IRIS	External Cause of Injury Code 2 <external_cause_of_injury_code_2>	Alphanumeric	1	30	ICD-10-CM or ICD-9-CM depending on the service dates	External Cause of Injury Code 2 is a situational alphanumeric field with a maximum length of 30 characters.	INVALID DATA: When provided external_cause_of_injury_code_2 must be alphanumeric with a maximum length of 30. Field is situational.
D135A	Batch Reject	S	FC, FCP, CS, IRIS	External Cause of Injury Code 3 <external_cause_of_injury_code_3>	Alphanumeric	1	30	ICD-10-CM or ICD-9-CM depending on the service dates	External Cause of Injury Code 3 is a situational alphanumeric field with a maximum length of 30 characters.	INVALID DATA: When provided external_cause_of_injury_code_3 must be alphanumeric with a maximum length of 30. Field is situational.
D136A	Batch Reject	S	FC, FCP, CS, IRIS	External Cause of Injury Code 4 <external_cause_of_injury_code_4>	Alphanumeric	1	30	ICD-10-CM or ICD-9-CM depending on the service dates	External Cause of Injury Code 4 is a situational alphanumeric field with a maximum length of 30 characters.	INVALID DATA: When provided external_cause_of_injury_code_4 must be alphanumeric with a maximum length of 30. Field is situational.
D137A	Batch Reject	S	FC, FCP, CS, IRIS	External Cause of Injury Code 5 <external_cause_of_injury_code_5>	Alphanumeric	1	30	ICD-10-CM or ICD-9-CM depending on the service dates	External Cause of Injury Code 5 is a situational alphanumeric field with a maximum length of 30 characters.	INVALID DATA: When provided external_cause_of_injury_code_5 must be alphanumeric with a maximum length of 30. Field is situational.
D138A	Batch Reject	S	FC, FCP, CS, IRIS	External Cause of Injury Code 6 <external_cause_of_injury_code_6>	Alphanumeric	1	30	ICD-10-CM or ICD-9-CM depending on the service dates	External Cause of Injury Code 6 is a situational alphanumeric field with a maximum length of 30 characters.	INVALID DATA: When provided external_cause_of_injury_code_6 must be alphanumeric with a maximum length of 30. Field is situational.
D139A	Batch Reject	S	FC, FCP, CS, IRIS	External Cause of Injury Code 7 <external_cause_of_injury_code_7>	Alphanumeric	1	30	ICD-10-CM or ICD-9-CM depending on the service dates	External Cause of Injury Code 7 is a situational alphanumeric field with a maximum length of 30 characters.	INVALID DATA: When provided external_cause_of_injury_code_7 must be alphanumeric with a maximum length of 30. Field is situational.

Edit Number	Severity	Category	Program	New element	Data Type	Min Len	Max Len	HIPAA Valid Values	Description	Message
D140A	Batch Reject	S	FC, FCP, CS, IRIS	External Cause of Injury Code 8 <external_cause_of_injury_code_8>	Alphanumeric	1	30	ICD-10-CM or ICD-9-CM depending on the service dates	External Cause of Injury Code 8 is a situational alphanumeric field with a maximum length of 30 characters.	INVALID DATA: When provided external_cause_of_injury_code_8 must be alphanumeric with a maximum length of 30. Field is situational.
D141A	Batch Reject	S	FC, FCP, CS, IRIS	External Cause of Injury Code 9 <external_cause_of_injury_code_9>	Alphanumeric	1	30	ICD-10-CM or ICD-9-CM depending on the service dates	External Cause of Injury Code 9 is a situational alphanumeric field with a maximum length of 30 characters.	INVALID DATA: When provided external_cause_of_injury_code_9 must be alphanumeric with a maximum length of 30. Field is situational.
D142A	Batch Reject	S	FC, FCP, CS, IRIS	External Cause of Injury Code 10 <external_cause_of_injury_code_10>	Alphanumeric	1	30	ICD-10-CM or ICD-9-CM depending on the service dates	External Cause of Injury Code 10 is a situational alphanumeric field with a maximum length of 30 characters.	INVALID DATA: When provided external_cause_of_injury_code_10 must be alphanumeric with a maximum length of 30. Field is situational.
D143A	Batch Reject	S	FC, FCP, CS, IRIS	External Cause of Injury Code 11 <external_cause_of_injury_code_11>	Alphanumeric	1	30	ICD-10-CM or ICD-9-CM depending on the service dates	External Cause of Injury Code 11 is a situational alphanumeric field with a maximum length of 30 characters.	INVALID DATA: When provided external_cause_of_injury_code_11 must be alphanumeric with a maximum length of 30. Field is situational.
D144A	Batch Reject	S	FC, FCP, CS, IRIS	External Cause of Injury Code 12 <external_cause_of_injury_code_12>	Alphanumeric	1	30	ICD-10-CM or ICD-9-CM depending on the service dates	External Cause of Injury Code 12 is a situational alphanumeric field with a maximum length of 30 characters.	INVALID DATA: When provided external_cause_of_injury_code_12 must be alphanumeric with a maximum length of 30. Field is situational.
D145A	Batch Reject	S	FC, FCP, CS, IRIS	EPSDT Condition Code 1 <epsdt_condition_code_1>	Alphanumeric	2	3	Create a table for: AV=Available; not used (patient refused) NU=Not Used S2=Under Treatment ST=New Service Requested	EPSDT Condition Code 1 is a non mandatory alphanumeric field with a minimum length of 2 and a maximum length of 3 characters.	INVALID DATA: When provided epsdt_condition_code_1 must be alphanumeric with a minimum length of 2 and a maximum length of 3 characters. Field is optional.
D146A	Batch Reject	S	FC, FCP, CS, IRIS	EPSDT Condition Code 2 <epsdt_condition_code_2>	Alphanumeric	2	3	Create a table for: AV=Available; not used (patient refused) NU=Not Used S2=Under Treatment ST=New Service Requested	EPSDT Condition Code 2 is a non mandatory alphanumeric field with a minimum length of 2 and a maximum length of 3 characters.	INVALID DATA: When provided epsdt_condition_code_2 must be alphanumeric with a minimum length of 2 and a maximum length of 3 characters. Field is optional.
D147A	Batch Reject	S	FC, FCP, CS, IRIS	EPSDT Condition Code 3 <epsdt_condition_code_3>	Alphanumeric	2	3	Create a table for: AV=Available; not used (patient refused) NU=Not Used S2=Under Treatment ST=New Service Requested	EPSDT Condition Code 3 is a non mandatory alphanumeric field with a minimum length of 2 and a maximum length of 3 characters.	INVALID DATA: When provided epsdt_condition_code_3 must be alphanumeric with minimum length of 2 and a maximum length of 3 characters. Field is optional.

Edit Number	Severity	Category	Program	New element	Data Type	Min Len	Max Len	HIPAA Valid Values	Description	Message
D148A	Batch Reject	S	FC, FCP, CS, IRIS	Remaining Patient Liability Amount <remaining_patient_liability_amount>	Numeric	1	10	S9(7)V99	Remaining Patient Liability Amount is a non mandatory numeric field with a max length of 10 in the format of 9(7)V99.	INVALID DATA: When provided remaining_patient_liability_amount must be numeric in the format 9999999.99. Field is optional.
D149A	Batch Reject	S	FC, FCP, CS, IRIS	Billing Provider Secondary Identifier <billing_provider_secondary_identifier>	Alphanumeric	1	50		Billing Provider Secondary Identifier is a non mandatory alphanumeric field with a maximum length of 50 characters.	INVALID DATA: When provided billing_provider_secondary_identifier must be alphanumeric with a maximum length of 50. Field is optional.
D130A	Batch Reject	S	FC, FCP, CS, IRIS	Prior Authorization Number <prior_auth_number>	Alphanumeric	1	50		Prior Auth Number is a situational, alphanumeric and special characters field and a max length of 50.	INVALID DATA: When provided prior_auth_number must be alphanumeric with a maximum length of 50. Field is situational.
D150A	Batch Reject	P	FC, FCP, CS, IRIS	Rendering Provider Name Suffix <rendering_provider_name_suffix>	Alphanumeric	1	10		Rendering Provider Name Suffix is a non mandatory alphanumeric field with a maximum length of 10 characters.	INVALID DATA: When provided rendering_provider_name_suffix must be alphanumeric with a maximum length of 10. Field is optional.
D151A	Batch Reject	P	FC, FCP, CS, IRIS	Rendering Provider Secondary Identifier <rendering_provider_secondary_identifier>	Alphanumeric	1	50		Rendering Provider Secondary Identifier is a non mandatory alphanumeric field with a maximum length of 50 characters.	INVALID DATA: When provided rendering_provider_secondary_identifier must be alphanumeric with a maximum length of 50. Field is optional.
D152A	Batch Reject	S	FC, FCP, CS, IRIS	Payer Paid Amount <payer_paid_amount>	Numeric	1	10	S9(7)V99	Payer Paid Amount is a non mandatory numeric field with a max length of 10 in the format of 9(7)V99.	INVALID DATA: When provided payer_paid_amount must be numeric in the format 9999999.99. Field is optional.
D153A	Batch Reject	S	FC, FCP, CS, IRIS	Care Plan Oversight Number <care_plan_oversight_number>	Alphanumeric	1	50		Care Plan Oversight Number is a non mandatory alphanumeric field with a maximum length of 50 characters.	INVALID DATA: When provided care_plan_oversight_number must be alphanumeric with a maximum length of 50. Field is optional.
D154A	Batch Reject	S	FC, FCP, CS, IRIS	Anesthesia Related Surgical Procedure Primary <anesthesia_related_surgical_procedure_primary>	Alphanumeric	1	30	HCPCS codes	Anesthesia Related Surgical Procedure Primary is a situational alphanumeric field with a maximum length of 30 characters.	INVALID DATA: When provided anesthesia_related_surgical_procedure_primary must be alphanumeric with a maximum length of 30. Field is situational.
D155A	Batch Reject	S	FC, FCP, CS, IRIS	Anesthesia Related Surgical Procedure Secondary <anesthesia_related_surgical_procedure_secondary>	Alphanumeric	1	30	HCPCS codes	Anesthesia Related Surgical Procedure 2 is a situational alphanumeric field with a maximum length of 30 characters.	INVALID DATA: When provided anesthesia_related_surgical_procedure_2 must be alphanumeric with a maximum length of 30. Field is situational.
D156A	Batch Reject	S	FC, FCP, CS, IRIS	Ambulance Drop Off Location <ambulance_drop_off_location>	Alphanumeric	1	60		Ambulance Drop Off Location is a non mandatory alphanumeric field with a maximum length of 60 characters.	INVALID DATA: When provided ambulance_drop_off_location must be alphanumeric with a maximum length of 60. Field is optional.
D157A	Batch Reject	S	FC, FCP, CS, IRIS	Non-Covered Amount <non_covered_amount>	Numeric	1	10	S9(7)V99	Non-Covered Amount is a non mandatory numeric field with a max length of 10 in the format of 9(7)V99.	INVALID DATA: When provided non_covered_amount must be numeric in the format 9999999.99. Field is optional.

Edit Number	Severity	Category	Program	New element	Data Type	Min Len	Max Len	HIPAA Valid Values	Description	Message
D158A	Batch Reject	S	FC, FCP, CS, IRIS	Obstetric Additional Units <obstetric_additional_units>	Numeric	1	15	9(15)	Obstetric Additional Units is a non mandatory numeric field with a max length of 15 in the format of 9(15) .	INVALID DATA: When provided obstetric_additional_units must be numeric in a whole number format. Field is optional.
D159A	Batch Reject	P	FC, FCP, CS, IRIS	Pay to Plan Organizational Name <pay_to_plan_organizational_name>	Alphanumeric	1	60		Pay to Plan Organizational Name is a non mandatory alphanumeric field with a maximum length of 60 characters.	INVALID DATA: When provided pay_to_plan_organizational_name must be alphanumeric with a maximum length of 50. Field is optional.
D160A	Batch Reject	M	FC, FCP, CS, IRIS	Patient Residence <patient_residence>	Numeric	1	2	9(2)	Patient Residence is a non mandatory numeric field with a maximum length of 2.	INVALID DATA: When provided patient_residence must be numeric with a maximum length of 2. Field is optional.
D161A	Batch Reject	S	FC, FCP, CS, IRIS	Pharmacy Service Type <pharmacy_service_type>	Numeric	1	2	9(2)	Pharmacy Service Type is a non mandatory numeric field with a maximum length of 2.	INVALID DATA: When provided pharmacy_service_type must be numeric with a maximum length of 2. Field is optional.
D162A	Batch Reject	S	FC, FCP, CS, IRIS	Benefit Stage Count <benefit_stage_count>	Numeric	1	1	9(1)	Benefit Stage Count is a non mandatory numeric field with a maximum length of 1.	INVALID DATA: When provided benefit_stage_count must be numeric with a maximum length of 1. Field is optional.
D163A	Batch Reject	S	FC, FCP, CS, IRIS	Benefit Stage Qualifier <benefit_stage_qualifier>	Numeric	2	2	9(2)	Benefit Stage Qualifier is a non mandatory numeric field with a fixed length of 2.	INVALID DATA: When provided benefit_stage_qualifier must be numeric with a fixed length of 2. Field is optional.
D164A	Batch Reject	S	FC, FCP, CS, IRIS	Benefit Stage Amount <benefit_stage_amount>	Numeric	1	9	S9(6)V99	Benefit Stage Amount is a non mandatory numeric field with a maximum length of 9 in the format of 9(6)V99.	INVALID DATA: When provided benefit_stage_amount must be numeric in the format 999999.99. Field is optional.
D165A	Batch Reject	S	FC, FCP, CS, IRIS	Length of Need Qualifier <length_of_need_qualifier>	Numeric	1	2	9(2)	Length of Need Qualifier is a non mandatory numeric field with a maximum length of 2.	INVALID DATA: When provided length_of_need_qualifier must be numeric with a maximum length of 2. Field is optional.
D166A	Batch Reject	S	FC, FCP, CS, IRIS	Health Plan-Funded Assistance Amount <health_plan_funded_assistance_amount>	Numeric	1	9	S9(6)V99	Health Plan-Funded Assistance Amount is a non mandatory numeric field with a maximum length of 9 in the format of 9(6)V99.	INVALID DATA: When provided health_plan_funded_assistance_amount must be numeric in the format 999999.99. Field is optional.
D096A	Batch Reject	S	FC, FCP, CS, IRIS	Admit Start Care Date <admit_start_care_date>	Date	10	10	CCYY-MM-DD	Admit Start Care Date is a situational field in the format of CCYY-MM-DD.	INVALID DATA: Admit_start_care_date is not a valid date format CCYY-MM-DD, where CCYY is a valid century and year, MM is a valid month and DD is a valid day for that month.
D091A	Batch Reject	S	FC, FCP, CS, IRIS	Type of Bill <type_of_bill> Name change from current name.	Alphanumeric	3	3	any valid type of bill code	Type of Bill is a situational alphanumeric field with a maximum length of 3 characters.	INVALID DATA: Type_of_bill must be alphanumeric with a maximum length of 3. Field is situational.
D093A	Batch Reject	S	FC, FCP, CS, IRIS	Statement to Date <statement_to_date>	Date	10	10	CCYY-MM-DD	Statement To Date is a situational field in the format of CCYY-MM-DD	INVALID DATA: Statement_to_date is not a valid date format CCYY-MM-DD, where CCYY is a valid century and year, MM is a valid month and DD is a valid day for that month.

Edit Number	Severity	Category	Program	New element	Data Type	Min Len	Max Len	HIPAA Valid Values	Description	Message
D092A	Batch Reject	S	FC, FCP, CS, IRIS	Statement From Date <statement_from_date>	Date	10	10	CCYY-MM-DD	Statement From Date is a situational field in the format of CCYY-MM-DD	INVALID DATA: Statement_from_date is not a valid date format CCYY-MM-DD, where CCYY is a valid century and year, MM is a valid month and DD is a valid day for that month.
D078A	Batch Reject	S	FC, FCP, CS, IRIS	Patient Discharge Status <patient_discharge_status> Name change from the current name.	Alphanumeric		2	any valid patient status code	Patient Discharge Status is a situational alphanumeric field with a maximum length of 2 characters.	INVALID DATA: Patient_discharge_status must be alphanumeric with a maximum length of 2. Field is situational.
D097A	Batch Reject	S	FC, FCP, CS, IRIS	Claim Type <claim_type>	Alpha	2	2	PH, PR, IN, DE	Claim Type is a mandatory alphanumeric field with a fixed length of 2 characters.	INVALID DATA: Claim_type must be alphanumeric with a maximum length of 2. Must be DE = Dental, IN = Institutional, PH = Pharmacy, or PR = Professional
D099A	Batch Reject	S	FC, FCP, CS, IRIS	Prescription Number <claim_type>	Alpha	1	8		Prescription Number is a situational alphanumeric field with a maximum length of 8 characters.	INVALID DATA: Prescription_number is alphanumeric with a max length of 8. Field is situational.
D100A	Batch Reject	S	FC, FCP, CS, IRIS	Unit Dose Indicator <claim_type>	Numeric	1	1	0 - 5	Unit Dose Ind is a situational 1 character field.	INVALID DATA: Unit_dose_ind is numeric with a fixed length of 1. Field is situational.
D101A	Batch Reject	S	FC, FCP, CS, IRIS	Dispense As Written <claim_type>	Numeric	1	1	0 - 9	Dispense As Written Ind is a situational 1 character field.	INVALID DATA: Dispense_as_written_ind is numeric with a fixed length of 1. Field is situational.