

WISCONSIN 2009 BLOOD LEAD TESTING DATA FOR CHILDREN LESS THAN 6 YEARS OF AGE

Source: Wisconsin Blood Lead Testing Data, WIC Enrollment Files, Medicaid Eligibility Files (all data current as of August 31, 2010)

Tested: Number of unduplicated children receiving a blood lead test during 2006, using the date, place and result for each child's first test during 2006, or their first test ≥ 10 mcg/dL if poisoned. If a child had a venous test within 3 mo. of a capillary test, the data from the venous test were used.

Poisoned: A capillary or venous BLL ≥ 10 mcg/dL; if the test was a capillary sample followed within 3 months by a venous test, the data associated with the venous test were used.

Case: One venous BLL ≥ 20 mcg/dL or 2 venous BLLs ≥ 15 mcg/dL drawn at least 90 days apart; includes both new cases as well as those which were initially identified in a previous calendar year.

Prevalence: Number of poisoned children divided by the number of children tested; indicates the total identified burden of lead poisoning in a community.

Medicaid and WIC Enrollment: A child is counted if they were identified as enrolled in either program at any point during the calendar year.

Age of Child	Local Health Department	Total Tested	Total Poisoned	Total Cases	Overall Prevalence	Medicaid Tested	Medicaid Poisoned	Medicaid Cases	Medicaid Prevalence	WIC Tested	WIC Poisoned	WIC Cases	WIC Prevalence	Non-MA & Non-WIC Tested	Non-MA & Non-WIC Poisoned	Non-MA & Non-WIC Cases	Non-MA & Non-WIC Prevalence
ONE-YEAR-OLDS (12 through 23 months)																	
1 yr	ADAMS COUNTY	80	1	0	1.3	62	0	0	0.0	68	1	0	1.5	8	0	0	0.0
1 yr	APPLETON CITY	678	2	0	0.3	399	2	0	0.5	388	2	0	0.5	229	0	0	0.0
1 yr	ASHLAND COUNTY	168	1	0	0.6	136	1	0	0.7	133	1	0	0.8	27	0	0	0.0
1 yr	BARRON COUNTY	320	1	0	0.3	240	1	0	0.4	200	1	0	0.5	75	0	0	0.0
1 yr	BAYFIELD COUNTY	90	0	0	0.0	62	0	0	0.0	65	0	0	0.0	20	0	0	0.0
1 yr	BROWN COUNTY	1350	8	0	0.6	836	7	0	0.8	871	8	0	0.9	399	0	0	0.0
1 yr	BUFFALO COUNTY	106	0	0	0.0	62	0	0	0.0	60	0	0	0.0	37	0	0	0.0
1 yr	BURNETT COUNTY	90	3	1	3.3	62	1	0	1.6	65	1	0	1.5	20	2	1	10.0
1 yr	CALEDONIA/MT PLEASANT	354	1	0	0.3	153	1	0	0.7	157	1	0	0.6	177	0	0	0.0
1 yr	CALUMET COUNTY	100	1	0	1.0	50	0	0	0.0	39	0	0	0.0	45	1	0	2.2
1 yr	CHIPPEWA COUNTY	447	1	0	0.2	300	1	0	0.3	260	1	0	0.4	130	0	0	0.0
1 yr	CLARK COUNTY	186	1	0	0.5	133	1	0	0.8	121	0	0	0.0	45	0	0	0.0
1 yr	COLUMBIA COUNTY	291	0	0	0.0	160	0	0	0.0	154	0	0	0.0	111	0	0	0.0
1 yr	CRAWFORD COUNTY	96	1	0	1.0	77	1	0	1.3	73	1	0	1.4	14	0	0	0.0
1 yr	CUDAHY	186	1	0	0.5	114	1	0	0.9	118	1	0	0.8	52	0	0	0.0
1 yr	DE PERE	147	0	0	0.0	61	0	0	0.0	59	0	0	0.0	76	0	0	0.0
1 yr	DODGE COUNTY	467	3	0	0.6	296	3	0	1.0	299	2	0	0.7	133	0	0	0.0
1 yr	DOOR COUNTY	140	0	0	0.0	105	0	0	0.0	115	0	0	0.0	21	0	0	0.0
1 yr	DOUGLAS COUNTY	391	1	0	0.3	221	1	0	0.5	228	1	0	0.4	141	0	0	0.0
1 yr	DUNN COUNTY	223	2	0	0.9	133	0	0	0.0	138	0	0	0.0	70	2	0	2.9
1 yr	EAU CLAIRE CITY/COUNTY	716	6	0	0.8	483	3	0	0.6	451	4	0	0.9	211	1	0	0.5
1 yr	FLORENCE COUNTY	6	0	0	0.0	3	0	0	0.0	5	0	0	0.0	0	0	0	0.0
1 yr	FOND DU LAC COUNTY	615	8	1	1.3	360	7	1	1.9	351	6	1	1.7	217	1	0	0.5
1 yr	FOREST COUNTY	43	0	0	0.0	32	0	0	0.0	36	0	0	0.0	6	0	0	0.0
1 yr	FRANKLIN	250	0	0	0.0	46	0	0	0.0	41	0	0	0.0	193	0	0	0.0
1 yr	GRANT COUNTY	270	3	1	1.1	184	2	1	1.1	224	2	1	0.9	36	1	0	2.8
1 yr	GREEN COUNTY	250	1	0	0.4	138	0	0	0.0	133	1	0	0.8	87	0	0	0.0
1 yr	GREEN LAKE COUNTY	108	2	1	1.9	72	2	1	2.8	69	2	1	2.9	29	0	0	0.0
1 yr	GREENDALE	86	0	0	0.0	19	0	0	0.0	18	0	0	0.0	65	0	0	0.0
1 yr	GREENFIELD	269	0	0	0.0	98	0	0	0.0	106	0	0	0.0	146	0	0	0.0
1 yr	HALES CORNERS	56	0	0	0.0	13	0	0	0.0	8	0	0	0.0	43	0	0	0.0
1 yr	IOWA COUNTY	116	2	1	1.7	70	2	1	2.9	70	2	1	2.9	34	0	0	0.0
1 yr	IRON COUNTY	32	0	0	0.0	21	0	0	0.0	19	0	0	0.0	10	0	0	0.0
1 yr	JACKSON COUNTY	115	1	0	0.9	71	1	0	1.4	74	0	0	0.0	33	0	0	0.0
1 yr	JEFFERSON COUNTY	338	4	0	1.2	181	2	0	1.1	189	3	0	1.6	124	1	0	0.8
1 yr	JUNEAU COUNTY	211	2	2	0.9	146	2	2	1.4	158	2	2	1.3	44	0	0	0.0
1 yr	KENOSHA COUNTY	1189	12	3	1.0	799	7	2	0.9	840	10	3	1.2	283	2	0	0.7
1 yr	KEWAUNEE COUNTY	69	1	0	1.4	39	0	0	0.0	37	0	0	0.0	26	1	0	3.8
1 yr	LA CROSSE COUNTY	652	5	2	0.8	405	3	2	0.7	380	4	2	1.1	213	1	0	0.5
1 yr	LAFAYETTE COUNTY	72	2	0	2.8	45	2	0	4.4	44	2	0	4.5	21	0	0	0.0
1 yr	LANGLADE COUNTY	128	1	0	0.8	87	1	0	1.1	81	1	0	1.2	35	0	0	0.0
1 yr	LINCOLN COUNTY	189	1	0	0.5	92	0	0	0.0	84	0	0	0.0	91	1	0	1.1
1 yr	MADISON & DANE	2387	8	1	0.3	1256	3	0	0.2	1144	1	0	0.1	1004	5	1	0.5
1 yr	MANITOWOC COUNTY	595	3	0	0.5	366	2	0	0.5	373	2	0	0.5	193	1	0	0.5
1 yr	MARATHON COUNTY	1017	5	0	0.5	549	4	0	0.7	498	5	0	1.0	417	0	0	0.0

WISCONSIN 2009 BLOOD LEAD TESTING DATA FOR CHILDREN LESS THAN 6 YEARS OF AGE

Source: Wisconsin Blood Lead Testing Data, WIC Enrollment Files, Medicaid Eligibility Files (all data current as of August 31, 2010)

Tested: Number of unduplicated children receiving a blood lead test during 2006, using the date, place and result for each child's first test during 2006, or their first test ≥ 10 mcg/dL if poisoned. If a child had a venous test within 3 mo. of a capillary test, the data from the venous test were used.

Poisoned: A capillary or venous BLL ≥ 10 mcg/dL; if the test was a capillary sample followed within 3 months by a venous test, the data associated with the venous test were used.

Case: One venous BLL ≥ 20 mcg/dL or 2 venous BLLs ≥ 15 mcg/dL drawn at least 90 days apart; includes both new cases as well as those which were initially identified in a previous calendar year.

Prevalence: Number of poisoned children divided by the number of children tested; indicates the total identified burden of lead poisoning in a community.

Medicaid and WIC Enrollment: A child is counted if they were identified as enrolled in either program at any point during the calendar year.

Age of Child	Local Health Department	Total Tested	Total Poisoned	Total Cases	Overall Prevalence	Medicaid Tested	Medicaid Poisoned	Medicaid Cases	Medicaid Prevalence	WIC Tested	WIC Poisoned	WIC Cases	WIC Prevalence	Non-MA & Non-WIC Tested	Non-MA & Non-WIC Poisoned	Non-MA & Non-WIC Cases	Non-MA & Non-WIC Prevalence
1 yr	MARINETTE COUNTY	311	2	0	0.6	211	1	0	0.5	238	2	0	0.8	62	0	0	0.0
1 yr	MARQUETTE COUNTY	76	1	0	1.3	49	1	0	2.0	54	1	0	1.9	17	0	0	0.0
1 yr	MENASHA	173	0	0	0.0	110	0	0	0.0	102	0	0	0.0	52	0	0	0.0
1 yr	MENOMINEE COUNTY	103	0	0	0.0	93	0	0	0.0	98	0	0	0.0	3	0	0	0.0
1 yr	MILWAUKEE	7723	348	52	4.5	5856	320	47	5.5	5787	303	47	5.2	1347	16	2	1.2
1 yr	MONROE COUNTY	414	1	0	0.2	249	1	0	0.4	256	1	0	0.4	125	0	0	0.0
1 yr	NEENAH	224	2	1	0.9	116	0	0	0.0	101	0	0	0.0	97	2	1	2.1
1 yr	NORTHSHORE	251	1	0	0.4	69	0	0	0.0	71	0	0	0.0	165	1	0	0.6
1 yr	OAK CREEK	228	1	0	0.4	73	1	0	1.4	73	1	0	1.4	137	0	0	0.0
1 yr	OCONTO COUNTY	114	0	0	0.0	61	0	0	0.0	54	0	0	0.0	44	0	0	0.0
1 yr	ONEIDA COUNTY	189	0	0	0.0	136	0	0	0.0	119	0	0	0.0	44	0	0	0.0
1 yr	OSHKOSH	536	3	0	0.6	260	2	0	0.8	226	2	0	0.9	257	1	0	0.4
1 yr	OUTAGAMIE COUNTY	467	1	0	0.2	226	1	0	0.4	217	1	0	0.5	209	0	0	0.0
1 yr	OZAUKEE COUNTY	362	2	0	0.6	114	0	0	0.0	94	1	0	1.1	231	1	0	0.4
1 yr	PEPIN COUNTY	58	0	0	0.0	37	0	0	0.0	37	0	0	0.0	17	0	0	0.0
1 yr	PIERCE COUNTY	264	3	1	1.1	92	0	0	0.0	116	2	1	1.7	134	1	0	0.7
1 yr	POLK COUNTY	316	1	0	0.3	190	1	0	0.5	201	1	0	0.5	94	0	0	0.0
1 yr	PORTAGE COUNTY	300	3	0	1.0	190	3	0	1.6	193	2	0	1.0	91	0	0	0.0
1 yr	PRICE COUNTY	97	0	0	0.0	76	0	0	0.0	75	0	0	0.0	16	0	0	0.0
1 yr	RACINE CITY	1220	29	5	2.4	921	27	5	2.9	955	27	5	2.8	203	1	0	0.5
1 yr	RICHLAND COUNTY	128	1	0	0.8	87	1	0	1.1	84	1	0	1.2	29	0	0	0.0
1 yr	ROCK COUNTY	981	17	3	1.7	744	14	3	1.9	815	14	3	1.7	120	2	0	1.7
1 yr	RUSK COUNTY	90	0	0	0.0	69	0	0	0.0	69	0	0	0.0	15	0	0	0.0
1 yr	SAUK COUNTY	349	3	1	0.9	220	2	1	0.9	231	3	1	1.3	99	0	0	0.0
1 yr	SAWYER COUNTY	157	1	0	0.6	126	0	0	0.0	119	0	0	0.0	26	1	0	3.8
1 yr	SHAWANO COUNTY	252	1	0	0.4	180	1	0	0.6	174	1	0	0.6	59	0	0	0.0
1 yr	SHEBOYGAN COUNTY	695	12	1	1.7	441	8	1	1.8	467	8	1	1.7	191	2	0	1.0
1 yr	SHOREWOOD/WHITEFISH BAY	269	1	0	0.4	28	0	0	0.0	17	0	0	0.0	240	1	0	0.4
1 yr	SOUTH MILWAUKEE	142	1	0	0.7	81	1	0	1.2	90	1	0	1.1	42	0	0	0.0
1 yr	ST CROIX COUNTY	447	1	0	0.2	160	1	0	0.6	162	1	0	0.6	258	0	0	0.0
1 yr	ST FRANCIS	52	0	0	0.0	18	0	0	0.0	18	0	0	0.0	30	0	0	0.0
1 yr	TAYLOR COUNTY	113	0	0	0.0	81	0	0	0.0	75	0	0	0.0	17	0	0	0.0
1 yr	TREMPEALEAU COUNTY	266	2	0	0.8	181	2	0	1.1	180	2	0	1.1	63	0	0	0.0
1 yr	VERNON COUNTY	213	2	0	0.9	127	0	0	0.0	148	2	0	1.4	53	0	0	0.0
1 yr	VILAS COUNTY	165	0	0	0.0	129	0	0	0.0	124	0	0	0.0	23	0	0	0.0
1 yr	WALWORTH COUNTY	569	7	1	1.2	369	4	0	1.1	378	5	0	1.3	155	2	1	1.3
1 yr	WASHBURN COUNTY	125	0	0	0.0	95	0	0	0.0	92	0	0	0.0	23	0	0	0.0
1 yr	WASHINGTON COUNTY	618	0	0	0.0	248	0	0	0.0	227	0	0	0.0	342	0	0	0.0
1 yr	WATERTOWN	193	1	0	0.5	101	0	0	0.0	103	0	0	0.0	71	1	0	1.4
1 yr	WAUKESHA COUNTY	2194	7	1	0.3	709	5	1	0.7	653	4	1	0.6	1382	1	0	0.1
1 yr	WAUPACA COUNTY	251	5	0	2.0	168	3	0	1.8	151	3	0	2.0	65	2	0	3.1
1 yr	WAUSHARA COUNTY	137	1	1	0.7	106	1	1	0.9	107	1	1	0.9	22	0	0	0.0
1 yr	WAUWATOSA	364	3	1	0.8	68	1	1	1.5	57	1	1	1.8	285	2	0	0.7
1 yr	WEST ALLIS	650	7	1	1.1	307	5	0	1.6	320	5	0	1.6	283	2	1	0.7
1 yr	WESTERN RACINE COUNTY	356	3	2	0.8	171	2	1	1.2	171	2	1	1.2	158	1	1	0.6
1 yr	WINNEBAGO COUNTY	84	2	0	2.4	44	1	0	2.3	40	1	0	2.5	35	1	0	2.9

WISCONSIN 2009 BLOOD LEAD TESTING DATA FOR CHILDREN LESS THAN 6 YEARS OF AGE

Source: Wisconsin Blood Lead Testing Data, WIC Enrollment Files, Medicaid Eligibility Files (all data current as of August 31, 2010)

Tested: Number of unduplicated children receiving a blood lead test during 2006, using the date, place and result for each child's first test during 2006, or their first test ≥ 10 mcg/dL if poisoned. If a child had a venous test within 3 mo. of a capillary test, the data from the venous test were used.

Poisoned: A capillary or venous BLL ≥ 10 mcg/dL; if the test was a capillary sample followed within 3 months by a venous test, the data associated with the venous test were used.

Case: One venous BLL ≥ 20 mcg/dL or 2 venous BLLs ≥ 15 mcg/dL drawn at least 90 days apart; includes both new cases as well as those which were initially identified in a previous calendar year.

Prevalence: Number of poisoned children divided by the number of children tested; indicates the total identified burden of lead poisoning in a community.

Medicaid and WIC Enrollment: A child is counted if they were identified as enrolled in either program at any point during the calendar year.

Age of Child	Local Health Department	Total Tested	Total Poisoned	Total Cases	Overall Prevalence	Medicaid Tested	Medicaid Poisoned	Medicaid Cases	Medicaid Prevalence	WIC Tested	WIC Poisoned	WIC Cases	WIC Prevalence	Non-MA & Non-WIC Tested	Non-MA & Non-WIC Poisoned	Non-MA & Non-WIC Cases	Non-MA & Non-WIC Prevalence
1 yr	WOOD COUNTY	485	2	0	0.4	345	0	0	0.0	307	0	0	0.0	116	2	0	1.7
1 yr	STATEWIDE	39464	573	84	1.5	23772	474	71	2.0	23492	467	73	2.0	12939	63	8	0.5

WISCONSIN 2009 BLOOD LEAD TESTING DATA FOR CHILDREN LESS THAN 6 YEARS OF AGE

Source: Wisconsin Blood Lead Testing Data, WIC Enrollment Files, Medicaid Eligibility Files (all data current as of August 31, 2010)

Tested: Number of unduplicated children receiving a blood lead test during 2006, using the date, place and result for each child's first test during 2006, or their first test ≥ 10 mcg/dL if poisoned. If a child had a venous test within 3 mo. of a capillary test, the data from the venous test were used.

Poisoned: A capillary or venous BLL ≥ 10 mcg/dL; if the test was a capillary sample followed within 3 months by a venous test, the data associated with the venous test were used.

Case: One venous BLL ≥ 20 mcg/dL or 2 venous BLLs ≥ 15 mcg/dL drawn at least 90 days apart; includes both new cases as well as those which were initially identified in a previous calendar year.

Prevalence: Number of poisoned children divided by the number of children tested; indicates the total identified burden of lead poisoning in a community.

Medicaid and WIC Enrollment: A child is counted if they were identified as enrolled in either program at any point during the calendar year.

Age of Child	Local Health Department	Total Tested	Total Poisoned	Total Cases	Overall Prevalence	Medicaid Tested	Medicaid Poisoned	Medicaid Cases	Medicaid Prevalence	WIC Tested	WIC Poisoned	WIC Cases	WIC Prevalence	Non-MA & Non-WIC Tested	Non-MA & Non-WIC Poisoned	Non-MA & Non-WIC Cases	Non-MA & Non-WIC Prevalence
TWO-YEAR-OLDS (24 through 35 months)																	
2 yr	ADAMS COUNTY	45	0	0	0.0	31	0	0	0.0	34	0	0	0.0	8	0	0	0.0
2 yr	APPLETON CITY	243	4	2	1.6	185	3	2	1.6	165	4	2	2.4	41	0	0	0.0
2 yr	ASHLAND COUNTY	106	2	0	1.9	82	2	0	2.4	83	1	0	1.2	16	0	0	0.0
2 yr	BARRON COUNTY	130	1	0	0.8	88	1	0	1.1	70	1	0	1.4	35	0	0	0.0
2 yr	BAYFIELD COUNTY	68	1	0	1.5	49	1	0	2.0	50	1	0	2.0	14	0	0	0.0
2 yr	BROWN COUNTY	1032	8	1	0.8	666	8	1	1.2	585	8	1	1.4	313	0	0	0.0
2 yr	BUFFALO COUNTY	40	1	1	2.5	23	1	1	4.3	27	1	1	3.7	10	0	0	0.0
2 yr	BURNETT COUNTY	75	1	0	1.3	50	1	0	2.0	57	1	0	1.8	14	0	0	0.0
2 yr	CALEDONIA/MT PLEASANT	145	0	0	0.0	65	0	0	0.0	55	0	0	0.0	67	0	0	0.0
2 yr	CALUMET COUNTY	30	1	0	3.3	17	1	0	5.9	16	1	0	6.3	12	0	0	0.0
2 yr	CHIPPEWA COUNTY	263	1	0	0.4	183	0	0	0.0	149	1	0	0.7	65	0	0	0.0
2 yr	CLARK COUNTY	123	0	0	0.0	85	0	0	0.0	76	0	0	0.0	29	0	0	0.0
2 yr	COLUMBIA COUNTY	184	2	0	1.1	112	2	0	1.8	109	2	0	1.8	53	0	0	0.0
2 yr	CRAWFORD COUNTY	79	1	0	1.3	56	0	0	0.0	58	0	0	0.0	13	1	0	7.7
2 yr	CUDAHY	78	4	1	5.1	56	3	1	5.4	51	3	1	5.9	16	1	0	6.3
2 yr	DE PERE	124	0	0	0.0	42	0	0	0.0	34	0	0	0.0	78	0	0	0.0
2 yr	DODGE COUNTY	239	2	1	0.8	174	2	1	1.1	179	2	1	1.1	36	0	0	0.0
2 yr	DOOR COUNTY	89	0	0	0.0	61	0	0	0.0	70	0	0	0.0	16	0	0	0.0
2 yr	DOUGLAS COUNTY	260	1	0	0.4	138	1	0	0.7	125	1	0	0.8	109	0	0	0.0
2 yr	DUNN COUNTY	107	0	0	0.0	80	0	0	0.0	76	0	0	0.0	21	0	0	0.0
2 yr	EAU CLAIRE CITY/COUNTY	410	1	0	0.2	266	0	0	0.0	218	1	0	0.5	128	0	0	0.0
2 yr	FLORENCE COUNTY	7	0	0	0.0	7	0	0	0.0	6	0	0	0.0	0	0	0	0.0
2 yr	FOND DU LAC COUNTY	251	1	1	0.4	174	1	1	0.6	177	1	1	0.6	51	0	0	0.0
2 yr	FOREST COUNTY	28	0	0	0.0	21	0	0	0.0	22	0	0	0.0	2	0	0	0.0
2 yr	FRANKLIN	94	0	0	0.0	32	0	0	0.0	22	0	0	0.0	60	0	0	0.0
2 yr	GRANT COUNTY	200	6	0	3.0	138	4	0	2.9	166	4	0	2.4	18	2	0	11.1
2 yr	GREEN COUNTY	113	3	1	2.7	79	3	1	3.8	77	3	1	3.9	23	0	0	0.0
2 yr	GREEN LAKE COUNTY	62	0	0	0.0	47	0	0	0.0	37	0	0	0.0	12	0	0	0.0
2 yr	GREENDALE	41	1	1	2.4	14	0	0	0.0	13	0	0	0.0	25	1	1	4.0
2 yr	GREENFIELD	131	1	0	0.8	57	1	0	1.8	51	0	0	0.0	61	0	0	0.0
2 yr	HALES CORNERS	20	0	0	0.0	3	0	0	0.0	3	0	0	0.0	16	0	0	0.0
2 yr	IOWA COUNTY	66	2	0	3.0	44	1	0	2.3	44	2	0	4.5	14	0	0	0.0
2 yr	IRON COUNTY	17	0	0	0.0	16	0	0	0.0	14	0	0	0.0	1	0	0	0.0
2 yr	JACKSON COUNTY	66	0	0	0.0	46	0	0	0.0	50	0	0	0.0	12	0	0	0.0
2 yr	JEFFERSON COUNTY	149	2	0	1.3	92	1	0	1.1	106	2	0	1.9	31	0	0	0.0
2 yr	JUNEAU COUNTY	145	3	1	2.1	95	3	1	3.2	104	2	0	1.9	25	0	0	0.0
2 yr	KENOSHA COUNTY	549	5	1	0.9	412	5	1	1.2	426	5	1	1.2	72	0	0	0.0
2 yr	KEWAUNEE COUNTY	47	1	0	2.1	24	1	0	4.2	22	1	0	4.5	16	0	0	0.0
2 yr	LA CROSSE COUNTY	402	3	0	0.7	241	2	0	0.8	210	3	0	1.4	133	0	0	0.0
2 yr	LAFAYETTE COUNTY	52	0	0	0.0	41	0	0	0.0	34	0	0	0.0	6	0	0	0.0
2 yr	LANGLADE COUNTY	72	0	0	0.0	54	0	0	0.0	41	0	0	0.0	14	0	0	0.0
2 yr	LINCOLN COUNTY	90	2	0	2.2	67	2	0	3.0	51	2	0	3.9	19	0	0	0.0
2 yr	MADISON	956	8	2	0.8	631	7	2	1.1	507	7	2	1.4	264	1	0	0.4
2 yr	MANITOWOC COUNTY	360	6	1	1.7	215	5	1	2.3	232	6	1	2.6	102	0	0	0.0
2 yr	MARATHON COUNTY	470	7	2	1.5	341	6	2	1.8	284	6	2	2.1	105	0	0	0.0

WISCONSIN 2009 BLOOD LEAD TESTING DATA FOR CHILDREN LESS THAN 6 YEARS OF AGE

Source: Wisconsin Blood Lead Testing Data, WIC Enrollment Files, Medicaid Eligibility Files (all data current as of August 31, 2010)

Tested: Number of unduplicated children receiving a blood lead test during 2006, using the date, place and result for each child's first test during 2006, or their first test ≥ 10 mcg/dL if poisoned. If a child had a venous test within 3 mo. of a capillary test, the data from the venous test were used.

Poisoned: A capillary or venous BLL ≥ 10 mcg/dL; if the test was a capillary sample followed within 3 months by a venous test, the data associated with the venous test were used.

Case: One venous BLL ≥ 20 mcg/dL or 2 venous BLLs ≥ 15 mcg/dL drawn at least 90 days apart; includes both new cases as well as those which were initially identified in a previous calendar year.

Prevalence: Number of poisoned children divided by the number of children tested; indicates the total identified burden of lead poisoning in a community.

Medicaid and WIC Enrollment: A child is counted if they were identified as enrolled in either program at any point during the calendar year.

Age of Child	Local Health Department	Total Tested	Total Poisoned	Total Cases	Overall Prevalence	Medicaid Tested	Medicaid Poisoned	Medicaid Cases	Medicaid Prevalence	WIC Tested	WIC Poisoned	WIC Cases	WIC Prevalence	Non-MA & Non-WIC Tested	Non-MA & Non-WIC Poisoned	Non-MA & Non-WIC Cases	Non-MA & Non-WIC Prevalence
2 yr	MARINETTE COUNTY	163	1	0	0.6	127	0	0	0.0	133	1	0	0.8	17	0	0	0.0
2 yr	MARQUETTE COUNTY	57	1	0	1.8	37	1	0	2.7	39	1	0	2.6	15	0	0	0.0
2 yr	MENASHA	56	0	0	0.0	41	0	0	0.0	32	0	0	0.0	11	0	0	0.0
2 yr	MENOMINEE COUNTY	74	1	1	1.4	65	1	1	1.5	69	1	1	1.4	2	0	0	0.0
2 yr	MILWAUKEE	4995	255	47	5.1	4002	237	42	5.9	3555	204	37	5.7	651	10	2	1.5
2 yr	MONROE COUNTY	227	2	2	0.9	151	2	2	1.3	149	1	1	0.7	54	0	0	0.0
2 yr	NEENAH	87	1	0	1.1	60	1	0	1.7	39	0	0	0.0	24	0	0	0.0
2 yr	NORTHSHORE	81	0	0	0.0	31	0	0	0.0	21	0	0	0.0	49	0	0	0.0
2 yr	OAK CREEK	89	0	0	0.0	34	0	0	0.0	31	0	0	0.0	49	0	0	0.0
2 yr	OCONTO COUNTY	76	0	0	0.0	42	0	0	0.0	42	0	0	0.0	28	0	0	0.0
2 yr	ONEIDA COUNTY	103	1	0	1.0	77	1	0	1.3	62	1	0	1.6	23	0	0	0.0
2 yr	OSHKOSH	113	3	0	2.7	97	2	0	2.1	68	2	0	2.9	11	1	0	9.1
2 yr	OUTAGAMIE COUNTY	188	0	0	0.0	119	0	0	0.0	108	0	0	0.0	51	0	0	0.0
2 yr	OZAUKEE COUNTY	79	0	0	0.0	33	0	0	0.0	20	0	0	0.0	44	0	0	0.0
2 yr	PEPIN COUNTY	31	0	0	0.0	19	0	0	0.0	21	0	0	0.0	7	0	0	0.0
2 yr	PIERCE COUNTY	111	1	0	0.9	49	1	0	2.0	56	1	0	1.8	45	0	0	0.0
2 yr	POLK COUNTY	141	0	0	0.0	83	0	0	0.0	90	0	0	0.0	40	0	0	0.0
2 yr	PORTAGE COUNTY	487	2	0	0.4	212	0	0	0.0	179	0	0	0.0	241	2	0	0.8
2 yr	PRICE COUNTY	29	0	0	0.0	20	0	0	0.0	20	0	0	0.0	7	0	0	0.0
2 yr	RACINE CITY	616	12	2	1.9	465	9	2	1.9	445	10	2	2.2	101	2	0	2.0
2 yr	RICHLAND COUNTY	56	2	0	3.6	44	1	0	2.3	41	2	0	4.9	6	0	0	0.0
2 yr	ROCK COUNTY	681	20	5	2.9	531	16	5	3.0	589	15	3	2.5	50	3	0	6.0
2 yr	RUSK COUNTY	44	0	0	0.0	27	0	0	0.0	33	0	0	0.0	9	0	0	0.0
2 yr	SAUK COUNTY	173	0	0	0.0	110	0	0	0.0	115	0	0	0.0	44	0	0	0.0
2 yr	SAWYER COUNTY	94	1	0	1.1	71	1	0	1.4	62	1	0	1.6	17	0	0	0.0
2 yr	SHAWANO COUNTY	160	1	0	0.6	109	1	0	0.9	116	1	0	0.9	27	0	0	0.0
2 yr	SHEBOYGAN COUNTY	423	15	2	3.5	312	12	2	3.8	346	11	2	3.2	49	3	0	6.1
2 yr	SHOREWOOD/WHITEFISH BAY	81	1	0	1.2	15	0	0	0.0	4	0	0	0.0	65	1	0	1.5
2 yr	SOUTH MILWAUKEE	56	1	0	1.8	38	0	0	0.0	38	0	0	0.0	14	1	0	7.1
2 yr	ST CROIX COUNTY	184	0	0	0.0	89	0	0	0.0	98	0	0	0.0	66	0	0	0.0
2 yr	ST FRANCIS	28	1	0	3.6	10	0	0	0.0	10	0	0	0.0	16	1	0	6.3
2 yr	TAYLOR COUNTY	56	0	0	0.0	43	0	0	0.0	39	0	0	0.0	7	0	0	0.0
2 yr	TREMPEALEAU COUNTY	163	0	1	0.0	100	0	1	0.0	105	0	1	0.0	39	0	0	0.0
2 yr	VERNON COUNTY	136	0	0	0.0	88	0	0	0.0	89	0	0	0.0	29	0	0	0.0
2 yr	VILAS COUNTY	112	0	0	0.0	86	0	0	0.0	76	0	0	0.0	17	0	0	0.0
2 yr	WALWORTH COUNTY	334	5	0	1.5	217	3	0	1.4	220	4	0	1.8	72	1	0	1.4
2 yr	WASHBURN COUNTY	84	0	0	0.0	64	0	0	0.0	69	0	0	0.0	11	0	0	0.0
2 yr	WASHINGTON COUNTY	137	1	0	0.7	82	0	0	0.0	67	0	0	0.0	47	1	0	2.1
2 yr	WATERTOWN	121	2	0	1.7	76	1	0	1.3	85	2	0	2.4	24	0	0	0.0
2 yr	WAUKESHA COUNTY	709	4	1	0.6	333	3	1	0.9	330	3	1	0.9	306	0	0	0.0
2 yr	WAUPACA COUNTY	138	1	0	0.7	73	1	0	1.4	52	0	0	0.0	59	0	0	0.0
2 yr	WAUSHARA COUNTY	93	1	0	1.1	74	1	0	1.4	66	1	0	1.5	13	0	0	0.0
2 yr	WAUWATOSA	164	0	0	0.0	30	0	0	0.0	25	0	0	0.0	131	0	0	0.0
2 yr	WEST ALLIS	335	5	1	1.5	170	5	1	2.9	144	4	1	2.8	143	0	0	0.0
2 yr	WESTERN RACINE COUNTY	153	0	0	0.0	84	0	0	0.0	86	0	0	0.0	49	0	0	0.0
2 yr	WINNEBAGO COUNTY	27	0	0	0.0	19	0	0	0.0	12	0	0	0.0	7	0	0	0.0

WISCONSIN 2009 BLOOD LEAD TESTING DATA FOR CHILDREN LESS THAN 6 YEARS OF AGE

Source: Wisconsin Blood Lead Testing Data, WIC Enrollment Files, Medicaid Eligibility Files (all data current as of August 31, 2010)

Tested: Number of unduplicated children receiving a blood lead test during 2006, using the date, place and result for each child's first test during 2006, or their first test ≥ 10 mcg/dL if poisoned. If a child had a venous test within 3 mo. of a capillary test, the data from the venous test were used.

Poisoned: A capillary or venous BLL ≥ 10 mcg/dL; if the test was a capillary sample followed within 3 months by a venous test, the data associated with the venous test were used.

Case: One venous BLL ≥ 20 mcg/dL or 2 venous BLLs ≥ 15 mcg/dL drawn at least 90 days apart; includes both new cases as well as those which were initially identified in a previous calendar year.

Prevalence: Number of poisoned children divided by the number of children tested; indicates the total identified burden of lead poisoning in a community.

Medicaid and WIC Enrollment: A child is counted if they were identified as enrolled in either program at any point during the calendar year.

Age of Child	Local Health Department	Total Tested	Total Poisoned	Total Cases	Overall Prevalence	Medicaid Tested	Medicaid Poisoned	Medicaid Cases	Medicaid Prevalence	WIC Tested	WIC Poisoned	WIC Cases	WIC Prevalence	Non-MA & Non-WIC Tested	Non-MA & Non-WIC Poisoned	Non-MA & Non-WIC Cases	Non-MA & Non-WIC Prevalence
2 yr	WOOD COUNTY	369	4	2	1.1	254	4	2	1.6	199	1	0	0.5	100	0	0	0.0
2 yr	STATEWIDE	21172	427	80	2.0	14313	372	74	2.6	13281	339	63	2.6	5063	32	3	0.6

WISCONSIN 2009 BLOOD LEAD TESTING DATA FOR CHILDREN LESS THAN 6 YEARS OF AGE

Source: Wisconsin Blood Lead Testing Data, WIC Enrollment Files, Medicaid Eligibility Files (all data current as of August 31, 2010)

Tested: Number of unduplicated children receiving a blood lead test during 2006, using the date, place and result for each child's first test during 2006, or their first test ≥ 10 mcg/dL if poisoned. If a child had a venous test within 3 mo. of a capillary test, the data from the venous test were used.

Poisoned: A capillary or venous BLL ≥ 10 mcg/dL; if the test was a capillary sample followed within 3 months by a venous test, the data associated with the venous test were used.

Case: One venous BLL ≥ 20 mcg/dL or 2 venous BLLs ≥ 15 mcg/dL drawn at least 90 days apart; includes both new cases as well as those which were initially identified in a previous calendar year.

Prevalence: Number of poisoned children divided by the number of children tested; indicates the total identified burden of lead poisoning in a community.

Medicaid and WIC Enrollment: A child is counted if they were identified as enrolled in either program at any point during the calendar year.

Age of Child	Local Health Department	Total Tested	Total Poisoned	Total Cases	Overall Prevalence	Medicaid Tested	Medicaid Poisoned	Medicaid Cases	Medicaid Prevalence	WIC Tested	WIC Poisoned	WIC Cases	WIC Prevalence	Non-MA & Non-WIC Tested	Non-MA & Non-WIC Poisoned	Non-MA & Non-WIC Cases	Non-MA & Non-WIC Prevalence
ZERO-THROUGH-FIVE-YEAR-OLDS (less than 72 months)																	
0_5	ADAMS COUNTY	211	2	0	0.9	163	1	0	0.6	164	2	0	1.2	24	0	0	0.0
0_5	APPLETON CITY	1222	6	2	0.5	784	5	2	0.6	724	6	2	0.8	360	0	0	0.0
0_5	ASHLAND COUNTY	425	5	0	1.2	339	4	0	1.2	320	4	0	1.3	66	0	0	0.0
0_5	BARRON COUNTY	548	5	0	0.9	394	5	0	1.3	329	5	0	1.5	131	0	0	0.0
0_5	BAYFIELD COUNTY	233	1	0	0.4	169	1	0	0.6	171	1	0	0.6	45	0	0	0.0
0_5	BROWN COUNTY	4272	23	3	0.5	2643	18	3	0.7	2528	19	3	0.8	1349	4	0	0.3
0_5	BUFFALO COUNTY	209	1	1	0.5	126	1	1	0.8	127	1	1	0.8	63	0	0	0.0
0_5	BURNETT COUNTY	287	4	1	1.4	194	2	0	1.0	210	2	0	1.0	54	2	1	3.7
0_5	CALEDONIA/MT PLEASANT	814	1	0	0.1	383	1	0	0.3	362	1	0	0.3	370	0	0	0.0
0_5	CALUMET COUNTY	175	3	0	1.7	87	2	0	2.3	68	1	0	1.5	81	1	0	1.2
0_5	CHIPPewa COUNTY	903	5	2	0.6	615	3	2	0.5	515	4	2	0.8	247	1	0	0.4
0_5	CLARK COUNTY	406	1	0	0.2	290	1	0	0.3	248	0	0	0.0	95	0	0	0.0
0_5	COLUMBIA COUNTY	821	3	0	0.4	467	3	0	0.6	425	3	0	0.7	288	0	0	0.0
0_5	CRAWFORD COUNTY	254	2	0	0.8	190	1	0	0.5	183	1	0	0.5	42	1	0	2.4
0_5	CUDAHY	439	6	1	1.4	285	4	1	1.4	265	4	1	1.5	104	2	0	1.9
0_5	DE PERE	530	0	0	0.0	185	0	0	0.0	169	0	0	0.0	314	0	0	0.0
0_5	DODGE COUNTY	979	8	1	0.8	644	7	1	1.1	660	6	1	0.9	224	1	0	0.4
0_5	DOOR COUNTY	406	0	0	0.0	282	0	0	0.0	321	0	0	0.0	68	0	0	0.0
0_5	DOUGLAS COUNTY	891	4	0	0.4	505	2	0	0.4	478	2	0	0.4	325	2	0	0.6
0_5	DUNN COUNTY	464	3	1	0.6	309	1	1	0.3	300	0	0	0.0	122	2	0	1.6
0_5	EAU CLAIRE CITY/COUNTY	1592	8	0	0.5	1151	4	0	0.3	999	6	0	0.6	389	1	0	0.3
0_5	FLORENCE COUNTY	24	0	0	0.0	14	0	0	0.0	20	0	0	0.0	1	0	0	0.0
0_5	FOND DU LAC COUNTY	1254	11	2	0.9	806	10	2	1.2	782	9	2	1.2	353	1	0	0.3
0_5	FOREST COUNTY	125	0	0	0.0	96	0	0	0.0	104	0	0	0.0	14	0	0	0.0
0_5	FRANKLIN	474	0	0	0.0	135	0	0	0.0	100	0	0	0.0	321	0	0	0.0
0_5	GRANT COUNTY	802	12	1	1.5	573	9	1	1.6	657	8	1	1.2	86	3	0	3.5
0_5	GREEN COUNTY	453	5	1	1.1	263	4	1	1.5	247	5	1	2.0	152	0	0	0.0
0_5	GREEN LAKE COUNTY	277	4	1	1.4	181	3	1	1.7	164	3	1	1.8	72	1	0	1.4
0_5	GREENDALE	185	1	1	0.5	49	0	0	0.0	42	0	0	0.0	127	1	1	0.8
0_5	GREENFIELD	607	2	0	0.3	264	1	0	0.4	240	0	0	0.0	287	1	0	0.3
0_5	HALES CORNERS	102	0	0	0.0	30	0	0	0.0	21	0	0	0.0	69	0	0	0.0
0_5	IOWA COUNTY	268	5	1	1.9	174	4	1	2.3	160	5	1	3.1	69	0	0	0.0
0_5	IRON COUNTY	90	0	0	0.0	71	0	0	0.0	58	0	0	0.0	18	0	0	0.0
0_5	JACKSON COUNTY	322	3	0	0.9	200	2	0	1.0	199	2	0	1.0	87	0	0	0.0
0_5	JEFFERSON COUNTY	681	7	0	1.0	397	3	0	0.8	426	6	0	1.4	199	1	0	0.5
0_5	JUNEAU COUNTY	570	7	4	1.2	379	7	4	1.8	388	4	2	1.0	122	0	0	0.0
0_5	KENOSHA COUNTY	2524	21	6	0.8	1792	15	4	0.8	1746	19	6	1.1	486	2	0	0.4
0_5	KEWAUNEE COUNTY	225	2	0	0.9	107	1	0	0.9	103	1	0	1.0	97	1	0	1.0
0_5	LA CROSSE COUNTY	1692	16	4	0.9	1048	12	3	1.1	972	15	4	1.5	533	1	0	0.2
0_5	LAFAYETTE COUNTY	174	2	0	1.1	126	2	0	1.6	111	2	0	1.8	33	0	0	0.0
0_5	LANGLADE COUNTY	275	1	0	0.4	196	1	0	0.5	170	1	0	0.6	64	0	0	0.0
0_5	LINCOLN COUNTY	403	3	0	0.7	261	2	0	0.8	203	2	0	1.0	128	1	0	0.8
0_5	MADISON	4939	19	4	0.4	2800	11	2	0.4	2384	9	2	0.4	1879	8	2	0.4
0_5	MANITOWOC COUNTY	1257	15	2	1.2	752	12	2	1.6	772	13	2	1.7	397	2	0	0.5
0_5	MARATHON COUNTY	1767	14	2	0.8	1074	10	2	0.9	930	13	2	1.4	595	0	0	0.0

WISCONSIN 2009 BLOOD LEAD TESTING DATA FOR CHILDREN LESS THAN 6 YEARS OF AGE

Source: Wisconsin Blood Lead Testing Data, WIC Enrollment Files, Medicaid Eligibility Files (all data current as of August 31, 2010)

Tested: Number of unduplicated children receiving a blood lead test during 2006, using the date, place and result for each child's first test during 2006, or their first test ≥ 10 mcg/dL if poisoned. If a child had a venous test within 3 mo. of a capillary test, the data from the venous test were used.

Poisoned: A capillary or venous BLL ≥ 10 mcg/dL; if the test was a capillary sample followed within 3 months by a venous test, the data associated with the venous test were used.

Case: One venous BLL ≥ 20 mcg/dL or 2 venous BLLs ≥ 15 mcg/dL drawn at least 90 days apart; includes both new cases as well as those which were initially identified in a previous calendar year.

Prevalence: Number of poisoned children divided by the number of children tested; indicates the total identified burden of lead poisoning in a community.

Medicaid and WIC Enrollment: A child is counted if they were identified as enrolled in either program at any point during the calendar year.

Age of Child	Local Health Department	Total Tested	Total Poisoned	Total Cases	Overall Prevalence	Medicaid Tested	Medicaid Poisoned	Medicaid Cases	Medicaid Prevalence	WIC Tested	WIC Poisoned	WIC Cases	WIC Prevalence	Non-MA & Non-WIC Tested	Non-MA & Non-WIC Poisoned	Non-MA & Non-WIC Cases	Non-MA & Non-WIC Prevalence
0.5	MARINETTE COUNTY	687	5	0	0.7	472	2	0	0.4	494	5	0	1.0	133	0	0	0.0
0.5	MARQUETTE COUNTY	255	3	0	1.2	170	3	0	1.8	178	3	0	1.7	56	0	0	0.0
0.5	MENASHA	288	0	0	0.0	192	0	0	0.0	167	0	0	0.0	78	0	0	0.0
0.5	MENOMINEE COUNTY	206	1	1	0.5	181	1	1	0.6	191	1	1	0.5	8	0	0	0.0
0.5	MILWAUKEE	25831	981	158	3.8	20605	902	141	4.4	17547	751	120	4.3	3538	49	8	1.4
0.5	MONROE COUNTY	967	5	3	0.5	611	5	3	0.8	601	4	2	0.7	262	0	0	0.0
0.5	NEENAH	389	3	1	0.8	217	1	0	0.5	178	0	0	0.0	151	2	1	1.3
0.5	NORTHSHORE	425	2	0	0.5	144	1	0	0.7	112	0	0	0.0	257	1	0	0.4
0.5	OAK CREEK	481	2	0	0.4	184	1	0	0.5	168	1	0	0.6	257	1	0	0.4
0.5	OCONTO COUNTY	338	0	0	0.0	165	0	0	0.0	147	0	0	0.0	153	0	0	0.0
0.5	ONEIDA COUNTY	395	1	0	0.3	291	1	0	0.3	264	1	0	0.4	79	0	0	0.0
0.5	OSHKOSH	780	9	1	1.2	450	6	1	1.3	354	4	0	1.1	295	3	0	1.0
0.5	OUTAGAMIE COUNTY	852	2	0	0.2	446	1	0	0.2	421	1	0	0.2	340	1	0	0.3
0.5	OZAUKEE COUNTY	568	3	0	0.5	184	0	0	0.0	145	2	0	1.4	355	1	0	0.3
0.5	PEPIN COUNTY	130	1	0	0.8	79	1	0	1.3	83	1	0	1.2	37	0	0	0.0
0.5	PIERCE COUNTY	564	6	2	1.1	234	2	0	0.9	261	5	2	1.9	260	1	0	0.4
0.5	POLK COUNTY	627	2	0	0.3	385	2	0	0.5	404	2	0	0.5	172	0	0	0.0
0.5	PORTAGE COUNTY	1568	6	0	0.4	857	4	0	0.5	804	3	0	0.4	604	2	0	0.3
0.5	PRICE COUNTY	191	0	0	0.0	156	0	0	0.0	148	0	0	0.0	27	0	0	0.0
0.5	RACINE CITY	3413	57	10	1.7	2650	49	9	1.8	2525	48	9	1.9	469	5	1	1.1
0.5	RICHLAND COUNTY	270	4	0	1.5	197	2	0	1.0	179	3	0	1.7	49	1	0	2.0
0.5	ROCK COUNTY	2395	51	11	2.1	1818	42	11	2.3	1958	38	7	1.9	272	6	0	2.2
0.5	RUSK COUNTY	217	0	0	0.0	160	0	0	0.0	162	0	0	0.0	36	0	0	0.0
0.5	SAUK COUNTY	848	5	1	0.6	528	4	1	0.8	548	5	1	0.9	227	0	0	0.0
0.5	SAWYER COUNTY	347	2	0	0.6	280	1	0	0.4	252	1	0	0.4	53	1	0	1.9
0.5	SHAWANO COUNTY	555	2	0	0.4	379	2	0	0.5	372	2	0	0.5	128	0	0	0.0
0.5	SHEBOYGAN COUNTY	1920	40	8	2.1	1373	32	8	2.3	1467	30	7	2.0	311	6	0	1.9
0.5	SHOREWOOD/WHITEFISH BAY	442	3	0	0.7	67	1	0	1.5	30	0	0	0.0	370	2	0	0.5
0.5	SOUTH MILWAUKEE	336	3	0	0.9	212	2	0	0.9	196	2	0	1.0	93	1	0	1.1
0.5	ST CROIX COUNTY	856	1	0	0.1	333	1	0	0.3	342	1	0	0.3	452	0	0	0.0
0.5	ST FRANCIS	122	1	0	0.8	54	0	0	0.0	44	0	0	0.0	60	1	0	1.7
0.5	TAYLOR COUNTY	232	0	0	0.0	179	0	0	0.0	161	0	0	0.0	32	0	0	0.0
0.5	TREMPEALEAU COUNTY	647	5	2	0.8	422	5	2	1.2	421	4	2	1.0	154	0	0	0.0
0.5	VERNON COUNTY	585	5	0	0.9	376	3	0	0.8	419	4	0	1.0	114	0	0	0.0
0.5	VILAS COUNTY	345	0	0	0.0	268	0	0	0.0	245	0	0	0.0	48	0	0	0.0
0.5	WALWORTH COUNTY	1200	17	1	1.4	800	10	0	1.3	816	12	0	1.5	275	5	1	1.8
0.5	WASHBURN COUNTY	306	1	1	0.3	225	0	0	0.0	229	1	1	0.4	55	0	0	0.0
0.5	WASHINGTON COUNTY	1083	1	0	0.1	527	0	0	0.0	436	0	0	0.0	506	1	0	0.2
0.5	WATERTOWN	414	5	0	1.2	245	3	0	1.2	252	4	0	1.6	116	1	0	0.9
0.5	WAUKESHA COUNTY	4298	20	3	0.5	1781	12	2	0.7	1681	12	2	0.7	2209	4	1	0.2
0.5	WAUPACA COUNTY	560	6	0	1.1	340	4	0	1.2	278	3	0	1.1	187	2	0	1.1
0.5	WAUSHARA COUNTY	352	2	1	0.6	269	2	1	0.7	245	2	1	0.8	61	0	0	0.0
0.5	WAUWATOSA	813	6	1	0.7	154	2	1	1.3	111	1	1	0.9	643	4	0	0.6
0.5	WEST ALLIS	1573	18	3	1.1	866	14	1	1.6	772	13	1	1.7	584	3	2	0.5
0.5	WESTERN RACINE COUNTY	771	5	3	0.6	411	4	2	1.0	424	3	2	0.7	280	1	1	0.4
0.5	WINNEBAGO COUNTY	136	2	0	1.5	78	1	0	1.3	70	1	0	1.4	48	1	0	2.1

WISCONSIN 2009 BLOOD LEAD TESTING DATA FOR CHILDREN LESS THAN 6 YEARS OF AGE

Source: Wisconsin Blood Lead Testing Data, WIC Enrollment Files, Medicaid Eligibility Files (all data current as of August 31, 2010)

Tested: Number of unduplicated children receiving a blood lead test during 2006, using the date, place and result for each child's first test during 2006, or their first test ≥ 10 mcg/dL if poisoned. If a child had a venous test within 3 mo. of a capillary test, the data from the venous test were used.

Poisoned: A capillary or venous BLL ≥ 10 mcg/dL; if the test was a capillary sample followed within 3 months by a venous test, the data associated with the venous test were used.

Case: One venous BLL ≥ 20 mcg/dL or 2 venous BLLs ≥ 15 mcg/dL drawn at least 90 days apart; includes both new cases as well as those which were initially identified in a previous calendar year.

Prevalence: Number of poisoned children divided by the number of children tested; indicates the total identified burden of lead poisoning in a community.

Medicaid and WIC Enrollment: A child is counted if they were identified as enrolled in either program at any point during the calendar year.

Age of Child	Local Health Department	Total Tested	Total Poisoned	Total Cases	Overall Prevalence	Medicaid Tested	Medicaid Poisoned	Medicaid Cases	Medicaid Prevalence	WIC Tested	WIC Poisoned	WIC Cases	WIC Prevalence	Non-MA & Non-WIC Tested	Non-MA & Non-WIC Poisoned	Non-MA & Non-WIC Cases	Non-MA & Non-WIC Prevalence
0-5	WOOD COUNTY	1307	8	3	0.6	922	5	2	0.5	749	1	0	0.1	325	3	1	0.9
0-5	STATEWIDE	97465	1543	255	1.6	63935	1309	220	2.0	58620	1160	193	2.0	26173	149	20	0.6

WISCONSIN 2009 BLOOD LEAD TESTING DATA FOR CHILDREN LESS THAN 6 YEARS OF AGE

Source: Wisconsin Blood Lead Testing Data, WIC Enrollment Files, Medicaid Eligibility Files (all data current as of August 31, 2010)

Tested: Number of unduplicated children receiving a blood lead test during 2006, using the date, place and result for each child's first test during 2006, or their first test ≥ 10 mcg/dL if poisoned. If a child had a venous test within 3 mo. of a capillary test, the data from the venous test were used.

Poisoned: A capillary or venous BLL ≥ 10 mcg/dL; if the test was a capillary sample followed within 3 months by a venous test, the data associated with the venous test were used.

Case: One venous BLL ≥ 20 mcg/dL or 2 venous BLLs ≥ 15 mcg/dL drawn at least 90 days apart; includes both new cases as well as those which were initially identified in a previous calendar year.

Prevalence: Number of poisoned children divided by the number of children tested; indicates the total identified burden of lead poisoning in a community.

Medicaid and WIC Enrollment: A child is counted if they were identified as enrolled in either program at any point during the calendar year.

Age of Child	Local Health Department	Total Tested	Total Poisoned	Total Cases	Overall Prevalence	Medicaid Tested	Medicaid Poisoned	Medicaid Cases	Medicaid Prevalence	WIC Tested	WIC Poisoned	WIC Cases	WIC Prevalence	Non-MA & Non-WIC Tested	Non-MA & Non-WIC Poisoned	Non-MA & Non-WIC Cases	Non-MA & Non-WIC Prevalence
THREE TO FIVE-YEAR-OLDS WITH NO PRIOR TEST (36 through 71 months)																	
3.5	ADAMS COUNTY	15	1	0	6.7	9	1	0	11.1	8	1	0	12.5	4	0	0	0.0
3.5	APPLETON CITY	54	0	0	0.0	34	0	0	0.0	25	0	0	0.0	16	0	0	0.0
3.5	ASHLAND COUNTY	35	1	0	2.9	22	1	0	4.5	19	1	0	5.3	11	0	0	0.0
3.5	BARRON COUNTY	41	1	0	2.4	22	1	0	4.5	25	1	0	4.0	13	0	0	0.0
3.5	BAYFIELD COUNTY	15	0	0	0.0	9	0	0	0.0	7	0	0	0.0	5	0	0	0.0
3.5	BROWN COUNTY	145	3	0	2.1	102	1	0	1.0	76	1	0	1.3	27	2	0	7.4
3.5	BUFFALO COUNTY	15	0	0	0.0	5	0	0	0.0	4	0	0	0.0	10	0	0	0.0
3.5	BURNETT COUNTY	36	0	0	0.0	17	0	0	0.0	23	0	0	0.0	8	0	0	0.0
3.5	CALEDONIA/MT PLEASANT	80	0	0	0.0	46	0	0	0.0	36	0	0	0.0	26	0	0	0.0
3.5	CALUMET COUNTY	8	1	0	12.5	5	1	0	20.0	3	0	0	0.0	2	0	0	0.0
3.5	CHIPPEWA COUNTY	32	0	0	0.0	20	0	0	0.0	9	0	0	0.0	10	0	0	0.0
3.5	CLARK COUNTY	26	0	0	0.0	15	0	0	0.0	10	0	0	0.0	10	0	0	0.0
3.5	COLUMBIA COUNTY	50	0	0	0.0	28	0	0	0.0	13	0	0	0.0	19	0	0	0.0
3.5	CRAWFORD COUNTY	16	0	0	0.0	8	0	0	0.0	4	0	0	0.0	7	0	0	0.0
3.5	CUDAHY	39	0	0	0.0	26	0	0	0.0	18	0	0	0.0	6	0	0	0.0
3.5	DE PERE	16	0	0	0.0	8	0	0	0.0	3	0	0	0.0	7	0	0	0.0
3.5	DODGE COUNTY	66	2	0	3.0	30	1	0	3.3	46	1	0	2.2	15	1	0	6.7
3.5	DOOR COUNTY	22	0	0	0.0	10	0	0	0.0	11	0	0	0.0	7	0	0	0.0
3.5	DOUGLAS COUNTY	66	2	0	3.0	36	0	0	0.0	33	0	0	0.0	22	2	0	9.1
3.5	DUNN COUNTY	26	0	0	0.0	13	0	0	0.0	9	0	0	0.0	12	0	0	0.0
3.5	EAU CLAIRE CITY/COUNTY	71	0	0	0.0	57	0	0	0.0	34	0	0	0.0	14	0	0	0.0
3.5	FLORENCE COUNTY	4	0	0	0.0	0	0	0	0.0	4	0	0	0.0	0	0	0	0.0
3.5	FOND DU LAC COUNTY	49	0	0	0.0	26	0	0	0.0	22	0	0	0.0	15	0	0	0.0
3.5	FOREST COUNTY	12	0	0	0.0	9	0	0	0.0	9	0	0	0.0	2	0	0	0.0
3.5	FRANKLIN	22	0	0	0.0	9	0	0	0.0	3	0	0	0.0	12	0	0	0.0
3.5	GRANT COUNTY	50	1	0	2.0	24	1	0	4.2	24	1	0	4.2	17	0	0	0.0
3.5	GREEN COUNTY	16	0	0	0.0	8	0	0	0.0	2	0	0	0.0	8	0	0	0.0
3.5	GREEN LAKE COUNTY	19	0	0	0.0	10	0	0	0.0	8	0	0	0.0	8	0	0	0.0
3.5	GREENDALE	9	0	0	0.0	4	0	0	0.0	1	0	0	0.0	5	0	0	0.0
3.5	GREENFIELD	45	0	0	0.0	28	0	0	0.0	13	0	0	0.0	14	0	0	0.0
3.5	HALES CORNERS	6	0	0	0.0	2	0	0	0.0	0	0	0	0.0	4	0	0	0.0
3.5	IOWA COUNTY	27	0	0	0.0	14	0	0	0.0	6	0	0	0.0	11	0	0	0.0
3.5	IRON COUNTY	11	0	0	0.0	7	0	0	0.0	5	0	0	0.0	4	0	0	0.0
3.5	JACKSON COUNTY	28	0	0	0.0	11	0	0	0.0	7	0	0	0.0	15	0	0	0.0
3.5	JEFFERSON COUNTY	45	0	0	0.0	18	0	0	0.0	17	0	0	0.0	20	0	0	0.0
3.5	JUNEAU COUNTY	26	0	0	0.0	6	0	0	0.0	5	0	0	0.0	18	0	0	0.0
3.5	KENOSHA COUNTY	260	1	1	0.4	159	0	0	0.0	133	1	1	0.8	63	0	0	0.0
3.5	KEWAUNEE COUNTY	14	0	0	0.0	5	0	0	0.0	4	0	0	0.0	6	0	0	0.0
3.5	LA CROSSE COUNTY	97	0	0	0.0	46	0	0	0.0	36	0	0	0.0	47	0	0	0.0
3.5	LAFAYETTE COUNTY	9	0	0	0.0	6	0	0	0.0	4	0	0	0.0	3	0	0	0.0
3.5	LANGLADE COUNTY	23	0	0	0.0	16	0	0	0.0	14	0	0	0.0	5	0	0	0.0
3.5	LINCOLN COUNTY	19	0	0	0.0	12	0	0	0.0	9	0	0	0.0	6	0	0	0.0
3.5	MADISON	319	1	1	0.3	160	0	0	0.0	95	0	0	0.0	140	1	1	0.7
3.5	MANITOWOC COUNTY	24	0	0	0.0	14	0	0	0.0	13	0	0	0.0	5	0	0	0.0
3.5	MARATHON COUNTY	62	1	0	1.6	32	0	0	0.0	24	1	0	4.2	23	0	0	0.0

WISCONSIN 2009 BLOOD LEAD TESTING DATA FOR CHILDREN LESS THAN 6 YEARS OF AGE

Source: Wisconsin Blood Lead Testing Data, WIC Enrollment Files, Medicaid Eligibility Files (all data current as of August 31, 2010)

Tested: Number of unduplicated children receiving a blood lead test during 2006, using the date, place and result for each child's first test during 2006, or their first test ≥ 10 mcg/dL if poisoned. If a child had a venous test within 3 mo. of a capillary test, the data from the venous test were used.

Poisoned: A capillary or venous BLL ≥ 10 mcg/dL; if the test was a capillary sample followed within 3 months by a venous test, the data associated with the venous test were used.

Case: One venous BLL ≥ 20 mcg/dL or 2 venous BLLs ≥ 15 mcg/dL drawn at least 90 days apart; includes both new cases as well as those which were initially identified in a previous calendar year.

Prevalence: Number of poisoned children divided by the number of children tested; indicates the total identified burden of lead poisoning in a community.

Medicaid and WIC Enrollment: A child is counted if they were identified as enrolled in either program at any point during the calendar year.

Age of Child	Local Health Department	Total Tested	Total Poisoned	Total Cases	Overall Prevalence	Medicaid Tested	Medicaid Poisoned	Medicaid Cases	Medicaid Prevalence	WIC Tested	WIC Poisoned	WIC Cases	WIC Prevalence	Non-MA & Non-WIC Tested	Non-MA & Non-WIC Poisoned	Non-MA & Non-WIC Cases	Non-MA & Non-WIC Prevalence
3.5	MARINETTE COUNTY	38	0	0	0.0	20	0	0	0.0	25	0	0	0.0	7	0	0	0.0
3.5	MARQUETTE COUNTY	15	0	0	0.0	7	0	0	0.0	9	0	0	0.0	5	0	0	0.0
3.5	MENASHA	9	0	0	0.0	5	0	0	0.0	8	0	0	0.0	1	0	0	0.0
3.5	MENOMINEE COUNTY	3	0	0	0.0	2	0	0	0.0	2	0	0	0.0	1	0	0	0.0
3.5	MILWAUKEE	1604	67	4	4.2	1183	61	3	5.2	754	30	3	4.0	307	5	0	1.6
3.5	MONROE COUNTY	41	0	0	0.0	13	0	0	0.0	14	0	0	0.0	24	0	0	0.0
3.5	NEENAH	19	0	0	0.0	9	0	0	0.0	9	0	0	0.0	7	0	0	0.0
3.5	NORTHSHORE	31	1	0	3.2	16	1	0	6.3	6	0	0	0.0	12	0	0	0.0
3.5	OAK CREEK	42	0	0	0.0	23	0	0	0.0	15	0	0	0.0	14	0	0	0.0
3.5	OCONTO COUNTY	18	0	0	0.0	11	0	0	0.0	4	0	0	0.0	7	0	0	0.0
3.5	ONEIDA COUNTY	19	0	0	0.0	5	0	0	0.0	9	0	0	0.0	8	0	0	0.0
3.5	OSHKOSH	44	1	1	2.3	29	1	1	3.4	18	0	0	0.0	8	0	0	0.0
3.5	OUTAGAMIE COUNTY	25	0	0	0.0	12	0	0	0.0	12	0	0	0.0	11	0	0	0.0
3.5	OZAUKEE COUNTY	39	1	0	2.6	10	0	0	0.0	6	1	0	16.7	26	0	0	0.0
3.5	PEPIN COUNTY	6	0	0	0.0	3	0	0	0.0	2	0	0	0.0	3	0	0	0.0
3.5	PIERCE COUNTY	24	0	0	0.0	13	0	0	0.0	16	0	0	0.0	5	0	0	0.0
3.5	POLK COUNTY	44	0	0	0.0	21	0	0	0.0	22	0	0	0.0	15	0	0	0.0
3.5	PORTAGE COUNTY	60	0	0	0.0	24	0	0	0.0	22	0	0	0.0	29	0	0	0.0
3.5	PRICE COUNTY	8	0	0	0.0	8	0	0	0.0	5	0	0	0.0	0	0	0	0.0
3.5	RACINE CITY	187	4	2	2.1	121	3	1	2.5	105	2	1	1.9	40	1	1	2.5
3.5	RICHLAND COUNTY	21	1	0	4.8	14	0	0	0.0	8	0	0	0.0	6	1	0	16.7
3.5	ROCK COUNTY	138	2	1	1.4	85	1	1	1.2	97	1	0	1.0	19	0	0	0.0
3.5	RUSK COUNTY	20	0	0	0.0	15	0	0	0.0	12	0	0	0.0	5	0	0	0.0
3.5	SAUK COUNTY	60	0	0	0.0	30	0	0	0.0	22	0	0	0.0	21	0	0	0.0
3.5	SAWYER COUNTY	17	0	0	0.0	12	0	0	0.0	8	0	0	0.0	4	0	0	0.0
3.5	SHAWANO COUNTY	14	0	0	0.0	7	0	0	0.0	6	0	0	0.0	5	0	0	0.0
3.5	SHEBOYGAN COUNTY	117	2	1	1.7	72	2	1	2.8	71	1	0	1.4	21	0	0	0.0
3.5	SHOREWOOD/WHITEFISH BAY	21	0	0	0.0	11	0	0	0.0	5	0	0	0.0	9	0	0	0.0
3.5	SOUTH MILWAUKEE	38	1	0	2.6	27	1	0	3.7	18	1	0	5.6	9	0	0	0.0
3.5	ST CROIX COUNTY	60	0	0	0.0	30	0	0	0.0	27	0	0	0.0	24	0	0	0.0
3.5	ST FRANCIS	8	0	0	0.0	6	0	0	0.0	4	0	0	0.0	1	0	0	0.0
3.5	TAYLOR COUNTY	18	0	0	0.0	14	0	0	0.0	8	0	0	0.0	4	0	0	0.0
3.5	TREMPEALEAU COUNTY	27	0	0	0.0	13	0	0	0.0	10	0	0	0.0	13	0	0	0.0
3.5	VERNON COUNTY	28	0	0	0.0	14	0	0	0.0	14	0	0	0.0	7	0	0	0.0
3.5	VILAS COUNTY	18	0	0	0.0	11	0	0	0.0	8	0	0	0.0	5	0	0	0.0
3.5	WALWORTH COUNTY	64	1	0	1.6	37	0	0	0.0	36	0	0	0.0	14	1	0	7.1
3.5	WASHBURN COUNTY	29	1	1	3.4	12	0	0	0.0	16	1	1	6.3	10	0	0	0.0
3.5	WASHINGTON COUNTY	103	0	0	0.0	68	0	0	0.0	35	0	0	0.0	31	0	0	0.0
3.5	WATERTOWN	23	0	0	0.0	7	0	0	0.0	8	0	0	0.0	11	0	0	0.0
3.5	WAUKESHA COUNTY	247	3	0	1.2	90	1	0	1.1	85	2	0	2.4	127	1	0	0.8
3.5	WAUPACA COUNTY	24	0	0	0.0	14	0	0	0.0	6	0	0	0.0	8	0	0	0.0
3.5	WAUSHARA COUNTY	21	0	0	0.0	14	0	0	0.0	11	0	0	0.0	5	0	0	0.0
3.5	WAUWATOSA	41	0	0	0.0	18	0	0	0.0	7	0	0	0.0	23	0	0	0.0
3.5	WEST ALLIS	151	2	0	1.3	109	2	0	1.8	74	2	0	2.7	38	0	0	0.0
3.5	WESTERN RACINE COUNTY	63	0	0	0.0	27	0	0	0.0	29	0	0	0.0	21	0	0	0.0
3.5	WINNEBAGO COUNTY	6	0	0	0.0	4	0	0	0.0	4	0	0	0.0	1	0	0	0.0

WISCONSIN 2009 BLOOD LEAD TESTING DATA FOR CHILDREN LESS THAN 6 YEARS OF AGE

Source: Wisconsin Blood Lead Testing Data, WIC Enrollment Files, Medicaid Eligibility Files (all data current as of August 31, 2010)

Tested: Number of unduplicated children receiving a blood lead test during 2006, using the date, place and result for each child's first test during 2006, or their first test ≥ 10 mcg/dL if poisoned. If a child had a venous test within 3 mo. of a capillary test, the data from the venous test were used.

Poisoned: A capillary or venous BLL ≥ 10 mcg/dL; if the test was a capillary sample followed within 3 months by a venous test, the data associated with the venous test were used.

Case: One venous BLL ≥ 20 mcg/dL or 2 venous BLLs ≥ 15 mcg/dL drawn at least 90 days apart; includes both new cases as well as those which were initially identified in a previous calendar year.

Prevalence: Number of poisoned children divided by the number of children tested; indicates the total identified burden of lead poisoning in a community.

Medicaid and WIC Enrollment: A child is counted if they were identified as enrolled in either program at any point during the calendar year.

Age of Child	Local Health Department	Total Tested	Total Poisoned	Total Cases	Overall Prevalence	Medicaid Tested	Medicaid Poisoned	Medicaid Cases	Medicaid Prevalence	WIC Tested	WIC Poisoned	WIC Cases	WIC Prevalence	Non-MA & Non-WIC Tested	Non-MA & Non-WIC Poisoned	Non-MA & Non-WIC Cases	Non-MA & Non-WIC Prevalence
3-5	WOOD COUNTY	84	1	0	1.2	46	1	0	2.2	20	0	0	0.0	34	0	0	0.0
3-5	STATEWIDE	5809	103	12	1.8	3490	81	7	2.3	2586	49	6	1.9	1710	15	2	0.9