| Total 20 | 05 Populat: | ion | 5,133 | Community Opt | ions and MA | Waiver | | | Per 10,000 |
|---|----------------------------|---------------|----------------------------|--------------------------------------|-------------------|----------------|--|---------------------------------------|---------------|
| | | | as HSRS repor | ts costs for | services | Staffing - FTE | Number | Populátio | |
| Populat | ion per squ | uare mile | 11 | | | | | 2.7 | 5.3 |
| County | ranking i | n state (| 1-72) 69 | COP MA Waiver * | Clients | Costs | Administrative | 1.0 | 1.9 |
| obuilty | r anniting in | , στατο (| 1 72) 00 | COP | 0110110 | \$497 | Public health nur Other prof. staff Technical/Parapro Support staff | 202 | |
| Age | Female | Male | Total | MA Waiver * | U | ΨΤΟΙ | Other prof staff | · 0.7 | 1 / |
| 0-14 | 383 | 399 | 782 | CTD1A | 4 | ¢57 610 | Toohnigal/Danana | o.7 | 0.0 |
| 0-14 | 303 | | | OTP1A | 10 | \$37,010 | l Cuppent staff | 1. 0.0 | 0.0 |
| 5-19 | 137 | 184 | 321 | CIPIB | 13 | \$157,301 | Support Stair | 1.0 | 1.5 |
| 20-24 | 113 86 | 135 | 248 | MA Walver * CIP1A CIP1B CIP2 COP-W | 0 | \$0 | | | |
| 25-29 | 86 | 98 | 184 | COP-W | 30 | \$146,359 | Funding Total Local Taxes | . | Per capit |
| 80-34 | 118 | 109 169 | 227 | CLTS | 4 | \$81,973 | Total | \$177,066 | \$34.49 |
| 5-39 | 170 | 169 | 339 | Brain Injury | 0 | \$0 | Local Taxes | \$69,646 | \$13.57 |
| 0-44 | 220 | 211 | 431 | CLTS Brain Injury Total COP/Wvr | s 48 | \$443,739 | | | |
| 5-54 | 404 | 476 | 880 | | | • | LICENSED | ESTABLISHME | NTS |
| 5-64 | | 368 | | \$50,098 o | f the above | waiver costs | | | |
| 5-74 | 373 257 | 278 | 535 | were paid as | local match | /overmatch | Type | Capacity | Facilitie |
| 5-84 | 156 | 152 | 308 | using COP fu | | | Red & Breakfast | 11 | |
| 85+ | 156 91 | 46 | 137 | not included | in ahove CO | D costs | Type Bed & Breakfast Camps Hotels, Motels Tourist Rooming | 12/ | ē |
| otal | 2,508 | 2,625 | 5,133 | liot illotadea | III above oo | 1 00313. | Hotale Motale | 06 | |
| OLAI | 2,506 | 2,025 | 5,133 | * Waiver cos | to poponted | hono | Tourist Dooming | 16 | 6 |
| A | | M-1- | T-+-1 | | | | Tourist Rooming | 10 | 9 |
| Age_ | Female | Male | | Include tea | eral funding | • | LOOT2 | | |
| 0-17 | 463 | 502 | 965 | | | | Restaurants | | 46 |
| 8-44 | 764 | 803 | 1,567 | | Clients | Costs | Vending | | 2 |
| 5-64 | 777 | 844 | 1,621 | Eligible and | | | | | |
| 65+ | 764 777 504 2,508 | 476 | 980 | Eligible and Waiting | 0 | n/a | | | |
| otal | 2,508 | 2,625 | 5,133 | | | | | | |
| | • | • | • | (Family Care | not provided | in county) | WIC PA | ARTICIPANTS | |
| overtv | Estimates ⁻ | for 2000 | | (* | | ,, | | | |
| | Fst: | imate | (C.I.+/-) | | | | | | Numbe |
| Δll an | AS 201. | 465 | 64 | Note: Eligibl | e and waitin | a clients | Pregnant/Postpart | -ıım | |
| All ag | CO | 0 1% | (1/1%) | will be pha | ead into the | COP and MA | Infants | | |
| Λαος Ο | 17 | 1// | 64 (14%) 29 (20%) | Note: Eligibl will be pha Waivers as | available. | ooi and wa | Children age 1 | 1 | 9 |
| Ages 0 | - 17 | 144 | (00%) | Walvers as | avallable. | | Children, age 1-4 | t . | 19 |
| | | 12.46 | (20%) | | | | Total | | 18 |
| | EMBL | O) // 4E N E | | | | | OANOED TA | IOTDENOE (OO | .0.4) |
| | EMPL | DYMENI | | l | | _ | CANCER IN | NCIDENCE (20 | 104) |
| verage wage for jobs covered y unemployment compensation \$20,672 | | | Home Health A | gencies | 0 | Primary Site | | | |
| | | pensation | \$20,672 | l Patients | | /6 | Breast | | 1 |
| lace of | work) | | | Patients per | 10,000 pop. | 148 | Cervical | | (|
| | | | Annual | | | | Colorectal | | 2 |
| Annual abor Force Estimates Average | | Nursing Homes | | 1 | Lung and Bronchus | 3 | 2 | | |
| | | | J | Licensed bed | S | 73 | Prostate | | 4 |
| Annual Average Civilian Labor Force 2,668 Number employed 2,496 Number unemployed 172 Unemployment rate 6.4% | | Occupancy ra | te | 76.7% | Other sites | | 13 | | |
| Number employed 2 406 | | Residents on | Dec 31 | 57 | Total | | 24 | | |
| Number | unemployed | 4 | 170 | Decidents on | a 65 or olda | n Ji | 1000 | | 2- |
| MUMBEL. | unemproyed | u | 114 | l uestrailes ad | e oo oi otae | | Note: Totals showr | _ | |
| Linoma | 1 av mant | + ^ | C 10. | 1 non 1 000 - | anulation | E0 | | · · · · · · · · · · · · · · · · · · · | |

| | | | NA | ΓALITY | | | | |
|---|--------------|-------------|--------------------------------|--------|---------------|---|----------|---------------------|
| TOTAL LIVE BIRTHS | | 37 | | Births | Percent | Marital Status | | |
| | | | First | 11 | 30 | of Mother | Births | Percent |
| Crude Live Birth Rate | | 7.2 | Second | 15 | 41 | Married | 36 | 97 |
| General Fertility Rate | | | Third | 5 | 14 | Not married | 1 | 3 |
| denotal for cliffy have | • | 40.0 | Fourth or highe | | 14 16 | Unknown | Ó | Ö |
| ive hinths with pener | at ad | | Unknown | 0 | 0 | OHKHOWH | U | U |
| ive births with repor congenital anomalies | Leu | 0 00. | UIKIIUWII | U | U | | | |
| congenital anomalies | | 0.0% | | | | Education | Diatha | D |
| | | | | | | of Mother | Births | Percent |
| Delivery Type | Births | Percent | 1st Prenatal Visi | | Percent | Elementary or le | ss . | • |
| Vaginal after | | | 1st trimester | 35 | 95 | Some high school | . 1 | 3 |
| previous cesarean | 0 | 0 | 2nd trimester 3rd trimester | 2 | 5 | High school Some college College graduate | 17 | 46 |
| Forceps | 0 | 0 | 3rd trimester | 0 | 0 | Some college | 11 | 30 |
| Other vaginal | 25 7 | 68 | No visits | 0 | 0 | College graduate | . 8 | 22 |
| Primary cesarean | 7 | 10 | Unknown | ŏ | ŏ | Unknown | • | |
| Repeat cesarean | 5 | 14 | CHAHOWH | 3 | J | OHRHOWH | • | • |
| nepeat desaireail | 5 | 14 | Doonatal Viaita | Dintho | Donoont | Cmaking Ctatus | | |
| المام | D | D | Prenatal Visits | | Percent | Smoking Status | D | D |
| Birthweight | RILLUS | rercent | No visits | 0 | 0 | of Mother | Births | Percen |
| <1,500 gm | 0 2 35 | 0.0 | 1-4 | 0 | 0 | Smoker | 3 | 8 |
| 1,500-2,499 gm | 2 | 5.4 | 5-9 | 7 | 19 | Nonsmoker | 34 | 92 |
| 2,500+ gm | 35 | 94.6 | 10-12 | 11 | 30 | Unknown | 0 | 0 |
| Unknown | 0 | 0 | 13+ | 19 | 51 | | | |
| | | | Unknown | 0 | 0 | | | |
| | | | Low Birthweight | 1et Tr | Trimest | er of First Prenata 2nd Trimester | l Visit | /IInknown |
| ace/Ethnicity | Rinthe D | orcont | Rinthe Percent | Birthe | Darcan+ | Births Percent | Rinthe | Percen |
| MI + - | ~~ | 100 | Births Percent 2 5.4 | 35 | Percent 95 | 2 5 | DII (II3 | i ei ceii |
| wnite Black/Afr.American | 0 | 0 | 2 5.4 | 33 | 95 | 2 5 | • | • |
| Amariaan Tadian | Ü | _ | | • | • | | • | • |
| American Indian | 0 | 0 | | • | • | | • | • |
| Hispanic/Latino | 0 | 0 | | | | | | |
| Laotian/Hmong | 0 | 0 0 0 | | | | | | |
| Other/Unknown | 0 | 0 | | • | • | | | |
| | | | Low Birthweight | | Trimest | er of First Prenata | | |
| | | rtility | (under 2,500 gm) | 1st Tr | imester | 2nd Trimester | Other/ | |
| ge of Mother | Births | Rate | Births Percent | Births | Percent | Births Percent | Births | Percen ⁻ |
| ັ <15 | 0 | | | | • | | | |
| 15-17 | Ō | 0 | | _ | _ | | - | - |
| 18-19 | 1 | 18 | * | * | - | * | * | - |
| 20-24 | 6 | 53 | 1 16.7 | 6 | 100 | • | | • |
| 20-24 25-29 | 15 | 174 | 1 6.7 | 14 | 93 | i ; | • | • |
| | | | 1 0.7 | | | 1 / | • | • |
| 30-34 | 6 | 51 | | 6 | 100 | : .: | • | • |
| 35-39 | 8 | 47 | | 7 | 88 | 1 13 | | |
| 40+ | 1 | 5 | * • | * | | * . | * | |
| Unknown | 0 | | | | | | | |
| OHKHOWH | _ | | | | | | | |

| MORBIDITY | | | MOF | RTALITY | | |
|---|---|---------------------------------------|--|--|--------------------------------|-------------|
| REPORTED CASES OF SELECTED DISEASES* | Note: Death rates (neonatal, and Perinatal and | except in I postneon I fetal de | fant) are p atal death ath rates a | per 100,000 population. rates are per 1,000 liv are per 1,000 live birth culated for fewer than 2 | Infant, e births. s plus | |
| Disease Number Campylobacter Enteritis <5 Giardiasis 0 Hepatitis Type A 0 | TOTAL DEATHS Crude Death Ra | | 45 877 | Selected Underlying Cause Heart Disease (total) Ischemic heart diseas | Deaths 18 | Rate |
| Hepatitis Type B** 0 Hepatitis NANB/C <5 | Age 1-4 | Deaths 1 | Rate | Cancer (total) Trachea/Bronchus/Lung | 13 | |
| Legionnaire's 0 Lyme <5 Measles 0 | 5-14 15-19 20-34 | i | • | Colorectal Female Breast Cerebrovascular Diseas | e 2 | .* |
| Meningitis, Aseptic 0 Meningitis, Bacterial 0 | 35 - 54 55 - 64 | 6 7 | • | Lower Resp. Disease Pneumonia & Influenza | 1 | : |
| Mumps 0 Pertussis 0 | 65-74 75-84 85+ | 8 10 12 | | Accidents Motor vehicle | 3 | |
| Salmonellosis <5 Shigellosis <5 Tuberculosis 0 | | 12 | • | Diabetes Infect./Parasitic Dis. Suicide | : | : |
| * 2005 provisional data. ** Includes all positive HBsAg | Infant Mortality Total Infant Neonatal | Deaths . | Rate | * Based on female popu | lation. | |
| test results. | Neonatal Postneonatal Unknown | : | | ALCOHOL AND DRUG ABUSE OR CONTRIBUTING CAU | AS UNDERL SE OF DEAT | YING H |
| Sexually Transmitted Disease Chlamydia Trachomatis <5 | Race of Mother | | • | Alcohol Tobacco Use | 1 3 | 58 |
| Genital Herpes 0 Gonorrhea 0 Syphilis 0 | White Black Hispanic | | • | Other Drugs | • | • |
| Зурпіті | Laotian/Hmong Other/Unknown | | | MOTOR VEHICL | E CRASHES | |
| IMMUNIZATIONS | Birthweight <1,500 gm | | _ | Note: These data are b of crash, not o | | |
| Children in Grades K-12 by Compliance Level Compliant 589 | 1,500-2,499 gm 2,500+ gm Unknown | • | • | Type of Motor Vehicle Crash | Persons P Injured 58 | |
| Compliance Level Compliant 589 Non-compliant 0 Percent Compliant 100.0 | Perinatal | • | • | Total Crashes Alcohol-Related With Citation: | | 3 |
| | Mortality Total Perinatal Neonatal | Deaths | Rate • | For OWI For Speeding Motorcyclist Bicyclist | 11 0 3 | 1 0 0 |
| | Neonatal Fetal | : | • | Bicyclist Pedestrian | 0 4 | 0 0 |

| DISEASE / AGE GROUP | Number | Per 1,000 Pop | Average Stay (Days) | | Charge Per | ITALIZATIONS DISEASE / AGE GROUP | Number | Per 1,000 Pop | Average Stay (Days) | Average | Charge Per Capita |
|------------------------|------------|---------------------|---------------------------|-----------|---------------|--|-------------|---------------------|---------------------------|----------------|-------------------------|
| Injury-Related | : All | | | | | Alcohol-Relate | d | | | | |
| Ťotál | 18 | | | | | Total | 9 | | | | |
| <18 | 2 | | | | | 18-44 | 3 | | | | |
| 18-44 | 5 | | | | | 45-64 | 3 | | | | |
| 45-64 | 7 | | | | | Pneumonia and | Influenza | | | | |
| 65+ | 4 | | | | | Total | 3 | | | | |
| Injury: Hip I | Fracture | = | _ | _ | - | <18 | Ī | | | | |
| Total | 0 | _ | _ | _ | _ | 45-64 | 1 | - | _ | | |
| 65+ | Ö | | - | • | • | 65+ | i | • | • | • | • |
| Injury: Pois | | • | - | • | • | Cerebrovascula | r Disease | • | • | • | • |
| Total | 1 | | | | | Total | 9 | | | | |
| 18-44 | i | • | • | • | • | 45-64 | 3 | • | • | • | • |
| 10 44 | • | • | • | • | • | 65+ | 5 | • | • | • | • |
| Psychiatric | | | | | | Chronic Obstru | • | nary C | 19888 | • | • |
| Total | 12 | | | | | Total | 4 | onar y L | 130430 | | |
| <18 | 3 | • | • | • | • | <18 | ŏ | • | • | • | • |
| 18-44 | 5 | • | • | • | • | 18-44 | 0 | • | • | • | • |
| 45-64 | 2 | • | • | • | • | 45-64 | 1 | • | • | • | |
| 45-04 65+ | 2 | • | • | • | • | 65+ | 3 | • | • | • | |
| 05+ | 2 | • | • | • | • | Drug-Related | 3 | • | • | • | • |
| Coronary Heart | Dicesso | | | | | Total | 8 | | | | |
| Total | 17 | | | | | 18-44 | 5 | • | • | | • |
| 45-64 | 7 | • | • | • | • | 10-44 | 3 | • | • | | • |
| 45-64 65+ | | • | • | • | • | Total Hagnital | izationo | | | | |
| 05+ | 10 | • | • | • | • | Total Hospital | | 41 0 | E 4 | CO1 110 | 070 |
| An Tiller and Maney | 1 (0 | \ | | | | Total | 212 | 41.3 | 5.1 | \$21,118 | \$872 |
| Malignant Neopi | | cers): | ATT | | | <18 | 18 | 40.4 | | | Φ000 |
| Total | 10 | • | • | • | | 18-44 | 30 | 19.1 | | \$14,025 | \$269 |
| 18-44 | <u>1</u> | • | • | • | | 45-64 | 71 | 43.8 | | \$20,192 | \$884 |
| 45-64 | 5 | | • | • | | 65+ | 93 | 94.9 | 5.0 | \$24,925 | \$2,365 |
| 65+ | , 4 | | | | | | DEVENITABLE | HOODET | | ON O de | |
| Neoplasms: Fo | | st (ra | ites for | temale po | opulation) | PI | | | | | |
| Total | 0 | | • | • | | Total | 19 | | 3.8 | \$12,794 | \$47 |
| Neoplasms: Co | olo-recțal | | | | | <18 | 3 | 3.1 | 2.7 | \$9,666 | \$30 |
| Total | 1 | | | | | 18-44 | 2 | 1.3 | | \$13,192 | \$17 |
| 65+ | 1 | | | | | 45-64 | 3 | 1.9 | 4.3 | \$17,443 | \$32 |
| Neoplasms: L | | | | | | 65+ | 11 | 11.2 | 4.1 | \$12,306 | \$138 |
| Total | 2 | | | • | • | | | | | | |
| Diabetes | | | | | | * Woonitalization | s for cond | itiono | whono + | imoly and | offoo+i |
| Total | 0 | | | | | * Hospitalizations ambulatory care care | an naduas | + h | wilere L | of book | +01190t1 +41170++ |
| 10tai 65+ | 2 0 | • | • | • | • | amburatory care c | an reduce | CHE TTK | ETTHOOG | or mosbr | ιαττζάιΤ |
| 0 0 + | U | | | | | I | | | | | |