

----- POPULATION ESTIMATES -----

----- LONG-TERM CARE -----

----- LOCAL HEALTH DEPARTMENTS -----

| | | | | | | | | | | |
|--|----------|-----------|-------|---|--|----------|-------------------|----------------------|-----------------------|------------|
| Total 2005 Population | | | | 6,821 | Community Options and MA Waiver as HSRS reports costs for services | | Staffing - FTE | Number | Per 10,000 Population | |
| Population per square mile | | | | 9 | | | Total staff | 5.5 | 8.1 | |
| County ranking in state (1-72) | | | | 72 | | | Administrative | 1.0 | 1.5 | |
| Age | Female | Male | Total | | COP | Clients | Costs | Public health nurses | 1.0 | 1.5 |
| 0-14 | 423 | 398 | 821 | | MA Waiver * | 1 | \$23,798 | Other prof. staff | 2.0 | 2.9 |
| 15-19 | 216 | 206 | 422 | | CIP1A | 0 | \$0 | Technical/Paraprof. | . | . |
| 20-24 | 164 | 155 | 319 | | CIP1B | 21 | \$517,153 | Support staff | 1.5 | 2.2 |
| 25-29 | 148 | 140 | 288 | | CIP2 | 5 | \$68,692 | | | |
| 30-34 | 154 | 145 | 299 | | COP-W | 23 | \$168,907 | Funding | | Per capita |
| 35-39 | 184 | 198 | 382 | | CLTS | 0 | \$0 | Total | \$414,517 | \$60.76 |
| 40-44 | 286 | 260 | 546 | | Brain Injury | 0 | \$0 | Local Taxes | \$185,474 | \$27.19 |
| 45-54 | 526 | 634 | 1,160 | | Total COP/Wvrs | 50 | \$778,550 | | | |
| 55-64 | 476 | 533 | 1,009 | | \$99,762 of the above waiver costs were paid as local match/overmatch using COP funds. This amount is not included in above COP costs. | | | | | |
| 65-74 | 394 | 391 | 785 | | * Waiver costs reported here include federal funding. | | | | | |
| 75-84 | 323 | 217 | 540 | | | Clients | Costs | | | |
| 85+ | 173 | 77 | 250 | | Eligible and Waiting | 31 | n/a | | | |
| Total | 3,467 | 3,354 | 6,821 | | (Family Care not provided in county) | | | | | |
| Age | Female | Male | Total | | ----- LICENSED ESTABLISHMENTS ----- | | | | | |
| 0-17 | 550 | 516 | 1,066 | | Type | Capacity | Facilities | | | |
| 18-44 | 1,025 | 986 | 2,011 | | Bed & Breakfast | 3 | 1 | | | |
| 45-64 | 1,002 | 1,167 | 2,169 | | Camps | 498 | 20 | | | |
| 65+ | 890 | 685 | 1,575 | | Hotels, Motels | 1,250 | 74 | | | |
| Total | 3,467 | 3,354 | 6,821 | | Tourist Rooming | 262 | 96 | | | |
| Poverty Estimates for 2000 | | | | | ----- WIC PARTICIPANTS ----- | | | | | |
| | Estimate | (C.I.+/-) | | | Number | | | | | |
| All ages | 765 | 72 | | Note: Eligible and waiting clients will be phased into the COP and MA Waivers as available. | Pregnant/Postpartum | | | | | |
| | 11.1% | (9%) | | | Infants | | | | | |
| Ages 0-17 | 208 | 26 | | | Children, age 1-4 | | | | | |
| | 15.6% | (13%) | | | Total | | | | | |
| ----- EMPLOYMENT ----- | | | | | ----- CANCER INCIDENCE (2004) ----- | | | | | |
| Average wage for jobs covered by unemployment compensation (place of work) | | | | \$23,492 | Home Health Agencies | 0 | Primary Site | | | |
| Labor Force Estimates | | | | Annual Average | Patients | 180 | Breast | | | |
| Civilian Labor Force | | | | 3,226 | Patients per 10,000 pop. | 264 | Cervical | | | |
| Number employed | | | | 2,967 | Nursing Homes | 2 | Colorectal | | | |
| Number unemployed | | | | 259 | Licensed beds | 106 | Lung and Bronchus | | | |
| Unemployment rate | | | | 8.0% | Occupancy rate | 93.4% | Prostate | | | |
| | | | | | Residents on Dec.31 | 95 | Other sites | | | |
| | | | | | Residents age 65 or older per 1,000 population | 60 | Total | | | |
| | | | | | Note: Totals shown are for invasive cancers only. | | | | | |

NATALITY

| | | | | | | | | | |
|--|-----------------------|---|--|-----------------------------------|----------------|--------------------------|----------------|----------------|----------------|
| TOTAL LIVE BIRTHS | 45 | Birth Order | | Births | Percent | Marital Status of Mother | | Births | Percent |
| Crude Live Birth Rate | 6.6 | First | | 21 | 47 | Married | | 37 | 82 |
| General Fertility Rate | 39.1 | Second | | 17 | 38 | Not married | | 8 | 18 |
| Live births with reported congenital anomalies | 1 2.2% | Third | | 6 | 13 | Unknown | | 0 | 0 |
| | | Fourth or higher | | 1 | 2 | | | | |
| | | Unknown | | 0 | 0 | Education of Mother | | Births | Percent |
| Delivery Type | Births Percent | 1st Prenatal Visit | | Births | Percent | Elementary or less | | . | . |
| Vaginal after previous cesarean | 2 4 | 1st trimester | | 43 | 96 | Some high school | | 3 | 7 |
| Forceps | 0 0 | 2nd trimester | | 1 | 2 | High school | | 13 | 29 |
| Other vaginal | 26 58 | 3rd trimester | | 0 | 0 | Some college | | 20 | 44 |
| Primary cesarean | 8 18 | No visits | | 1 | 2 | College graduate | | 9 | 20 |
| Repeat cesarean | 9 20 | Unknown | | 0 | 0 | Unknown | | . | . |
| Birthweight | Births Percent | Prenatal Visits | | Births | Percent | Smoking Status of Mother | | Births | Percent |
| <1,500 gm | 1 2.2 | No visits | | 1 | 2 | Smoker | | 8 | 18 |
| 1,500-2,499 gm | 1 2.2 | 1-4 | | 0 | 0 | Nonsmoker | | 37 | 82 |
| 2,500+ gm | 43 95.6 | 5-9 | | 4 | 9 | Unknown | | 0 | 0 |
| Unknown | 0 0 | 10-12 | | 14 | 31 | | | | |
| | | 13+ | | 26 | 58 | | | | |
| | | Unknown | | 0 | 0 | | | | |
| ----- | | | | | | | | | |
| | | Low Birthweight (under 2,500 gm) | | Trimester of First Prenatal Visit | | | | | |
| | | Births Percent | | 1st Trimester | | 2nd Trimester | | Other/Unknown | |
| Race/Ethnicity | Births Percent | Births Percent | | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent |
| White | 40 89 | 2 5.0 | | 39 | 98 | 1 | 3 | . | . |
| Black/Afr.American | 0 0 | . | | . | . | . | . | . | . |
| American Indian | 3 7 | * | | * | . | * | . | * | . |
| Hispanic/Latino | 1 2 | * | | * | . | * | . | * | . |
| Laotian/Hmong | 0 0 | . | | . | . | . | . | . | . |
| Other/Unknown | 1 2 | * | | * | . | * | . | * | . |
| ----- | | | | | | | | | |
| | | Low Birthweight (under 2,500 gm) | | Trimester of First Prenatal Visit | | | | | |
| | | Births Percent | | 1st Trimester | | 2nd Trimester | | Other/Unknown | |
| Age of Mother | Births Fertility Rate | Births Percent | | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent |
| <15 | 0 -- | . | | . | . | . | . | . | . |
| 15-17 | 0 0 | . | | . | . | . | . | . | . |
| 18-19 | 1 11 | * | | * | . | * | . | * | . |
| 20-24 | 12 73 | 2 16.7 | | 12 | 100 | . | . | . | . |
| 25-29 | 14 95 | . | | 14 | 100 | . | . | . | . |
| 30-34 | 11 71 | . | | 10 | 91 | 1 | 9 | . | . |
| 35-39 | 4 22 | * | | * | . | * | . | * | . |
| 40+ | 3 10 | * | | * | . | * | . | * | . |
| Unknown | 0 -- | . | | . | . | . | . | . | . |
| Teenage Births | 1 5 | * Data not reported if age or race category has less than 5 births. | | | | | | | |

MORBIDITY

MORTALITY

REPORTED CASES OF SELECTED DISEASES*

| Disease | Number |
|-------------------------|--------|
| Campylobacter Enteritis | 0 |
| Giardiasis | 0 |
| Hepatitis Type A | 0 |
| Hepatitis Type B** | 0 |
| Hepatitis NANB/C | <5 |
| Legionnaire's | 0 |
| Lyme | 0 |
| Measles | 0 |
| Meningitis, Aseptic | 0 |
| Meningitis, Bacterial | 0 |
| Mumps | 0 |
| Pertussis | 0 |
| Salmonellosis | 6 |
| Shigellosis | 0 |
| Tuberculosis | 0 |

* 2005 provisional data.
 ** Includes all positive HBsAg test results.

| Sexually Transmitted Disease | Number |
|------------------------------|--------|
| Chlamydia Trachomatis | <5 |
| Genital Herpes | 0 |
| Gonorrhea | 0 |
| Syphilis | 0 |

IMMUNIZATIONS

| Children in Grades K-12 by Compliance Level | Number | Percent Compliant |
|---|--------|-------------------|
| Compliant | 165 | 88.7 |
| Non-compliant | 21 | |

Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.

| TOTAL DEATHS | | 110 |
|------------------|--------|--------|
| Crude Death Rate | | 1,613 |
| Age | Deaths | Rate |
| 1-4 | . | . |
| 5-14 | . | . |
| 15-19 | . | . |
| 20-34 | 1 | . |
| 35-54 | 7 | . |
| 55-64 | 7 | . |
| 65-74 | 22 | 2,803 |
| 75-84 | 23 | 4,259 |
| 85+ | 49 | 19,600 |

| Infant Mortality | | Deaths | Rate |
|------------------|---|--------|------|
| Total Infant | 1 | . | |
| Neonatal | . | . | |
| Postneonatal | 1 | . | |
| Unknown | . | . | |

| Race of Mother | | Deaths | Rate |
|----------------|---|--------|------|
| White | 1 | . | |
| Black | . | . | |
| Hispanic | . | . | |
| Laotian/Hmong | . | . | |
| Other/Unknown | . | . | |

| Birthweight | | Deaths | Rate |
|---------------------|---|--------|------|
| <1,500 gm | 1 | . | |
| 1,500-2,499 gm | . | . | |
| 2,500+ gm | . | . | |
| Unknown | . | . | |
| Perinatal Mortality | | Deaths | Rate |
| Total Perinatal | . | . | |
| Neonatal | . | . | |
| Fetal | . | . | |

| Selected Underlying Cause | Deaths | Rate |
|---------------------------|--------|------|
| Heart Disease (total) | 36 | 528 |
| Ischemic heart disease | 30 | 440 |
| Cancer (total) | 26 | 381 |
| Trachea/Bronchus/Lung | 6 | . |
| Colorectal | 2 | . |
| Female Breast | 1 | .* |
| Cerebrovascular Disease | 7 | . |
| Lower Resp. Disease | 4 | . |
| Pneumonia & Influenza | 7 | . |
| Accidents | 4 | . |
| Motor vehicle | . | . |
| Diabetes | 2 | . |
| Infect./Parasitic Dis. | 3 | . |
| Suicide | . | . |

* Based on female population.

ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH

| Alcohol | Deaths | Rate |
|-------------|--------|------|
| Tobacco Use | 13 | 191 |
| Other Drugs | . | . |

MOTOR VEHICLE CRASHES

Note: These data are based on location of crash, not on residence.

| Type of Motor Vehicle Crash | Persons Injured | Persons Killed |
|-----------------------------|-----------------|----------------|
| Total Crashes | 42 | 1 |
| Alcohol-Related | 9 | 0 |
| With Citation: | | |
| For OWI | 9 | 0 |
| For Speeding | 4 | 0 |
| Motorcyclist | 2 | 0 |
| Bicyclist | 0 | 0 |
| Pedestrian | 0 | 0 |

2005 HOSPITALIZATIONS

| DISEASE / AGE GROUP | Number | Per 1,000 Pop | Average Stay (Days) | Average Charge | Charge Per Capita | DISEASE / AGE GROUP | Number | Per 1,000 Pop | Average Stay (Days) | Average Charge | Charge Per Capita |
|---|--------|---------------|---------------------|----------------|-------------------|--|--------|---------------|---------------------|----------------|-------------------|
| Injury-Related: All | | | | | | Alcohol-Related | | | | | |
| Total | 29 | 4.3 | 7.0 | \$27,721 | \$118 | Total | 13 | . | . | . | . |
| <18 | 0 | . | . | . | . | 18-44 | 8 | . | . | . | . |
| 18-44 | 5 | . | . | . | . | 45-64 | 4 | . | . | . | . |
| 45-64 | 7 | . | . | . | . | Pneumonia and Influenza | | | | | |
| 65+ | 17 | . | . | . | . | Total | 16 | . | . | . | . |
| Injury: Hip Fracture | | | | | | <18 | 1 | . | . | . | . |
| Total | 6 | . | . | . | . | 45-64 | 2 | . | . | . | . |
| 65+ | 6 | . | . | . | . | 65+ | 11 | . | . | . | . |
| Injury: Poisonings | | | | | | Cerebrovascular Disease | | | | | |
| Total | 1 | . | . | . | . | Total | 8 | . | . | . | . |
| 18-44 | 1 | . | . | . | . | 45-64 | 2 | . | . | . | . |
| Psychiatric | | | | | | 65+ | 6 | . | . | . | . |
| Total | 41 | 6.0 | 5.1 | \$5,979 | \$36 | Chronic Obstructive Pulmonary Disease | | | | | |
| <18 | 8 | . | . | . | . | Total | 6 | . | . | . | . |
| 18-44 | 19 | . | . | . | . | <18 | 0 | . | . | . | . |
| 45-64 | 8 | . | . | . | . | 18-44 | 2 | . | . | . | . |
| 65+ | 6 | . | . | . | . | 45-64 | 1 | . | . | . | . |
| Coronary Heart Disease | | | | | | 65+ | 3 | . | . | . | . |
| Total | 15 | . | . | . | . | Drug-Related | | | | | |
| 45-64 | 6 | . | . | . | . | Total | 8 | . | . | . | . |
| 65+ | 9 | . | . | . | . | 18-44 | 3 | . | . | . | . |
| Malignant Neoplasms (Cancers): All | | | | | | Total Hospitalizations | | | | | |
| Total | 24 | 3.5 | 7.1 | \$26,869 | \$95 | Total | 407 | 59.7 | 4.6 | \$14,749 | \$880 |
| 18-44 | 1 | . | . | . | . | <18 | 48 | 45.0 | 4.6 | \$7,869 | \$354 |
| 45-64 | 7 | . | . | . | . | 18-44 | 93 | 46.2 | 4.1 | \$9,206 | \$426 |
| 65+ | 16 | . | . | . | . | 45-64 | 85 | 39.2 | 5.0 | \$20,479 | \$803 |
| Neoplasms: Female Breast (rates for female population) | | | | | | 65+ | 181 | 114.9 | 4.6 | \$16,731 | \$1,923 |
| Total | 0 | . | . | . | . | ----- PREVENTABLE HOSPITALIZATIONS* ----- | | | | | |
| Neoplasms: Colo-rectal | | | | | | Total | 46 | 6.7 | 4.9 | \$11,847 | \$80 |
| Total | 8 | . | . | . | . | <18 | 4 | 3.8 | 2.5 | \$6,048 | \$23 |
| 65+ | 8 | . | . | . | . | 18-44 | 8 | 4.0 | 3.6 | \$8,530 | \$34 |
| Neoplasms: Lung | | | | | | 45-64 | 7 | 3.2 | 8.4 | \$21,572 | \$70 |
| Total | 1 | . | . | . | . | 65+ | 27 | 17.1 | 4.8 | \$11,167 | \$191 |
| Diabetes | | | | | | * Hospitalizations for conditions where timely and effective ambulatory care can reduce the likelihood of hospitalization. | | | | | |
| Total | 0 | . | . | . | . | | | | | | |
| 65+ | 0 | . | . | . | . | | | | | | |