

----- POPULATION ESTIMATES -----				----- LONG-TERM CARE -----		----- LOCAL HEALTH DEPARTMENTS -----			
Total 2007 Population				507,460	Community Options and MA Waiver as HSRS reports costs for services		Staffing - FTE		Per 10,000
County population rank (1-72)				.			Number	Population	
Population per square mile				.			Total FTEs	121.2	2.4
County rank in population density (1-72)				.			Administrative	16.0	0.3
Population growth 2003-2007				.	Clients Costs		Public health nurses	43.1	0.8
County rank in 5-year population growth (1-72)				.	COP 129 \$2,516,466		Oral health prof.	.	.
					MA Waiver *		Envir. health prof.	8.0	0.2
					CIP1A Develop. disabled 107 \$7,931,320		Public health educ.	6.9	0.1
					CIP1B Develop. disabled 1,267 \$40,219,112		Nutritionist	4.2	0.1
Age	Female	Male	Total	CIP2 Elderly/phys. disab. adults 555 \$9,554,422		Other prof. staff	9.9	0.2	
0-14	46,920	49,230	96,150	COP-W Elderly/phys. disab. adults 944 \$9,601,741		Technical/paraprof.	16.4	0.3	
15-17	10,110	10,860	20,970	CLTS Disabled children 375 \$5,985,118		Support staff	16.6	0.3	
18-19	6,910	7,180	14,090	Brain Injury 26 \$1,445,485					
20-24	15,920	16,500	32,420	Total COP/Wvrs 3,403 \$77,253,664		Funding		Per capita	
25-44	65,100	70,070	135,180	\$2,937,824 of the above waiver costs were paid as local match/overmatch using COP funds. This amount is not included in above COP costs.		Total	\$9,547,581	\$18.68	
45-64	68,610	69,860	138,460	* Waiver costs reported here include federal funding.		Local Taxes	\$5,399,093	\$10.56	
65-84	32,380	27,020	59,400			----- LICENSED ESTABLISHMENTS, 2006 -----			
85+	7,440	3,340	10,780			Type	Facilities		
Total	253,390	254,050	507,460			Bed & Breakfast	55		
Race/ethnicity	Female	Male	Total			Camps	133		
White	231,540	229,140	460,670			Hotels, Motels	389		
Afr. Amer.	2,460	3,720	6,180			Tourist Rooming	551		
Amer. Ind.	6,840	6,520	13,360			Pools	442		
Hispanic	8,260	10,500	18,770			Restaurants	1,993		
Asian	4,300	4,160	8,460			Body Art	27		
Total	253,390	254,050	507,460			----- WIC PARTICIPANTS -----			
-----Poverty Estimates for 2005-----				Eligible and Waiting 1,393 n/a (Family Care data not available)		Number			
Estimate (%) (C.I.+/-)						Pregnant/Postpartum 5,710			
All ages not available				Note: Eligible and waiting clients will be phased into the COP and MA Waivers as available.		Infants 3,836			
Ages 0-17 available						Children, age 1-4 9,699			
						Total 19,245			
----- EMPLOYMENT -----						-----NEW CASES OF CANCER IN 2006-----			
Average wage for jobs covered by unemployment compensation (place of work)				N/A		Primary Site	Total Cases	Rate	
Labor Force Estimates				Annual Average		Breast	326	.	
Civilian Labor Force				279,642		Cervical	12	.	
Unemployment rate				5.1%		Colorectal	234	.	
5-yr avg. unemployment rate				. %		Lung and Bronchus	323	.	
						Prostate	376	.	
						Other sites	1,298	.	
						Total	2,569	.	
Median HH income (2005)				.		Note: Totals for invasive cancers only. Rate is per 100,000 population.			
Rank in median HH income (1-72)				.					

NATALITY

TOTAL LIVE BIRTHS		6,336	Birth Order		Births	Percent	Marital Status		Births	Percent
Crude Live Birth Rate	12.5		First	2,426	38	of Mother				
General Fertility Rate	64.6		Second	2,156	34	Married	4,157	66		
			Third	1,063	17	Not married	2,178	34		
			Fourth or higher	691	11	Unknown	1	<.5		
Live births with reported congenital anomalies	108	1.7%	Unknown	0	0					
			Education of Mother		Births	Percent				
Delivery Type	Births	Percent	Elementary or less	225	4					
Vaginal after previous cesarean	85	1	Some high school	735	12					
Forceps	131	2	High school	1,919	30					
Other vaginal	4,520	71	Some college	1,689	27					
Primary cesarean	874	14	College graduate	1,745	28					
Repeat cesarean	726	11	Unknown	23	<.5					
			Prenatal Visits		Births	Percent	Smoking Status of Mother		Births	Percent
Birthweight	Births	Percent	No visits	35	1	of Mother				
<1,500 gm	75	1.2	1-4	144	2	Smoker	1,068	17		
1,500-2,499 gm	375	5.9	5-9	1,043	16	Nonsmoker	5,252	83		
2,500+ gm	5,886	92.9	10-12	2,867	45	Unknown	16	<.5		
Unknown	0	0	13+	2,171	34					
			Unknown	76	1					
			Low Birthweight (under 2,500 gm)		Trimester of First Prenatal Visit					
Race/Ethnicity	Births Percent		Births Percent		1st Trimester		2nd Trimester		Other/Unknown	
	Births	Percent	Births	Percent	Births	Percent	Births	Percent	Births	Percent
White	5,122	81	358	7.0	4,505	88	499	10	118	2
Black/Afr.American	101	2	12	11.9	65	64	23	23	13	13
American Indian	373	6	26	7.0	270	72	75	20	28	8
Hispanic/Latino	528	8	37	7.0	335	63	150	28	43	8
Asian	211	3	17	8.1	120	57	82	39	9	4
Other/Unknown	1	<.5	*	.	*	.	*	.	*	.
			Low Birthweight (under 2,500 gm)		Trimester of First Prenatal Visit					
Age of Mother	Fertility Births Rate		Births Percent		1st Trimester		2nd Trimester		Other/Unknown	
	Births	Rate	Births	Percent	Births	Percent	Births	Percent	Births	Percent
<15	7	--	.	.	2	29	3	43	*	.
15-17	155	15	16	10.3	82	53	56	36	.	.
18-19	376	54	31	8.2	263	70	95	25	.	.
20-24	1,568	98	110	7.0	1,241	79	261	17	.	.
25-29	1,980	128	144	7.3	1,727	87	200	10	.	.
30-34	1,508	105	98	6.5	1,346	89	126	8	.	.
35-39	606	37	44	7.3	529	87	62	10	.	.
40+	135	7	7	5.2	105	78	26	19	.	.
Unknown	1	--	*	.	*	.	*	.	*	.
Teenage Births	538	32	* Data not reported if age or race category has less than 5 births.							

----- MORBIDITY -----		----- MORTALITY -----					
REPORTED CASES OF COMMUTABLE DISEASES*		Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.					
Disease	Number	TOTAL DEATHS			4,186	Selected	
Campylobacter Enteritis	93	Crude Death Rate			825	Underlying Cause	Deaths Rate
Giardiasis	32					Heart Disease (total)	1,050 207
Hepatitis Type A	<5					Ischemic heart disease	654 129
Hepatitis Type B**	15	Age	Deaths	Rate	Cancer (total)		
Hepatitis NANB/C	89	1-4	3	12	Trachea/Bronchus/Lung		
Legionnaire's	<5	5-14	9	14	Colorectal		
Lyme	37	15-19	25	71	Female Breast		
Measles	0	20-34	108	114	Cerebrovascular Disease		
Meningitis, Aseptic	18	35-54	353	232	Lower Resp. Disease		
Meningitis, Bacterial	<5	55-64	410	699	Pneumonia & Influenza		
Mumps	<5	65-74	608	1,721	Accidents		
Pertussis	11	75-84	1,106	4,589	Motor vehicle		
Salmonellosis	86	85+	1,519	14,078	Diabetes		
Shigellosis	14				Infect./Parasitic Dis.		
Tuberculosis	<5				Suicide		
		Infant					
		Mortality	Deaths	Rate			
* 2007 provisional data.		Total Infant	45	7.1	* Based on female population.		
** Includes all positive HBsAg test results.		Neonatal	27	4.3			
		Postneonatal	18	.			
		Infant Mortality by				ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH	
Sexually Transmitted Disease		Race of Mother					
Chlamydia Trachomatis	1,108	White	34	6.6	Alcohol	84	17
Genital Herpes	259	Black	2	.	Tobacco Use	687	135
Gonorrhea	266	Hispanic	3	.	Other Drugs	38	7
Syphilis	5	Asian	1	.			
		Other/Unknown	5	.	----- MOTOR VEHICLE CRASHES -----		
		Infant Mortality by				Note: These data are based on location of crash, not on residence.	
		Birthweight					
		<1,500 gm	21	280.0	Type of Motor	Persons	Persons
Children in Grades K-12 by		1,500-2,499 gm	10	.	Vehicle Crash	Injured	Killed
Compliance Level		2,500+ gm	14	.	Total Crashes	3,949	81
Compliant	85,895	Unknown	.	.	Alcohol-Related	563	47
Non-compliant	966					With Citation:	
Percent Compliant	98.9	Perinatal			For OWI	490	8
		Mortality	Deaths	Rate	For Speeding	265	0
		Total Perinatal	50	7.9	Motorcyclist	223	12
		Neonatal	27	4.3	Bicyclist	85	2
		Fetal	23	3.6	Pedestrian	94	5

2007 HOSPITALIZATIONS

2007 HOSPITALIZATIONS						2007 HOSPITALIZATIONS					
DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita	DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita
Injury-Related: All						Alcohol-Related					
Total	4,606	9.1	4.3	\$24,528	\$223	Total	1,249	2.5	3.0	\$6,542	\$16
<18	361	3.1	3.0	\$19,529	\$60	18-44	605	3.3	2.5	\$4,140	\$14
18-44	1,089	6.0	4.1	\$25,527	\$153	45-64	529	3.8	3.1	\$7,797	\$30
45-64	1,227	8.9	4.5	\$26,151	\$232	Pneumonia and Influenza					
65+	1,929	27.5	4.5	\$23,867	\$656	Total	1,496	2.9	4.2	\$14,075	\$41
Injury: Hip Fracture						<18	203	1.7	2.6	\$7,388	\$13
Total	487	1.0	4.5	\$27,009	\$26	45-64	274	2.0	4.1	\$15,435	\$31
65+	439	6.3	4.5	\$27,178	\$170	65+	916	13.0	4.7	\$15,198	\$198
Injury: Poisonings						Cerebrovascular Disease					
Total	429	0.8	1.9	\$9,959	\$8	Total	1,458	2.9	3.4	\$19,287	\$55
18-44	205	1.1	1.9	\$10,602	\$12	45-64	361	2.6	3.9	\$24,746	\$65
Psychiatric						65+	1,054	15.0	3.1	\$16,774	\$252
Total	2,694	5.3	7.1	\$8,861	\$47	Asthma					
<18	637	5.4	7.3	\$9,653	\$52	Total	358	0.7	3.0	\$9,320	\$7
18-44	1,306	7.2	6.8	\$7,645	\$55	<18	128	1.1	2.3	\$6,645	\$7
45-64	573	4.1	7.9	\$9,798	\$41	18-44	59	0.3	2.6	\$8,090	\$3
65+	178	2.5	6.5	\$11,922	\$30	45-64	98	0.7	3.3	\$10,561	\$7
Coronary Heart Disease						65+	73	1.0	4.0	\$13,338	\$14
Total	2,641	5.2	3.3	\$38,593	\$201	Other Chronic Obstructive Pulmonary Disease					
45-64	925	6.7	2.9	\$41,033	\$274	Total	648	1.3	3.7	\$12,224	\$16
65+	1,608	22.9	3.6	\$37,222	\$852	45-64	159	1.1	3.3	\$11,610	\$13
Malignant Neoplasms (Cancers): All						65+	470	6.7	3.8	\$12,514	\$84
Total	2,207	4.3	5.9	\$31,084	\$135	Drug-Related					
18-44	184	1.0	5.6	\$33,028	\$33	Total	246	0.5	9.5	\$10,730	\$5
45-64	814	5.9	5.0	\$28,624	\$168	18-44	135	0.7	7.0	\$7,601	\$6
65+	1,167	16.6	6.2	\$29,974	\$498	Total Hospitalizations					
Neoplasms: Female Breast (rates for female population)						Total	57,611	113.5	3.8	\$17,602	\$1,998
Total	137	0.5	2.3	\$21,421	\$12	<18	9,998	85.4	3.4	\$9,478	\$809
Neoplasms: Colo-rectal						18-44	14,159	77.9	3.2	\$11,942	\$931
Total	266	0.5	8.0	\$34,562	\$18	45-64	12,693	91.7	4.0	\$23,177	\$2,124
65+	169	2.4	8.8	\$37,579	\$90	65+	20,761	295.7	4.4	\$21,966	\$6,494
Neoplasms: Lung						----- PREVENTABLE HOSPITALIZATIONS* -----					
Total	209	0.4	5.8	\$28,481	\$12	Total	6,197	12.2	3.7	\$13,707	\$167
Diabetes						<18	621	5.3	2.4	\$8,851	\$47
Total	623	1.2	3.9	\$17,150	\$21	18-44	623	3.4	3.2	\$14,413	\$49
65+	240	3.4	4.7	\$19,572	\$67	45-64	1,346	9.7	3.6	\$14,875	\$145
						65+	3,607	51.4	4.1	\$13,985	\$718
						* Hospitalizations for conditions where timely and effective ambulatory care can reduce the likelihood of hospitalization.					