

----- POPULATION ESTIMATES -----				----- LONG-TERM CARE -----		----- LOCAL HEALTH DEPARTMENTS -----					
Total 2008 Population				28,370		Community Options and MA Waiver as HSRS reports costs for services		Staffing - FTE		Per 10,000 Population	
County population rank (1-72)				45				Total FTEs		11.0	3.9
Population per square mile				39				Administrative		1.0	0.4
County rank in population density (1-72)				41		COP		Public health nurses		2.5	0.9
Population growth 2004-2008				641		MA Waiver *		Oral health prof.		.	.
County rank in 5-year population growth (1-72)				41		CIP1A Develop. disabled		Envir. health prof.		2.0	0.7
Age				Female		Male		Total			
0-14				2,590		2,660		5,260			
15-17				540		600		1,140			
18-19				360		390		760			
20-24				760		790		1,540			
25-44				3,480		3,680		7,150			
45-64				3,790		4,190		7,980			
65-84				2,010		1,700		3,710			
85+				550		280		830			
Total				14,090		14,280		28,370			
Race/ethnicity				Female		Male		Total			
White				13,680		13,810		27,490			
Afr.Amer.				70		90		160			
Amer. Ind.				30		20		50			
Hispanic				270		330		600			
Asian				50		30		70			
Total				14,090		14,280		28,370			
-----Poverty Estimates for 2007-----				Estimate (%)		(C.I.+/-)					
All ages				9.5%		(1.7%)					
Ages 0-17				12.6%		(2.8%)					
----- EMPLOYMENT -----				Average		Annual					
Average wage for jobs covered by unemployment compensation (place of work)				\$31,035							
Labor Force Estimates				Civilian Labor Force		16,191					
Unemployment rate				4.4%							
5-yr avg. unemployment rate				4.5%							
Median HH income (2007)				\$46,543							
Rank in median HH income (1-72)				36							
				COP		7		\$121,048			
				CIP1A Develop. disabled		16		\$1,005,698			
				CIP1B Develop. disabled		62		\$2,217,123			
				CIP2 Elderly/phys. disab. adults		56		\$630,598			
				COP-W Elderly/phys. disab. adults		150		\$1,204,994			
				CLTS Disabled children		24		\$317,755			
				Brain Injury		0		\$0			
				Total COP/Wvrs		315		\$5,497,216			
										Funding	
										Total	
										\$641,938	
										\$468,491	
										\$16.57	
										----- LICENSED ESTABLISHMENTS -----	
										Type	
										Facilities	
										Bed & Breakfast	
										1	
										Camps	
										4	
										Hotels, Motels	
										8	
										Tourist Rooming	
										3	
										Pools	
										10	
										Restaurants	
										82	
										Body Art	
										1	
										----- WIC PARTICIPANTS -----	
										Number	
										Pregnant/Postpartum	
										430	
										Infants	
										291	
										Children, age 1-4	
										660	
										-----	
										Do not speak English	
										269	
										Speak English	
										1,012	
										-----	
										Total	
										1,381	
										-----NEW CASES OF CANCER IN 2007-----	
										Primary Site	
										Total Cases	
										Rate	
										Breast	
										18	
										129.2	
										Cervical	
										0	
										0.0	
										Colorectal	
										15	
										53.4	
										Lung and Bronchus	
										14	
										49.9	
										Prostate	
										36	
										254.7	
										Other sites	
										87	
										309.9	
										Total	
										170	
										605.6	
										Note: Totals for invasive cancers only.	
										Rate is per 100,000 population.	

NATALITY

TOTAL LIVE BIRTHS			Birth Order			Marital Status of Mother		
	Births	Percent		Births	Percent		Births	Percent
TOTAL LIVE BIRTHS	401		First	136	34	Married	265	66
Crude Live Birth Rate	14.1		Second	146	36	Not married	136	34
General Fertility Rate	78.1		Third	56	14	Unknown	0	0
Live births with reported congenital anomalies	7	1.7%	Fourth or higher	63	16	Education of Mother		
			Unknown	0	0	Elementary or less	46	11
Delivery Type	Births	Percent	1st Prenatal Visit	Births	Percent	Some high school	27	7
Vaginal after previous cesarean	8	2	1st trimester	291	73	High school	112	28
Forceps	1	<.5	2nd trimester	87	22	Some college	128	32
Other vaginal	293	73	3rd trimester	18	4	College graduate	86	21
Primary cesarean	48	12	No visits	1	<.5	Unknown	2	<.5
Repeat cesarean	51	13	Unknown	4	1	Smoking Status of Mother		
			Prenatal Visits	Births	Percent	Smoker	62	15
Birthweight	Births	Percent	No visits	1	<.5	Nonsmoker	338	84
<1,500 gm	3	0.7	1-4	17	4	Unknown	1	<.5
1,500-2,499 gm	14	3.5	5-9	119	30			
2,500+ gm	384	95.8	10-12	151	38			
Unknown	0	0	13+	109	27			
			Unknown	4	1			

  

Race/Ethnicity	Births		Low Birthweight (under 2,500 gm)		Trimester of First Prenatal Visit					
	Births	Percent	Births	Percent	1st Trimester		2nd Trimester		Other/Unknown	
White	343	86	12	3.5	268	78	60	17	15	4
Black/Afr.American	0	0	.	.	.	.	.	.	.	.
American Indian	1	<.5	*	.	*	.	*	.	*	.
Hispanic/Latino	55	14	5	9.1	20	36	27	49	8	15
Asian	2	<.5	*	.	*	.	*	.	*	.
Other/Unknown	0	0	.	.	.	.	.	.	.	.

  

Age of Mother	Fertility		Low Birthweight (under 2,500 gm)		Trimester of First Prenatal Visit					
	Births	Rate	Births	Percent	1st Trimester		2nd Trimester		Other/Unknown	
<15	0	--	.	.	.	.	.	.	.	.
15-17	3	6	*	.	*	.	*	.	*	.
18-19	23	63	.	.	16	70	5	22	2	9
20-24	106	140	6	5.7	67	63	30	28	9	8
25-29	128	161	2	1.6	96	75	23	18	9	7
30-34	95	126	4	4.2	72	76	21	22	2	2
35-39	41	45	5	12.2	33	80	7	17	1	2
40+	5	5	.	.	5	100	.	.	.	.
Unknown	0	--	.	.	.	.	.	.	.	.

  

Teenage Births	26	29	* Data not reported if age or race category has fewer than 5 births.							
----------------	----	----	--	--	--	--	--	--	--	--

MORBIDITY

MORTALITY

CONFIRMED CASES OF COMMUNICABLE DISEASES (2008)

Disease	Number
Campylobacter Enteritis	5
Giardiasis	<5
Hepatitis Type A	0
Hepatitis Type B*	<5
Hepatitis NANB/C	<5
Legionnaire's	0
Lyme	31
Measles	0
Meningitis, Aseptic	<5
Meningitis, Bacterial	0
Mumps	0
Pertussis	0
Salmonellosis	<5
Shigellosis	0
Tuberculosis	0
E-Coli 0157	<5
E-Coli, Non-0157	0
Cryptosporidiosis	<5
Streptococcus Pneum Invasive	<5
All Streptococcal Diseases	<5
Blastomycosis	0
Haemophilus flu, Invasive	<5
Ehrlichiosis/Anaplasmosis	<5
Malaria	0
Listeriosis	0
* Includes all positive HBsAg test results.	
Sexually Transmitted Disease	
Chlamydia Trachomatis	74
Gonorrhea	<5
Syphilis	0

IMMUNIZATIONS

Children in Grades K-12 by Compliance Level	Number
Compliant	7,538
Non-compliant	24
Percent Compliant	99.7

Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.

TOTAL DEATHS		288
Crude Death Rate		1,015
Age	Deaths	Rate
1-4	2	.
5-14	1	.
15-19	2	.
20-34	3	.
35-54	20	237
55-64	24	690
65-74	33	1,508
75-84	69	4,531
85+	133	16,005

Infant Mortality		
	Deaths	Rate
Total Infant	1	.
Neonatal	.	.
Postneonatal	1	.

Infant Mortality by Race of Mother		
	Deaths	Rate
White	1	.
Black	.	.
Hispanic	.	.
Asian	.	.
Other/Unknown	.	.

Infant Mortality by Birthweight		
	Deaths	Rate
<1,500 gm	.	.
1,500-2,499 gm	.	.
2,500+ gm	1	.
Unknown	.	.

Perinatal Mortality		
	Deaths	Rate
Total Perinatal	1	.
Neonatal	.	.
Fetal	1	.

Selected Underlying Cause	Deaths	Rate
Heart Disease (total)	67	236
Ischemic heart disease	37	130
Cancer (total)	60	211
Trachea/Bronchus/Lung	11	.
Colorectal	2	.
Female Breast	4	.*
Cerebrovascular Disease	20	70
Lower Resp. Disease	15	.
Pneumonia & Influenza	6	.
Accidents	16	.
Motor vehicle	9	.
Diabetes	7	.
Infect./Parasitic Dis.	10	.
Suicide	4	.

\* Based on female population.

ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH

	Deaths	Rate
Alcohol	2	.
Tobacco Use	37	130
Other Drugs	2	.

MOTOR VEHICLE CRASHES

Note: These data are based on location of crash, not on residence.

Type of Motor Vehicle Crash	Persons Injured	Persons Killed
Total Crashes	223	7
Alcohol-Related	39	5
With Citation:		
For OWI	31	0
For Speeding	12	0
Motorcyclist	21	2
Bicyclist	0	0
Pedestrian	2	1

2008 HOSPITALIZATIONS

DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita	DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita
<b>Injury-Related: All</b>						<b>Alcohol-Related</b>					
Total	271	9.6	3.8	\$23,342	\$223	Total	55	1.9	4.7	\$9,931	\$19
<18	15	.	.	.	.	18-44	32	3.4	3.3	\$6,873	\$23
18-44	72	7.6	3.8	\$28,538	\$217	45-64	20	2.5	5.7	\$9,633	\$24
45-64	68	8.5	3.5	\$21,594	\$184	<b>Pneumonia and Influenza</b>					
65+	116	25.5	4.4	\$23,088	\$590	Total	167	5.9	4.0	\$12,973	\$76
<b>Injury: Hip Fracture</b>						<18	6	.	.	.	.
Total	36	1.3	4.3	\$25,913	\$33	45-64	26	3.3	4.2	\$15,384	\$50
65+	32	7.0	4.4	\$26,914	\$190	65+	131	28.8	4.1	\$12,997	\$375
<b>Injury: Poisonings</b>						<b>Cerebrovascular Disease</b>					
Total	31	1.1	3.3	\$11,942	\$13	Total	74	2.6	3.4	\$19,147	\$50
18-44	13	.	.	.	.	45-64	12	.	.	.	.
<b>Psychiatric</b>						65+	60	13.2	3.2	\$15,048	\$199
Total	169	6.0	8.0	\$11,891	\$71	<b>Asthma</b>					
<18	32	5.0	11.5	\$15,589	\$78	Total	13	.	.	.	.
18-44	72	7.6	5.4	\$8,258	\$63	<18	1	.	.	.	.
45-64	41	5.1	7.5	\$12,239	\$63	18-44	3	.	.	.	.
65+	24	5.3	12.0	\$17,268	\$91	45-64	3	.	.	.	.
<b>Coronary Heart Disease</b>						65+	6	.	.	.	.
Total	120	4.2	3.3	\$36,541	\$155	<b>Other Chronic Obstructive Pulmonary Disease</b>					
45-64	43	5.4	2.6	\$38,251	\$206	Total	38	1.3	3.4	\$10,622	\$14
65+	72	15.8	3.8	\$35,904	\$569	45-64	9	.	.	.	.
<b>Malignant Neoplasms (Cancers): All</b>						65+	27	5.9	3.4	\$10,150	\$60
Total	107	3.8	4.7	\$29,383	\$111	<b>Drug-Related</b>					
18-44	4	.	.	.	.	Total	8	.	.	.	.
45-64	50	6.3	4.3	\$29,740	\$186	18-44	6	.	.	.	.
65+	53	11.7	5.3	\$29,501	\$344	<b>Total Hospitalizations</b>					
<b>Neoplasms: Female Breast (rates for female population)</b>						Total	3,375	119.0	3.5	\$16,951	\$2,017
Total	7	.	.	.	.	<18	508	79.4	2.8	\$5,594	\$444
<b>Neoplasms: Colo-rectal</b>						18-44	824	87.2	2.9	\$13,286	\$1,158
Total	13	.	.	.	.	45-64	711	89.1	3.7	\$23,286	\$2,075
65+	10	.	.	.	.	65+	1,332	293.2	4.1	\$20,170	\$5,914
<b>Neoplasms: Lung</b>						----- PREVENTABLE HOSPITALIZATIONS* -----					
Total	9	.	.	.	.	Total	442	15.6	3.6	\$11,775	\$183
<b>Diabetes</b>						<18	18	2.8	2.4	\$6,836	\$19
Total	18	.	.	.	.	18-44	29	3.1	2.7	\$10,843	\$33
65+	5	.	.	.	.	45-64	83	10.4	3.9	\$15,118	\$157
						65+	312	68.7	3.6	\$11,258	\$773

\* Hospitalizations for conditions where timely and effective ambulatory care can reduce the likelihood of hospitalization.