

----- POPULATION ESTIMATES -----				----- LONG-TERM CARE -----		----- LOCAL HEALTH DEPARTMENTS -----		
Total 2010 Population				Community Options and MA Waiver		Staffing - FTE		
County population rank (1-72)				as HSRS reports costs for services		Number		
Population per square mile						Per 10,000		
County rank in population density (1-72)				Clients		Population		
Population growth 2006-2010				COP		Total FTEs		
County rank in 5-year population growth (1-72)				MA Waiver *		Administrative		
				CIP1A Develop. disabled		Public health nurses		
				CIP1B Develop. disabled		Oral health prof.		
				CIP2 Elderly/phys. disab. adults		Envir. health prof.		
				COP-W Elderly/phys. disab. adults		Public health educ.		
				CLTS Disabled children		Nutritionist		
				Brain Injury		Other prof. staff		
				Total COP/Wvrs		Technical/paraprof.		
						Support staff		
						Funding		
						Per capita		
						Total		
						Local Taxes		
						----- LICENSED ESTABLISHMENTS -----		
						Type		
						Facilities		
						Bed & Breakfast		
						Camps		
						Hotels, Motels		
						Tourist Rooming		
						Pools		
						Restaurants		
						Body Art		
						----- WIC PARTICIPANTS -----		
						Number		
						Pregnant/Postpartum		
						Infants		
						Children, age 1-4		
						-----		
						Do not speak English		
						Speak English		
						-----		
						Total		
						-----NEW CASES OF CANCER IN 2008-----		
						Primary Site		
						Total Cases		
						Rate		
						Breast		
						Cervical		
						Colorectal		
						Lung and Bronchus		
						Prostate		
						Other sites		
						Total		
						Note: Totals for invasive cancers only.		
						Rate is per 100,000 population.		
-----Poverty Estimates for 2009-----				Eligible and		Nursing Homes		
Estimate (%) (C.I.+/-)				Waiting		Licensed beds		
All ages				Family Care		Residents on Dec.31		
Ages 0-17						Residents age 65 or older		
						per 1,000 population		
----- EMPLOYMENT -----				Note: In 2010 this county operated under the Family Care waiver. Eligible and waiting clients are phased into Family Care. Hence, clients can incur costs for both COP/waivers and Family Care.				
Average wage for jobs covered by unemployment compensation (place of work)								
Labor Force Estimates								
Civilian Labor Force								
Unemployment rate								
5-yr avg. unemployment rate								
Median HH income (2009)								
Rank in median HH income (1-72)								

NATALITY

TOTAL LIVE BIRTHS			157			Birth Order		Births		Percent		Marital Status		Births		Percent	
Crude Live Birth Rate	9.4		First	59		38		Married	107		68						
General Fertility Rate	64.4		Second	42		27		Not married	50		32						
Live births with reported congenital anomalies	3 1.9%		Third	21		13		Unknown	0		0						
			Fourth or higher	35		22		Education of Mother		Births		Percent					
			Unknown	0		0		Elementary or less	6		4						
Delivery Type	Births Percent		1st Prenatal Visit	Births Percent		Elementary or less		6		4							
Vaginal after previous cesarean	1 1		1st trimester	127		81		Some high school		5		3					
Forceps	1 1		2nd trimester	19		12		High school		50		32					
Other vaginal	101 64		3rd trimester	7		4		Some college		50		32					
Primary cesarean	27 17		No visits	1		1		College graduate		46		29					
Repeat cesarean	27 17		Unknown	3		2		Unknown		.		.					
Birthweight	Births Percent		Prenatal Visits	Births Percent		Smoking Status of Mother		Births Percent									
<1,500 gm	3 1.9		No visits	1		1		Smoker		27		17					
1,500-2,499 gm	10 6.4		1-4	10		6		Nonsmoker		130		83					
2,500+ gm	144 91.7		5-9	29		18		Unknown		0		0					
Unknown	0 0		10-12	50		32											
			13+	62		39											
			Unknown	5		3											

  

Race/Ethnicity	Births	Percent	Low Birthweight (under 2,500 gm)		Trimester of First Prenatal Visit					
			Births	Percent	1st Trimester	2nd Trimester		Other/Unknown		
White	154	98	13	8.4	124	81	19	12	11	7
Black/Afr.American	0	0	.	.	.	.	.	.	.	.
American Indian	0	0	.	.	.	.	.	.	.	.
Hispanic/Latino	1	1	*	.	*	.	*	.	*	.
Asian	2	1	*	.	*	.	*	.	*	.
Other/Unknown	0	0	.	.	.	.	.	.	.	.

  

Age of Mother	Births	Fertility Rate	Low Birthweight (under 2,500 gm)		Trimester of First Prenatal Visit					
			Births	Percent	1st Trimester	2nd Trimester		Other/Unknown		
<15	1	--	*	.	*	.	*	.	*	.
15-17	1	3	*	.	*	.	*	.	*	.
18-19	3	24	*	.	*	.	*	.	*	.
20-24	44	126	3	6.8	35	80	3	7	6	14
25-29	56	140	8	14.3	48	86	8	14	.	.
30-34	32	85	.	.	27	84	3	9	2	6
35-39	18	49	2	11.1	11	61	5	28	2	11
40+	2	4	*	.	*	.	*	.	*	.
Unknown	0	--	.	.	.	.	.	.	.	.

Teenage Births 5 10 \* Not reported if age or race category has fewer than 5 births.

MORBIDITY

MORTALITY

CONFIRMED CASES OF COMMUNICABLE DISEASES (2010)

Disease	Number
Campylobacter Enteritis	<5
Giardiasis	<5
Hepatitis Type A	0
Hepatitis Type B*	0
Hepatitis NANB/C	<5
Legionnaire's	0
Lyme	7
Measles	0
N. Meningitis, Meningococcal	0
Meningitis, Bacterial	0
Mumps	0
Pertussis	0
Salmonellosis	<5
Shigellosis	0
Tuberculosis	0
E-Coli, Shiga Toxin-prod. (STEC)	<5
Babesiosis	0
Cryptosporidiosis	<5
Streptococcus Pneum Invasive	<5
All Streptococcal Diseases	0
Blastomycosis	0
Haemophilus flu, Invasive	0
Ehrlichiosis/Anaplasmosis	<5
Influenza A-Novel	<5
Listeriosis	0

\* Includes all positive HBsAg test results.

Sexually Transmitted Disease

Chlamydia Trachomatis	15
Gonorrhea	<5
Syphilis	0

IMMUNIZATIONS

Children in Grades K-12 by Compliance Level

Compliant	3,170
Non-compliant	16
Percent Compliant	99.5

Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.

TOTAL DEATHS		156
Crude Death Rate		937
Age	Deaths	Rate
1-4	.	.
5-14	.	.
15-19	.	.
20-34	3	.
35-54	13	.
55-64	15	.
65-74	35	2,085
75-84	43	4,470
85+	45	10,689

Infant Mortality		
	Deaths	Rate
Total Infant	2	.
Neonatal	1	.
Postneonatal	1	.

Infant Mortality by Race of Mother		
	Deaths	Rate
White	2	.
Black	.	.
Hispanic	.	.
Asian	.	.
Other/Unknown	.	.

Infant Mortality by Birthweight		
	Deaths	Rate
<1,500 gm	1	.
1,500-2,499 gm	.	.
2,500+ gm	1	.
Unknown	.	.

Perinatal Mortality		
	Deaths	Rate
Total Perinatal	2	.
Neonatal	1	.
Fetal	1	.

Selected Underlying Cause	Deaths	Rate
Heart Disease (total)	32	192
Ischemic heart disease	23	138
Cancer (total)	37	222
Trachea/Bronchus/Lung	11	.
Colorectal	2	.
Female Breast	2	.*
Cerebrovascular Disease	8	.
Lower Resp. Disease	15	.
Pneumonia & Influenza	1	.
Accidents	12	.
Motor vehicle	6	.
Diabetes	4	.
Infect./Parasitic Dis.	1	.
Suicide	3	.

\* Based on female population.

ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH

Alcohol	2	.
Tobacco Use	24	144
Other Drugs	3	.

MOTOR VEHICLE CRASHES

Note: These data are based on location of crash, not on residence.

Type of Motor Vehicle Crash	Persons Injured	Persons Killed
Total Crashes	128	3
Alcohol-Related	13	1
With Citation:		
For OWI	10	1
For Speeding	18	0
Motorcyclist	18	2
Bicyclist	5	0
Pedestrian	1	0

2010 HOSPITALIZATIONS

DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita	DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita
<b>Injury-Related: All</b>						<b>Alcohol-Related</b>					
Total	141	8.5	4.3	\$29,511	\$250	Total	17	.	.	.	.
<18	15	.	.	.	.	18-44	12	.	.	.	.
18-44	25	5.4	4.1	\$25,075	\$134	45-64	3	.	.	.	.
45-64	30	5.8	4.5	\$32,980	\$191	<b>Pneumonia and Influenza</b>					
65+	71	23.2	4.8	\$32,483	\$753	Total	85	5.1	3.9	\$14,524	\$74
<b>Injury: Hip Fracture</b>						<18	7	.	.	.	.
Total	13	.	.	.	.	45-64	15	.	.	.	.
65+	12	.	.	.	.	65+	62	20.2	4.1	\$15,067	\$305
<b>Injury: Poisonings</b>						<b>Cerebrovascular Disease</b>					
Total	15	.	.	.	.	Total	39	2.3	3.7	\$24,006	\$56
18-44	8	.	.	.	.	45-64	11	.	.	.	.
<b>Psychiatric</b>						65+	27	8.8	3.5	\$18,071	\$159
Total	78	4.7	5.0	\$10,660	\$50	<b>Asthma</b>					
<18	12	.	.	.	.	Total	7	.	.	.	.
18-44	32	6.8	5.2	\$9,152	\$63	<18	2	.	.	.	.
45-64	27	5.2	4.6	\$10,326	\$54	18-44	2	.	.	.	.
65+	7	.	.	.	.	45-64	3	.	.	.	.
<b>Coronary Heart Disease</b>						65+	0	.	.	.	.
Total	84	5.0	3.8	\$47,588	\$240	<b>Other Chronic Obstructive Pulmonary Disease</b>					
45-64	32	6.2	3.3	\$47,157	\$291	Total	25	1.5	3.2	\$12,319	\$19
65+	50	16.3	4.1	\$46,979	\$767	45-64	4	.	.	.	.
<b>Malignant Neoplasms (Cancers): All</b>						65+	21	6.9	2.9	\$10,711	\$73
Total	63	3.8	5.1	\$35,452	\$134	<b>Drug-Related</b>					
18-44	4	.	.	.	.	Total	14	.	.	.	.
45-64	29	5.6	3.8	\$31,434	\$176	18-44	9	.	.	.	.
65+	30	9.8	5.2	\$34,035	\$333	<b>Total Hospitalizations</b>					
<b>Neoplasms: Female Breast (rates for female population)</b>						Total	1,760	105.7	3.7	\$22,062	\$2,333
Total	3	.	.	.	.	<18	216	58.0	3.3	\$11,733	\$681
<b>Neoplasms: Colo-rectal</b>						18-44	342	73.2	3.2	\$15,860	\$1,161
Total	16	.	.	.	.	45-64	422	81.4	3.7	\$27,556	\$2,242
65+	9	.	.	.	.	65+	780	254.7	4.1	\$24,669	\$6,284
<b>Neoplasms: Lung</b>						----- PREVENTABLE HOSPITALIZATIONS* -----					
Total	10	.	.	.	.	Total	220	13.2	3.5	\$13,220	\$175
<b>Diabetes</b>						<18	9	2.4	1.6	\$4,932	\$12
Total	15	.	.	.	.	18-44	7	1.5	2.9	\$10,660	\$16
65+	2	.	.	.	.	45-64	35	6.7	3.3	\$13,602	\$92
						65+	169	55.2	3.6	\$13,688	\$755

\* Hospitalizations for conditions where timely and effective ambulatory care can reduce the likelihood of hospitalization.