

----- POPULATION ESTIMATES -----				----- LONG-TERM CARE -----		----- LOCAL HEALTH DEPARTMENTS -----		
Total 2010 Population				Community Options and MA Waiver		Staffing - FTE		
County population rank (1-72)				as HSRS reports costs for services		Number		
Population per square mile						Per 10,000		
County rank in population density (1-72)				Clients		Population		
Population growth 2006-2010				COP		Total FTEs		
County rank in 5-year population growth (1-72)				MA Waiver *		Administrative		
				CIP1A Develop. disabled		Public health nurses		
				CIP1B Develop. disabled		Oral health prof.		
				CIP2 Elderly/phys. disab. adults		Envir. health prof.		
				COP-W Elderly/phys. disab. adults		Public health educ.		
				CLTS Disabled children		Nutritionist		
				Brain Injury		Other prof. staff		
				Total COP/Wvrs		Technical/paraprof.		
						Support staff		
						Funding		
						Per capita		
						Total		
						Local Taxes		
						----- LICENSED ESTABLISHMENTS -----		
						Type		
						Facilities		
						Bed & Breakfast		
						Camps		
						Hotels, Motels		
						Tourist Rooming		
						Pools		
						Restaurants		
						Body Art		
						----- WIC PARTICIPANTS -----		
						Number		
						Pregnant/Postpartum		
						Infants		
						Children, age 1-4		
						-----		
						Do not speak English		
						Speak English		
						-----		
						Total		
						-----NEW CASES OF CANCER IN 2008-----		
						Primary Site		
						Total Cases		
						Rate		
						Breast		
						Cervical		
						Colorectal		
						Lung and Bronchus		
						Prostate		
						Other sites		
						Total		
						Note: Totals for invasive cancers only.		
						Rate is per 100,000 population.		

NATALITY

TOTAL LIVE BIRTHS			Birth Order			Marital Status of Mother		
			Births	Percent	Births	Percent	Births	Percent
207			68	33	Married	151	73	
Crude Live Birth Rate 12.3			67	32	Not married	56	27	
General Fertility Rate 74.4			30	14	Unknown	0	0	
Live births with reported congenital anomalies 6 2.9%			42	20				
			0	0	Education of Mother			
Delivery Type			1st Prenatal Visit		Elementary or less			
Births	Percent		Births	Percent	Births	Percent		
Vaginal after previous cesarean	1	<.5	1st trimester	154	74	22	11	
Forceps	2	1	2nd trimester	32	15	7	3	
Other vaginal	143	69	3rd trimester	14	7	44	21	
Primary cesarean	32	15	No visits	1	<.5	64	31	
Repeat cesarean	29	14	Unknown	6	3	70	34	
					Smoking Status of Mother			
Birthweight			Prenatal Visits		Births			Percent
Births	Percent		Births	Percent	Births	Percent		
<1,500 gm	2	1.0	No visits	1	<.5	17	8	
1,500-2,499 gm	6	2.9	1-4	15	7	188	91	
2,500+ gm	199	96.1	5-9	42	20	2	1	
Unknown	0	0	10-12	67	32			
			13+	79	38			
			Unknown	3	1			

  

Race/Ethnicity	Births		Low Birthweight (under 2,500 gm)		Trimester of First Prenatal Visit					
	Births	Percent	Births	Percent	1st Trimester		2nd Trimester		Other/Unknown	
White	200	97	7	3.5	150	75	30	15	20	10
Black/Afr.American	0	0	.	.	.	.	.	.	.	.
American Indian	3	1	*	.	*	.	*	.	*	.
Hispanic/Latino	4	2	*	.	*	.	*	.	*	.
Asian	0	0	.	.	.	.	.	.	.	.
Other/Unknown	0	0	.	.	.	.	.	.	.	.

  

Age of Mother	Fertility		Low Birthweight (under 2,500 gm)		Trimester of First Prenatal Visit					
	Births	Rate	Births	Percent	1st Trimester		2nd Trimester		Other/Unknown	
<15	0	--	.	.	.	.	.	.	.	.
15-17	4	11	*	.	*	.	*	.	*	.
18-19	8	46	.	.	7	88	.	.	1	13
20-24	43	112	1	2.3	28	65	11	26	4	9
25-29	76	166	3	3.9	62	82	10	13	4	5
30-34	53	123	3	5.7	42	79	7	13	4	8
35-39	17	38	1	5.9	9	53	2	12	6	35
40+	6	12	.	.	3	50	1	17	2	33
Unknown	0	--	.	.	.	.	.	.	.	.

  

Teenage Births	12	21	* Not reported if age or race category has fewer than 5 births.							
----------------	----	----	---	--	--	--	--	--	--	--

MORBIDITY

MORTALITY

CONFIRMED CASES OF COMMUNICABLE DISEASES (2010)

Disease	Number
Campylobacter Enteritis	9
Giardiasis	0
Hepatitis Type A	0
Hepatitis Type B*	0
Hepatitis NANB/C	<5
Legionnaire's	0
Lyme	<5
Measles	0
N. Meningitis, Meningococcal	0
Meningitis, Bacterial	0
Mumps	0
Pertussis	<5
Salmonellosis	5
Shigellosis	<5
Tuberculosis	0
E-Coli, Shiga Toxin-prod. (STEC)	<5
Babesiosis	0
Cryptosporidiosis	12
Streptococcus Pneum Invasive	<5
All Streptococcal Diseases	<5
Blastomycosis	0
Haemophilus flu, Invasive	<5
Ehrlichiosis/Anaplasmosis	0
Influenza A-Novel	0
Listeriosis	0

\* Includes all positive HBsAg test results.

Sexually Transmitted Disease

Chlamydia Trachomatis	14
Gonorrhea	<5
Syphilis	<5

IMMUNIZATIONS

Children in Grades K-12 by Compliance Level	Number
Compliant	2,499
Non-compliant	37
Percent Compliant	98.5

Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.

TOTAL DEATHS		146
Crude Death Rate		867
Age	Deaths	Rate
1-4	.	.
5-14	1	.
15-19	2	.
20-34	3	.
35-54	10	.
55-64	14	.
65-74	20	1,515
75-84	39	4,105
85+	54	16,314

Infant Mortality		Deaths	Rate
Total Infant		3	.
Neonatal		2	.
Postneonatal		1	.

Infant Mortality by Race of Mother		Deaths	Rate
White		3	.
Black		.	.
Hispanic		.	.
Asian		.	.
Other/Unknown		.	.

Infant Mortality by Birthweight		Deaths	Rate
<1,500 gm		1	.
1,500-2,499 gm		.	.
2,500+ gm		2	.
Unknown		.	.

Perinatal Mortality		Deaths	Rate
Total Perinatal		3	.
Neonatal		2	.
Fetal		1	.

Selected Underlying Cause	Deaths	Rate
Heart Disease (total)	37	220
Ischemic heart disease	25	148
Cancer (total)	36	214
Trachea/Bronchus/Lung	7	.
Colorectal	7	.
Female Breast	.	.*
Cerebrovascular Disease	7	.
Lower Resp. Disease	3	.
Pneumonia & Influenza	4	.
Accidents	8	.
Motor vehicle	4	.
Diabetes	7	.
Infect./Parasitic Dis.	.	.
Suicide	5	.

\* Based on female population.

ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH

Alcohol	.	.
Tobacco Use	12	71
Other Drugs	.	.

MOTOR VEHICLE CRASHES

Note: These data are based on location of crash, not on residence.

Type of Motor Vehicle Crash	Persons Injured	Persons Killed
Total Crashes	123	7
Alcohol-Related	11	2
With Citation:		
For OWI	6	0
For Speeding	20	0
Motorcyclist	9	1
Bicyclist	0	0
Pedestrian	2	0

## 2010 HOSPITALIZATIONS

DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita	DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita
Injury-Related: All						Alcohol-Related					
Total	135	8.0	4.3	\$32,234	\$258	Total	4	.	.	.	.
<18	12	.	.	.	.	18-44	2	.	.	.	.
18-44	27	5.4	2.9	\$26,839	\$144	45-64	1	.	.	.	.
45-64	42	8.7	4.4	\$34,867	\$302	Pneumonia and Influenza					
65+	54	20.8	5.1	\$33,287	\$691	Total	86	5.1	3.4	\$13,413	\$69
Injury: Hip Fracture						<18	4	.	.	.	.
Total	12	.	.	.	.	45-64	9	.	.	.	.
65+	11	.	.	.	.	65+	69	26.5	3.4	\$12,784	\$339
Injury: Poisonings						Cerebrovascular Disease					
Total	8	.	.	.	.	Total	37	2.2	2.8	\$19,405	\$43
18-44	4	.	.	.	.	45-64	9	.	.	.	.
Psychiatric						65+	28	10.8	2.6	\$15,653	\$169
Total	41	2.4	5.7	\$10,358	\$25	Asthma					
<18	5	.	.	.	.	Total	6	.	.	.	.
18-44	16	.	.	.	.	<18	2	.	.	.	.
45-64	18	.	.	.	.	18-44	1	.	.	.	.
65+	2	.	.	.	.	45-64	0	.	.	.	.
Coronary Heart Disease						65+	3	.	.	.	.
Total	63	3.7	3.1	\$55,023	\$206	Other Chronic Obstructive Pulmonary Disease					
45-64	24	5.0	2.3	\$56,921	\$282	Total	25	1.5	2.6	\$11,390	\$17
65+	38	14.6	3.7	\$53,527	\$782	45-64	6	.	.	.	.
Malignant Neoplasms (Cancers): All						65+	19	.	.	.	.
Total	40	2.4	4.7	\$36,208	\$86	Drug-Related					
18-44	2	.	.	.	.	Total	6	.	.	.	.
45-64	8	.	.	.	.	18-44	5	.	.	.	.
65+	30	11.5	4.9	\$37,785	\$436	Total Hospitalizations					
Neoplasms: Female Breast (rates for female population)						Total	1,587	94.3	3.5	\$21,566	\$2,033
Total	0	.	.	.	.	<18	247	56.8	2.9	\$9,602	\$545
Neoplasms: Colo-rectal						18-44	324	64.3	2.7	\$12,738	\$819
Total	6	.	.	.	.	45-64	324	66.9	4.2	\$32,614	\$2,181
65+	5	.	.	.	.	65+	692	266.1	3.9	\$24,796	\$6,597
Neoplasms: Lung						----- PREVENTABLE HOSPITALIZATIONS* -----					
Total	2	.	.	.	.	Total	262	15.6	3.5	\$15,314	\$238
Diabetes						<18	13	3.0	5.8	\$44,863	\$134
Total	12	.	.	.	.	18-44	16	3.2	2.8	\$8,970	\$28
65+	6	.	.	.	.	45-64	52	10.7	4.0	\$19,071	\$205
						65+	181	69.6	3.3	\$12,674	\$882

\* Hospitalizations for conditions where timely and effective ambulatory care can reduce the likelihood of hospitalization.