

| ----- POPULATION ESTIMATES ----- | | | | ----- LONG-TERM CARE ----- | | ----- LOCAL HEALTH DEPARTMENTS ----- | | |
|--------------------------------------|--|--|--|-------------------------------------|--|---|--|--|
| Total 2010 Population | | | | Community Options and MA Waiver | | Staffing - FTE | | |
| County population rank (1-72) | | | | as HSRS reports costs for services | | Number | | |
| Population per square mile | | | | | | Per 10,000 | | |
| County rank in population | | | | | | Population | | |
| density (1-72) | | | | | | | | |
| Population growth 2006-2010 | | | | Clients | | Total FTEs | | |
| County rank in 5-year | | | | COP | | Administrative | | |
| population growth (1-72) | | | | MA Waiver * | | Public health nurses | | |
| | | | | CIP1A Develop. disabled | | Oral health prof. | | |
| | | | | CIP1B Develop. disabled | | Envir. health prof. | | |
| | | | | CIP2 Elderly/phys. disab. adults | | Public health educ. | | |
| | | | | COP-W Elderly/phys. disab. adults | | Nutritionist | | |
| | | | | CLTS Disabled children | | Other prof. staff | | |
| | | | | Brain Injury | | Technical/paraprof. | | |
| | | | | Total COP/Wvrs | | Support staff | | |
| | | | | | | Funding | | |
| | | | | | | Per capita | | |
| | | | | | | Total | | |
| | | | | | | Local Taxes | | |
| | | | | | | ----- LICENSED ESTABLISHMENTS ----- | | |
| | | | | | | Type | | |
| | | | | | | Facilities | | |
| | | | | | | Bed & Breakfast | | |
| | | | | | | Camps | | |
| | | | | | | Hotels, Motels | | |
| | | | | | | Tourist Rooming | | |
| | | | | | | Pools | | |
| | | | | | | Restaurants | | |
| | | | | | | Body Art | | |
| | | | | | | ----- WIC PARTICIPANTS ----- | | |
| | | | | | | Number | | |
| | | | | | | Pregnant/Postpartum | | |
| | | | | | | Infants | | |
| | | | | | | Children, age 1-4 | | |
| | | | | | | ----- | | |
| | | | | | | Do not speak English | | |
| | | | | | | Speak English | | |
| | | | | | | ----- | | |
| | | | | | | Total | | |
| | | | | | | -----NEW CASES OF CANCER IN 2008----- | | |
| | | | | | | Primary Site | | |
| | | | | | | Total Cases | | |
| | | | | | | Rate | | |
| | | | | | | Breast | | |
| | | | | | | Cervical | | |
| | | | | | | Colorectal | | |
| | | | | | | Lung and Bronchus | | |
| | | | | | | Prostate | | |
| | | | | | | Other sites | | |
| | | | | | | Total | | |
| | | | | | | Note: Totals for invasive cancers only. | | |
| | | | | | | Rate is per 100,000 population. | | |
| -----Poverty Estimates for 2009----- | | | | Eligible and | | Nursing Homes | | |
| Estimate (%) (C.I.+/-) | | | | Waiting | | Licensed beds | | |
| All ages | | | | Family Care | | Residents on Dec.31 | | |
| Ages 0-17 | | | | | | Residents age 65 or older | | |
| | | | | | | per 1,000 population | | |
| ----- EMPLOYMENT ----- | | | | Note: In 2010, 56 counties operated | | | | |
| Average wage for jobs covered | | | | under the Family Care waiver. | | | | |
| by unemployment compensation | | | | Eligible and waiting clients are | | | | |
| (place of work) | | | | phased into Family Care. Hence, | | | | |
| | | | | clients can incur costs for both | | | | |
| | | | | COP/waivers and Family Care. | | | | |
| Labor Force Estimates | | | | | | | | |
| Civilian Labor Force | | | | | | | | |
| Unemployment rate | | | | | | | | |
| 5-yr avg. unemployment rate | | | | | | | | |
| Median HH income (2009) | | | | | | | | |
| Rank in median HH income (1-72) | | | | | | | | |

MORBIDITY

MORTALITY

CONFIRMED CASES OF COMMUNICABLE DISEASES (2010)

| Disease | Number |
|----------------------------------|--------|
| Campylobacter Enteritis | 1,385 |
| Giardiasis | 627 |
| Hepatitis Type A | 23 |
| Hepatitis Type B* | 648 |
| Hepatitis NANB/C | 2,546 |
| Legionnaire's | 63 |
| Lyme | 2,518 |
| Measles | 0 |
| N. Meningitis, Meningococcal | 22 |
| Meningitis, Bacterial | 15 |
| Mumps | <5 |
| Pertussis | 296 |
| Salmonellosis | 846 |
| Shigellosis | 71 |
| Tuberculosis | 55 |
| E-Coli, Shiga Toxin-prod. (STEC) | 215 |
| Babesiosis | 18 |
| Cryptosporidiosis | 993 |
| Streptococcus Pneum Invasive | 551 |
| All Streptococcal Diseases | 498 |
| Blastomycosis | 175 |
| Haemophilus flu, Invasive | 76 |
| Ehrlichiosis/Anaplasmosis | 124 |
| Influenza A-Novel | 16 |
| Listeriosis | 18 |

* Includes all positive HBsAg test results.

Sexually Transmitted Disease

| | |
|-----------------------|--------|
| Chlamydia Trachomatis | 23,000 |
| Gonorrhea | 5,074 |
| Syphilis | 183 |

IMMUNIZATIONS

Children in Grades K-12 by Compliance Level

| | |
|-------------------|---------|
| Compliant | 912,064 |
| Non-compliant | 32,400 |
| Percent Compliant | 96.6 |

Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.

TOTAL DEATHS 47,208
Crude Death Rate 830

| Age | Deaths | Rate |
|-------|--------|--------|
| 1-4 | 58 | 20 |
| 5-14 | 98 | 13 |
| 15-19 | 193 | 48 |
| 20-34 | 930 | 84 |
| 35-54 | 3,964 | 248 |
| 55-64 | 5,146 | 735 |
| 65-74 | 7,106 | 1,774 |
| 75-84 | 12,276 | 4,752 |
| 85+ | 17,044 | 14,383 |

| Infant Mortality | Deaths | Rate |
|------------------|--------|------|
| Total Infant | 393 | 5.7 |
| Neonatal | 257 | 3.8 |
| Postneonatal | 136 | 2.0 |

| Infant Mortality by Race of Mother | Deaths | Rate |
|------------------------------------|--------|------|
| White | 247 | 4.9 |
| Black | 95 | 13.9 |
| Hispanic | 29 | 4.4 |
| Asian | 14 | . |
| Other/Unknown | 8 | . |

| Infant Mortality by Birthweight | Deaths | Rate |
|---------------------------------|--------|-------|
| <1,500 gm | 191 | 223.9 |
| 1,500-2,499 gm | 57 | 14.4 |
| 2,500+ gm | 139 | 2.2 |
| Unknown | 6 | . |

| Perinatal Mortality | Deaths | Rate |
|---------------------|--------|------|
| Total Perinatal | 618 | 9.0 |
| Neonatal | 257 | 3.8 |
| Fetal | 361 | 5.3 |

| Selected Underlying Cause | Deaths | Rate |
|---------------------------|--------|------|
| Heart Disease (total) | 11,085 | 195 |
| Ischemic heart disease | 6,739 | 118 |
| Cancer (total) | 11,267 | 198 |
| Trachea/Bronchus/Lung | 2,966 | 52 |
| Colorectal | 945 | 17 |
| Female Breast | 764 | 27* |
| Cerebrovascular Disease | 2,598 | 46 |
| Lower Resp. Disease | 2,471 | 43 |
| Pneumonia & Influenza | 900 | 16 |
| Accidents | 2,495 | 44 |
| Motor vehicle | 606 | 11 |
| Diabetes | 1,154 | 20 |
| Infect./Parasitic Dis. | 810 | 14 |
| Suicide | 789 | 14 |

* Based on female population.

ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH

| | | |
|-------------|-------|-----|
| Alcohol | 917 | 16 |
| Tobacco Use | 8,095 | 142 |
| Other Drugs | 576 | 10 |

MOTOR VEHICLE CRASHES

Note: These data are based on location of crash, not on residence.

| Type of Motor Vehicle Crash | Persons Injured | Persons Killed |
|-----------------------------|-----------------|----------------|
| Total Crashes | 40,889 | 562 |
| Alcohol-Related | 3,511 | 220 |
| With Citation: | | |
| For OWI | 3,315 | 17 |
| For Speeding | 3,985 | 15 |
| Motorcyclist | 2,214 | 98 |
| Bicyclist | 1,028 | 9 |
| Pedestrian | 1,183 | 54 |

2010 HOSPITALIZATIONS

| DISEASE / AGE GROUP | Number | Per 1,000 Pop | Average Stay (Days) | Average Charge | Charge Per Capita | DISEASE / AGE GROUP | Number | Per 1,000 Pop | Average Stay (Days) | Average Charge | Charge Per Capita |
|--|--------|---------------|---------------------|----------------|-------------------|---|---------|---------------|---------------------|----------------|-------------------|
| Injury-Related: All | | | | | | Alcohol-Related | | | | | |
| Total | 46,693 | 8.2 | 4.6 | \$32,850 | \$270 | Total | 11,621 | 2.0 | 3.8 | \$11,304 | \$23 |
| <18 | 2,865 | 2.1 | 3.2 | \$24,754 | \$53 | 18-44 | 4,648 | 2.3 | 3.4 | \$8,872 | \$21 |
| 18-44 | 9,803 | 4.9 | 3.9 | \$30,128 | \$148 | 45-64 | 6,110 | 3.9 | 3.9 | \$12,582 | \$49 |
| 45-64 | 13,711 | 8.7 | 4.8 | \$35,950 | \$313 | Pneumonia and Influenza | | | | | |
| 65+ | 20,314 | 26.1 | 5.1 | \$33,214 | \$868 | Total | 16,978 | 3.0 | 4.3 | \$18,651 | \$56 |
| Injury: Hip Fracture | | | | | | <18 | 1,915 | 1.4 | 3.0 | \$11,310 | \$16 |
| Total | 5,107 | 0.9 | 5.0 | \$34,739 | \$31 | 45-64 | 3,365 | 2.1 | 4.4 | \$21,625 | \$46 |
| 65+ | 4,497 | 5.8 | 5.1 | \$34,611 | \$200 | 65+ | 10,398 | 13.4 | 4.6 | \$19,012 | \$254 |
| Injury: Poisonings | | | | | | Cerebrovascular Disease | | | | | |
| Total | 5,083 | 0.9 | 2.7 | \$15,056 | \$13 | Total | 13,741 | 2.4 | 4.0 | \$28,566 | \$69 |
| 18-44 | 2,520 | 1.3 | 2.4 | \$13,678 | \$17 | 45-64 | 3,468 | 2.2 | 4.3 | \$36,144 | \$80 |
| Psychiatric | | | | | | 65+ | 9,698 | 12.5 | 3.8 | \$24,825 | \$310 |
| Total | 36,635 | 6.4 | 6.5 | \$11,283 | \$73 | Asthma | | | | | |
| <18 | 7,612 | 5.7 | 5.7 | \$11,186 | \$64 | Total | 4,894 | 0.9 | 2.8 | \$11,969 | \$10 |
| 18-44 | 17,317 | 8.7 | 6.0 | \$9,650 | \$84 | <18 | 1,509 | 1.1 | 1.8 | \$6,805 | \$8 |
| 45-64 | 8,980 | 5.7 | 7.5 | \$12,780 | \$73 | 18-44 | 865 | 0.4 | 2.5 | \$11,450 | \$5 |
| 65+ | 2,726 | 3.5 | 8.6 | \$16,999 | \$60 | 45-64 | 1,423 | 0.9 | 3.3 | \$14,959 | \$14 |
| Coronary Heart Disease | | | | | | 65+ | 1,097 | 1.4 | 3.8 | \$15,604 | \$22 |
| Total | 18,945 | 3.3 | 3.8 | \$52,342 | \$174 | Other Chronic Obstructive Pulmonary Disease | | | | | |
| 45-64 | 7,172 | 4.6 | 3.5 | \$55,098 | \$251 | Total | 8,225 | 1.4 | 3.8 | \$16,556 | \$24 |
| 65+ | 11,028 | 14.2 | 4.2 | \$50,896 | \$722 | 45-64 | 2,289 | 1.5 | 3.6 | \$16,793 | \$24 |
| Malignant Neoplasms (Cancers): All | | | | | | 65+ | 5,688 | 7.3 | 3.9 | \$16,226 | \$119 |
| Total | 19,087 | 3.4 | 5.9 | \$42,527 | \$143 | Drug-Related | | | | | |
| 18-44 | 1,376 | 0.7 | 5.8 | \$47,571 | \$33 | Total | 3,592 | 0.6 | 4.7 | \$9,318 | \$6 |
| 45-64 | 7,646 | 4.9 | 5.4 | \$42,910 | \$209 | 18-44 | 2,428 | 1.2 | 4.3 | \$7,876 | \$10 |
| 65+ | 9,834 | 12.7 | 6.2 | \$40,501 | \$512 | Total Hospitalizations | | | | | |
| Neoplasms: Female Breast (rates for female population) | | | | | | Total | 607,761 | 106.9 | 4.1 | \$23,550 | \$2,517 |
| Total | 1,200 | 0.4 | 2.2 | \$29,830 | \$12 | <18 | 100,291 | 74.9 | 3.3 | \$11,114 | \$832 |
| Neoplasms: Colo-rectal | | | | | | 18-44 | 150,284 | 75.3 | 3.3 | \$16,384 | \$1,233 |
| Total | 2,271 | 0.4 | 7.6 | \$45,419 | \$18 | 45-64 | 145,163 | 92.3 | 4.5 | \$31,400 | \$2,897 |
| 65+ | 1,459 | 1.9 | 8.1 | \$46,673 | \$88 | 65+ | 212,023 | 272.8 | 4.8 | \$29,138 | \$7,948 |
| Neoplasms: Lung | | | | | | ----- PREVENTABLE HOSPITALIZATIONS* ----- | | | | | |
| Total | 2,154 | 0.4 | 6.0 | \$41,192 | \$16 | Total | 74,073 | 13.0 | 4.3 | \$20,743 | \$270 |
| Diabetes | | | | | | <18 | 5,499 | 4.1 | 2.7 | \$12,573 | \$52 |
| Total | 6,908 | 1.2 | 4.4 | \$24,540 | \$30 | 18-44 | 8,407 | 4.2 | 3.4 | \$18,193 | \$77 |
| 65+ | 1,980 | 2.5 | 5.5 | \$27,245 | \$69 | 45-64 | 17,749 | 11.3 | 4.7 | \$24,902 | \$281 |
| | | | | | | 65+ | 42,418 | 54.6 | 4.6 | \$20,567 | \$1,122 |

* Hospitalizations for conditions where timely and effective ambulatory care can reduce the likelihood of hospitalization.