

## Wisconsin Measurement Summary - 2009

Basement radon measurements made in Wisconsin homes. Results are arranged by zip code within in county.  
EPA guideline is for lowest lived-in level, not normally basement.

County	Zip Code	Number of Measurements			Maximum pCi/L
		Total #	# >4 pCi/L but <10 pCi/L	# >10 pCi/L	
Adams	53910	83	0	0	3.8
	53920	4	0	0	3.5
	53927	2		1	54.8
	53934	136	14	6	38.7
	53936	31	5	0	7.3
	53952	34	5	0	6.6
	53964	38	2	0	6
	53965	225	20	4	51.3
	54457	139	30	7	69.4
	54613	49	3	2	21
	54921	14	5	0	9.1
	54930	11	2	0	6.7
	54943	19	3	0	5.3
	54966	19	1	0	5.6

County	Zip Code	Number of Measurements			Maximum pCi/L
		Total #	# >4 pCi/L but <10 pCi/L	# >10 pCi/L	
Ashland	54514	83	12	1	19.1
	54517	2	0	0	3.1
	54527	12	2	1	10.9
	54546	31	7	2	24.6
	54557	34	8	2	11.8
	54559	9	1	0	4.4
	54806	148	22	3	12.8
	54846	6	1	0	4.5
	54850	5	0	0	2.1
	54855	9	0	0	2.9
	54856	29	0	0	3.3

County	Zip Code	Number of Measurements			Maximum pCi/L
		Total #	# >4 pCi/L but <10 pCi/L	# >10 pCi/L	
Barron	54004	7	2	0	7.7
	54005	27	5	2	19.4
	54728	51	10	12	21.7
	54733	7	2	2	12.2
	54757	26	5	4	26.2
	54762	10	2	0	5.4
	54763	13	5	0	9.3
	54805	10	0	0	2.8
	54812	47	11	2	13.7
	54813	7	1	0	5.5
	54817	33	9	6	19.6
	54818	3	1	0	5.5
	54822	57	18	8	66.3
	54826	3	0	0	1.3
	54829	85	15	3	22.4
	54841	6	1	0	5.1
	54868	238	79	17	19
	54870	15	2	0	8.3
	54889	22	5	0	7.3

## Wisconsin Measurement Summary - 2009

Basement radon measurements made in Wisconsin homes. Results are arranged by zip code within in county.  
EPA guideline is for lowest lived-in level, not normally basement.

County	Zip Code	Number of Measurements			Maximum pCi/L
		Total #	# >4 pCi/L but <10 pCi/L	# >10 pCi/L	
Bayfield	54806	148	22	3	12.8
	54814	87	4	9	51.7
	54820	5	1	0	4
	54821	28	10	0	8.5
	54827	10	0	0	3.7
	54832	7	4	0	6.3
	54838	9	3	0	5
	54839	5	2	0	4.1
	54844	8	0	1	14.5
	54847	40	12	5	30.1
	54856	29	0	0	3.3
	54865	4	0	1	11.9
	54873	26	6	1	12.5
	54891	159	23	10	29.2

County	Zip Code	Number of Measurements			Maximum pCi/L
		Total #	# >4 pCi/L but <10 pCi/L	# >10 pCi/L	
Brown	54110	32	12	2	27.4
	54115	1046	212	68	230
	54126	20	4	1	44.3
	54130	467	171	38	35.9
	54155	471	27	4	20
	54162	52	14	3	21.52
	54173	10	1	2	12.5
	54180	64	17	20	47.3
	54208	50	11	6	17.9
	54217	207	22	18	29
	54229	29	7	2	35.2
	54301	433	120	34	110
	54302	146	48	6	41.48
	54303	206	58	26	29
	54304	274	84	24	22.9
	54305	12	2	0	9.07
	54306	2	0	0	0.8
	54307	14	4	1	14.9
	54308	3	0	0	3.34
	54311	308	112	42	72.5
54313	354	135	12	23.19	
54314	1	0	0	0.1	

County	Zip Code	Number of Measurements			Maximum pCi/L
		Total #	# >4 pCi/L but <10 pCi/L	# >10 pCi/L	
Buffalo	54610	19	5	2	24.7
	54612	25	4	2	125
	54622	13	5	1	11.5
	54629	27	9	7	19
	54736	58	20	3	20.6
	54747	24	6	5	14.6
	54755	49	9	3	82.6

## Wisconsin Measurement Summary - 2009

Basement radon measurements made in Wisconsin homes. Results are arranged by zip code within in county.  
EPA guideline is for lowest lived-in level, not normally basement.

54756      5                                  2                                  0                                  8.8

County	Zip Code	Number of Measurements			Maximum pCi/L
		Total #	# >4 pCi/L but <10 pCi/L	# >10 pCi/L	
Burnett	54801	72	8	2	28.6
	54813	7	1	0	5.5
	54830	29	6	3	16.9
	54837	62	12	3	18.8
	54840	39	6	0	4.6
	54845	2	0	0	1.6
	54853	60	13	1	20.8
	54871	33	4	2	14.8
	54872	34	5	1	14.2
54893	52	12	0	8.4	

County	Zip Code	Number of Measurements			Maximum pCi/L
		Total #	# >4 pCi/L but <10 pCi/L	# >10 pCi/L	
Calumet	53014	104	31	14	27.61
	53020	31	8	7	16.9
	53042	100	22	22	31.1
	53049	41	16	6	22.5
	53061	33	11	2	25.8
	53088	4	0	0	2
	54110	32	12	2	27.4
	54123	2	0	0	3.3
	54129	40	12	4	56.3
	54160	4	1	0	4
	54169	26	12	5	19.5
	54915	1008	402	115	37.1
	54952	1116	428	166	64.7

County	Zip Code	Number of Measurements			Maximum pCi/L
		Total #	# >4 pCi/L but <10 pCi/L	# >10 pCi/L	
Chippewa	54433	42	7	2	31.3
	54703	624	170	69	91.4
	54724	140	38	23	105.2
	54726	29	1	3	17.2
	54727	55	14	2	19
	54729	529	225	58	38.8
	54730	82	37	15	112.9
	54732	25	4	4	13.4
	54739	70	21	10	214.9
	54745	29	4	6	28.1
	54748	46	20	6	18.2
	54757	26	5	4	26.2

County	Zip Code	Number of Measurements			Maximum pCi/L
		Total #	# >4 pCi/L but <10 pCi/L	# >10 pCi/L	
Clark	54405	35	6	4	21.1
	54420	11	4	1	10.1
	54421	24	5	2	17.8
	54422	7	1	0	4.8

## Wisconsin Measurement Summary - 2009

Basement radon measurements made in Wisconsin homes. Results are arranged by zip code within in county.  
EPA guideline is for lowest lived-in level, not normally basement.

54425	6	0	1	105.9
54436	14	3	2	10.6
54437	33	14	0	9.9
54446	8	2	0	5.7
54456	48	3	7	43.5
54460	13	0	1	11.3
54466	72	4	7	69.4
54479	23	6	2	10.5
54488	13	4	1	20.5
54493	3	1	0	4
54498	22	1	3	25.2
54746	6	2	0	6.6
54754	16	1	1	22.43
54768	68	5	0	7.4
54771	14	4	1	11

County	Zip Code	Number of Measurements			Maximum pCi/L
		Total #	# >4 pCi/L but <10 pCi/L	# >10 pCi/L	
Columbia	53532	118	38	11	33.7
	53555	57	8	7	37.7
	53561	23	11	0	7.7
	53578	120	25	6	16.7
	53901	215	12	0	8.6
	53911	10	2	1	14.9
	53923	21	3	2	17.3
	53925	75	33	15	31.8
	53926	9	0	0	3.3
	53932	26	6	5	16.7
	53935	2	1	0	5.2
	53954	83	4	2	11.6
	53955	64	8	7	30.1
	53956	20	8	3	46.3
	53957	1	1	0	6.3
	53960	50	6	1	10.8
53965	225	20	4	51.3	
53969	1	0	0	1.6	

County	Zip Code	Number of Measurements			Maximum pCi/L
		Total #	# >4 pCi/L but <10 pCi/L	# >10 pCi/L	
Crawford	53518	138	43	9	13.9
	53805	98	12	0	7.8
	53821	146	48	26	27.8
	53826	24	3	5	33.4
	54624	28	10	4	46.9
	54626	36	17	11	44.2
	54628	23	6	1	11.6
	54631	38	9	18	46.9
	54654	7	2	1	21.5
	54655	33	6	1	17.3
	54657	5	0	1	22.1

**Number of Measurements**

**Maximum pCi/L**

## Wisconsin Measurement Summary - 2009

Basement radon measurements made in Wisconsin homes. Results are arranged by zip code within in county.  
EPA guideline is for lowest lived-in level, not normally basement.

County	Zip Code	Total #	# >4 pCi/L but <10 pCi/L	# >10 pCi/L	Maximum pCi/L
Dane	53508	40	11	1	16.47
	53515	33	10	14	57.6
	53516	44	15	7	32.2
	53517	25	9	1	24.2
	53521	46	9	7	66
	53523	39	14	8	29.3
	53527	79	29	13	17.6
	53528	107	41	16	33
	53529	12	3	1	26.6
	53531	30	9	2	11.2
	53532	118	38	11	33.7
	53534	154	61	17	39.2
	53544	28	9	3	35.1
	53555	57	8	7	37.7
	53558	102	44	12	32.5
	53559	66	19	16	25.9
	53560	42	6	2	15
	53562	356	95	22	54
	53572	114	31	29	35.9
	53574	137	49	45	88.8
	53575	152	51	13	30.8
	53583	67	19	4	17
	53589	175	65	7	41.2
	53590	274	84	24	33.6
	53593	254	82	32	35.9
	53594	40	16	3	34.9
	53596	14	2	1	10.93
	53597	138	44	15	75.1
	53598	16	4	1	12
	53701	151	30	10	16.9
	53703	96	16	0	9.3
	53704	384	88	28	30
	53705	693	184	79	180
	53706	11	1	0	4.59
	53707	5	2	0	9.2
	53708	9	0	0	1.2
	53711	734	240	70	53.14
	53713	136	32	4	28.1
	53714	143	31	7	17.2
	53715	59	9	5	20.4
	53716	275	75	27	23.1
	53717	169	51	18	52
	53718	36	8	11	27.2
	53719	197	52	24	38
	53726	30	6	2	11.3
	53744	2	0	2	16.9

County	Zip Code	Number of Measurements			Maximum pCi/L
		Total #	# >4 pCi/L but <10 pCi/L	# >10 pCi/L	
Dodge	53002	27	9	1	16.5
	53003	2	0	0	3.4

## Wisconsin Measurement Summary - 2009

Basement radon measurements made in Wisconsin homes. Results are arranged by zip code within in county.  
EPA guideline is for lowest lived-in level, not normally basement.

53006	21	5	9	23.1
53016	1	0	0	2.7
53027	271	98	46	56.6
53032	46	16	9	21.7
53034	5	1	0	6.7
53035	13	4	2	19.1
53036	20	5	1	23.2
53039	50	20	14	30
53047	1	0	0	3.7
53048	12	5	1	13.3
53050	46	6	1	53
53059	38	5	6	28
53065	13	6	1	13.1
53078	33	7	0	7.9
53091	14	4	5	27.6
53098	242	67	53	37.5
53099	2	1	0	4.6
53557	6	2	0	4.3
53579	10	5	1	13.73
53594	40	16	3	34.9
53916	296	101	82	395
53922	20	5	9	33.1
53925	75	33	15	31.8
53932	26	6	5	16.7
53933	28	9	10	27.9
53956	20	8	3	46.3
53963	89	30	29	66.5

County	Zip Code	Number of Measurements			Maximum pCi/L
		Total #	# >4 pCi/L but <10 pCi/L	# >10 pCi/L	
Door	54201	37	2	0	5.3
	54202	52	12	7	26.4
	54204	20	10	1	22.8
	54205	97	18	16	100
	54209	72	12	5	81.5
	54210	61	14	11	76
	54211	47	20	9	28.7
	54212	66	20	17	110
	54213	32	6	1	16.5
	54217	207	22	18	29
	54226	1	0	0	3.6
	54234	217	82	23	52.2
	54235	625	127	93	93.2
	54246	29	1	2	19.4

County	Zip Code	Number of Measurements			Maximum pCi/L
		Total #	# >4 pCi/L but <10 pCi/L	# >10 pCi/L	
Douglas	54820	5	1	0	4
	54830	29	6	3	16.9
	54836	10	2	0	9.4
	54838	9	3	0	5
	54842	2	0	0	2.3

## Wisconsin Measurement Summary - 2009

Basement radon measurements made in Wisconsin homes. Results are arranged by zip code within in county.  
EPA guideline is for lowest lived-in level, not normally basement.

54849	26	4	1	78.3
54854	5	0	0	3.1
54859	6	0	0	2.4
54864	9	0	0	3.7
54873	26	6	1	12.5
54874	38	5	2	17.1
54880	226	23	9	27.4

County	Zip Code	Number of Measurements			Maximum pCi/L
		Total #	# >4 pCi/L but <10 pCi/L	# >10 pCi/L	
Dunn	54005	27	5	2	19.4
	54721	13	3	2	19.1
	54725	28	8	5	41
	54730	82	37	15	112.9
	54734	12	4	0	8.3
	54735	2	1	0	5.1
	54737	9	2	2	28.4
	54739	70	21	10	214.9
	54740	40	14	3	12.4
	54749	14	4	3	28.5
	54751	554	176	71	142.2
	54755	49	9	3	82.6
	54757	26	5	4	26.2
	54762	10	2	0	5.4
	54763	13	5	0	9.5
	54765	1	1	0	4
	54772	12	5	4	15

County	Zip Code	Number of Measurements			Maximum pCi/L
		Total #	# >4 pCi/L but <10 pCi/L	# >10 pCi/L	
Eau Claire	54701	947	195	98	181
	54702	78	2	4	11.9
	54703	624	170	69	91.4
	54720	139	27	20	33.3
	54722	27	7	0	8.9
	54726	29	1	3	17.2
	54727	55	14	2	19
	54729	529	225	58	38.8
	54738	21	4	1	10.3
	54741	7	1	2	11.4
	54742	67	12	8	164.9
	54755	49	9	3	82.6
	54758	39	2	4	26.1
	54768	68	5	0	7.4
	54770	7	2	0	5.3

County	Zip Code	Number of Measurements			Maximum pCi/L
		Total #	# >4 pCi/L but <10 pCi/L	# >10 pCi/L	
Florence	54120	25	9	5	104.6
	54121	324	78	44	120
	54151	346	100	51	67.5
	54542	15	1	1	41.1

## Wisconsin Measurement Summary - 2009

Basement radon measurements made in Wisconsin homes. Results are arranged by zip code within in county.  
EPA guideline is for lowest lived-in level, not normally basement.

County	Zip Code	Number of Measurements			Maximum pCi/L
		Total #	# >4 pCi/L but <10 pCi/L	# >10 pCi/L	
Fond du Lac	53006	21	5	9	23.1
	53010	52	15	5	14.9
	53011	9	1	1	12.5
	53019	35	7	3	28
	53040	93	34	8	22.5
	53048	12	5	1	13.3
	53049	41	16	6	22.5
	53057	23	4	0	10
	53061	33	11	2	25.8
	53065	13	6	1	13.1
	53079	16	4	0	7.4
	53919	27	11	10	31.4
	53931	12	3	6	33.1
	53946	40	12	7	26.3
	53963	89	30	29	66.5
	54932	11	4	1	11.4
	54935	643	197	34	23
	54936	1	0	1	19.9
	54937	763	28	7	17
	54964	23	8	7	69.3
54971	153	53	29	69.6	
54974	15	4	2	22.5	
54979	18	5	2	11	

County	Zip Code	Number of Measurements			Maximum pCi/L
		Total #	# >4 pCi/L but <10 pCi/L	# >10 pCi/L	
Forest	54103	35	11	6	58.4
	54465	18	9	2	14.82
	54511	31	8	5	109.4
	54520	197	43	20	288.7
	54541	95	15	7	268.1
	54542	15	1	1	41.1
	54562	139	27	1	14.9
	54566	56	13	5	52.9

County	Zip Code	Number of Measurements			Maximum pCi/L
		Total #	# >4 pCi/L but <10 pCi/L	# >10 pCi/L	
Grant	53518	138	43	9	13.9
	53543	52	18	9	49.1
	53554	22	7	2	13.6
	53569	47	15	5	34.6
	53573	149	17	2	19.9
	53801	16	7	0	9.4
	53802	1	0	0	1.9
	53804	34	15	2	10.3
	53805	98	12	0	7.8
	53806	69	29	7	14.4
	53807	168	73	17	24.7
	53808	23	12	1	11.5

## Wisconsin Measurement Summary - 2009

Basement radon measurements made in Wisconsin homes. Results are arranged by zip code within in county.  
EPA guideline is for lowest lived-in level, not normally basement.

53809	106	45	11	30
53810	15	6	1	11.6
53811	72	33	5	21.4
53812	19	11	3	24.9
53813	466	217	58	36.5
53816	114	5	4	25
53817	11	4	1	13.5
53818	400	160	49	89.1
53820	106	42	12	29.9
53821	146	48	26	27.8
53825	18	5	0	9.8
53827	3	2	0	8.6

County	Zip Code	Number of Measurements			Maximum pCi/L
		Total #	# >4 pCi/L but <10 pCi/L	# >10 pCi/L	
Green	53502	29	3	2	14.6
	53504	110	20	21	62.2
	53508	40	11	1	16.47
	53516	44	15	7	32.2
	53520	93	16	3	13
	53521	46	9	7	66
	53522	35	21	4	22.66
	53536	97	35	5	22.4
	53550	16	1	3	12.7
	53566	475	150	74	44.38
	53570	35	8	4	40.9
	53574	137	49	45	88.8

County	Zip Code	Number of Measurements			Maximum pCi/L
		Total #	# >4 pCi/L but <10 pCi/L	# >10 pCi/L	
Green Lake	53923	21	3	2	17.3
	53926	9	0	0	3.3
	53939	2	0	1	22.7
	53946	40	12	7	26.3
	53947	1	1	0	4.9
	53956	20	8	3	46.3
	54923	133	55	10	30.7
	54941	82	32	11	32.3
	54960	41	4	0	9.9
	54968	35	4	2	14.8
	54971	153	53	29	69.6

County	Zip Code	Number of Measurements			Maximum pCi/L
		Total #	# >4 pCi/L but <10 pCi/L	# >10 pCi/L	
Iowa	53503	22	6	1	34.7
	53506	27	4	0	9.6
	53507	54	23	5	40.7
	53516	44	15	7	32.2
	53517	25	9	1	24.2
	53526	28	11	2	13.6
	53533	275	111	55	57.7
	53535	1	1	0	6.8

## Wisconsin Measurement Summary - 2009

Basement radon measurements made in Wisconsin homes. Results are arranged by zip code within in county.  
EPA guideline is for lowest lived-in level, not normally basement.

53543	52	18	9	49.1
53544	28	9	3	35.1
53553	3	1	0	8.2
53554	22	7	2	13.6
53560	42	6	2	15
53565	132	41	26	89.1
53569	47	14	5	34.6
53573	149	17	2	19.9
53580	6	3	0	6.1
53582	22	6	7	41.9
53588	91	14	10	44.2
53595	3	0	0	2.6
53818	375	144	45	89.1

County	Zip Code	Number of Measurements			Maximum pCi/L
		Total #	# >4 pCi/L but <10 pCi/L	# >10 pCi/L	
Iron	54514	83	12	1	19.1
	54525	14	1	1	11.2
	54534	111	8	3	31.9
	54536	12	0	1	31.9
	54547	54	13	3	23.7
	54550	19	1	0	6.4
	54552	329	37	12	25.2
	54559	9	1	0	4.4
	54565	2	0	0	1
	54806	117	14	2	12.8

County	Zip Code	Number of Measurements			Maximum pCi/L
		Total #	# >4 pCi/L but <10 pCi/L	# >10 pCi/L	
Jackson	54466	72	4	7	69.4
	54611	13	2	0	6.9
	54615	78	9	6	430
	54616	24	8	1	10.5
	54627	27	8	4	36.9
	54635	11	1	1	27.1
	54642	16	6	2	37.8
	54644	10	3	0	9.5
	54659	5	1	0	4.4
	54666	34	6	1	13.1
	54741	7	1	2	11.4
	54746	6	2	0	6.6
	54754	16	1	1	22.43
	54758	39	2	4	26.1

County	Zip Code	Number of Measurements			Maximum pCi/L
		Total #	# >4 pCi/L but <10 pCi/L	# >10 pCi/L	
Jefferson	53036	20	5	1	23.2
	53038	18	7	0	7.6
	53066	914	325	181	170
	53094	369	118	53	47.2
	53118	222	64	62	44.6
	53119	143	44	48	57.4

## Wisconsin Measurement Summary - 2009

Basement radon measurements made in Wisconsin homes. Results are arranged by zip code within in county.  
EPA guideline is for lowest lived-in level, not normally basement.

53137	21	8	0	8.7
53156	44	13	1	17.7
53178	33	9	0	9.1
53190	152	35	28	43.9
53523	39	14	8	29.3
53538	265	78	10	27.6
53549	172	39	18	21.8
53551	100	37	10	22.1
53594	40	16	3	34.9

County	Zip Code	Number of Measurements			Maximum pCi/L
		Total #	# >4 pCi/L but <10 pCi/L	# >10 pCi/L	
Juneau	53929	95	20	7	120.3
	53944	40	2	0	5.8
	53948	320	27	12	30.1
	53950	118	16	1	11.1
	53962	5	0	0	2.7
	53965	225	20	4	51.3
	53968	168	8	8	132.2
	54457	139	30	7	69.4
	54618	52	3	0	8
	54637	4	0	0	2.9
	54638	40	8	3	13.6
	54646	105	6	2	11.3

County	Zip Code	Number of Measurements			Maximum pCi/L
		Total #	# >4 pCi/L but <10 pCi/L	# >10 pCi/L	
Kenosha	53101	6	2	0	6
	53102	1	1	0	4
	53104	76	28	6	15.1
	53105	426	154	53	64
	53109	10	0	1	11
	53128	46	20	2	12.9
	53139	43	16	11	16.1
	53140	220	29	16	21.4
	53141	11	1	2	10.1
	53142	465	148	53	42
	53143	133	17	5	17.9
	53144	205	64	24	72.9
	53152	2	1	0	9.9
	53158	171	60	28	46.4
	53159	7	5	0	8.5
	53168	103	32	7	30

County	Zip Code	Number of Measurements			Maximum pCi/L
		Total #	# >4 pCi/L but <10 pCi/L	# >10 pCi/L	
Kewaunee	54201	37	2	0	5.3
	54205	97	18	16	100
	54208	50	11	6	17.9
	54213	32	6	1	16.5
	54216	50	16	5	47.8
	54217	207	22	18	29

## Wisconsin Measurement Summary - 2009

Basement radon measurements made in Wisconsin homes. Results are arranged by zip code within in county.  
EPA guideline is for lowest lived-in level, not normally basement.

County	Zip Code	Number of Measurements			Maximum pCi/L
		Total #	# >4 pCi/L but <10 pCi/L	# >10 pCi/L	
La Crosse	54601	672	191	30	32.9
	54602	31	7	1	17.7
	54603	122	36	6	62.3
	54614	26	9	0	7.5
	54623	66	20	1	11.4
	54636	135	35	14	27.7
	54642	16	6	2	37.8
	54644	10	3	0	9.5
	54650	362	106	18	32.2
	54653	4	1	0	6.8
	54658	45	23	4	18.4
54669	201	41	21	63.6	

County	Zip Code	Number of Measurements			Maximum pCi/L
		Total #	# >4 pCi/L but <10 pCi/L	# >10 pCi/L	
Lafayette	53504	110	20	21	62.2
	53510	23	6	6	22.2
	53516	44	15	7	32.2
	53522	35	21	4	22.66
	53530	175	66	20	42.7
	53541	29	6	5	110
	53565	132	41	26	89.1
	53586	47	21	8	25.4
	53587	24	8	6	25.4
	53599	5	5	0	7.7
	53803	27	15	3	13.5
	53807	168	73	17	24.7
	53811	72	33	5	21.4
	53818	400	160	49	89.1

County	Zip Code	Number of Measurements			Maximum pCi/L
		Total #	# >4 pCi/L but <10 pCi/L	# >10 pCi/L	
Langlade	54408	66	15	27	96.6
	54409	742	259	159	78
	54418	154	57	54	100
	54424	102	27	24	61.5
	54428	63	19	4	16.7
	54430	1	0	0	3.6
	54435	75	20	5	170
	54462	6	1	0	5.2
	54463	61	12	4	16.7
	54464	6	2	3	38.7
	54465	18	9	2	14.82
	54485	31	6	2	16.5
	54491	60	19	14	218.6

County	Zip Code	Number of Measurements			Maximum pCi/L
		Total #	# >4 pCi/L but <10 pCi/L	# >10 pCi/L	
Lincoln	54435	75	20	5	170

## Wisconsin Measurement Summary - 2009

Basement radon measurements made in Wisconsin homes. Results are arranged by zip code within in county.  
EPA guideline is for lowest lived-in level, not normally basement.

54442	32	12	6	22.5
54452	1139	287	163	361.2
54487	169	48	7	61.4
54564	23	4	2	12.8

County	Zip Code	Number of Measurements			Maximum pCi/L
		Total #	# >4 pCi/L but <10 pCi/L	# >10 pCi/L	
Manitowoc	53014	104	31	14	27.61
	53015	38	7	2	43.9
	53020	31	8	7	16.9
	53042	100	22	22	31.1
	53063	27	8	0	9.74
	54110	32	12	2	27.4
	54126	20	4	1	44.3
	54207	2	0	0	1.1
	54208	50	11	6	17.9
	54214	11	5	1	20.5
	54215	1	0	0	2.2
	54220	679	163	40	36
	54221	4	1	0	4.5
	54227	22	6	5	40.9
	54228	40	7	5	20.9
	54230	48	8	2	15.3
	54232	13	0	1	16.5
	54241	216	26	3	52.9
	54245	85	34	13	25.3
	54247	45	11	0	9

County	Zip Code	Number of Measurements			Maximum pCi/L
		Total #	# >4 pCi/L but <10 pCi/L	# >10 pCi/L	
Marathon	54401	3506	987	911	330
	54402	20	9	5	28.3
	54403	1138	297	285	317
	54405	35	6	4	21.1
	54408	66	15	27	96.6
	54411	117	37	22	78
	54412	37	6	16	43.9
	54414	97	32	29	38.7
	54417	11	6	0	8
	54421	24	5	2	17.8
	54425	6	0	1	105.9
	54426	173	33	68	141.3
	54427	64	27	11	273.4
	54429	2	1	0	5.7
	54432	4	2	1	12
	54440	138	53	44	470
	54443	67	21	6	42.4
	54448	319	70	129	285.5
	54449	511	122	56	133.6
	54452	1139	287	163	361.2
	54455	886	274	277	351.3
	54471	120	30	36	84.9

## Wisconsin Measurement Summary - 2009

Basement radon measurements made in Wisconsin homes. Results are arranged by zip code within in county.  
EPA guideline is for lowest lived-in level, not normally basement.

54473	76	25	16	45
54474	325	90	45	46.6
54476	1066	388	279	93.1
54479	23	6	2	10.5
54480	38	2	0	6
54484	223	30	72	172.6
54488	13	4	1	20.5
54499	94	27	37	76

County	Zip Code	Number of Measurements			Maximum pCi/L
		Total #	# >4 pCi/L but <10 pCi/L	# >10 pCi/L	
Marinette	54102	16	2	0	9.6
	54103	35	11	6	58.4
	54104	16	3	1	11.5
	54112	63	12	2	13.8
	54114	166	35	9	285.1
	54119	20	2	4	31.3
	54120	25	9	5	104.6
	54125	83	20	5	30.2
	54143	387	41	17	77.5
	54151	346	100	51	67.5
	54156	63	14	1	10.1
	54157	178	16	6	153.4
	54159	51	4	2	17.9
	54161	77	10	1	10.7
	54177	58	11	8	58

County	Zip Code	Number of Measurements			Maximum pCi/L
		Total #	# >4 pCi/L but <10 pCi/L	# >10 pCi/L	
Marquette	53920	4	0	0	3.5
	53926	9	0	0	3.3
	53930	9	4	0	8.7
	53949	85	3	1	14
	53952	34	5	0	6.6
	53953	1	0	0	1.7
	53954	83	4	2	11.6
	53964	38	2	0	6
	54960	41	4	0	9.9
	54968	35	4	2	14.8

County	Zip Code	Number of Measurements			Maximum pCi/L
		Total #	# >4 pCi/L but <10 pCi/L	# >10 pCi/L	
Menominee	54124	61	8	0	8.48
	54135	161	55	21	116
	54150	20	6	4	59.9
	54174	120	10	2	37.2

County	Zip Code	Number of Measurements			Maximum pCi/L
		Total #	# >4 pCi/L but <10 pCi/L	# >10 pCi/L	
Milwaukee	53110	260	81	10	30.8
	53129	338	127	44	41.8
	53130	238	112	36	110

## Wisconsin Measurement Summary - 2009

Basement radon measurements made in Wisconsin homes. Results are arranged by zip code within in county.  
EPA guideline is for lowest lived-in level, not normally basement.

53132	774	329	95	53.8
53154	423	170	55	100
53172	237	95	12	19.5
53201	54	0	0	3.4
53202	387	33	13	42
53203	8	0	0	2.8
53204	85	12	0	10
53205	84	4	2	16
53206	19	3	0	6.3
53207	372	78	17	44.5
53208	170	43	3	43.14
53209	337	102	30	25
53210	134	22	2	13.1
53211	342	40	8	18.9
53212	76	17	4	14.7
53213	609	136	22	30.3
53214	534	96	33	78.34
53215	218	23	1	40.3
53216	218	38	6	39.9
53217	820	150	22	25.9
53218	281	76	6	12.8
53219	431	88	20	23.43
53220	332	122	16	35.5
53221	417	123	24	47
53222	507	181	26	32.1
53223	341	128	25	78.3
53224	156	45	15	57
53225	188	56	25	44.1
53226	698	237	71	48.6
53227	442	147	22	28.8
53228	185	77	23	24.4
53233	85	14	1	28
53234	5	0	0	1.9
53235	47	7	0	9.8
53237	4	2	0	7.8
53267	2	0	0	2
53268	1	0	0	3
53288	2	2	0	6.2
53295	3	1	0	5.9

County	Zip Code	Number of Measurements			Maximum pCi/L
		Total #	# >4 pCi/L but <10 pCi/L	# >10 pCi/L	
Monroe	53929	95	20	7	120.3
	54618	52	3	0	8
	54619	39	6	3	18.9
	54638	40	8	3	13.6
	54648	30	9	2	28.8
	54651	32	11	4	153.8
	54656	383	57	9	13.2
	54660	330	33	12	18.3
	54662	1	0	0	0.7
	54666	34	6	1	13.1

## Wisconsin Measurement Summary - 2009

Basement radon measurements made in Wisconsin homes. Results are arranged by zip code within in county.  
EPA guideline is for lowest lived-in level, not normally basement.

54670      12                                      5                                      0                                      8.2

County	Zip Code	Number of Measurements			Maximum pCi/L
		Total #	# >4 pCi/L but <10 pCi/L	# >10 pCi/L	
Oconto	54101	24	3	0	9.7
	54111	25	5	1	16.5
	54112	63	12	2	13.8
	54114	166	35	9	285.1
	54124	61	8	0	8.48
	54137	5	1	0	7.1
	54138	32	6	10	120
	54139	74	17	1	11
	54141	27	6	0	7.06
	54149	31	9	14	77.7
	54153	165	7	2	18.3
	54154	129	24	9	110
	54161	77	10	1	10.7
	54162	52	14	3	21.52
	54171	20	1	0	5.6
	54174	120	10	2	37.2
	54175	31	13	4	37.8
	54491	60	19	14	218.6

County	Zip Code	Number of Measurements			Maximum pCi/L
		Total #	# >4 pCi/L but <10 pCi/L	# >10 pCi/L	
Oneida	54428	63	19	4	16.7
	54463	61	12	4	16.7
	54487	169	48	7	61.4
	54501	1317	237	123	302.9
	54521	303	56	17	107.9
	54529	64	19	6	229.8
	54531	77	25	5	93.7
	54538	435	72	15	31.4
	54539	56	7	3	17
	54543	6	1	0	4.1
	54548	251	59	11	22
	54558	62	15	1	91.1
	54562	139	27	1	14.9
	54564	23	4	2	12.8
	54568	136	27	4	12

County	Zip Code	Number of Measurements			Maximum pCi/L
		Total #	# >4 pCi/L but <10 pCi/L	# >10 pCi/L	
Outagamie	54106	83	21	4	14.6
	54107	42	6	1	10.3
	54113	58	25	10	38.1
	54115	1046	212	68	230
	54130	467	171	38	35.9
	54131	3	0	0	3.4
	54136	126	51	19	45.5
	54140	164	59	25	31
	54155	471	27	4	20

## Wisconsin Measurement Summary - 2009

Basement radon measurements made in Wisconsin homes. Results are arranged by zip code within in county.  
EPA guideline is for lowest lived-in level, not normally basement.

54165	84	22	9	22.32
54170	43	10	5	24.2
54180	64	17	20	47.3
54911	569	210	40	92.83
54912	100	21	3	21.61
54913	398	144	37	122.7
54914	784	294	88	120
54915	1008	402	115	37.1
54919	1	0	0	3.3
54922	30	9	7	40.8
54931	5	2	1	11.3
54940	46	10	4	27.3
54942	236	101	27	32.4
54944	201	69	23	35.3
54961	162	37	26	46.2

County	Zip Code	Number of Measurements			Maximum pCi/L
		Total #	# >4 pCi/L but <10 pCi/L	# >10 pCi/L	
Ozaukee	53004	44	5	2	13.5
	53012	590	236	77	29.4
	53013	25	6	0	7.3
	53021	70	25	7	240
	53024	355	153	21	42.3
	53074	213	80	16	18.5
	53075	38	17	10	18.4
	53080	101	26	11	17.4
	53092	719	242	55	59.1
	53097	111	38	9	30.9

County	Zip Code	Number of Measurements			Maximum pCi/L
		Total #	# >4 pCi/L but <10 pCi/L	# >10 pCi/L	
Pepin	54721	13	3	2	19.1
	54736	58	20	3	20.6
	54737	9	2	2	28.4
	54755	49	9	3	82.6
	54759	9	4	2	12.9
	54769	5	2	2	13.8

County	Zip Code	Number of Measurements			Maximum pCi/L
		Total #	# >4 pCi/L but <10 pCi/L	# >10 pCi/L	
Pierce	54003	27	8	3	14
	54011	138	30	11	28.4
	54014	49	14	11	63.5
	54021	166	61	49	44
	54022	290	88	19	31.2
	54721	13	3	2	19.1
	54723	27	16	2	12
	54740	40	14	3	12.4
	54750	27	12	3	19.2
	54761	26	8	1	13.8
	54767	60	14	11	67.3
	54769	5	2	2	13.8

## Wisconsin Measurement Summary - 2009

Basement radon measurements made in Wisconsin homes. Results are arranged by zip code within in county.  
EPA guideline is for lowest lived-in level, not normally basement.

County	Zip Code	Number of Measurements			Maximum pCi/L
		Total #	# >4 pCi/L but <10 pCi/L	# >10 pCi/L	
Polk	54001	89	24	5	19.4
	54004	7	2	0	7.7
	54005	27	5	2	19.4
	54006	9	3	0	4.8
	54007	35	9	9	30.7
	54009	24	5	3	15.6
	54020	106	38	23	42.1
	54024	69	14	4	21
	54026	23	7	3	18.9
	54810	44	14	1	10.1
	54824	27	13	5	15.4
	54826	3	0	0	1.3
	54829	85	15	3	22.4
	54837	62	12	3	18.8
	54853	60	13	1	20.8
	54858	26	5	1	13.8
54872	34	5	1	14.2	
54889	22	5	0	7.3	

County	Zip Code	Number of Measurements			Maximum pCi/L
		Total #	# >4 pCi/L but <10 pCi/L	# >10 pCi/L	
Portage	54406	68	25	21	31.4
	54407	74	36	9	24
	54423	108	33	39	47
	54443	67	21	6	42.4
	54454	31	4	9	117
	54455	886	274	277	351.3
	54458	3	1	1	12.5
	54467	235	96	10	21.6
	54473	76	25	16	45
	54475	69	15	12	58.9
	54481	1436	507	123	120
	54482	4	2	0	5
	54494	584	128	37	176.9
	54909	32	11	4	14
	54921	14	5	0	9.1
	54945	103	26	37	240.7
	54966	19	1	0	5.6
	54977	42	13	10	26.7
	54981	508	195	126	96.5

County	Zip Code	Number of Measurements			Maximum pCi/L
		Total #	# >4 pCi/L but <10 pCi/L	# >10 pCi/L	
Price	54459	32	5	0	9.4
	54470	53	4	12	34.9
	54490	25	4	1	11.3
	54513	17	1	0	5.7
	54514	83	12	1	19.1
	54515	26	5	6	24.3

## Wisconsin Measurement Summary - 2009

Basement radon measurements made in Wisconsin homes. Results are arranged by zip code within in county.

EPA guideline is for lowest lived-in level, not normally basement.

54524	45	11	2	28.3
54530	4	0	0	3.7
54537	20	3	0	7.3
54538	435	72	15	31.4
54552	329	37	12	25.2
54555	483	112	68	116.6
54556	91	11	5	25.4
54564	23	4	2	12.8

County	Zip Code	Number of Measurements			Maximum pCi/L
		Total #	# >4 pCi/L but <10 pCi/L	# >10 pCi/L	
Racine	53105	426	154	53	64
	53108	59	17	10	23.3
	53120	154	51	28	55.1
	53126	151	49	12	29
	53139	43	16	11	16.1
	53167	18	7	5	54.5
	53177	78	26	24	74.9
	53182	77	22	13	37.6
	53185	352	116	61	110
	53401	21	5	5	36.5
	53402	471	109	24	36
	53403	244	68	25	58.3
	53404	207	39	9	18.4
	53405	298	106	32	101.3
	53406	445	177	69	34.6
	53407	3	0	0	2.7
	53408	1	0	0	0.5

County	Zip Code	Number of Measurements			Maximum pCi/L
		Total #	# >4 pCi/L but <10 pCi/L	# >10 pCi/L	
Richland	53518	138	43	9	13.9
	53540	5	0	0	3.5
	53556	115	8	1	15.4
	53573	149	17	2	19.9
	53581	1541	280	53	34.9
	53584	29	7	0	7
	53924	105	30	17	42
	53937	32	9	2	26.1
	54634	92	22	9	16.6
	54639	68	17	3	26.9
	54655	33	6	1	17.3
	54664	56	22	3	16.9

County	Zip Code	Number of Measurements			Maximum pCi/L
		Total #	# >4 pCi/L but <10 pCi/L	# >10 pCi/L	
Rock	53114	40	13	15	20
	53190	152	35	28	43.9
	53501	5	3	2	18.4
	53505	14	6	3	18.6
	53511	694	261	88	180
	53512	11	1	4	11.7

## Wisconsin Measurement Summary - 2009

Basement radon measurements made in Wisconsin homes. Results are arranged by zip code within in county.  
EPA guideline is for lowest lived-in level, not normally basement.

53520	93	16	3	13
53521	46	9	7	66
53525	51	11	8	28.2
53534	154	61	17	39.2
53536	97	35	5	22.4
53537	10	3	0	6.8
53545	645	227	78	66.8
53546	648	272	136	81.1
53547	86	37	9	220
53548	181	70	22	25.1
53563	212	79	27	39.5
53576	39	7	8	39.45
53585	27	9	2	59.1

County	Zip Code	Number of Measurements			Maximum pCi/L
		Total #	# >4 pCi/L but <10 pCi/L	# >10 pCi/L	
Rusk	54526	3	0	0	1.6
	54530	4	0	0	3.7
	54563	6	0	1	11.2
	54728	51	10	12	21.7
	54731	1	0	0	1.8
	54745	29	4	6	28.1
	54757	26	5	4	26.2
	54766	30	2	3	33.5
	54817	33	9	6	19.6
	54819	20	4	0	6.9
	54835	13	3	1	12.5
	54848	157	33	19	75.5
	54895	6	1	0	4

County	Zip Code	Number of Measurements			Maximum pCi/L
		Total #	# >4 pCi/L but <10 pCi/L	# >10 pCi/L	
Sauk	53556	115	8	1	15.4
	53561	23	11	0	7.7
	53577	20	8	2	11
	53578	120	25	6	16.7
	53583	67	19	4	17
	53588	91	14	10	44.2
	53913	533	106	43	510
	53924	105	30	17	42
	53937	32	9	2	26.1
	53940	9	0	0	3.4
	53941	54	9	6	37.4
	53943	24	2	4	33.9
	53944	40	2	0	5.8
	53951	34	9	5	17
	53959	296	45	23	61.8
	53961	14	7	1	11.1
	53965	225	20	4	51.3

---

Maximum pCi/L

## Wisconsin Measurement Summary - 2009

Basement radon measurements made in Wisconsin homes. Results are arranged by zip code within in county.  
EPA guideline is for lowest lived-in level, not normally basement.

County	Zip Code	Total #	# >4 pCi/L but <10 pCi/L	# >10 pCi/L	Maximum pCi/L
Sawyer	54517	2	0	0	3.1
	54817	33	9	6	19.6
	54828	397	53	1	11.8
	54835	13	3	1	12.5
	54843	275	69	5	16.1
	54862	6	0	0	3
	54867	13	5	0	9.8
	54876	25	2	0	8.4
	54896	64	15	9	24.7

County	Zip Code	Number of Measurements			Maximum pCi/L
		Total #	# >4 pCi/L but <10 pCi/L	# >10 pCi/L	
Shawano	54107	42	6	1	10.3
	54111	25	5	1	16.5
	54124	61	8	0	8.48
	54127	1	1	0	5.2
	54128	46	16	4	29.8
	54137	5	1	0	7.1
	54154	129	24	9	110
	54162	52	14	3	21.52
	54165	84	22	9	22.32
	54166	250	52	13	55.1
	54170	43	10	5	24.2
	54408	66	15	27	96.6
	54414	97	32	29	38.7
	54416	184	62	32	406.8
	54427	64	27	11	273.4
	54450	6	2	0	9.71
	54486	85	28	30	27.3
	54499	94	27	37	76
	54928	11	6	1	10.9
	54929	256	48	27	100.6
54948	4	2	2	15.4	
54950	61	20	17	121	

County	Zip Code	Number of Measurements			Maximum pCi/L
		Total #	# >4 pCi/L but <10 pCi/L	# >10 pCi/L	
Sheboygan	53001	15	3	3	35
	53011	9	1	1	12.5
	53013	25	6	0	7.3
	53015	38	7	2	43.9
	53020	31	8	7	16.9
	53023	15	5	2	18.5
	53026	1	0	0	2
	53031	1	1	0	6.9
	53040	93	34	8	22.5
	53044	31	8	2	18.3
	53070	25	5	2	16.6
	53073	103	32	14	77.57
	53075	38	17	10	18.4
	53079	16	4	0	7.4

## Wisconsin Measurement Summary - 2009

Basement radon measurements made in Wisconsin homes. Results are arranged by zip code within in county.

EPA guideline is for lowest lived-in level, not normally basement.

53081	280	41	2	33.4
53082	16	2	0	5.6
53083	202	46	9	18.49
53085	77	29	2	10.99
53093	11	4	1	13.6

County	Zip Code	Number of Measurements			Maximum pCi/L
		Total #	# >4 pCi/L but <10 pCi/L	# >10 pCi/L	
St Croix	54002	137	22	6	15.8
	54005	27	5	2	19.4
	54007	35	9	9	30.7
	54013	56	13	0	9.9
	54015	34	3	0	7.7
	54016	732	233	102	81.6
	54017	442	176	79	53.1
	54022	290	88	19	31.2
	54023	94	19	14	66.6
	54025	95	38	7	21.6
	54026	23	7	3	18.9
	54027	10	2	0	7.3
	54028	32	5	1	12.4
	54082	47	19	4	40.5
	54734	12	4	0	8.3
	54749	14	4	3	28.5
	54767	60	14	11	67.3

County	Zip Code	Number of Measurements			Maximum pCi/L
		Total #	# >4 pCi/L but <10 pCi/L	# >10 pCi/L	
Taylor	54411	117	37	22	78
	54422	7	1	0	4.8
	54425	6	0	1	105.9
	54433	42	7	2	31.3
	54439	1	1	0	6.3
	54447	13	2	0	4.7
	54451	344	51	18	110.6
	54460	13	0	1	11.3
	54470	53	4	12	34.9
	54480	38	2	0	6
	54490	25	4	1	11.3
	54498	22	1	3	25.2
	54766	30	2	3	33.5
	54768	68	5	0	7.4
	54771	14	4	1	11

County	Zip Code	Number of Measurements			Maximum pCi/L
		Total #	# >4 pCi/L but <10 pCi/L	# >10 pCi/L	
Trempealeau	54612	25	4	2	125
	54616	24	8	1	10.5
	54625	2	1	0	4
	54627	27	8	4	36.9
	54630	27	9	7	35.2
	54659	5	1	0	4.4

## Wisconsin Measurement Summary - 2009

Basement radon measurements made in Wisconsin homes. Results are arranged by zip code within in county.  
EPA guideline is for lowest lived-in level, not normally basement.

54661	30	12	0	8.9
54738	21	4	1	10.3
54747	24	6	5	14.6
54758	39	2	4	26.1
54760	7	1	1	16.4
54770	7	2	0	5.3
54773	78	16	3	126.5

County	Zip Code	Number of Measurements			Maximum pCi/L
		Total #	# >4 pCi/L but <10 pCi/L	# >10 pCi/L	
Vernon	53929	95	20	7	120.3
	53968	168	8	8	132.2
	54619	39	6	5	18.9
	54621	28	5	6	56.1
	54623	66	20	1	11.4
	54624	28	10	4	46.9
	54628	23	6	1	11.6
	54632	41	17	11	20.5
	54634	92	22	9	16.6
	54638	40	8	3	13.6
	54639	68	17	3	26.9
	54651	32	11	4	153.8
	54652	29	2	0	4.8
	54655	33	6	1	17.3
	54658	45	23	4	18.4
	54664	56	22	3	16.9
	54665	442	136	34	60.9
	54667	155	36	20	27.5

County	Zip Code	Number of Measurements			Maximum pCi/L
		Total #	# >4 pCi/L but <10 pCi/L	# >10 pCi/L	
Vilas	54512	32	2	3	20.5
	54519	43	10	4	22.5
	54521	303	56	17	107.9
	54538	435	72	15	31.4
	54540	158	14	3	13.2
	54545	57	15	7	74.8
	54548	251	59	11	22
	54554	32	5	1	14.2
	54557	34	8	2	11.8
	54558	62	15	1	91.1
	54560	12	1	1	14.4
	54568	136	27	4	12

County	Zip Code	Number of Measurements			Maximum pCi/L
		Total #	# >4 pCi/L but <10 pCi/L	# >10 pCi/L	
Walworth	53105	426	154	53	64
	53114	40	13	15	20
	53115	290	114	37	52.3
	53119	143	44	48	57.4
	53120	154	51	28	55.1
	53121	335	109	60	43.9

## Wisconsin Measurement Summary - 2009

Basement radon measurements made in Wisconsin homes. Results are arranged by zip code within in county.  
EPA guideline is for lowest lived-in level, not normally basement.

53125	63	25	4	30.1
53128	46	20	2	12.9
53138	4	0	0	1.7
53147	343	88	46	37
53148	12	5	3	18.4
53149	489	182	67	35.2
53157	14	7	1	10.3
53176	4	1	2	31.9
53184	51	13	13	23.4
53190	152	35	28	43.9
53191	84	30	18	24.8
53525	51	11	8	28.2
53585	27	9	2	59.1

County	Zip Code	Number of Measurements			Maximum pCi/L
		Total #	# >4 pCi/L but <10 pCi/L	# >10 pCi/L	
Washburn	54801	72	8	2	28.6
	54813	7	1	0	5.5
	54817	33	9	6	19.6
	54843	275	69	5	16.1
	54859	6	0	0	2.4
	54870	15	2	0	8.3
	54871	33	4	2	14.8
	54875	19	2	4	32.8
	54876	25	2	0	8.4
	54888	6	2	0	6.5

County	Zip Code	Number of Measurements			Maximum pCi/L
		Total #	# >4 pCi/L but <10 pCi/L	# >10 pCi/L	
Washington	53002	27	9	1	16.5
	53010	52	15	5	14.9
	53012	590	236	77	29.4
	53017	337	93	144	120
	53021	70	25	7	240
	53022	407	145	57	42.6
	53027	271	98	46	56.6
	53033	164	56	45	80
	53037	169	65	10	46
	53040	93	34	8	22.5
	53060	5	2	0	6.9
	53076	86	38	20	36.1
	53086	109	39	28	45.8
	53090	241	58	19	54.7
	53091	14	4	5	27.6
	53095	794	177	78	62.8

County	Zip Code	Number of Measurements			Maximum pCi/L
		Total #	# >4 pCi/L but <10 pCi/L	# >10 pCi/L	
Waukesha	53005	1772	702	307	190
	53007	42	13	3	12.38
	53008	34	13	0	7.95
	53017	337	93	144	120

## Wisconsin Measurement Summary - 2009

Basement radon measurements made in Wisconsin homes. Results are arranged by zip code within in county.  
EPA guideline is for lowest lived-in level, not normally basement.

53018	450	137	183	80.2
53029	818	264	268	180
53036	20	5	1	23.2
53045	650	254	74	75.1
53046	17	2	4	23.8
53051	1035	403	148	124.2
53052	7	2	0	7.3
53056	53	17	21	41.6
53058	149	40	63	123.6
53064	9	5	1	14.6
53066	914	325	181	170
53069	15	6	3	20.4
53072	585	186	74	36.6
53089	582	175	211	140
53103	191	61	36	53.4
53118	222	64	62	44.6
53119	143	44	48	57.4
53122	442	191	53	48.8
53127	19	10	2	18.1
53146	301	149	40	32.5
53149	489	182	67	35.2
53150	806	266	92	77.4
53151	1357	585	150	71.4
53153	72	27	22	32.3
53183	170	50	62	34.7
53186	1914	656	234	86.6
53187	75	32	5	24.6
53188	1282	479	198	90
53189	439	147	79	62.4

County	Zip Code	Number of Measurements			Maximum pCi/L
		Total #	# >4 pCi/L but <10 pCi/L	# >10 pCi/L	
Waupaca	54486	85	28	30	27.3
	54922	30	9	7	40.8
	54926	7	4	2	20.5
	54929	256	48	27	100.6
	54933	4	0	1	15.2
	54940	46	10	4	27.3
	54945	103	26	37	240.7
	54946	4	2	1	18.6
	54949	36	9	7	45.2
	54950	61	20	17	121
	54961	162	37	26	46.2
	54962	17	5	5	35.7
	54965	22	8	1	11.3
	54969	1	1	0	5.5
	54977	42	13	10	26.7
	54981	508	195	126	96.5
	54983	61	20	10	45.6

County	Zip Code	Number of Measurements			Maximum pCi/L
		Total #	# >4 pCi/L but <10 pCi/L	# >10 pCi/L	

## Wisconsin Measurement Summary - 2009

Basement radon measurements made in Wisconsin homes. Results are arranged by zip code within in county.  
EPA guideline is for lowest lived-in level, not normally basement.

Waushara	54909	32	11	4	14
	54923	133	55	10	30.7
	54930	11	2	0	6.7
	54940	46	10	4	27.3
	54943	19	3	0	5.3
	54960	41	4	0	9.9
	54965	22	8	1	11.3
	54966	19	1	0	5.6
	54967	4	0	0	3.3
	54970	78	9	7	57.38
	54976	3	1	0	5.4
	54981	508	195	126	96.5
	54982	293	17	6	25.6
	54984	51	6	4	30.1

County	Zip Code	Number of Measurements			Maximum pCi/L
		Total #	# >4 pCi/L but <10 pCi/L	# >10 pCi/L	
Winnebago	54901	611	174	60	23.5
	54902	273	102	36	32.1
	54903	6	1	0	6.7
	54904	680	277	138	240
	54914	784	294	88	120
	54915	1008	402	115	37.1
	54923	133	55	10	30.7
	54927	9	4	0	6.9
	54934	3	0	1	16.9
	54940	46	10	4	27.3
	54947	70	29	22	33.2
	54952	1116	428	166	64.7
	54956	2264	872	454	100
	54957	15	3	3	17.2
	54963	109	43	14	27.8
	54964	23	8	7	69.3
	54971	153	53	29	69.6
	54979	18	5	2	11
54980	3	3	0	9.3	
54985	1	1	0	5.7	

County	Zip Code	Number of Measurements			Maximum pCi/L
		Total #	# >4 pCi/L but <10 pCi/L	# >10 pCi/L	
Wood	54404	6	4	1	18.5
	54410	22	10	2	105
	54412	37	6	16	43.9
	54415	2	1	0	5.1
	54420	11	4	1	10.1
	54441	14	3	0	6.4
	54443	67	21	6	42.4
	54449	511	122	56	133.6
	54454	31	4	9	117
	54457	139	30	7	69.4
	54466	72	4	7	69.4
	54469	62	17	1	18.8

## Wisconsin Measurement Summary - 2009

Basement radon measurements made in Wisconsin homes. Results are arranged by zip code within in county.  
EPA guideline is for lowest lived-in level, not normally basement.

54475	69	15	12	58.9
54489	32	3	1	27.5
54494	584	128	37	176.9
54495	133	33	15	110