

Binge drinking, high school students

Health Priority C: Alcohol and Other Substance Use and Addiction

Objective C2a: Reduce the percentage of youth who report binge drinking in the past 30 days to 26.7 percent.

2010 Target: 26.7%

Indicator: Binge drinking, high school students

Percent of Wisconsin High School Students Who Engaged in Binge Drinking in the Past 30 Days

Year (N)	Total		Males		Females	
	Percent	+/-	Percent	+/-	Percent	+/-
1999	34%	3%	39%	4%	29%	4%
(N)	1,336		682		648	
2001	34%	2%	37%	3%	31%	3%
(N)	2,120		1,031		1,084	
2003	28%	2%	30%	3%	26%	3%
(N)	2,121		1,019		1,097	
2005	31%	2%	33%	3%	29%	3%
(N)	2,389		1,163		1,219	

Source: Wisconsin Youth Risk Behavior Survey, Department of Public Instruction.

Note: Binge drinking is defined as consuming five or more alcoholic drinks on one occasion.

N Number in sample. See data documentation.

+/- Confidence interval. See data documentation.

Percent of Wisconsin High School Students Who Engaged in Binge Drinking in the Past 30 Days, by Race/Ethnicity

Years (N)	Total		Afr. Am.*		Am. Ind.*		Asian*		Hispanic		White*	
	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-
1999-2003	32%	1%	16%	5%	48%	11%	21%	6%	36%	9%	34%	2%
(N)	5,577		397		104		213		154		4,379	
2001-2005	31%	1%	16%	4%	45%	9%	25%	6%	30%	7%	33%	1%
(N)	6,630		468		136		272		203		5,219	

Source: Wisconsin Youth Risk Behavior Survey, Department of Public Instruction.

Note: Binge drinking is defined as consuming five or more alcoholic drinks on one occasion.

N Number in sample. See data documentation.

+/- Confidence interval. See data documentation.

* Non-Hispanic

Marijuana use, high school students

Health Priority C: Alcohol and Other Substance Use and Addiction

Objective C2b: Reduce the percentage of youth who report using marijuana in the past 30 days to 20.7 percent.

2010 Target: 20.7%

Indicator: Marijuana use, high school students

Percent of Wisconsin High School Students Who Used Marijuana in the Past 30 Days

Year (N)	Total		Males		Females	
	Percent	+/-	Percent	+/-	Percent	+/-
1999	22%	2%	23%	3%	20%	3%
(N)	1,336		682		648	
2001	25%	2%	28%	3%	22%	3%
(N)	2,120		1,031		1,084	
2003	22%	2%	24%	3%	19%	3%
(N)	2,121		1,019		1,097	
2005	16%	2%	16%	2%	16%	2%
(N)	2,389		1,163		1,219	

Source: Wisconsin Youth Risk Behavior Survey, Department of Public Instruction.

N Number in sample. See data documentation.

+/- Confidence interval. See data documentation.

Percent of Wisconsin High School Students Who Used Marijuana in the Past 30 Days, by Race/Ethnicity

Years (N)	Total		Afr. Am.*		Am. Ind.*		Asian*		Hispanic		White*	
	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-
1999-2003	23%	1%	30%	6%	41%	11%	14%	5%	27%	8%	22%	1%
(N)	5,577		397		104		213		154		4,379	
2001-2005	21%	1%	31%	6%	35%	9%	15%	5%	25%	6%	20%	1%
(N)	6,630		468		136		272		203		6,630	

Source: Wisconsin Youth Risk Behavior Survey, Department of Public Instruction.

N Number in sample. See data documentation.

+/- Confidence interval. See data documentation.

* Non-Hispanic

Cigarette smoking, high school students

Health Priority C: Alcohol and Other Substance Use and Addiction

Objective C2c: Reduce the percentage of youth who report using tobacco in the past 30 days to 22.4 percent.

2010 Target: 22.4%

Indicator: Cigarette smoking, high school students

Percent of Wisconsin High School Students Who Smoked Cigarettes in the Past 30 Days

Year (N)	Total		Males		Females	
	Percent	+/-	Percent	+/-	Percent	+/-
1999	38%	3%	38%	4%	38%	4%
(N)	1,336		682		648	
2001	33%	2%	29%	3%	37%	3%
(N)	2,120		1,031		1,084	
2003	24%	2%	23%	3%	24%	3%
(N)	2,121		1,019		1,097	
2005	23%	2%	24%	3%	22%	2%
(N)	2,389		1,163		1,219	

Source: Wisconsin Youth Risk Behavior Survey, Department of Public Instruction.

N Number in sample. See data documentation.

+/- Confidence interval. See data documentation.

Percent of Wisconsin High School Students Who Smoked Cigarettes in the Past 30 Days, by Race/Ethnicity

Years (N)	Total		Afr. Am.*		Am. Ind.*		Asian*		Hispanic		White*	
	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-
1999-2003	31%	1%	17%	5%	53%	12%	26%	7%	37%	10%	32%	2%
(N)	5,577		397		104		213		154		4,379	
2001-2005	26%	1%	15%	4%	44%	9%	25%	6%	28%	7%	27%	1%
(N)	6,630		468		136		272		203		5,219	

Source: Wisconsin Youth Risk Behavior Survey, Department of Public Instruction.

N Number in sample. See data documentation.

+/- Confidence interval. See data documentation.

* Non-Hispanic

First use of alcohol before age 13, high school students

Health Priority C: Alcohol and Other Substance Use and Addiction

Objective C2d: Reduce the percentage of youth who report first use of alcohol prior to age 13 to 24.1 percent.

2010 Target: 24.1%

Indicator: First use of alcohol before age 13, high school students

Percent of Wisconsin High School Students Who First Used Alcohol Before Age 13

Year (N)	Total		Males		Females	
	Percent	+/-	Percent	+/-	Percent	+/-
1999	30%	3%	37%	4%	24%	3%
(N)	1,336		682		648	
2001	28%	2%	30%	3%	27%	3%
(N)	2,120		1,031		1,084	
2003	25%	2%	29%	3%	22%	3%
(N)	2,121		1,019		1,097	
2005	24%	2%	28%	3%	19%	2%
(N)	2,389		1,163		1,219	

Source: Wisconsin Youth Risk Behavior Survey, Department of Public Instruction.

N Number in sample. See data documentation.

+/- Confidence interval. See data documentation.

Percent of Wisconsin High School Students Who First Used Alcohol Before Age 13, by Race/Ethnicity

Years (N)	Total		Afr. Am.*		Am. Ind.*		Asian*		Hispanic		White*	
	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-
1999-2003	28%	1%	28%	6%	47%	11%	25%	7%	29%	9%	28%	1%
(N)	5,577		397		104		213		154		4,379	
2001-2005	26%	1%	27%	5%	47%	9%	29%	6%	28%	7%	25%	1%
(N)	6,630		468		136		272		203		5,219	

Source: Wisconsin Youth Risk Behavior Survey, Department of Public Instruction.

N Number in sample. See data documentation.

+/- Confidence interval. See data documentation.

* Non-Hispanic

First use of marijuana before age 13, high school students

Health Priority C: Alcohol and Other Substance Use and Addiction

Objective C2e: Reduce the percentage of youth who report first use of marijuana prior to age 13 to 8.5 percent.

2010 Target: 8.5%

Indicator: First use of marijuana before age 13, high school students

Percent of Wisconsin High School Students Who First Used Marijuana Before Age 13

Year (N)	Total		Males		Females	
	Percent	+/-	Percent	+/-	Percent	+/-
1999	11%	2%	12%	3%	9%	2%
(N)	1,336		682		648	
2001	8%	1%	10%	2%	7%	2%
(N)	2,120		1,031		1,084	
2003	9%	1%	12%	2%	6%	2%
(N)	2,121		1,019		1,019	
2005	7%	1%	9%	2%	5%	1%
(N)	2,389		1,163		1,219	

Source: Wisconsin Youth Risk Behavior Survey, Department of Public Instruction.

N Number in sample. See data documentation.

+/- Confidence interval. See data documentation.

Percent of Wisconsin High School Students Who First Used Marijuana Before Age 13, by Race/Ethnicity

Years (N)	Total		Afr. Am.*		Am. Ind.*		Asian*		Hispanic		White*	
	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-
1999-2003	9%	1%	20%	5%	29%	10%	9%	4%	17%	7%	8%	1%
(N)	5,577		397		104		213		154		4,379	
2001-2005	8%	1%	20%	5%	24%	8%	10%	4%	11%	5%	6%	1%
(N)	6,630		468		136		272		203		5,219	

Source: Wisconsin Youth Risk Behavior Survey, Department of Public Instruction.

N Number in sample. See data documentation.

+/- Confidence interval. See data documentation.

* Non-Hispanic