

Tobacco use, middle school students

Health Priority K: Tobacco Use and Exposure

Objective K1a: By 2010, reduce the percent of Wisconsin middle school youth who use tobacco from 16 percent in 2000 to 12 percent.

2010 Target: 12%

Indicator: Tobacco use, middle school students

Percent of Wisconsin Middle School Students Who Use Any Form of Tobacco

Year (N)	Total		Males		Females	
	Percent	+/-	Percent	+/-	Percent	+/-
2000	16%	2%	18%	3%	14%	3%
(N)	1,440		704		730	
2001	13%	2%	13%	2%	13%	2%
(N)	1,591		816		771	
2002	13%	2%	15%	3%	12%	3%
(N)	1,298		669		620	
2003	13%	2%	15%	2%	11%	2%
(N)	1,864		946		907	
2004	13%	2%	15%	2%	11%	2%
(N)	1,682		879		799	

Source: Wisconsin Youth Tobacco Survey, Division of Public Health, Department of Health and Family Services.

N Number in sample. See data documentation.

+/- Confidence interval. See data documentation.

Percent of Wisconsin Middle School Students Who Use Any Form of Tobacco, by Race/Ethnicity

Years (N)	Total		Afr. Am.*		Am. Ind.*		Asian*		Hispanic		White*	
	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-
2000-2003	12%	1%	15%	3%	21%	7%	13%	4%	21%	6%	10%	2%
(N)	6,193		580		183		272		233		4,840	
2001-2004	13%	1%	18%	3%	26%	6%	15%	4%	22%	6%	11%	1%
(N)	6,453		691		218		288		222		4,927	

Source: Wisconsin Youth Tobacco Survey, Division of Public Health, Department of Health and Family Services.

N Number in sample. See data documentation.

+/- Confidence interval. See data documentation.

* Non-Hispanic

Tobacco use, middle school students, continued

Percent of Wisconsin Middle School Students Who Currently Smoke Cigarettes

Year (N)	Total		Males		Females	
	Percent	+/-	Percent	+/-	Percent	+/-
2000	12%	2%	12%	3%	13%	3%
(N)	1,440		704		730	
2001	9%	2%	8%	2%	10%	2%
(N)	1,591		816		771	
2002	9%	2%	9%	2%	9%	3%
(N)	1,298		669		620	
2003	7%	1%	7%	2%	7%	2%
(N)	1,864		946		907	
2004	8%	1%	8%	2%	7%	2%
(N)	1,682		844		782	

Source: Wisconsin Youth Tobacco Survey, Division of Public Health, Department of Health and Family Services.

N Number in sample. See data documentation.

+/- Confidence interval. See data documentation.

Percent of Wisconsin Middle-School Students Who Currently Smoke Cigarettes, by Race/Ethnicity

Years (N)	Total		Afr. Am.*		Am. Ind.*		Asian*		Hispanic		White*	
	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-
2000-2003	9%	1%	9%	3%	17%	6%	10%	4%	19%	6%	9%	1%
(N)	6,193		580		183		272		233		4,840	
2001-2004	8%	1%	8%	2%	19%	6%	8%	3%	15%	5%	7%	1%
(N)	6,453		691		218		288		222		4,927	

Source: Wisconsin Youth Tobacco Survey, Division of Public Health, Department of Health and Family Services.

N Number in sample. See data documentation.

+/- Confidence interval. See data documentation.

* Non-Hispanic

Tobacco use, high school students

Health Priority K: Tobacco Use and Exposure

Objective K1b: By 2010, reduce the percent of Wisconsin high school youth who use tobacco from 39 percent in 2000 to 29 percent.

2010 Target: 29%

Indicator: Tobacco use, high school students

Percent of Wisconsin High School Students Who Use Any Form of Tobacco

Year (N)	Total		Males		Females	
	Percent	+/-	Percent	+/-	Percent	+/-
2000	39%	3%	42%	4%	36%	4%
(N)	1,307		619		682	
2002	33%	3%	38%	4%	27%	4%
(N)	1,362		643		716	
2004	28%	2%	29%	4%	26%	3%
(N)	1,443		696		742	

Source: Wisconsin Youth Tobacco Survey, Division of Public Health, Department of Health and Family Services.

N Number in sample. See data documentation.

+/- Confidence interval. See data documentation.

Percent of Wisconsin High School Students Who Use Any Form of Tobacco, by Race/Ethnicity

Years (N)	Total		African American*		Asian*		Hispanic		White*	
	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-
2000, 2002	35%	2%	17%	6%	27%	9%	**		37%	2%
(N)	2,669		198		100		**		2,214	
2002, 2004	30%	2%	20%	6%	23%	8%	33%	9%	31%	2%
(N)	2,805		222		116		111		2,297	

Source: Wisconsin Youth Tobacco Survey, Division of Public Health, Department of Health and Family Services.

N Number in sample. See data documentation.

+/- Confidence interval. See data documentation.

* Non-Hispanic

** Fewer than 100 cases for time period.

Tobacco use, high school students, continued

Percent of Wisconsin High School Students Who Currently Smoke Cigarettes

Year (N)	Total		Males		Females	
	Percent	+/-	Percent	+/-	Percent	+/-
2000	33%	3%	31%	4%	35%	4%
(N)	1,307		619		682	
2002	27%	3%	29%	4%	25%	3%
(N)	1,362		643		716	
2004	21%	2%	20%	3%	22%	3%
(N)	1,443		675		729	

Source: Wisconsin Youth Tobacco Survey, Division of Public Health, Department of Health and Family Services.

N Number in sample. See data documentation.

+/- Confidence interval. See data documentation.

Percent of Wisconsin High School Students Who Currently Smoke Cigarettes, by Race/Ethnicity

Years (N)	Total		African American*		Asian*		Hispanic		White*	
	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-
2000, 2002	30%	2%	14%	6%	25%	9%	**		31%	2%
(N)	2,669		198		100		**		2,214	
2002, 2004	24%	2%	13%	5%	19%	8%	22%	8%	25%	2%
(N)	2,805		222		116		111		2,297	

Source: Wisconsin Youth Tobacco Survey, Division of Public Health, Department of Health and Family Services.

N Number in sample. See data documentation.

+/- Confidence interval. See data documentation.

* Non-Hispanic

** Fewer than 100 cases for time period.

Cigarette smoking, adults 18+

Health Priority K: Tobacco Use and Exposure

Objective K2a: By 2010, reduce the percent of Wisconsin adults (ages 18+) who report current cigarette smoking from 24 percent in 2000 to 19 percent.

2010 Target: 19%

Objective K2b: By 2010, reduce the percent of young adults (ages 18-24) who report current cigarette smoking from 40 percent in 2000 to 32 percent.

2010 Target: 32%

Indicator: Cigarette smoking, adults 18+

Percent of Wisconsin Adults Aged 18+ Who Currently Smoke Cigarettes

Year (N)	Total		Males		Females	
	Percent	+/-	Percent	+/-	Percent	+/-
2000	24%	2%	24%	2%	24%	2%
(N)	2,715		1,218		1,497	
2001	24%	1%	25%	2%	22%	2%
(N)	3,598		1,618		1,980	
2002	23%	1%	25%	2%	21%	2%
(N)	4,350		1,789		2,561	
2003	22%	1%	24%	2%	20%	2%
(N)	4,049		1,630		2,419	
2004	22%	2%	25%	2%	19%	2%
(N)	4,490		1,790		2,700	

Source: Wisconsin Behavioral Risk Factor Survey, Bureau of Health Information and Policy, Division of Public Health, Department of Health and Family Services.

N Number in sample. See data documentation.

+/- Confidence interval. See data documentation.

Cigarette smoking, adults 18+, continued

Percent of Wisconsin Adults Aged 18+ Who Currently Smoke Cigarettes, by Age

Year (N)	Ages 18-24		Ages 25-34		Ages 35-44		Ages 45-54		Ages 55-64		Ages 65+	
	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-
2000	40%	7%	24%	4%	30%	4%	23%	3%	21%	4%	10%	3%
(N)	194		490		635		566		349		469	
2001	33%	5%	31%	4%	28%	3%	26%	3%	17%	4%	6%	2%
(N)	361		659		874		693		409		589	
2002	35%	5%	28%	3%	27%	3%	23%	3%	19%	3%	8%	2%
(N)	346		723		934		861		615		845	
2003	32%	5%	28%	3%	25%	3%	23%	3%	16%	3%	9%	2%
(N)	303		653		863		840		556		804	
2004	28%	6%	28%	4%	25%	4%	25%	3%	17%	3%	8%	2%
(N)	294		725		875		956		681		917	

Source: Wisconsin Behavioral Risk Factor Survey, Bureau of Health Information and Policy, Division of Public Health, Department of Health and Family Services.

N Number in sample. See data documentation.

+/- Confidence interval. See data documentation.

Cigarette smoking, adults 18+, continued

Percent of Wisconsin Adults Aged 18+ Who Currently Smoke Cigarettes, by Race/Ethnicity

Years (N)	Total		African American*		American Indian*		Asian*		Hispanic	
	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-
2000-2002 (N)	24%	1%	27%	3%	46%	8%	13%	7%	27%	4%
	10,663		826		135		101		476	
2001-2003 (N)	23%	1%	28%	3%	39%	8%	10%	6%	26%	4%
	11,995		993		138		110		510	
2002-2004 (N)	22%	1%	29%	4%	31%	9%	13%	8%	24%	6%
	12,900		1,179		141		120		265	

Percent of Wisconsin Adults Aged 18+ Who Currently Smoke Cigarettes, by Race/Ethnicity (continued)

Years (N)	White*		Multiple Races	
	Percent	+/-	Percent	+/-
2000-2002 (N)	23%	1%	**	
	8,858			
2001-2003 (N)	22%	1%	47%	9%
	9,988		119	
2002-2004 (N)	22%	1%	51%	12%
	10,913		128	

Source: Wisconsin Behavioral Risk Factor Survey, Bureau of Health Information and Policy, Division of Public Health, Department of Health and Family Services.

N Number in sample. See data documentation.

+/- Confidence interval. See data documentation.

* Non-Hispanic

** Multiple races category not used in 2000.

Exposure to smoking at home, adults 18+

Health Priority D: Environmental and Occupational Health Hazards

Objective D4g1: By 2010 there will be no unwanted environmental tobacco smoke exposure in homes.

2010 Target: 0

Health Priority K: Tobacco Use and Exposure

Objective K3a: By 2010, reduce the percent of adults who reported that they or someone else smoked in their home in the past 30 days from 28% in 2000 to 21%.

2010 Target: 21%

Indicator (for both objectives): Exposure to smoking at home, adults 18+

Percent of Wisconsin Adults Aged 18+ Exposed to Smoke at Home in the Past 30 Days

Year (N)	Total		Males		Females		Afr. Am.*		White	
	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-
2000	28%	2%	30%	3%	26%	2%	44%	7%	27%	2%
(N)	2,720		1,221		1,499		219		2,308	

Source: Wisconsin Behavioral Risk Factor Survey, Bureau of Health Information and Policy, Division of Public Health, Department of Health and Family Services.

N Number in sample. See data documentation.

+/- Confidence interval. See data documentation.

* Non-Hispanic

Workplace smoking policies

Health Priority K: Tobacco Use and Exposure

Objective K3b: By 2010, reduce the percent of adults who reported that smoking is allowed in some or all work areas as their place of work's official smoking policy from 26 percent in 2000 to 19 percent.

2010 Target: 19%

Indicator: Workplace smoking policies

Percent of Wisconsin Adults Aged 18+ Who Have a Workplace Smoking Policy

Year (N)	Smoking Not Allowed Anywhere		Allowed in Some or All Areas		No Official Policy	
	Percent	+/-	Percent	+/-	Percent	+/-
2000	74%	2%	20%	2%	6%	1%
(N)	1,522		1,522		1,522	
2001	80%	2%	19%	2%	<1%	n/a
(N)	2,067		2,067		2,067	
2002	80%	2%	19%	2%	<1%	n/a
(N)	2,094		2,094		2,094	
2004	84%	2%	11%	2%	5%	1%
(N)	2,284		2,284		2,284	

Source: Wisconsin Behavioral Risk Factor Survey, Bureau of Health Information and Policy, Division of Public Health, Department of Health and Family Services.

N Number in sample. See data documentation.

+/- Confidence interval. See data documentation.

n/a Not applicable

Workplace smoking policies, continued

Percent of Wisconsin Adults Aged 18+ Who Have a Workplace Smoking Policy, by Sex

Year (N)	Males						Females					
	Smoking Not Allowed Anywhere		Allowed in Some or All Areas		No Official Policy		Smoking Not Allowed Anywhere		Allowed in Some or All Areas		No Official Policy	
	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-
2000	64%	4%	27%	3%	8%	2%	83%	3%	14%	2%	4%	1%
(N)	673		673		673		849		849		849	
2001	74%	3%	26%	3%	<1%	n/a	85%	2%	14%	2%	<1%	n/a
(N)	892		892		892		1,175		1,175		1,175	
2002	72%	3%	27%	3%	1%	1%	87%	2%	12%	2%	<1%	n/a
(N)	799		799		799		1,295		1,295		1,295	
2004	77%	4%	16%	3%	7%	2%	90%	2%	7%		3%	1%
(N)	845		845		845		1,439		1,439		1,439	

Source: Wisconsin Behavioral Risk Factor Survey, Bureau of Health Information and Policy, Division of Public Health, Department of Health and Family Services.

N Number in sample. See data documentation.

+/- Confidence interval. See data documentation.

n/a Not applicable

Percent of Wisconsin Adults Aged 18+ Who Have a Workplace Smoking Policy, by Race/Ethnicity

Years (N)	Total						African American*					
	Smoking Not Allowed Anywhere		Allowed in Some or All Areas		No Official Policy		Smoking Not Allowed Anywhere		Allowed in Some or All Areas		No Official Policy	
	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-
2000-2001	77%	1%	20%	1%	3%	1%	62%	6%	35%	6%	3%	2%
(N)	3,575		3,575		3,575		251		251		251	
2001-2002	80%	1%	19%	1%	<1%	n/a	73%	5%	26%	5%	<1%	2%
(N)	4,167		4,167		4,167		293		293		293	
2002, 2004	82%	1%	15%	1%	3%	1%	79%	7%	18%	7%	2%	2%
(N)	4,385		4,385		4,385		347		347		347	

Source: Wisconsin Behavioral Risk Factor Survey, Bureau of Health Information and Policy, Division of Public Health, Department of Health and Family Services.

N Number in sample. See data documentation.

+/- Confidence interval. See data documentation.

n/a Not applicable

* Non-Hispanic

Workplace smoking policies, continued

Percent of Wisconsin Adults Aged 18+ Who Have a Workplace Smoking Policy, by Race/Ethnicity (continued)

Years (N)	Hispanic						White*					
	Smoking Not Allowed Anywhere		Allowed in Some or All Areas		No Official Policy		Smoking Not Allowed Anywhere		Allowed in Some or All Areas		No Official Policy	
	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-
2000-2001 (N)	75%	5%	23%	5%	2%	2%	78%	2%	19%	1%	3%	1%
2001-2002 (N)	79%	5%	21%	5%	<1%	2%	81%	1%	18%	1%	<1%	n/a
2002, 2004 (N)	**		**		**		83%	1%	14%	1%	3%	1%
	**		**		**		3,792		3,792		3,792	

Source: Wisconsin Behavioral Risk Factor Survey, Bureau of Health Information and Policy, Division of Public Health, Department of Health and Family Services.

- N Number in sample. See data documentation.
 +/- Confidence interval. See data documentation.
 n/a Not applicable
 * Non-Hispanic
 ** Fewer than 100 cases.

Exposure to smoking at home, middle- and high school students

Health Priority D: Environmental and Occupational Health Hazards

Objective D4g2: By 2010, there will be no unwanted environmental tobacco smoke exposure in homes.

2010 Target: 0

Health Priority K: Tobacco Use and Exposure

Objective K3c: By 2010, reduce the percent of youth who reported that they live with someone who smokes from 44 percent in 2000 to 33 percent.

2010 Target: 33% (middle- and high school students combined)

Indicator (for both objectives): Exposure to smoking at home, middle- and high school students

Percent of Wisconsin Middle- and High School Students Who Live With a Smoker

Year (N)	Total		Males		Females	
	Percent	+/-	Percent	+/-	Percent	+/-
2000	44%	2%	43%	3%	46%	3%
(N)	2,747		1,323		1,412	
2002	44%	2%	43%	3%	45%	3%
(N)	2,660		1,312		1,336	
2004	41%	2%	41%	3%	42%	3%
(N)	3,125		1,575		1,541	

Source: Wisconsin Youth Tobacco Survey, Division of Public Health, Department of Health and Family Services.

N Number in sample. See data documentation.

+/- Confidence interval. See data documentation.

Exposure to smoking at home, middle- and high school students, continued

Percent of Wisconsin Middle- and High School Students Who Live With a Smoker, by Race/Ethnicity

Years (N)	Total		Afr. Am.*		Am. Ind.*		Asian*		Hispanic		White*	
	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-
2000, 2002 (N)	44%	1%	56%	5%	74%	8%	31%	7%	48%	8%	43%	2%
	5,407		426		123		219		186		4,389	
2002, 2004 (N)	43%	1%	54%	5%	60%	9%	28%	6%	51%	8%	41%	2%
	5,785		561		147		251		201		4,559	

Source: Wisconsin Youth Tobacco Survey, Division of Public Health, Department of Health and Family Services.

N Number in sample. See data documentation.

+/- Confidence interval. See data documentation.

* Non-Hispanic

Percent of Wisconsin High School Students Who Live With a Smoker

Year (N)	Total		Males		Females	
	Percent	+/-	Percent	+/-	Percent	+/-
2000 (N)	43%	3%	42%	4%	44%	4%
	1,307		619		682	
2002 (N)	41%	3%	41%	4%	41%	4%
	1,362		643		716	
2004 (N)	39%	3%	38%	4%	39%	4%
	1,443		680		730	

Source: Wisconsin Youth Tobacco Survey, Division of Public Health, Department of Health and Family Services.

N Number in sample. See data documentation.

+/- Confidence interval. See data documentation.

Exposure to smoking at home, middle- and high school students, continued

Percent of Wisconsin High School Students Who Live With a Smoker, By Race/Ethnicity

Years (N)	Total		Afr. Am.*		Asian*		Hispanic		White*	
	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-
2000, 2002	42%	2%	57%	8%	31%	10%	**		41%	2%
(N)	2,669		198		100		**		2,214	
2002, 2004	40%	2%	51%	8%	23%	8%	49%	10%	39%	2%
(N)	2,805		222		116		111		2,297	

Source: Wisconsin Youth Tobacco Survey, Division of Public Health, Department of Health and Family Services.

Note: Race/ethnicity categories with fewer than 100 cases are not shown.

N Number in sample. See data documentation.

+/- Confidence interval. See data documentation.

* Non-Hispanic

** Fewer than 100 cases for time period.

Percent of Wisconsin Middle School Students Who Live With a Smoker

Year (N)	Total		Males		Females	
	Percent	+/-	Percent	+/-	Percent	+/-
2000	46%	3%	43%	4%	49%	4%
(N)	1,440		704		730	
2001	43%	3%	43%	4%	44%	4%
(N)	1,591		816		771	
2002	47%	3%	45%	4%	49%	4%
(N)	1,298		669		620	
2003	42%	2%	43%	3%	42%	3%
(N)	1,864		946		907	
2004	45%	3%	44%	3%	46%	4%
(N)	1,682		838		783	

Source: Wisconsin Youth Tobacco Survey, Division of Public Health, Department of Health and Family Services.

N Number in sample. See data documentation.

+/- Confidence interval. See data documentation.

Exposure to smoking at home, middle- and high school students, continued

Percent of Wisconsin Middle School Students Who Live With a Smoker, by Race/Ethnicity

Years (N)	Total		Afr. Am.*		Am. Ind.*		Asian*		Hispanic		White*	
	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-
2000-2003	45%	1%	52%	5%	65%	7%	36%	6%	49%	7%	43%	2%
(N)	6,193		580		183		272		233		4,840	
2001-2004	44%	1%	53%	4%	61%	7%	37%	6%	51%	7%	43%	2%
(N)	6,453		691		218		288		222		4,927	

Source: Wisconsin Youth Tobacco Survey, Division of Public Health, Department of Health and Family Services.

- N Number in sample. See data documentation.
 +/- Confidence interval. See data documentation.
 * Non-Hispanic

