

Households with income 300+ percent of poverty

Health Priority J: Social and Economic Factors that Influence Health

Objective J1: By 2010, at least 70 percent of Wisconsin households will have annual income at or above 300 percent of the federal poverty level.

2010 Target: 70%

Indicator: Households with income 300+ percent of poverty

Percent of Wisconsin Households with Income Equal to or Greater than 300% of Poverty

Year (N)	All Households		Households With Children Under Age 18	
	Percent	+/-	Percent	+/-
2000	48%	2%	46%	3%
(N)	(2,664)		(993)	
2001	51%	2%	50%	3%
(N)	(3,644)		(1,364)	
2002	48%	2%	47%	3%
(N)	(3,089)		(1,113)	
2003	49%	2%	47%	3%
(N)	(2,437)		(907)	
2004	50%	2%	46%	3%
(N)	(2,441)		(851)	
2005	51%	2%	53%	3%
(N)	(2,414)		(853)	
2006	49%	2%	46%	3%
(N)	(2,440)		(894)	
2007	51%	2%	50%	3%
(N)	(2,685)		(894)	
2008	51%	2%	49%	4%
(N)	(2,476)		(783)	
2009	46%	2%	48%	4%
(N)	(2,461)		(723)	

Source: Wisconsin Family Health Survey, Office of Health Informatics, Division of Public Health, Department of Health Services.

Note: Results from 2008 and 2009 are not directly comparable to results from earlier years due to changes in both of these years in the method of weighting data. See data documentation for more information.

N Number in sample. See data documentation.

+/- 95% confidence interval. See data documentation.

Continued on next page

Prepared for Tracking the State Health Plan, 2010—State-Level Data

<http://dhs.wisconsin.gov/statehealthplan/track2010> (January 2011)

Office of Health Informatics

Division of Public Health

Wisconsin Department of Health Services

Households with income 300+ percent of poverty, continued

Percent of Wisconsin Household Residents Living in Households with Income Equal to or Greater than 300% of Poverty

Year (N)	Total		Males		Females	
	Percent	+/-	Percent	+/-	Percent	+/-
2000	49%	1%	51%	2%	46%	2%
(N)	(6,894)		(3,305)		(3,589)	
2001	51%	1%	53%	1%	48%	1%
(N)	(9,549)		(4,641)		(4,908)	
2002	48%	1%	50%	2%	47%	2%
(N)	(7,995)		(3,871)		(4,124)	
2003	49%	1%	51%	2%	46%	2%
(N)	(6,398)		(3,082)		(3,316)	
2004	49%	1%	52%	2%	47%	2%
(N)	(6,330)		(3,094)		(3,236)	
2005	53%	1%	55%	2%	51%	2%
(N)	(6,272)		(3,007)		(3,265)	
2006	49%	1%	52%	2%	47%	2%
(N)	(6,523)		(3,095)		(3,428)	
2007	52%	1%	54%	2%	50%	2%
(N)	(6,857)		(3,306)		(3,551)	
2008	53%	1%	54%	2%	51%	2%
(N)	(6,243)		(3,000)		(3,243)	
2009	50%	1%	52%	2%	48%	2%
(N)	(6,066)		(2,904)		(3,162)	

Source: Wisconsin Family Health Survey, Office of Health Informatics, Division of Public Health, Department of Health Services.

Note: Results from 2008 and 2009 are not directly comparable to results from earlier years due to changes in both of these years in the method of weighting data. See data documentation for more information.

N Number in sample. See data documentation.

+/- 95% confidence interval. See data documentation.

Continued on next page

Households with income 300+ percent of poverty, continued

Percent of Wisconsin Household Residents Living in Households with Income Equal to or Greater than 300% of Poverty, by Age

Year (N)	Total		Ages 0-17		Ages 18-44		Ages 45-64		Ages 65+**	
	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-
2000	49%	1%	43%	2%	52%	2%	64%	2%	24%	3%
(N)	(6,894)		(1,902)		(2,648)		(1,567)		(777)	
2001	51%	1%	44%	2%	55%	2%	65%	2%	26%	3%
(N)	(9,549)		(2,665)		(3,537)		(2,267)		(1,080)	
2002	48%	1%	42%	2%	52%	2%	61%	2%	28%	3%
(N)	(7,995)		(2,124)		(2,890)		(1,960)		(1,021)	
2003	49%	1%	42%	2%	52%	2%	62%	2%	26%	3%
(N)	(6,398)		(1,750)		(2,256)		(1,656)		(736)	
2004	49%	1%	42%	2%	51%	2%	64%	2%	29%	3%
(N)	(6,330)		(1,606)		(2,075)		(1,782)		(867)	
2005	53%	1%	49%	2%	57%	2%	62%	2%	31%	3%
(N)	(6,272)		(1,636)		(2,035)		(1,695)		(906)	
2006	49%	1%	41%	2%	52%	2%	62%	2%	31%	3%
(N)	(6,523)		(1,823)		(1,978)		(1,860)		(862)	
2007	52%	1%	46%	2%	54%	2%	63%	2%	32%	3%
(N)	(6,857)		(1,691)		(1,972)		(2,165)		(1,029)	
2008	53%	1%	50%	3%	54%	2%	62%	2%	32%	3%
(N)	(6,243)		(1,465)		(1,712)		(2,001)		(1,065)	
2009	50%	1%	49%	3%	51%	2%	60%	2%	30%	3%
(N)	(6,066)		(1,375)		(1,588)		(2,098)		(1,005)	

Source: Wisconsin Family Health Survey, Office of Health Informatics, Division of Public Health, Department of Health Services.

Note: Results from 2008 and 2009 are not directly comparable to results from earlier years due to changes in both of these years in the method of weighting data. See data documentation for more information.

N Number in sample. See data documentation.

+/- 95% confidence interval. See data documentation.

** Poverty status was not reported for 11%-20% of this age group.

Continued on next page

Households with income 300+ percent of poverty, continued

Percent of Wisconsin Household Residents Living in Households with Income Equal to or Greater than 300% of Poverty, by Race/Ethnicity

Year (N)	Total		African American*		American Indian*		Asian*	
	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-
2000	49%	1%	28%	3%	31%	9%	--	--
(N)	(6,894)		(695)		(100)		(81)	
2001	51%	1%	24%	3%	44%	9%	43%	8%
(N)	(9,549)		(867)		(121)		(144)	
2002	48%	1%	21%	3%	--	--	--	--
(N)	(7,995)		(550)		(89)		(84)	
2003	49%	1%	23%	4%	--	--	--	--
(N)	(6,398)		(438)		(82)		(89)	
2004	49%	1%	25%	4%	--	--	--	--
(N)	(6,330)		(557)		(97)		(53)	
2005	53%	1%	23%	4%	42%	9%	--	--
(N)	(6,272)		(526)		(123)		(66)	
2006	49%	1%	23%	3%	55%	7%	--	--
(N)	(6,523)		(571)		(187)		(68)	
2007	52%	1%	20%	4%	59%	7%	--	--
(N)	(6,857)		(502)		(172)		(57)	
2008	53%	1%	24%	4%	48%	8%	--	--
(N)	(6,243)		(439)		(170)		(65)	
2009	50%	1%	16%	3%	--	--	--	--
(N)	(6,066)		(434)		(74)		(78)	

Source: Wisconsin Family Health Survey, Office of Health Informatics, Division of Public Health, Department of Health Services.

Note: Results from 2008 and 2009 are not directly comparable to results from earlier years due to changes in both of these years in the method of weighting data. See data documentation for more information.

- N Number in sample. See data documentation.
- +/- 95% confidence interval. See data documentation.
- * Non-Hispanic
- No percentage was calculated due to small number in sample.

Continued on next page

Households with income 300+ percent of poverty, continued

Percent of Wisconsin Household Residents Living in Households with Income Equal to or Greater than 300% of Poverty, by Race/Ethnicity (continued)

Year (N)	Hispanic		White*		Multiple Races*	
	Percent	+/-	Percent	+/-	Percent	+/-
2000	25%	7%	51%	1%	--	--
(N)	(158)		(5,668)		(79)	
2001	23%	6%	54%	1%	37%	8%
(N)	(227)		(7,884)		(149)	
2002	28%	5%	51%	1%	--	--
(N)	(262)		(6,768)		(95)	
2003	21%	6%	52%	1%	--	--
(N)	(197)		(5,383)		(99)	
2004	20%	6%	52%	1%	--	--
(N)	(186)		(5,279)		(88)	
2005	39%	7%	56%	1%	--	--
(N)	(193)		(5,196)		(99)	
2006	20%	5%	53%	1%	--	--
(N)	(267)		(5,250)		(94)	
2007	28%	6%	55%	1%	30%	9%
(N)	(221)		(5,699)		(107)	
2008	26%	6%	56%	1%	35%	9%
(N)	(180)		(5,173)		(116)	
2009	16%	5%	54%	1%	--	--
(N)	(210)		(5,068)		(92)	

Source: Wisconsin Family Health Survey, Office of Health Informatics, Division of Public Health, Department of Health Services.

Note: Results from 2008 and 2009 are not directly comparable to results from earlier years due to changes in both of these years in the method of weighting data. See data documentation for more information.

- N Number in sample. See data documentation.
- +/- 95% confidence interval. See data documentation.
- * Non-Hispanic
- No percentage was calculated due to small number in sample.

Continued on next page

Households with income 300+ percent of poverty, continued

Percent of Wisconsin Household Residents Living in Households with Income Equal to or Greater than 300% of Poverty, by Race/Ethnicity

Years (N)	Total		African American*		American Indian*		Asian*	
	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-
2000- 2001 (N)	50%	1%	26%	2%	37%	6%	48%	7%
	(16,443)		(1,562)		(221)		(225)	
2001- 2002 (N)	50%	1%	23%	2%	33%	6%	39%	6%
	(17,544)		(1,417)		(210)		(228)	
2002- 2003 (N)	48%	1%	22%	3%	33%	7%	33%	7%
	(14,393)		(988)		(171)		(173)	
2003- 2004 (N)	49%	1%	24%	3%	42%	7%	48%	8%
	(12,728)		(995)		(179)		(142)	
2004- 2005 (N)	51%	1%	24%	3%	43%	7%	47%	9%
	(12,602)		(1,083)		(220)		(119)	
2005- 2006 (N)	51%	1%	23%	2%	50%	6%	30%	8%
	(12,795)		(1,097)		(310)		(134)	
2006- 2007 (N)	50%	1%	22%	2%	57%	5%	44%	9%
	(13,380)		(1,073)		(359)		(125)	
2007- 2008 (N)	52%	1%	22%	3%	55%	5%	50%	9%
	(13,100)		(941)		(342)		(122)	
2008- 2009 (N)	51%	1%	20%	3%	48%	6%	52%	8%
	(12,309)		(873)		(244)		(143)	

Source: Wisconsin Family Health Survey, Office of Health Informatics, Division of Public Health, Department of Health Services.

Note: Results from 2008 and 2009 are not directly comparable to results from earlier years due to changes in both of these years in the method of weighting data. See data documentation for more information.

N Number in sample. See data documentation.

+/- 95% confidence interval. See data documentation.

* Non-Hispanic

Continued on next page

Prepared for Tracking the State Health Plan, 2010—State-Level Data

<http://dhs.wisconsin.gov/statehealthplan/track2010> (January 2011)

Office of Health Informatics

Division of Public Health

Wisconsin Department of Health Services

Households with income 300+ percent of poverty, continued

Percent of Wisconsin Household Residents Living in Households with Income Equal to or Greater than 300% of Poverty, by Race/Ethnicity (continued)

Years (N)	Hispanic		White*		Multiple Races*	
	Percent	+/-	Percent	+/-	Percent	+/-
2000- 2001 (N)	24% (385)	4%	52% (13,552)	1%	37% (228)	6%
2001- 2002 (N)	26% (489)	4%	53% (14,652)	1%	29% (244)	6%
2002- 2003 (N)	24% (459)	4%	51% (12,151)	1%	24% (194)	6%
2003- 2004 (N)	20% (383)	4%	52% (10,662)	1%	41% (187)	7%
2004- 2005 (N)	29% (379)	5%	54% (10,475)	1%	55% (187)	7%
2005- 2006 (N)	29% (460)	4%	55% (10,446)	1%	43% (193)	7%
2006- 2007 (N)	24% (488)	4%	54% (10,949)	1%	31% (201)	6%
2007- 2008 (N)	27% (401)	4%	56% (10,872)	1%	32% (223)	6%
2008- 2009 (N)	21% (390)	4%	55% (10,241)	1%	36% (208)	7%

Source: Wisconsin Family Health Survey, Office of Health Informatics, Division of Public Health, Department of Health Services.

Note: Results from 2008 and 2009 are not directly comparable to results from earlier years due to changes in both of these years in the method of weighting data. See data documentation for more information.

N Number in sample. See data documentation.

+/- 95% confidence interval. See data documentation.

* Non-Hispanic

Prepared for Tracking the State Health Plan, 2010—State-Level Data

<http://dhs.wisconsin.gov/statehealthplan/track2010> (January 2011)

Office of Health Informatics

Division of Public Health

Wisconsin Department of Health Services