

PEDIATRIC NUTRITION SURVEILLANCE SYSTEM (PedNSS) SUMMARY

Wisconsin - 2006¹

COUNTY	Overweight Children 2-4 years ²		Birthweight ³		Breast Feeding Incidence ⁴				≤ 2 hours TV Viewing/Day ⁵	Smoking in Household	Anemia Low Hb ⁶
	% 85 th -<95 th	% ≥ 95 th	Low % < 2500 g	High % > 4000 g	Incidence %	6+ Months	12+ Months	Exclusive 3+ Months			
Adams	16.1	16.6	11.5	5.8	59.6	**	**	**	84.3	31.5	7.7
Ashland	11.7	11.7	4.8	8.9	65.8	**	**	**	86.5	14.5	5.9
Barron	17.7	13.2	7.2	10.2	64.5	24.3	9.2	**	82.2	9.1	5.7
Bayfield	19.1	12.1	**	**	**	**	**	**	79.1	12.4	3.9
Brown	14.7	12.7	7.6	8.7	62.9	26.0	15.0	10.9	78.3	9.4	5.5
Buffalo	17.4	15.7	**	**	**	**	**	**	85.8	10.2	13.8
Burnett	12.8	14.4	7.5	7.5	66.0	**	**	**	95.8	17.3	4.9
Calumet	18.1	12.7	10.6	8.8	62.7	**	**	**	82.5	9.9	4.7
Chippewa	14.3	9.4	7.6	8.5	65.7	22.7	9.4	**	86.1	11.2	2.8
Clark	15.9	20.6	12.3	6.7	68.7	**	6.3	**	83.9	12.3	11.1
Columbia	15.7	17.1	9.6	8.6	68.5	**	8.7	**	81.1	13.0	3.7
Crawford	15.6	11.1	**	**	**	**	**	**	84.5	10.0	9.8
Dane	14.4	11.3	8.0	8.5	74.6	43.6	22.9	14.1	84.1	8.1	10.2
Dodge	11.0	8.6	9.4	7.4	70.7	31.3	17.1	24.8	85.5	9.1	5.9
Door	18.6	12.4	1.8	8.2	65.1	**	**	**	83.6	10.6	4.5
Douglas	18.1	13.7	8.2	9.6	67.5	29.9	13.8	**	92.2	13.7	13.0
Dunn	14.6	14.3	7.7	8.6	68.8	23.0	10.6	**	76.0	7.5	3.4
Eau Claire	14.5	11.9	6.1	9.5	69.0	24.1	7.6	14.9	81.3	9.7	11.0
Florence	**	**	**	**	**	**	**	**	**	17.8	**
Fond du Lac	14.9	8.8	10.5	5.7	66.7	28.8	11.5	21.2	84.6	13.3	8.8
Forest	18.7	13.9	**	**	**	**	**	**	70.4	29.2	11.1
Grant	14.7	12.7	6.6	10.9	59.2	26.6	12.9	**	89.1	10.3	5.3
Green	23.0	24.2	10.8	10.8	56.5	**	14.4	**	87.0	19.3	6.3
Green Lake	13.4	13.4	**	**	**	**	**	**	75.0	13.1	11.1
Iowa	20.9	19.4	**	**	**	**	**	**	81.2	11.5	6.9
Iron	**	**	**	**	**	**	**	**	**	6.9	**
Jackson	22.9	13.4	4.4	13.9	74.1	**	**	**	86.2	14.5	12.6
Jefferson	15.3	18.1	6.1	7.6	69.6	26.1	15.4	9.9	83.5	11.2	5.4
Juneau	20.2	10.2	8.7	9.2	68.3	28.4	11.8	**	84.9	21.9	7.3
Kenosha	16.9	15.2	9.0	6.1	56.3	20.8	8.7	10.7	81.3	18.4	22.0
Kewaunee	17.5	17.5	**	**	**	**	**	**	74.3	9.7	9.0
La Crosse	19.0	14.2	7.6	10.2	71.5	32.4	13.9	15.3	84.8	5.3	7.0
Lafayette	**	**	**	**	**	**	**	**	79.6	7.7	11.0
Langlade	15.5	9.5	8.8	12.4	54.4	**	**	**	80.4	24.4	1.4

Lincoln	17.0	12.9	6.4	11.2	58.5	**	**	**	85.3	20.8	1.3
Manitowoc	19.4	14.7	8.0	8.0	60.4	22.6	13.2	**	73.2	19.7	10.7
Marathon	17.0	12.3	6.0	5.7	52.5	17.2	10.9	11.9	79.1	10.2	3.0
Marinette	9.2	8.2	6.2	10.3	47.7	22.1	9.6	**	84.4	19.4	2.5
Marquette	**	**	**	**	**	**	**	**	**	14.8	11.3
Menominee	24.1	21.0	9.7	9.0	65.7	**	**	**	89.1	14.1	3.0
Milwaukee	16.6	13.1	9.7	6.1	58.5	23.5	12.2	8.8	75.7	17.3	16.2
Monroe	14.8	12.4	7.8	7.0	69.3	**	11.7	**	81.0	12.5	2.8
Oconto	18.8	19.6	8.5	5.2	49.0	**	**	**	76.2	20.2	7.8
Oneida Cty	16.0	7.1	9.1	7.0	61.5	**	**	**	91.6	8.2	8.2
Outagamie	18.3	15.0	10.5	7.3	65.1	24.8	9.9	16.2	77.2	8.8	9.1
Ozaukee	13.8	10.7	7.7	8.5	74.6	**	**	**	76.0	9.8	7.0
Pepin	**	**	**	**	**	**	**	**	**	8.8	**
Pierce	16.6	11.3	5.6	5.6	63.1	**	**	**	88.4	9.7	9.7
Polk	18.1	6.6	8.9	5.7	73.8	**	14.8	**	78.8	13.2	8.8
Portage	15.3	13.0	6.7	10.1	60.3	36.4	21.8	**	88.6	4.8	4.6
Price	14.2	10.7	**	**	**	**	**	**	82.2	15.5	3.6
Racine	16.6	14.3	8.1	6.7	56.0	22.1	11.6	10.3	74.7	12.4	9.0
Richland	25.7	14.0	**	**	**	**	**	**	78.3	9.0	10.3
Rock	16.6	12.4	10.4	8.6	54.7	20.6	11.7	9.3	88.5	13.2	9.0
Rusk	16.5	13.4	**	**	**	**	**	**	86.0	18.3	4.4
Sauk	19.4	14.1	6.7	9.6	74.6	31.8	16.6	20.7	90.9	46.4	9.2
Sawyer	19.0	10.9	5.4	13.6	61.6	**	**	**	83.4	12.8	5.6
Shawano	10.5	8.0	9.9	8.5	61.3	**	**	**	83.3	12.2	50.
Sheboygan	16.3	12.4	7.0	6.6	63.2	30.3	14.4	12.6	77.7	11.0	4.4
St. Croix	17.9	2.8	9.6	10.6	71.5	30.9	14.8	**	73.0	7.6	2.8
Taylor	11.3	12.8	**	**	**	**	**	**	81.9	23.7	3.2
Trempealeau	20.5	13.9	7.1	12.1	69.4	**	**	**	90.6	6.7	11.9
Vernon	17.4	16.0	11.6	16.3	69.0	**	**	**	88.5	7.9	5.8
Vilas	22.0	22.6	8.6	9.4	59.0	**	**	**	77.9	17.6	6.2
Walworth	17.1	14.3	8.8	8.0	77.6	34..6	15.1	23.3	81.5	6.8	7.6
Washburn	11.6	10.0	10.5	10.5	72.4	**	**	**	84.6	7.8	2.8
Washington	16.9	8.5	9.9	6.5	70.1	30.8	12.1	14.3	83.5	11.8	8.3
Waukesha	16.9	13.6	7.7	7.5	69.6	29.4	17.6	14.7	8032	9.3	6.1
Waupaca	10.5	12.7	9.2	6.9	59.0	**	10.0	**	82.9	19.7	4.1
Waushara	20.7	17.7	7.8	5.9	66.7	**	**	**	71.1	11.4	9.9
Winnebago	16.3	13.4	10.2	7.8	60.3	22.5	9.3	12.4	79.8	16.1	14.4
Wood	16.5	11.4	6.8	9.7	56.8	21.4	14.9	19.6	78.9	11.9	6.7
Wisconsin	16.3	13.0	8.6	7.6	62.6	26.0	13.2	13.7	80.1	13.9	10.4

Notes

1. Reporting period is January 1, 2006 through December 31, 2006; analyses based on one record per child; excludes records with unknown data or errors.
2. At risk of overweight and overweight is based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older. At risk of overweight is the 85th - < 95th percentile BMI for age; overweight is \geq 95th BMI for age.
3. Infants born during the reporting period included in the analysis; low birthweight is < 2500 grams; high birthweight is > 4000 grams.
4. Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
5. Children ages 2 years and older included in the analyses.
6. Based on the 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months and older included in the analysis.

* Percentages are not calculated if <100 records are available for analysis after exclusions.