

Table 4A
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by Clinic								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
16Th St Co	6,758	4.0	4.5	85.8	0.2	4.3	1.1	0.0
Adams Cty	480	86.7	0.2	7.7	0.0	0.0	5.4	0.0
Ashland Ct	532	80.1	0.0	2.4	5.6	0.6	11.3	0.0
Aurora	3,904	4.6	81.1	5.4	0.5	7.2	1.2	0.0
Barron Cty	1,062	86.3	4.1	8.0	0.6	0.0	0.9	0.1
Bayfield C	235	86.0	0.0	2.6	2.1	0.0	9.4	0.0
Beloit	2,007	43.5	15.5	36.9	0.0	0.6	3.3	0.0
Buffalo Ct	257	89.5	0.0	7.0	0.4	0.0	3.1	0.0
Burnett Ct	382	81.7	0.8	4.5	2.1	0.0	11.0	0.0
Calumet Ct	619	65.4	4.8	20.2	0.3	7.3	1.9	0.0
Chippewa C	1,363	90.3	0.6	3.1	0.9	1.4	3.7	0.1
Clark Cty	786	72.8	0.6	24.6	0.4	0.0	1.7	0.0
Columbia C	835	76.6	1.0	18.0	0.2	0.4	3.8	0.0
Crawford C	287	92.0	0.7	4.2	0.7	0.7	1.4	0.3
Cudahy	1,402	64.6	3.0	23.8	0.4	1.2	7.1	0.0
Dane Cty	980	34.8	13.5	38.9	0.1	3.9	8.9	0.0
Dodge Cty	1,214	64.1	1.3	30.4	0.1	0.7	3.4	0.0
Door Cty	443	79.2	1.6	15.6	0.5	0.5	2.7	0.0
Douglas Ct	1,143	81.5	0.7	4.9	0.9	0.5	11.4	0.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4A
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by Clinic								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Dunn Cty	950	80.0	0.9	5.1	0.5	8.5	4.9	0.0
Eau Claire	2,372	67.1	1.1	7.8	0.5	11.6	11.8	0.1
Florence C	111	94.6	0.0	2.7	0.9	0.0	1.8	0.0
Fond Du La	1,937	64.8	3.1	23.0	0.2	3.5	5.3	0.1
Forest Cty	244	88.9	0.0	2.5	3.7	0.0	4.9	0.0
GLITC-Bad	126	0.0	0.0	0.8	99.2	0.0	0.0	0.0
GLITC-Bara	49	*	*	*	*	*	*	*
GLITC-BRF	141	4.3	0.0	3.5	88.7	0.0	2.8	0.7
GLITC-CEX	31	*	*	*	*	*	*	*
GLITC-LCO	181	0.0	0.0	1.7	97.8	0.0	0.6	0.0
GLITC-Mole	39	*	*	*	*	*	*	*
GLITC-Pete	255	2.0	0.0	0.4	86.7	0.0	11.0	0.0
GLITC-Pota	84	*	*	*	*	*	*	*
GLITC-Red	117	9.4	1.7	8.5	78.6	0.0	1.7	0.0
GLITC-Stoc	147	11.6	0.0	12.2	62.6	0.7	12.9	0.0
Grant Cty	1,150	91.7	0.4	5.7	0.0	0.3	1.9	0.0
Green Cty	655	81.5	0.6	15.9	0.2	0.2	1.7	0.0
Green Lake	333	64.9	0.0	28.2	0.0	2.7	4.2	0.0
Greenfield	770	62.3	3.8	23.6	0.3	1.7	8.3	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4A
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by Clinic								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Hlth & Nut	3,385	29.4	21.3	39.9	0.1	0.4	8.9	0.1
Iowa Cty	336	89.3	0.9	6.0	0.3	0.6	3.0	0.0
Iron Cty	89	*	*	*	*	*	*	*
Jackson Ct	581	79.0	0.7	8.6	9.1	0.5	2.1	0.0
Janesville	1,958	75.4	4.9	14.5	0.2	1.2	4.0	0.0
Jefferson	1,725	52.4	0.7	43.7	0.1	0.3	2.8	0.0
Juneau	798	87.3	0.5	6.1	0.1	1.0	4.9	0.0
Kenosha	3,917	36.0	16.0	41.2	0.2	0.5	6.1	0.0
Kewaunee C	319	73.0	2.5	20.4	0.0	0.0	4.1	0.0
La Crosse	2,302	67.2	3.5	4.7	0.4	14.5	9.6	0.0
Langlade	453	87.6	0.2	8.4	0.2	0.0	3.5	0.0
Lincoln	424	85.8	0.0	6.6	0.0	0.2	7.3	0.0
Madison WI	5,768	24.8	23.0	35.3	0.2	7.8	8.9	0.0
Manitowoc	1,562	59.9	1.1	22.5	0.6	9.7	6.1	0.1
Marathon	2,555	56.4	1.7	9.3	0.4	26.1	6.3	0.0
Marinette	1,044	95.1	0.1	2.7	0.6	0.2	1.3	0.0
Marquette	222	76.1	1.4	21.2	0.5	0.0	0.9	0.0
Menominee	555	0.9	0.2	15.0	56.0	0.0	27.9	0.0
MilwaukeeJ	2,326	16.0	7.1	70.4	0.7	2.5	3.4	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4A
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by Clinic								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
MilwaukeeK	2,391	0.8	93.6	2.8	0.0	0.4	2.3	0.0
MilwaukeeN	3,568	9.2	69.8	6.8	0.2	6.4	7.5	0.1
MilwaukMLK	3,006	3.2	85.1	7.2	0.2	0.8	3.4	0.0
Monroe Cou	1,087	77.1	1.4	17.6	1.2	0.6	2.1	0.0
N.E.W. Eas	2,981	32.2	4.3	54.9	2.0	3.8	2.7	0.0
N.E.W. Wes	2,817	57.2	5.3	17.6	2.8	11.4	5.7	0.0
Neenah	1,163	61.8	2.5	25.5	0.1	4.0	6.1	0.0
Oconto Cty	585	92.1	0.0	3.6	0.9	0.3	3.1	0.0
Oneida Cty	582	90.4	0.3	4.8	0.5	0.3	3.6	0.0
Oneida Tri	549	7.3	0.2	20.9	57.7	0.2	13.7	0.0
Oshkosh	1,340	64.1	4.6	10.8	0.7	11.0	8.7	0.0
Outagamie	2,546	56.3	3.1	20.2	0.8	13.6	5.9	0.0
Ozaukee	458	71.2	3.3	13.5	0.4	0.9	10.7	0.0
Pepin	125	84.0	0.0	7.2	1.6	0.8	6.4	0.0
Pierce Cty	709	88.0	1.0	3.9	0.4	0.3	6.3	0.0
Polk Cty	854	93.4	0.0	3.3	0.1	0.2	2.9	0.0
Portage Ct	1,151	67.0	0.7	14.3	0.6	14.1	3.3	0.0
Price Cty	465	90.3	0.2	2.6	0.6	3.2	3.0	0.0
Racine Hea	1,695	17.0	37.6	38.3	0.4	0.4	6.2	0.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4A
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by Clinic								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Richland	324	87.0	0.0	10.5	0.3	0.0	2.2	0.0
Rusk Cty	444	88.1	1.4	4.5	0.0	0.0	6.1	0.0
Sauk Cty	1,327	75.8	1.7	20.1	0.9	0.3	1.1	0.1
Sawyer Cty	431	73.3	2.8	4.2	16.2	1.2	2.3	0.0
Seeds Of H	3,217	16.4	4.2	70.3	0.7	1.2	7.2	0.0
Shawano Ct	776	77.4	1.2	9.5	5.0	0.4	6.4	0.0
Sheboygan	2,171	46.8	2.9	28.2	0.0	18.1	4.1	0.0
St. Croix	1,107	82.0	1.4	8.3	0.5	2.9	4.8	0.0
SWCAP	247	81.4	0.4	16.2	0.0	0.0	1.6	0.4
Taylor Cty	442	86.0	0.5	10.0	0.0	0.0	3.6	0.0
Trempealea	751	66.3	0.1	30.6	0.3	0.1	2.5	0.0
Vernon Cou	642	87.9	0.5	8.3	0.3	0.2	3.0	0.0
Vilas Cty	244	89.8	1.2	4.9	2.0	0.0	2.0	0.0
Walworth C	1,915	43.7	1.3	50.5	0.7	0.6	3.2	0.0
Washburn C	450	88.2	0.2	5.8	0.2	1.1	4.4	0.0
Washington	1,376	74.1	2.8	16.8	0.3	0.4	5.6	0.0
Waukesha C	2,356	49.3	4.6	37.4	0.4	1.3	6.9	0.0
Waupaca Ct	832	83.4	0.0	14.1	0.2	0.2	2.0	0.0
Waushara	466	53.2	0.0	44.6	0.2	0.0	1.9	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4A
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by Clinic								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Wee Care W	2,330	0.6	94.1	1.9	0.0	0.6	2.6	0.1
Wee Care W	3,519	7.1	81.0	3.8	0.1	4.9	3.0	0.1
Weecare	1,950	3.6	79.3	3.6	0.1	10.2	3.0	0.1
West Allis	1,192	57.0	6.5	22.7	0.7	2.0	11.2	0.0
Wood Cty	1,376	81.5	1.3	9.0	0.4	5.1	2.8	0.0
Unknown Clinics	142	6.3	0.0	6.3	56.3	0.0	30.3	0.7
Wisconsin	122,799	45.2	18.6	24.7	1.9	4.4	5.1	0.0
Nation (Prior Year)	7,599,318	31.5	18.5	41.1	1.0	2.5	1.5	3.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5A
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Comparison of Age Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution by Clinic				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
16Th St Co	6,758	31.0	21.3	47.7
Adams Cty	480	32.5	21.7	45.8
Ashland Ct	532	30.3	21.4	48.3
Aurora	3,904	48.6	16.1	35.3
Barron Cty	1,062	39.1	19.9	41.1
Bayfield C	235	34.0	17.4	48.5
Beloit	2,007	39.9	19.7	40.5
Buffalo Ct	257	39.7	16.3	44.0
Burnett Ct	382	34.3	19.9	45.8
Calumet Ct	619	31.5	23.9	44.6
Chippewa C	1,363	35.6	20.8	43.7
Clark Cty	786	36.4	21.2	42.4
Columbia C	835	40.0	18.9	41.1
Crawford C	287	40.4	17.1	42.5
Cudahy	1,402	37.4	25.0	37.6
Dane Cty	980	36.5	20.5	43.0
Dodge Cty	1,214	36.7	21.5	41.8
Door Cty	443	32.1	20.8	47.2

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Records rejected if date of birth and date of visit unknown.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5A
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Comparison of Age Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution by Clinic				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Douglas Ct	1,143	35.0	18.7	46.3
Dunn Cty	950	34.6	21.5	43.9
Eau Claire	2,372	35.3	20.4	44.3
Florence C	111	29.7	16.2	54.1
Fond Du La	1,937	32.8	23.3	43.8
Forest Cty	244	32.8	17.2	50.0
GLITC-Bad	126	27.0	20.6	52.4
GLITC-Bara	49	*	*	*
GLITC-BRF	141	28.4	24.1	47.5
GLITC-CEX	31	*	*	*
GLITC-LCO	181	33.7	27.1	39.2
GLITC-Mole	39	*	*	*
GLITC-Pete	255	36.5	21.2	42.4
GLITC-Pota	84	*	*	*
GLITC-Red	117	29.9	22.2	47.9
GLITC-Stoc	147	36.7	15.6	47.6
Grant Cty	1,150	33.9	20.3	45.7
Green Cty	655	34.8	22.4	42.7

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Records rejected if date of birth and date of visit unknown.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5A
2007 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Age Distribution by Clinic
Children Aged < 5 Years (2)

Comparison of Age Distribution by Clinic				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Green Lake	333	41.1	16.2	42.6
Greenfield	770	39.5	20.9	39.6
Hlth & Nut	3,385	39.0	19.8	41.2
Iowa Cty	336	45.5	17.0	37.5
Iron Cty	89	*	*	*
Jackson Ct	581	36.7	19.6	43.7
Janesville	1,958	40.9	20.4	38.7
Jefferson	1,725	37.7	20.6	41.7
Juneau	798	38.1	19.9	42.0
Kenosha	3,917	37.9	21.3	40.8
Kewaunee C	319	36.7	15.7	47.6
La Crosse	2,302	36.2	19.5	44.2
Langlade	453	36.4	22.3	41.3
Lincoln	424	37.0	18.2	44.8
Madison WI	5,768	36.1	22.6	41.3
Manitowoc	1,562	36.5	18.6	44.9
Marathon	2,555	35.7	22.5	41.8
Marinette	1,044	33.0	22.0	45.0

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Records rejected if date of birth and date of visit unknown.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5A
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Comparison of Age Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution by Clinic				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Marquette	222	41.0	16.2	42.8
Menominee	555	30.5	24.5	45.0
MilwaukeeJ	2,326	27.8	23.9	48.3
MilwaukeeK	2,391	30.0	23.4	46.5
MilwaukeeN	3,568	35.5	24.5	40.0
MilwaukMLK	3,006	36.3	22.8	40.9
Monroe Cou	1,087	38.9	19.9	41.2
N.E.W. Eas	2,981	31.2	22.8	46.0
N.E.W. Wes	2,817	34.1	22.3	43.5
Neenah	1,163	41.3	17.3	41.4
Oconto Cty	585	39.7	19.1	41.2
Oneida Cty	582	40.4	19.1	40.5
Oneida Tri	549	35.5	21.7	42.8
Oshkosh	1,340	39.4	20.1	40.5
Outagamie	2,546	32.1	23.6	44.4
Ozaukee	458	35.2	25.5	39.3
Pepin	125	35.2	23.2	41.6
Pierce Cty	709	34.1	20.6	45.3

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Records rejected if date of birth and date of visit unknown.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5A
2007 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Age Distribution by Clinic
Children Aged < 5 Years (2)

Comparison of Age Distribution by Clinic				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Polk Cty	854	36.4	23.3	40.3
Portage Ct	1,151	42.4	16.1	41.5
Price Cty	465	31.2	21.1	47.7
Racine Hea	1,695	37.9	18.7	43.4
Richland	324	35.5	19.8	44.8
Rusk Cty	444	34.5	21.2	44.4
Sauk Cty	1,327	38.2	19.6	42.2
Sawyer Cty	431	35.5	21.6	42.9
Seeds Of H	3,217	33.9	22.7	43.4
Shawano Ct	776	32.0	23.7	44.3
Sheboygan	2,171	33.4	23.2	43.4
St. Croix	1,107	40.2	18.5	41.3
SWCAP	247	38.9	19.0	42.1
Taylor Cty	442	38.7	17.0	44.3
Trempealea	751	38.3	20.2	41.4
Vernon Cou	642	36.3	18.1	45.6
Vilas Cty	244	44.3	17.2	38.5
Walworth C	1,915	39.3	20.4	40.4

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Records rejected if date of birth and date of visit unknown.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5A
2007 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Age Distribution by Clinic
Children Aged < 5 Years (2)

Comparison of Age Distribution by Clinic				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Washburn C	450	32.2	25.6	42.2
Washington	1,376	36.5	22.5	41.0
Waukesha C	2,356	44.1	18.0	37.9
Waupaca Ct	832	40.4	18.5	41.1
Waushara	466	41.8	15.7	42.5
Wee Care W	2,330	33.8	22.6	43.6
Wee Care W	3,519	36.1	22.8	41.1
Weecare	1,950	34.2	23.0	42.8
West Allis	1,192	43.4	19.2	37.4
Wood Cty	1,376	39.3	20.1	40.6
Unknown Clinics	142	26.1	26.8	47.2
Wisconsin	122,799	36.3	21.1	42.6
Nation (Prior Year)	7,599,318	37.6	21.8	40.6

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Records rejected if date of birth and date of visit unknown.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2007 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
16Th St Co	1,428	6.9 (18)	8.8 (48)	6,649	7.4 (90)	1.7 (6)	18.7 (91)	3,165	19.0 (69)	22.2 (84)	5,035	11.6 (68)
Adams Cty	109	9.2 (52)	6.4 (16)	472	5.9 (70)	3.4 (47)	15.5 (82)	214	18.7 (65)	12.6 (43)	344	9.3 (53)
Ashland Ct	117	6.8 (16)	14.5 (71)	526	5.7 (63)	4.0 (65)	7.6 (1)	255	13.7 (16)	7.5 (5)	387	3.9 (15)
Aurora	1,432	9.8 (57)	3.6 (3)	3,843	4.8 (38)	7.0 (95)	8.7 (6)	1,389	14.1 (18)	10.1 (19)	2,120	28.4 (92)
Barron Cty	263	9.9 (58)	8.4 (42)	1,051	5.2 (49)	2.4 (21)	13.2 (66)	432	17.8 (57)	15.3 (67)	742	9.3 (53)
Bayfield C	57	* *	* *	231	4.8 (38)	3.5 (51)	10.4 (23)	111	26.1 (86)	9.9 (17)	164	3.7 (14)
Beloit	528	8.9 (45)	7.2 (31)	1,955	5.2 (49)	3.3 (44)	14.4 (77)	819	15.4 (32)	14.7 (66)	1,337	10.6 (62)
Buffalo Ct	65	* *	* *	254	2.8 (4)	3.9 (62)	7.9 (3)	114	21.9 (81)	10.5 (25)	179	11.7 (71)
Burnett Ct	75	* *	* *	376	6.9 (86)	4.0 (65)	8.8 (9)	176	17.0 (48)	6.3 (2)	277	1.8 (3)
Calumet Ct	140	10.0 (59)	6.4 (16)	603	7.1 (89)	2.8 (31)	13.3 (68)	272	16.5 (44)	15.4 (68)	456	4.6 (19)
Chippewa C	328	8.2 (35)	5.5 (11)	1,339	6.6 (84)	3.0 (38)	10.4 (23)	597	14.9 (28)	11.6 (35)	965	9.9 (60)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2007 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Clark Cty	173	11.6 (66)	6.9 (25)	766	5.1 (47)	3.7 (55)	13.3 (68)	338	12.4 (8)	17.8 (78)	558	15.2 (80)
Columbia C	221	9.0 (50)	10.4 (60)	816	5.9 (70)	3.3 (44)	10.4 (23)	333	15.9 (36)	12.6 (43)	550	7.5 (40)
Crawford C	70	* *	* *	279	6.8 (85)	1.8 (10)	9.7 (14)	121	18.2 (62)	10.7 (28)	182	8.2 (46)
Cudahy	409	10.5 (61)	10.3 (59)	1,364	4.8 (38)	3.0 (38)	11.1 (33)	520	16.0 (38)	11.5 (34)	947	7.3 (37)
Dane Cty	187	8.6 (39)	9.1 (50)	947	3.6 (12)	2.7 (29)	11.4 (39)	442	14.9 (28)	12.0 (38)	707	9.8 (59)
Dodge Cty	306	8.8 (43)	7.2 (31)	1,178	4.7 (37)	4.2 (73)	8.7 (6)	506	10.5 (3)	8.1 (7)	824	8.0 (44)
Door Cty	94	* *	* *	435	3.2 (8)	1.8 (10)	10.1 (19)	205	22.0 (82)	13.7 (53)	326	4.0 (16)
Douglas Ct	271	5.5 (8)	11.1 (65)	1,123	4.2 (23)	3.7 (55)	11.6 (41)	520	20.0 (73)	12.9 (47)	760	15.4 (81)
Dunn Cty	208	5.3 (6)	12.5 (68)	933	5.8 (66)	4.9 (82)	11.5 (40)	420	17.1 (50)	13.8 (54)	674	1.9 (4)
Eau Claire	547	7.1 (23)	6.4 (16)	2,334	5.8 (66)	2.1 (13)	9.7 (14)	1,034	15.3 (31)	9.1 (10)	1,708	12.1 (72)
Florence C	21	* *	* *	109	6.4 (82)	2.8 (31)	10.1 (19)	57	* *	* *	72	* *

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2007 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)													
Clinic	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)			(8)		
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Fond Du La	481	6.7 (14)	5.8 (13)	1,888	6.0 (76)	4.0 (65)	8.2 (4)	832	14.2 (19)	8.3 (8)		1,380	8.9 (50)
Forest Cty	57	* *	* *	243	7.8 (93)	4.5 (76)	16.0 (83)	121	12.4 (8)	17.4 (76)		179	6.1 (30)
GLITC-Bad	25	* *	* *	121	4.1 (20)	1.7 (6)	23.1 (94)	62	* *	* *		93	* *
GLITC-Bara	13	* *	* *	45	* *	* *	* *	19	* *	* *		31	* *
GLITC-BRF	29	* *	* *	137	3.6 (12)	1.5 (3)	27.0 (96)	65	* *	* *		106	17.0 (85)
GLITC-CEX	7	* *	* *	31	* *	* *	* *	13	* *	* *		24	* *
GLITC-LCO	45	* *	* *	177	6.2 (79)	4.0 (65)	18.6 (90)	70	* *	* *		124	16.9 (84)
GLITC-Mole	9	* *	* *	39	* *	* *	* *	17	* *	* *		29	* *
GLITC-Pete	60	* *	* *	247	3.6 (12)	1.2 (2)	21.5 (93)	106	21.7 (79)	19.8 (81)		172	0.0 (1)
GLITC-Pota	16	* *	* *	82	* *	* *	* *	41	* *	* *		43	* *
GLITC-Red	19	* *	* *	109	1.8 (2)	8.3 (96)	12.8 (62)	53	* *	* *		82	* *

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2007 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
GLITC-Stoc	31	* *	* *	146	5.5 (56)	2.7 (29)	16.4 (86)	73	* *	* *	108	7.4 (38)
Grant Cty	259	6.9 (18)	6.6 (20)	1,140	4.9 (43)	3.9 (62)	8.5 (5)	522	14.4 (21)	9.6 (15)	823	6.0 (28)
Green Cty	157	4.5 (5)	6.4 (16)	640	8.0 (94)	2.8 (31)	16.7 (87)	278	21.2 (78)	23.7 (86)	458	7.4 (38)
Green Lake	89	* *	* *	321	3.4 (9)	3.7 (55)	11.8 (44)	134	14.2 (19)	11.2 (31)	226	11.5 (67)
Greenfield	227	7.0 (21)	8.8 (48)	749	5.5 (56)	3.9 (62)	10.9 (31)	306	14.4 (21)	10.5 (25)	503	12.7 (74)
Hlth & Nut	892	9.2 (52)	8.2 (40)	3,305	5.9 (70)	2.9 (35)	12.7 (61)	1,372	18.7 (65)	14.1 (59)	2,274	8.3 (47)
Iowa Cty	96	* *	* *	327	4.6 (35)	3.4 (47)	11.9 (48)	124	22.6 (84)	12.1 (40)	195	9.7 (57)
Iron Cty	16	* *	* *	84	* *	* *	* *	38	* *	* *	63	* *
Jackson Ct	132	8.3 (37)	9.8 (55)	572	4.2 (23)	4.0 (65)	12.2 (54)	252	19.4 (71)	10.7 (28)	378	6.3 (31)
Janesville	526	8.2 (35)	9.7 (54)	1,927	4.8 (38)	4.8 (81)	11.2 (37)	750	14.5 (24)	11.9 (37)	1,307	9.5 (55)
Jefferson	408	5.4 (7)	9.1 (50)	1,696	3.1 (7)	3.8 (59)	10.7 (27)	716	18.0 (60)	14.5 (64)	1,164	5.1 (25)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2007 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Juneau	201	3.5 (1)	10.4 (60)	787	5.7 (63)	1.7 (6)	15.1 (81)	335	17.9 (59)	13.4 (52)	530	6.4 (32)
Kenosha	1,014	9.6 (56)	5.4 (10)	3,817	7.5 (92)	2.4 (21)	14.1 (74)	1,564	15.8 (34)	14.0 (57)	2,600	16.5 (83)
Kewaunee C	71	* *	* *	314	3.8 (16)	1.6 (5)	14.3 (76)	147	18.4 (64)	12.9 (47)	234	14.1 (78)
La Crosse	575	5.9 (10)	10.6 (63)	2,229	5.6 (58)	4.5 (76)	11.1 (33)	1,002	18.0 (60)	12.1 (40)	1,584	6.0 (28)
Langlade	121	5.8 (9)	6.6 (20)	448	5.8 (66)	2.5 (25)	11.8 (44)	191	19.9 (72)	12.6 (43)	313	12.1 (72)
Lincoln	116	11.2 (62)	6.0 (15)	411	6.1 (78)	1.5 (3)	13.6 (72)	188	17.6 (54)	15.4 (68)	286	2.1 (5)
Madison WI	1,649	8.9 (45)	8.4 (42)	5,607	5.2 (49)	3.0 (38)	13.1 (65)	2,331	13.3 (12)	12.0 (38)	3,898	10.9 (64)
Manitowoc	383	6.8 (16)	7.6 (34)	1,538	5.2 (49)	2.9 (35)	12.0 (51)	684	19.3 (70)	14.0 (57)	1,080	11.6 (68)
Marathon	651	7.5 (27)	6.6 (20)	2,504	8.7 (95)	1.7 (6)	12.6 (57)	1,047	20.1 (74)	13.9 (55)	1,772	3.3 (9)
Marinette	224	8.9 (45)	9.4 (52)	1,022	4.2 (23)	3.8 (59)	9.5 (12)	462	8.4 (2)	8.0 (6)	758	4.9 (23)
Marquette	57	* *	* *	215	4.2 (23)	5.6 (90)	12.6 (57)	92	* *	* *	147	12.9 (75)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2007 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Menominee	130	7.7 (32)	13.1 (69)	533	1.5 (1)	2.1 (13)	19.5 (92)	251	22.3 (83)	19.1 (80)	403	2.7 (6)
MilwaukeeJ	495	7.3 (25)	6.9 (25)	2,275	5.7 (63)	3.5 (51)	15.0 (80)	1,098	18.8 (67)	15.8 (70)	1,760	14.0 (77)
MilwaukeeK	548	16.4 (72)	3.3 (1)	2,315	5.6 (58)	6.0 (91)	10.0 (17)	1,098	13.3 (12)	11.2 (31)	1,748	20.4 (87)
MilwaukeeN	965	11.3 (64)	4.0 (5)	3,482	6.2 (79)	5.1 (86)	10.2 (21)	1,421	17.7 (56)	11.6 (35)	2,437	15.6 (82)
MilwaukMLK	770	14.5 (71)	3.6 (3)	2,928	5.3 (54)	6.6 (94)	11.0 (32)	1,221	10.5 (3)	8.9 (9)	2,094	28.2 (91)
Monroe Cou	274	6.6 (11)	8.0 (36)	1,061	5.6 (58)	2.2 (17)	14.6 (78)	437	14.4 (21)	12.1 (40)	729	6.7 (35)
N.E.W. Eas	715	9.2 (52)	8.4 (42)	2,904	4.2 (23)	3.5 (51)	12.6 (57)	1,343	17.5 (52)	17.5 (77)	2,168	3.1 (8)
N.E.W. Wes	747	7.1 (23)	7.1 (28)	2,734	4.4 (33)	6.4 (93)	10.4 (23)	1,214	7.7 (1)	6.4 (3)	1,959	7.8 (42)
Neenah	323	8.7 (40)	5.9 (14)	1,148	4.3 (32)	2.6 (27)	12.9 (63)	476	17.0 (48)	18.1 (79)	780	14.2 (79)
Oconto Cty	152	6.6 (11)	8.6 (46)	574	5.4 (55)	4.7 (78)	16.2 (85)	231	15.2 (30)	20.3 (82)	402	7.5 (40)
Oneida Cty	155	7.7 (32)	7.1 (28)	577	4.0 (18)	4.9 (82)	7.8 (2)	237	14.8 (27)	6.8 (4)	387	5.4 (26)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2007 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Oneida Tri	162	4.3 (3)	19.1 (72)	541	3.5 (11)	2.4 (21)	17.6 (89)	235	20.4 (75)	20.9 (83)	364	3.3 (9)
Oshkosh	328	10.1 (60)	8.2 (40)	1,320	5.6 (58)	3.4 (47)	14.1 (74)	540	17.4 (51)	9.3 (12)	939	11.6 (68)
Outagamie	610	8.7 (40)	6.6 (20)	2,467	5.0 (44)	5.0 (85)	10.7 (27)	1,115	17.8 (57)	13.9 (55)	1,659	9.2 (52)
Ozaukee	111	3.6 (2)	8.1 (38)	445	5.6 (58)	2.5 (25)	12.6 (57)	181	13.3 (12)	9.9 (17)	309	7.8 (42)
Pepin	27	* *	* *	123	4.1 (20)	4.9 (82)	8.9 (10)	50	* *	* *	91	* *
Pierce Cty	162	4.3 (3)	12.3 (67)	696	6.2 (79)	1.9 (12)	12.1 (53)	315	21.0 (77)	10.2 (23)	514	10.7 (63)
Polk Cty	215	7.4 (26)	9.8 (55)	827	4.2 (23)	3.7 (55)	9.2 (11)	344	11.6 (6)	10.5 (25)	590	8.1 (45)
Portage Ct	288	7.6 (30)	11.8 (66)	1,130	5.8 (66)	3.1 (41)	10.0 (17)	467	15.8 (34)	9.4 (13)	763	4.7 (21)
Price Cty	96	* *	* *	458	2.8 (4)	3.5 (51)	11.8 (44)	210	16.2 (40)	13.3 (50)	338	3.6 (11)
Racine Hea	440	11.8 (67)	4.3 (6)	1,646	3.4 (9)	2.9 (35)	11.8 (44)	720	15.7 (33)	10.1 (19)	1,167	17.7 (86)
Richland	73	* *	* *	320	5.0 (44)	2.8 (31)	13.4 (71)	143	25.2 (85)	16.8 (74)	225	8.4 (48)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2007 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Rusk Cty	115	8.7 (40)	10.4 (60)	437	4.1 (20)	1.1 (1)	16.0 (83)	195	15.9 (36)	15.9 (71)	306	4.9 (23)
Sauk Cty	319	6.9 (18)	10.7 (64)	1,305	6.9 (86)	2.1 (13)	16.7 (87)	554	17.5 (52)	22.7 (85)	895	6.7 (35)
Sawyer Cty	95	* *	* *	428	4.2 (23)	2.1 (13)	11.9 (48)	189	16.4 (43)	14.3 (63)	307	2.9 (7)
Seeds Of H	834	7.6 (30)	8.4 (42)	3,171	3.0 (6)	4.4 (74)	11.1 (33)	1,399	16.7 (46)	14.1 (59)	2,258	9.7 (57)
Shawano Ct	190	8.9 (45)	7.9 (35)	759	5.1 (47)	2.2 (17)	11.1 (33)	340	16.5 (44)	10.3 (24)	564	4.6 (19)
Sheboygan	546	7.5 (27)	6.8 (24)	2,129	5.9 (70)	5.5 (88)	12.5 (56)	932	16.2 (40)	13.3 (50)	1,545	4.1 (17)
St. Croix	283	8.5 (38)	10.2 (58)	1,087	5.2 (49)	3.2 (43)	11.9 (48)	456	18.2 (62)	12.7 (46)	731	3.6 (11)
SWCAP	66	* *	* *	243	9.5 (96)	3.3 (44)	10.3 (22)	101	21.8 (80)	16.8 (74)	157	10.2 (61)
Taylor Cty	124	8.9 (45)	8.1 (38)	431	4.2 (23)	6.3 (92)	10.7 (27)	195	11.8 (7)	9.2 (11)	304	3.6 (11)
Trempealea	196	6.6 (11)	8.7 (47)	729	3.6 (12)	4.4 (74)	13.6 (72)	311	20.6 (76)	14.1 (59)	509	8.8 (49)
Vernon Cou	148	8.8 (43)	14.2 (70)	634	5.0 (44)	2.2 (17)	14.7 (79)	296	16.2 (40)	16.6 (73)	454	5.9 (27)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2007 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Vilas Cty	71	* *	* *	236	4.2 (23)	3.4 (47)	12.3 (55)	88	* *	* *	144	0.0 (1)
Walworth C	469	7.0 (21)	9.8 (55)	1,880	4.4 (33)	2.6 (27)	11.7 (42)	766	14.6 (25)	14.5 (64)	1,256	6.5 (33)
Washburn C	107	7.5 (27)	5.6 (12)	439	4.6 (35)	5.2 (87)	8.7 (6)	191	11.5 (5)	5.2 (1)	323	4.3 (18)
Washington	376	9.0 (50)	7.4 (33)	1,343	6.4 (82)	4.1 (72)	12.0 (51)	558	16.8 (47)	11.3 (33)	914	9.0 (51)
Waukesha C	641	9.5 (55)	8.0 (36)	2,331	4.8 (38)	2.4 (21)	13.2 (66)	883	16.0 (38)	13.0 (49)	1,395	6.5 (33)
Waupaca Ct	233	12.0 (68)	9.4 (52)	819	7.0 (88)	4.0 (65)	13.3 (68)	337	13.9 (17)	9.8 (16)	536	4.7 (21)
Waushara	125	11.2 (62)	4.8 (7)	448	4.0 (18)	3.8 (59)	12.9 (63)	190	18.9 (68)	16.3 (72)	303	10.9 (64)
Wee Care W	569	13.4 (70)	3.5 (2)	2,240	7.4 (90)	4.0 (65)	11.7 (42)	986	14.7 (26)	10.1 (19)	1,532	27.4 (89)
Wee Care W	923	11.4 (65)	5.3 (9)	3,432	5.9 (70)	4.7 (78)	9.8 (16)	1,417	12.8 (10)	9.5 (14)	2,334	22.0 (88)
Weecare	489	12.7 (69)	5.1 (8)	1,906	6.0 (76)	4.7 (78)	9.6 (13)	810	13.0 (11)	10.1 (19)	1,370	27.7 (90)
West Allis	354	7.9 (34)	7.1 (28)	1,163	3.9 (17)	5.5 (88)	11.2 (37)	446	13.5 (15)	14.1 (59)	739	13.0 (76)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2007 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number
Wood Cty	372	6.7 (14)	7.0 (27)	1,339	5.9 (70)	3.1 (41)	10.8 (30)	540	17.6 (54)	10.7 (28)	912	10.9 (64)
Unknown Clinics	26	* *	* *	137	2.2 (3)	2.2 (17)	25.5 (95)	62	* *	* *	114	9.6 (56)
Wisconsin	31,162	8.7	7.5	120,071	5.4	3.7	12.2	51,636	16.1	13.1	84,006	11.3
Nation (Prior Year)	1,842,970	9.2	6.6	7,192,043	6.4	4.7	13.8	2,945,212	16.4	14.8	4,521,591	14.0

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7A
2007 Pediatric Nutrition Surveillance (1)
Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number (Rank)	% Ever Breastfed (Rank)	Number At Least 6 Months (Rank)	% Breastfed At Least 12 Months (Rank)	Number At Least 3 Months (Rank)	% Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)				
16Th St Co	1,432	86.9 (1)	772	45.9 (1)	1,148	27.1 (1)	527	17.6 (14)	708	5.5 (21)	3,503	79.3 (70)	6,710	5.5 (4)
Adams Cty	108	64.8 (37)	62	* *	67	* *	45	* *	60	* *	236	83.9 (35)	472	29.4 (94)
Ashland Ct	118	64.4 (38)	56	* *	82	* *	46	* *	55	* *	276	87.3 (19)	526	9.3 (38)
Aurora	1,403	35.6 (72)	355	17.7 (42)	533	9.4 (39)	236	4.2 (37)	325	3.1 (37)	1,472	80.0 (64)	3,893	17.1 (83)
Barron Cty	266	67.7 (26)	137	26.3 (23)	159	10.1 (34)	103	20.4 (9)	132	6.1 (18)	466	78.5 (73)	1,051	7.9 (23)
Bayfield C	56	* *	24	* *	28	* *	22	* *	24	* *	122	90.2 (6)	231	7.8 (20)
Beloit	533	46.3 (70)	213	23.9 (28)	320	13.8 (14)	150	7.3 (33)	198	3.0 (39)	870	82.6 (47)	1,940	7.6 (18)
Buffalo Ct	65	* *	26	* *	41	* *	27	* *	25	* *	120	88.3 (12)	257	7.4 (16)
Burnett Ct	73	* *	62	* *	71	* *	41	* *	58	* *	185	93.5 (1)	381	17.8 (87)
Calumet Ct	141	59.6 (54)	81	* *	101	9.9 (35)	55	* *	75	* *	295	81.7 (55)	613	8.2 (27)
Chippewa C	328	71.6 (14)	159	22.0 (36)	218	6.4 (55)	98	* *	150	5.3 (23)	640	88.3 (12)	1,355	11.0 (52)
Clark Cty	171	72.5 (12)	84	* *	126	7.1 (51)	63	* *	80	* *	377	82.5 (48)	785	11.7 (61)
Columbia C	220	65.5 (35)	102	31.4 (9)	117	16.2 (6)	80	* *	87	* *	363	84.3 (31)	833	9.0 (34)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2007 Pediatric Nutrition Surveillance (1)
Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

Clinic	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number Breastfed At Least 6 Months (Rank)	Number Breastfed At Least 12 Months (Rank)	Number Breastfed At Least 3 Months (Rank)	Number Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)
Crawford C	69	* *	32	* *	39	* *	131	84.0 (34)	280	12.5 (68)
Cudahy	408	68.1 (25)	181	18.8 (40)	248	9.3 (42)	567	71.1 (86)	1,397	30.4 (96)
Dane Cty	186	75.3 (7)	93	* *	142	23.9 (2)	479	82.5 (48)	974	6.9 (12)
Dodge Cty	308	77.3 (3)	122	32.0 (6)	166	13.9 (13)	538	88.8 (10)	1,201	5.7 (5)
Door Cty	94	* *	39	* *	62	* *	221	82.4 (50)	433	10.2 (46)
Douglas Ct	271	70.1 (19)	130	31.5 (8)	184	14.7 (10)	551	91.3 (4)	1,125	9.1 (36)
Dunn Cty	209	61.7 (43)	107	29.0 (17)	137	10.9 (30)	450	80.4 (62)	934	7.5 (17)
Eau Claire	546	70.5 (18)	279	24.7 (27)	385	10.4 (32)	1,132	88.3 (12)	2,367	6.8 (11)
Florence C	22	* *	10	* *	15	* *	63	* *	111	9.0 (34)
Fond Du La	481	65.1 (36)	209	29.7 (13)	314	11.5 (26)	908	87.7 (18)	1,918	9.9 (45)
Forest Cty	56	* *	19	* *	37	* *	128	79.7 (68)	244	17.6 (86)
GLITC-Bad	25	* *	10	* *	18	* *	71	* *	126	17.5 (85)
GLITC-Bara	13	* *	6	* *	7	* *	20	* *	48	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2007 Pediatric Nutrition Surveillance (1)
Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

Clinic	Breastfeeding (5)		Exclusive Breastfeeding (6)		≤2 Hours TV Viewing/Day (7)		Smoking in Household							
	Number (Rank)	% Ever Breastfed (Rank)	Number (Rank)	% Breastfed At Least 6 Months (Rank)	Number (Rank)	% Breastfed At Least 12 Months (Rank)	Number (Rank)	% (Rank)						
GLITC-BRF	29	* *	15	* *	24	* *	11	* *	11	* *	71	* *	139	30.2 (95)
GLITC-CEX	7	* *	3	* *	8	* *	3	* *	3	* *	13	* *	31	* *
GLITC-LCO	44	* *	20	* *	33	* *	12	* *	19	* *	74	* *	171	7.6 (18)
GLITC-Mole	9	* *	2	* *	4	* *	1	* *	1	* *	23	* *	39	* *
GLITC-Pete	60	* *	33	* *	49	* *	21	* *	33	* *	116	75.0 (82)	254	14.2 (77)
GLITC-Pota	14	* *	13	* *	10	* *	7	* *	12	* *	44	* *	84	* *
GLITC-Red	19	* *	18	* *	21	* *	5	* *	14	* *	62	* *	117	12.8 (69)
GLITC-Stoc	31	* *	16	* *	19	* *	13	* *	15	* *	76	* *	146	15.1 (80)
Grant Cty	259	66.8 (30)	151	29.1 (16)	182	12.6 (19)	70	* *	102	13.7 (2)	561	90.0 (7)	1,148	8.9 (32)
Green Cty	155	58.7 (56)	76	* *	117	14.5 (11)	60	* *	75	* *	300	88.0 (15)	641	14.0 (76)
Green Lake	91	* *	32	* *	47	* *	16	* *	18	* *	149	75.2 (81)	328	11.6 (60)
Greenfield	228	60.5 (49)	96	* *	114	9.6 (38)	66	* *	81	* *	327	73.4 (84)	767	22.7 (92)
Hlth & Nut	891	62.1 (42)	379	22.4 (35)	517	10.4 (32)	275	16.4 (17)	367	5.7 (19)	1,477	76.3 (78)	3,305	11.5 (56)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2007 Pediatric Nutrition Surveillance (1)
Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

Clinic	Breastfeeding (5)		Exclusive Breastfeeding (6)		≤2 Hours TV Viewing/Day (7)		Smoking in Household							
	Number (Rank)	% Ever Breastfed (Rank)	Number (Rank)	% Breastfed At Least 6 Months (Rank)	Number (Rank)	% Breastfed At Least 12 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)				
Iowa Cty	96	* *	35	* *	38	* *	34	* *	33	* *	131	88.5 (11)	332	9.3 (38)
Iron Cty	17	* *	13	* *	10	* *	10	* *	12	* *	41	* *	86	* *
Jackson Ct	132	75.0 (9)	50	* *	82	* *	39	* *	46	* *	275	87.3 (19)	579	11.2 (54)
Janesville	527	50.3 (64)	216	22.7 (33)	310	9.4 (39)	162	16.0 (18)	190	6.3 (17)	815	83.4 (41)	1,913	13.4 (74)
Jefferson	410	68.8 (24)	230	27.0 (21)	244	13.1 (16)	159	7.5 (32)	212	3.3 (34)	773	89.3 (8)	1,690	9.6 (42)
Juneau	201	70.1 (19)	85	* *	118	11.9 (24)	62	* *	81	* *	363	86.8 (24)	774	18.5 (88)
Kenosha	1,009	59.0 (55)	409	22.5 (34)	640	7.5 (47)	269	8.9 (29)	382	3.9 (31)	1,675	81.2 (57)	3,874	12.2 (64)
Kewaunee C	71	* *	29	* *	47	* *	8	* *	16	* *	157	65.6 (88)	319	8.2 (27)
La Crosse	572	71.3 (16)	289	26.3 (23)	321	9.3 (42)	202	14.9 (20)	248	4.8 (26)	1,063	87.8 (16)	2,297	4.7 (1)
Langlade	121	54.5 (62)	52	* *	72	* *	33	* *	45	* *	208	79.3 (70)	453	11.9 (63)
Lincoln	117	67.5 (28)	32	* *	59	* *	25	* *	27	* *	197	83.8 (38)	422	14.5 (79)
Madison WI	1,654	74.2 (10)	682	40.0 (2)	924	23.1 (3)	513	16.8 (16)	596	9.4 (10)	2,504	84.1 (32)	5,629	7.3 (15)
Manitowoc	380	56.3 (60)	159	25.2 (26)	220	12.3 (21)	117	17.9 (13)	151	8.6 (12)	754	80.9 (61)	1,550	10.2 (46)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2007 Pediatric Nutrition Surveillance (1)
Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Marathon	656	57.6 (59)	303	18.5 (41)	375	8.0 (46)	180	13.9 (23)	276	5.1 (24)	1,144	80.0 (64)	2,542	7.8 (20)
Marinette	225	48.4 (69)	110	16.4 (45)	171	8.8 (44)	68	* *	103	3.9 (31)	497	87.3 (19)	1,040	13.1 (72)
Marquette	59	* *	19	* *	24	* *	13	* *	10	* *	102	79.4 (69)	219	12.8 (69)
Menominee	128	67.2 (29)	52	* *	98	* *	28	* *	47	* *	272	92.3 (3)	532	9.8 (43)
MilwaukeeJ	500	69.2 (22)	258	25.6 (25)	384	12.0 (23)	163	12.3 (25)	238	3.4 (33)	1,195	78.4 (74)	2,315	9.8 (43)
MilwaukeeK	551	38.8 (71)	208	13.9 (47)	367	5.4 (57)	128	6.3 (34)	203	2.0 (43)	1,183	66.4 (87)	2,382	20.0 (91)
MilwaukeeN	971	50.4 (63)	369	14.1 (46)	622	6.1 (56)	236	8.1 (31)	351	3.1 (37)	1,515	72.2 (85)	3,557	12.4 (67)
MilwaukMLK	771	60.3 (51)	314	17.5 (43)	470	8.3 (45)	237	8.9 (29)	300	3.0 (39)	1,314	83.0 (43)	2,911	18.8 (89)
Monroe Cou	279	64.2 (39)	119	23.5 (29)	165	11.5 (26)	93	* *	102	2.0 (43)	467	79.9 (66)	1,074	11.5 (56)
N.E.W. Eas	706	66.1 (32)	316	23.4 (31)	492	12.8 (17)	232	9.1 (28)	292	4.1 (30)	1,478	75.7 (79)	2,969	5.8 (6)
N.E.W. Wes	757	58.7 (56)	287	23.0 (32)	424	11.6 (25)	205	11.7 (26)	258	4.7 (29)	1,315	81.1 (58)	2,751	10.7 (50)
Neenah	326	66.0 (33)	146	27.4 (19)	147	12.2 (22)	123	15.4 (19)	140	5.7 (19)	503	84.9 (29)	1,148	11.7 (61)
Oconto Cty	152	50.0 (66)	56	* *	79	* *	42	* *	54	* *	255	83.5 (40)	583	14.4 (78)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (6) the Breastfed At Least 6 Months analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2007 Pediatric Nutrition Surveillance (1)
Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Oneida Cty	154	61.7 (43)	61	* *	77	* *	51	* *	59	* *	248	93.5 (1)	580	9.1 (36)
Oneida Tri	162	60.5 (49)	49	* *	79	* *	35	* *	46	* *	251	82.9 (45)	547	13.2 (73)
Oshkosh	334	61.1 (47)	156	21.2 (37)	196	6.6 (54)	112	19.6 (12)	143	4.9 (25)	575	87.8 (16)	1,296	7.8 (20)
Outagamie	618	59.9 (53)	288	26.7 (22)	408	12.5 (20)	217	20.3 (10)	286	10.1 (8)	1,180	82.3 (51)	2,526	6.2 (8)
Ozaukee	110	69.1 (23)	64	* *	78	* *	43	* *	63	* *	194	81.4 (56)	444	5.4 (3)
Pepin	27	* *	10	* *	19	* *	8	* *	9	* *	53	* *	123	11.4 (55)
Pierce Cty	163	65.6 (34)	82	* *	106	7.5 (47)	62	* *	78	* *	339	90.9 (5)	702	13.0 (71)
Polk Cty	216	76.9 (5)	104	29.8 (12)	138	9.4 (39)	67	* *	92	* *	371	76.5 (77)	848	10.6 (49)
Portage Ct	289	71.6 (14)	138	29.7 (13)	149	12.8 (17)	122	23.8 (4)	125	6.4 (16)	511	87.1 (22)	1,141	6.7 (10)
Price Cty	96	* *	47	* *	57	* *	24	* *	41	* *	239	74.5 (83)	464	9.5 (40)
Racine Hea	435	50.1 (65)	182	27.5 (18)	217	11.5 (26)	137	4.4 (36)	172	2.3 (42)	777	81.0 (59)	1,678	8.5 (30)
Richland	73	* *	45	* *	54	* *	37	* *	44	* *	154	81.8 (53)	322	8.7 (31)
Rusk Cty	115	54.8 (61)	45	* *	54	* *	26	* *	39	* *	214	86.4 (25)	444	11.5 (56)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2007 Pediatric Nutrition Surveillance (1)
Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Sauk Cty	321	75.1 (8)	176	34.1 (4)	199	14.1 (12)	158	27.8 (3)	169	11.8 (4)	588	82.7 (46)	1,316	24.9 (93)
Sawyer Cty	95	* *	46	* *	66	* *	43	* *	46	* *	207	83.6 (39)	431	10.2 (46)
Seeds Of H	832	73.2 (11)	373	27.3 (20)	540	13.7 (15)	258	10.5 (27)	367	3.3 (34)	1,512	83.9 (35)	3,200	8.0 (25)
Shawano Ct	189	67.7 (26)	87	* *	118	6.8 (53)	57	* *	79	* *	377	84.4 (30)	773	12.2 (64)
Sheboygan	545	63.5 (41)	229	33.2 (5)	365	16.2 (6)	168	14.3 (22)	209	4.8 (26)	1,007	81.0 (59)	2,171	8.9 (32)
St. Croix	286	71.7 (13)	137	29.9 (11)	152	16.4 (5)	112	22.3 (8)	131	12.2 (3)	485	77.7 (75)	1,091	8.2 (27)
SWCAP	64	* *	27	* *	27	* *	14	* *	24	* *	107	84.1 (32)	244	10.7 (50)
Taylor Cty	124	69.4 (21)	50	* *	41	* *	36	* *	45	* *	205	82.0 (52)	441	15.6 (81)
Trempealea	197	76.6 (6)	91	* *	112	17.0 (4)	61	* *	82	* *	342	88.9 (9)	732	6.1 (7)
Vernon Cou	146	78.8 (2)	71	* *	88	* *	58	* *	63	* *	319	80.3 (63)	638	7.2 (14)
Vilas Cty	70	* *	38	* *	41	* *	29	* *	37	* *	100	87.0 (23)	242	9.5 (40)
Walworth C	469	77.0 (4)	247	31.6 (7)	269	15.2 (8)	194	23.2 (6)	234	7.3 (15)	828	83.1 (42)	1,906	6.5 (9)
Washburn C	107	61.7 (43)	42	* *	72	* *	36	* *	38	* *	211	79.1 (72)	448	5.1 (2)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2007 Pediatric Nutrition Surveillance (1)
Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Washington	374	63.6 (40)	158	29.7 (13)	214	10.7 (31)	126	23.0 (7)	152	9.9 (9)	599	86.1 (26)	1,348	7.0 (13)
Waukesha C	640	66.3 (31)	285	35.8 (3)	335	14.9 (9)	229	19.7 (11)	279	11.8 (4)	948	81.8 (53)	2,347	7.9 (23)
Waupaca Ct	234	60.3 (51)	86	* *	122	9.8 (37)	55	* *	75	* *	360	85.6 (27)	817	15.9 (82)
Waushara	128	49.2 (68)	43	* *	55	* *	23	* *	22	* *	203	75.4 (80)	447	8.1 (26)
Wee Care W	570	61.2 (46)	239	19.7 (39)	392	7.1 (51)	150	12.7 (24)	209	3.3 (34)	1,072	79.9 (66)	2,295	19.0 (90)
Wee Care W	923	60.9 (48)	360	21.1 (38)	543	7.2 (50)	211	17.1 (15)	336	4.8 (26)	1,556	76.6 (76)	3,479	11.1 (53)
Weecare	486	50.0 (66)	208	16.8 (44)	324	7.4 (49)	128	4.7 (35)	186	0.5 (45)	883	85.3 (28)	1,917	17.1 (83)
West Allis	358	70.9 (17)	119	30.3 (10)	186	11.3 (29)	98	* *	114	2.6 (41)	466	83.9 (35)	1,152	12.2 (64)
Wood Cty	373	58.7 (56)	153	23.5 (29)	222	9.9 (35)	96	* *	140	9.3 (11)	582	83.0 (43)	1,336	11.5 (56)
Unknown Clinics	21	* *	18	* *	24	* *	12	* *	18	* *	73	* *	138	13.8 (75)
Wisconsin	31,171	63.2	13,616	26.6	18,952	12.3	9,686	16.3	12,527	6.2	55,809	81.8	121,340	10.9
Nation (Prior Year)	1,577,832	60.1	790,341	25.2	875,205	18.1	104,492	10.3	143,261	5.6	584,732	73.3	2,855,911	10.6

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2005 - 2007 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
16Th St Co	4,240	6.6 (15)	8.8 (52)	19,685	6.8 (94)	2.5 (17)	18.6 (93)	9,627	19.8 (84)	20.6 (91)	14,841	8.8 (54)
Adams Cty	383	10.7 (83)	6.0 (10)	1,569	5.8 (63)	2.9 (29)	14.3 (78)	686	17.5 (63)	14.4 (69)	1,110	8.1 (43)
Ashland Ct	388	6.2 (10)	13.1 (87)	1,674	6.0 (72)	5.3 (85)	8.9 (6)	800	9.3 (1)	7.6 (2)	1,268	6.3 (34)
Aurora	4,003	9.0 (64)	4.5 (4)	11,073	4.6 (27)	7.5 (98)	8.6 (4)	4,252	13.5 (13)	10.1 (17)	6,407	27.3 (96)
Barron Cty	786	8.4 (52)	9.4 (64)	3,120	5.8 (63)	2.4 (15)	12.1 (51)	1,333	17.1 (57)	14.0 (66)	2,166	6.9 (38)
Bayfield C	150	6.7 (19)	12.7 (84)	698	4.9 (33)	5.2 (83)	9.3 (8)	349	17.5 (63)	8.3 (6)	530	5.8 (28)
Beloit	1,541	9.7 (75)	7.4 (25)	5,660	5.6 (58)	3.5 (48)	13.4 (70)	2,393	15.4 (32)	13.2 (55)	3,910	10.1 (65)
Buffalo Ct	207	6.8 (21)	8.7 (51)	844	4.1 (14)	3.9 (60)	10.3 (21)	376	17.6 (66)	15.2 (76)	578	9.0 (57)
Burnett Ct	278	10.8 (84)	7.6 (29)	1,130	6.0 (72)	4.4 (67)	8.5 (3)	538	13.9 (14)	7.8 (4)	792	2.1 (2)
Calumet Ct	413	9.9 (77)	7.7 (31)	1,776	5.9 (67)	3.1 (37)	12.5 (55)	821	17.5 (63)	15.7 (79)	1,323	4.8 (16)
Chippewa C	969	7.3 (30)	8.0 (38)	4,025	5.2 (43)	3.8 (56)	9.9 (14)	1,841	14.8 (22)	10.5 (20)	2,905	5.8 (28)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2005 - 2007 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Clark Cty	536	8.4 (52)	8.4 (47)	2,198	5.3 (49)	3.3 (45)	15.2 (83)	957	16.6 (47)	19.6 (88)	1,543	13.0 (81)
Columbia C	605	8.6 (56)	10.9 (80)	2,342	5.8 (63)	3.2 (41)	12.0 (46)	1,014	16.1 (41)	14.9 (72)	1,602	7.1 (40)
Crawford C	306	7.5 (35)	9.2 (58)	1,124	6.5 (90)	2.8 (23)	11.7 (42)	470	17.0 (53)	12.6 (49)	762	10.5 (69)
Cudahy	1,166	9.2 (69)	9.1 (57)	3,866	4.4 (21)	4.9 (77)	10.2 (19)	1,470	16.1 (41)	12.4 (45)	2,596	8.9 (56)
Dane Cty	1,611	8.1 (41)	9.4 (64)	6,389	4.6 (27)	2.8 (23)	11.3 (33)	2,756	16.0 (39)	12.2 (43)	4,574	9.5 (61)
Dodge Cty	937	9.0 (64)	6.7 (17)	3,670	4.5 (24)	4.9 (77)	9.1 (7)	1,628	10.5 (5)	9.1 (12)	2,635	6.4 (36)
Door Cty	304	5.6 (6)	7.6 (29)	1,306	3.8 (9)	3.7 (54)	10.6 (24)	619	19.9 (85)	14.2 (67)	943	4.0 (11)
Douglas Ct	767	5.3 (4)	9.8 (70)	3,418	4.4 (21)	4.7 (71)	11.4 (36)	1,614	19.0 (81)	13.3 (57)	2,374	13.0 (81)
Dunn Cty	666	6.9 (24)	9.3 (60)	2,773	5.9 (67)	4.3 (65)	12.0 (46)	1,282	16.6 (47)	13.7 (63)	1,955	4.2 (13)
Eau Claire	1,568	6.8 (21)	7.7 (31)	6,498	6.0 (72)	2.0 (10)	10.8 (27)	2,908	15.1 (27)	11.3 (30)	4,722	13.5 (84)
Florence C	62	* *	* *	341	6.2 (82)	1.8 (4)	11.1 (29)	182	14.3 (17)	9.9 (15)	248	11.7 (74)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2005 - 2007 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Fond Du La	1,356	8.3 (48)	6.2 (11)	5,443	6.2 (82)	3.2 (41)	8.4 (2)	2,463	14.7 (20)	8.4 (8)	3,906	8.3 (47)
Forest Cty	175	10.3 (80)	6.3 (13)	752	5.9 (67)	3.5 (48)	14.0 (76)	383	15.1 (27)	13.3 (57)	558	5.4 (21)
GLITC-Bad	65	* *	* *	339	3.5 (7)	2.1 (12)	24.5 (97)	177	27.1 (98)	30.5 (98)	237	5.5 (22)
GLITC-Bara	38	* *	* *	140	10.0 (99)	5.0 (81)	29.3 (99)	60	* *	* *	95	* *
GLITC-BRF	85	* *	* *	373	3.5 (7)	1.3 (2)	25.7 (98)	175	21.1 (89)	28.6 (97)	279	17.9 (91)
GLITC-CEX	23	* *	* *	89	* *	* *	* *	39	* *	* *	66	* *
GLITC-LCO	138	5.8 (8)	15.2 (89)	529	4.9 (33)	2.6 (19)	16.4 (87)	227	21.6 (91)	15.9 (80)	375	10.9 (70)
GLITC-Mole	23	* *	* *	87	* *	* *	* *	36	* *	* *	67	* *
GLITC-Pete	178	9.0 (64)	12.9 (86)	732	3.1 (3)	1.8 (4)	21.2 (95)	342	24.3 (96)	22.8 (94)	510	5.7 (25)
GLITC-Pota	57	* *	* *	235	4.3 (18)	2.6 (19)	22.1 (96)	103	20.4 (86)	25.2 (96)	146	19.2 (92)
GLITC-Red	67	* *	* *	311	5.5 (55)	9.3 (99)	18.3 (92)	158	23.4 (94)	22.2 (92)	211	1.9 (1)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2005 - 2007 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Over-weight (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
GLITC-Stoc	87	* *	* *	396	4.3 (18)	1.8 (4)	16.2 (86)	183	15.8 (35)	12.0 (41)	294	6.5 (37)
Grant Cty	765	6.5 (13)	9.8 (70)	3,409	4.1 (14)	4.8 (74)	9.8 (13)	1,551	15.6 (34)	12.5 (47)	2,464	5.0 (19)
Green Cty	494	7.7 (39)	8.9 (54)	1,865	8.0 (97)	2.8 (23)	17.5 (90)	752	21.3 (90)	23.1 (95)	1,257	8.4 (48)
Green Lake	252	7.5 (35)	9.9 (74)	994	4.5 (24)	4.6 (70)	12.3 (53)	416	14.7 (20)	10.8 (23)	696	12.4 (77)
Greenfield	664	9.6 (74)	9.6 (66)	2,190	5.2 (43)	5.7 (86)	9.6 (11)	865	14.9 (23)	10.2 (19)	1,460	12.3 (76)
Hlth & Nut	2,681	8.8 (61)	7.9 (35)	9,803	6.3 (85)	3.0 (34)	13.6 (73)	4,227	18.1 (69)	14.6 (70)	6,676	8.6 (49)
Iowa Cty	259	6.6 (15)	8.1 (40)	941	5.2 (43)	3.1 (37)	15.4 (84)	369	20.9 (88)	17.6 (84)	610	8.7 (52)
Iron Cty	56	* *	* *	280	6.4 (88)	4.3 (65)	18.2 (91)	138	18.8 (79)	13.0 (52)	206	8.7 (52)
Jackson Ct	372	7.3 (30)	9.7 (68)	1,650	4.7 (30)	3.5 (48)	11.6 (40)	768	20.7 (87)	11.2 (28)	1,143	8.1 (43)
Janesville	1,537	9.0 (64)	10.3 (76)	5,349	5.4 (50)	4.5 (69)	11.6 (40)	2,134	15.1 (27)	12.0 (41)	3,525	8.2 (45)
Jefferson	1,211	5.5 (5)	8.2 (41)	5,001	3.4 (5)	3.8 (56)	11.3 (33)	2,137	16.9 (50)	15.3 (78)	3,479	5.6 (23)

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2005 - 2007 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under-weight (7)	Over-weight (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Juneau	523	6.5 (13)	9.2 (58)	2,168	5.4 (50)	3.0 (34)	13.3 (67)	1,004	18.4 (76)	11.2 (28)	1,496	7.1 (40)
Kenosha	3,027	9.3 (71)	6.4 (16)	11,139	7.8 (96)	2.4 (15)	15.1 (82)	4,772	17.0 (53)	15.2 (76)	7,646	17.7 (90)
Kewaunee C	194	8.2 (43)	9.3 (60)	919	5.2 (43)	1.0 (1)	14.8 (79)	428	19.6 (83)	15.0 (73)	676	9.9 (64)
La Crosse	1,660	7.1 (26)	9.7 (68)	6,550	6.4 (88)	4.2 (63)	11.1 (29)	2,949	18.0 (68)	13.4 (61)	4,683	9.2 (60)
Langlade	358	9.5 (73)	9.8 (70)	1,368	5.5 (55)	2.3 (13)	11.3 (33)	587	16.0 (39)	10.1 (17)	985	4.9 (18)
Lincoln	328	8.2 (43)	11.6 (82)	1,285	6.1 (79)	1.9 (8)	13.5 (72)	590	16.8 (49)	13.2 (55)	904	2.1 (2)
Madison WI	3,634	8.4 (52)	8.0 (38)	12,929	5.5 (55)	2.8 (23)	13.9 (75)	5,501	13.3 (10)	11.6 (36)	9,072	11.3 (72)
Manitowoc	1,082	7.2 (29)	7.5 (28)	4,429	5.7 (60)	2.5 (17)	12.9 (58)	1,998	19.2 (82)	14.7 (71)	3,124	14.2 (85)
Marathon	1,783	7.6 (37)	6.2 (11)	7,081	8.7 (98)	1.9 (8)	13.0 (61)	3,076	18.1 (69)	13.1 (54)	5,059	3.2 (7)
Marinette	676	7.4 (33)	9.8 (70)	3,037	5.4 (50)	3.7 (54)	10.2 (19)	1,406	9.5 (2)	8.5 (9)	2,210	2.9 (6)
Marquette	144	4.2 (2)	8.3 (44)	581	2.9 (2)	7.4 (97)	10.0 (15)	256	9.8 (4)	8.2 (5)	403	13.2 (83)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2005 - 2007 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Over-weight (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Menominee	388	8.2 (43)	12.4 (83)	1,557	1.9 (1)	1.7 (3)	20.6 (94)	755	22.6 (92)	20.1 (89)	1,147	2.6 (4)
MilwaukeeJ	1,523	8.3 (48)	7.2 (20)	6,708	4.7 (30)	4.7 (71)	13.0 (61)	3,241	17.3 (59)	13.7 (63)	5,046	15.3 (88)
MilwaukeeK	1,612	14.4 (90)	4.3 (3)	7,049	4.9 (33)	6.2 (93)	10.4 (22)	3,413	14.2 (16)	11.3 (30)	5,307	19.3 (93)
MilwaukeeN	2,904	11.3 (85)	5.1 (6)	10,269	6.0 (72)	5.8 (87)	10.7 (26)	4,318	17.4 (62)	12.2 (43)	7,089	14.9 (87)
MilwaukMLK	2,268	13.4 (88)	3.9 (2)	8,833	5.4 (50)	7.0 (96)	10.6 (24)	3,924	11.7 (7)	8.3 (6)	6,311	26.7 (95)
Monroe Cou	743	7.3 (30)	9.0 (55)	2,845	6.5 (90)	2.6 (19)	14.8 (79)	1,194	15.0 (26)	12.6 (49)	1,925	5.1 (20)
N.E.W. Eas	1,973	8.1 (41)	8.2 (41)	7,970	4.5 (24)	3.4 (47)	13.3 (67)	3,702	18.7 (77)	18.2 (87)	5,885	5.7 (25)
N.E.W. Wes	2,105	8.3 (48)	7.9 (35)	8,478	5.0 (39)	6.7 (95)	10.1 (17)	3,971	9.7 (3)	6.7 (1)	6,152	7.5 (42)
Neenah	1,104	7.8 (40)	7.1 (19)	4,358	4.9 (33)	2.9 (29)	13.2 (66)	1,906	15.1 (27)	13.4 (61)	3,041	14.5 (86)
Oconto Cty	445	9.7 (75)	7.2 (20)	1,706	6.1 (79)	4.2 (63)	17.1 (88)	746	17.8 (67)	18.0 (86)	1,186	9.0 (57)
Oneida Cty	460	10.0 (79)	6.3 (13)	1,702	4.0 (12)	4.9 (77)	7.6 (1)	710	17.0 (53)	7.7 (3)	1,149	5.7 (25)

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2005 - 2007 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Oneida Tri	423	5.0 (3)	17.7 (90)	1,530	3.8 (9)	1.8 (4)	17.1 (88)	673	18.7 (77)	20.1 (89)	1,044	2.8 (5)
Oshkosh	759	10.5 (82)	7.9 (35)	2,920	6.0 (72)	3.5 (48)	14.8 (79)	1,180	17.0 (53)	11.0 (26)	2,078	12.9 (80)
Outagamie	1,825	8.4 (52)	7.3 (22)	7,161	6.0 (72)	5.0 (81)	12.0 (46)	3,295	18.3 (73)	15.0 (73)	4,924	8.6 (49)
Ozaukee	347	5.8 (8)	8.6 (49)	1,339	5.7 (60)	4.0 (61)	13.0 (61)	558	13.3 (10)	10.9 (24)	935	8.8 (54)
Pepin	59	* *	* *	281	5.0 (39)	6.0 (89)	12.5 (55)	135	25.2 (97)	17.8 (85)	208	9.1 (59)
Pierce Cty	454	6.4 (12)	8.8 (52)	2,012	6.1 (79)	2.7 (22)	12.6 (57)	933	18.3 (73)	11.7 (39)	1,468	11.7 (74)
Polk Cty	663	8.3 (48)	6.8 (18)	2,471	4.9 (33)	4.0 (61)	8.7 (5)	1,035	14.5 (18)	8.9 (10)	1,677	9.6 (63)
Portage Ct	830	6.6 (15)	10.5 (78)	3,347	6.3 (85)	3.2 (41)	10.9 (28)	1,438	16.1 (41)	11.6 (36)	2,311	6.0 (30)
Price Cty	259	3.9 (1)	8.5 (48)	1,329	3.2 (4)	3.3 (45)	11.9 (44)	663	14.6 (19)	11.6 (36)	1,012	3.6 (10)
Racine Hea	1,090	9.4 (72)	6.3 (13)	4,221	4.1 (14)	3.1 (37)	12.1 (51)	1,882	14.9 (23)	11.1 (27)	3,064	17.5 (89)
Richland	211	7.1 (26)	12.8 (85)	878	4.9 (33)	2.8 (23)	12.4 (54)	388	24.2 (95)	14.2 (67)	603	10.3 (66)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2005 - 2007 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Rusk Cty	298	9.1 (68)	11.1 (81)	1,334	4.6 (27)	2.0 (10)	13.3 (67)	649	16.9 (50)	13.3 (57)	989	4.8 (16)
Sauk Cty	849	6.6 (15)	10.0 (75)	3,578	6.0 (72)	2.3 (13)	13.7 (74)	1,563	18.1 (69)	16.9 (83)	2,471	8.2 (45)
Sawyer Cty	269	6.7 (19)	9.3 (60)	1,213	4.1 (14)	3.8 (56)	10.4 (22)	550	16.9 (50)	11.5 (34)	885	4.4 (15)
Seeds Of H	2,336	6.9 (24)	9.0 (55)	9,146	3.4 (5)	4.8 (74)	11.1 (29)	4,144	17.3 (59)	13.8 (65)	6,526	11.6 (73)
Shawano Ct	562	8.7 (58)	8.2 (41)	2,250	4.4 (21)	3.2 (41)	12.0 (46)	1,028	13.9 (14)	9.8 (14)	1,617	6.1 (32)
Sheboygan	1,636	7.1 (26)	7.3 (22)	6,126	5.8 (63)	6.1 (91)	11.2 (32)	2,697	17.3 (59)	12.6 (49)	4,340	6.0 (30)
St. Croix	789	8.2 (43)	10.5 (78)	3,001	6.2 (82)	2.8 (23)	11.9 (44)	1,269	17.1 (57)	11.8 (40)	2,060	4.1 (12)
SWCAP	165	10.3 (80)	7.3 (22)	639	5.6 (58)	3.8 (56)	11.4 (36)	255	22.7 (93)	13.3 (57)	435	11.0 (71)
Taylor Cty	315	5.7 (7)	8.3 (44)	1,276	3.8 (9)	6.1 (91)	10.0 (15)	595	10.8 (6)	10.6 (21)	912	4.3 (14)
Trempealea	526	6.8 (21)	10.3 (76)	2,089	4.3 (18)	6.0 (89)	13.1 (65)	943	18.1 (69)	12.5 (47)	1,476	10.4 (67)
Vernon Cou	420	8.8 (61)	13.6 (88)	1,890	5.9 (67)	3.1 (37)	14.2 (77)	867	16.5 (46)	15.9 (80)	1,330	5.6 (23)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2005 - 2007 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)			(8)	
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number
Vilas Cty	189	6.3 (11)	5.8 (9)	631	4.0 (12)	2.9 (29)	12.0 (46)	233	15.5 (33)	12.4 (45)	379	3.4 (9)
Walworth C	1,406	7.6 (37)	8.3 (44)	5,468	5.2 (43)	2.9 (29)	12.9 (58)	2,279	16.4 (45)	15.9 (80)	3,679	6.9 (38)
Washburn C	299	8.7 (58)	7.4 (25)	1,229	5.4 (50)	5.9 (88)	10.1 (17)	564	11.7 (7)	9.0 (11)	855	3.2 (7)
Washington	1,060	9.2 (69)	7.4 (25)	3,819	5.9 (67)	4.8 (74)	11.4 (36)	1,625	15.8 (35)	10.7 (22)	2,660	9.5 (61)
Waukesha C	1,921	8.2 (43)	7.8 (34)	7,007	5.0 (39)	2.9 (29)	12.9 (58)	2,801	16.3 (44)	13.0 (52)	4,509	6.2 (33)
Waupaca Ct	636	9.9 (77)	7.7 (31)	2,365	5.0 (39)	3.6 (52)	13.4 (70)	1,022	13.4 (12)	11.4 (33)	1,572	6.3 (34)
Waushara	318	8.8 (61)	5.3 (7)	1,241	5.2 (43)	3.6 (52)	13.0 (61)	556	18.3 (73)	15.1 (75)	858	10.4 (67)
Wee Care W	1,667	13.6 (89)	3.8 (1)	6,618	7.1 (95)	4.9 (77)	11.8 (43)	2,984	15.2 (31)	10.9 (24)	4,575	27.7 (97)
Wee Care W	2,716	12.3 (86)	5.3 (7)	10,232	6.3 (85)	4.4 (67)	9.3 (8)	4,231	12.7 (9)	9.2 (13)	6,914	21.8 (94)
Weecare	1,425	12.8 (87)	4.5 (4)	5,352	6.7 (93)	4.7 (71)	9.4 (10)	2,264	14.9 (23)	9.9 (15)	3,786	28.2 (98)
West Allis	993	8.6 (56)	9.3 (60)	3,393	4.7 (30)	5.2 (83)	9.6 (11)	1,368	15.9 (38)	11.3 (30)	2,188	12.4 (77)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2005 - 2007 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number
Wood Cty	1,088	7.4 (33)	8.6 (49)	4,039	5.7 (60)	3.0 (34)	11.5 (39)	1,731	15.8 (35)	11.5 (34)	2,774	8.6 (49)
Unknown Clinics	446	8.7 (58)	9.6 (66)	899	6.5 (90)	6.5 (94)	16.1 (85)	249	18.9 (80)	22.5 (93)	434	12.7 (79)
Wisconsin	90,652	8.6	7.7	351,372	5.6	4.0	12.3	154,713	16.2	13.0	246,088	11.3

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7A
2005 - 2007 Pediatric Nutrition Surveillance Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
16Th St Co	4,665	83.4 (1)	3,274	45.0 (1)	3,511	27.1 (1)	2,623	13.0 (48)	2,692	6.4 (42)	8,085	80.1 (60)	10,168	10.0 (1)
Adams Cty	364	64.0 (47)	283	18.0 (72)	279	12.5 (46)	224	13.8 (44)	227	4.8 (57)	554	83.6 (36)	818	32.9 (97)
Ashland Ct	394	65.7 (38)	286	33.2 (5)	283	22.6 (3)	219	28.3 (1)	217	21.2 (1)	668	86.2 (17)	854	16.9 (33)
Aurora	3,742	38.6 (90)	1,950	13.5 (85)	2,008	8.6 (83)	1,554	3.0 (84)	1,567	1.5 (80)	3,316	82.8 (41)	6,288	22.9 (72)
Barron Cty	869	64.9 (44)	574	20.2 (59)	545	11.2 (62)	447	15.7 (36)	418	5.7 (48)	1,088	80.5 (57)	1,737	16.4 (28)
Bayfield C	163	75.5 (3)	118	38.1 (3)	122	22.1 (5)	85	* *	84	* *	271	84.1 (31)	376	21.3 (61)
Beloit	1,647	52.3 (80)	1,015	20.2 (59)	1,052	12.9 (39)	705	5.4 (79)	699	2.4 (78)	1,930	85.2 (24)	3,183	15.4 (22)
Buffalo Ct	201	75.1 (4)	133	30.1 (9)	131	18.3 (10)	92	* *	88	* *	286	85.0 (25)	465	13.1 (7)
Burnett Ct	300	74.7 (8)	216	22.7 (43)	190	12.6 (42)	174	24.1 (5)	163	12.3 (3)	432	93.1 (3)	621	24.0 (78)
Calumet Ct	481	60.5 (60)	316	19.3 (67)	333	11.7 (55)	251	12.0 (52)	244	7.4 (30)	659	81.2 (54)	1,003	15.4 (22)
Chippewa C	1,047	68.6 (24)	696	20.0 (62)	677	10.0 (72)	499	14.0 (42)	506	7.5 (26)	1,439	86.9 (13)	2,172	19.3 (47)
Clark Cty	575	68.7 (22)	390	21.8 (52)	406	12.3 (49)	339	17.7 (22)	328	6.4 (42)	799	82.7 (43)	1,174	17.0 (34)
Columbia C	681	68.7 (22)	414	26.1 (24)	405	13.6 (35)	286	22.0 (10)	269	10.4 (11)	834	82.1 (48)	1,354	20.2 (54)

(1) Reporting period is January 1 through December 31.
(2) TV Viewing and Smoking in Household data are not reported by all contributors.
(3) Analyses based on one record per child.
(4) Excludes records with unknown data or errors.
(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
(7) Children ages 2 years and older included in the analyses.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2005 - 2007 Pediatric Nutrition Surveillance (1)
Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Crawford C	289	66.4 (33)	189	24.3 (35)	178	19.7 (7)	140	21.4 (11)	138	5.8 (47)	397	83.1 (38)	627	20.9 (59)
Cudahy	1,295	65.5 (41)	736	16.6 (79)	749	9.2 (78)	495	9.7 (64)	468	4.7 (59)	1,217	74.2 (89)	2,263	28.9 (93)
Dane Cty	1,523	72.8 (12)	1,192	37.2 (4)	1,205	22.0 (6)	737	15.7 (36)	721	9.6 (15)	2,054	77.8 (76)	3,531	16.4 (28)
Dodge Cty	1,033	74.8 (7)	646	28.0 (14)	622	16.6 (13)	532	22.6 (9)	475	11.4 (7)	1,267	87.0 (12)	2,157	19.0 (45)
Door Cty	323	71.2 (17)	216	25.0 (29)	227	12.3 (49)	171	15.8 (33)	161	6.2 (44)	479	82.5 (44)	702	18.5 (43)
Douglas Ct	856	67.9 (30)	574	25.3 (28)	574	14.8 (24)	454	24.0 (6)	444	12.2 (4)	1,307	90.2 (6)	1,895	21.1 (60)
Dunn Cty	728	64.4 (46)	468	23.7 (41)	448	13.2 (37)	358	24.6 (4)	343	12.8 (2)	1,086	77.7 (78)	1,493	14.3 (16)
Eau Claire	1,731	68.2 (28)	1,210	22.3 (46)	1,212	10.1 (71)	933	14.3 (41)	916	8.1 (21)	2,416	83.7 (34)	3,522	16.6 (32)
Florence C	78	* *	58	* *	56	* *	37	* *	38	* *	142	85.9 (19)	190	20.5 (56)
Fond Du La	1,479	66.2 (35)	904	23.6 (42)	970	12.5 (46)	745	20.4 (13)	706	8.4 (19)	2,050	84.7 (28)	3,036	11.0 (2)
Forest Cty	176	50.6 (84)	115	18.3 (70)	117	8.5 (84)	87	* *	93	* *	320	75.9 (82)	392	26.8 (87)
GLITC-Bad	74	* *	54	* *	57	* *	33	* *	37	* *	151	80.8 (56)	176	27.8 (91)
GLITC-Bara	44	* *	21	* *	20	* *	16	* *	11	* *	45	* *	81	* *

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2005 - 2007 Pediatric Nutrition Surveillance (1)
Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

Clinic	Breastfeeding (5)		Exclusive Breastfeeding (6)		≤2 Hours TV Viewing/Day (7)		Smoking in Household							
	Number (Rank)	% Ever Breastfed (Rank)	Number (Rank)	% Breastfed At Least 6 Months (Rank)	Number (Rank)	% Breastfed At Least 12 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)				
GLITC-BRF	93	* *	63	* *	67	* *	52	* *	48	* *	149	81.2 (54)	201	29.9 (95)
GLITC-CEX	21	* *	15	* *	14	* *	16	* *	14	* *	31	* *	48	* *
GLITC-LCO	145	46.9 (87)	98	* *	107	11.2 (62)	79	* *	84	* *	165	97.6 (1)	287	27.5 (90)
GLITC-Mole	24	* *	14	* *	15	* *	12	* *	12	* *	41	* *	46	* *
GLITC-Pete	191	55.0 (75)	135	21.5 (54)	148	14.9 (22)	103	10.7 (57)	105	6.7 (36)	260	74.6 (88)	387	28.9 (93)
GLITC-Pota	59	* *	42	* *	40	* *	30	* *	30	* *	88	* *	121	27.3 (89)
GLITC-Red	77	* *	64	* *	64	* *	39	* *	41	* *	135	83.7 (34)	162	14.8 (17)
GLITC-Stoc	95	* *	70	* *	68	* *	40	* *	44	* *	152	75.0 (86)	195	30.8 (96)
Grant Cty	838	62.1 (54)	616	24.8 (31)	607	13.5 (36)	359	18.4 (19)	361	10.0 (14)	1,246	88.4 (10)	1,818	18.0 (37)
Green Cty	545	58.0 (68)	365	19.5 (64)	380	12.4 (48)	300	18.7 (18)	297	6.7 (36)	646	86.7 (14)	1,032	23.3 (74)
Green Lake	268	49.3 (85)	173	20.8 (58)	177	18.6 (8)	101	7.9 (70)	103	4.9 (55)	332	71.1 (95)	576	18.2 (39)
Greenfield	716	62.3 (53)	393	24.7 (33)	396	11.1 (65)	298	10.4 (58)	272	4.4 (63)	692	75.7 (83)	1,340	21.6 (67)
Hlth & Nut	2,894	59.3 (64)	1,735	20.1 (61)	1,664	12.7 (41)	1,354	10.3 (60)	1,312	5.1 (51)	3,243	74.7 (87)	5,538	17.5 (36)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7A
2005 - 2007 Pediatric Nutrition Surveillance (1)
Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
Iowa Cty	306	65.7 (38)	177	22.6 (44)	163	15.3 (19)	150	20.0 (14)	145	10.3 (12)	294	85.0 (25)	566	20.1 (53)
Iron Cty	62	* *	45	* *	44	* *	34	* *	34	* *	104	89.4 (7)	152	19.7 (50)
Jackson Ct	403	72.0 (14)	241	22.4 (45)	243	12.3 (49)	185	15.7 (36)	172	8.1 (21)	648	86.4 (15)	855	23.0 (73)
Janesville	1,660	54.1 (79)	962	17.3 (76)	956	9.6 (75)	682	9.8 (63)	647	5.1 (51)	1,729	84.8 (27)	3,039	21.5 (64)
Jefferson	1,354	69.7 (20)	979	26.9 (19)	876	14.8 (24)	683	10.4 (58)	646	6.7 (36)	1,778	85.8 (20)	2,710	15.3 (20)
Juneau	579	67.4 (32)	372	24.5 (34)	362	10.8 (67)	291	16.8 (27)	279	6.8 (35)	795	85.4 (23)	1,172	26.9 (88)
Kenosha	3,279	56.3 (73)	1,729	18.2 (71)	1,811	9.8 (73)	1,340	9.3 (66)	1,261	4.0 (66)	3,988	80.2 (59)	6,468	19.5 (48)
Kewaunee C	217	67.7 (31)	145	24.1 (37)	155	12.9 (39)	96	* *	99	* *	345	71.6 (94)	507	19.7 (50)
La Crosse	1,834	69.5 (21)	1,179	25.8 (26)	1,114	14.8 (24)	853	14.4 (40)	829	6.2 (44)	2,428	86.0 (18)	3,689	12.8 (6)
Langlade	396	54.5 (78)	263	16.7 (78)	251	10.8 (67)	195	10.8 (56)	195	4.1 (65)	497	79.5 (66)	783	25.8 (83)
Lincoln	345	57.1 (70)	205	21.5 (54)	208	14.4 (29)	136	16.2 (30)	136	6.6 (39)	478	82.8 (41)	749	26.3 (84)
Madison WI	4,284	72.9 (11)	2,454	39.0 (2)	2,419	22.5 (4)	1,938	16.8 (27)	1,812	11.4 (7)	4,671	85.7 (21)	7,584	12.4 (5)
Manitowoc	1,184	57.1 (70)	752	23.9 (39)	797	14.6 (27)	633	13.3 (46)	610	7.5 (26)	1,675	75.5 (84)	2,412	21.4 (63)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (6) the Breastfed At Least 6 Months analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2005 - 2007 Pediatric Nutrition Surveillance (1)
Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Marathon	1,998	55.8 (74)	1,213	17.9 (73)	1,183	12.1 (54)	834	11.3 (53)	803	4.7 (59)	2,566	79.0 (70)	3,988	16.5 (30)
Marinette	772	49.1 (86)	515	18.8 (68)	558	11.6 (57)	406	7.9 (70)	413	3.9 (67)	1,101	84.7 (28)	1,677	23.6 (76)
Marquette	176	61.4 (56)	94	* *	97	* *	60	* *	54	* *	207	77.8 (76)	337	22.0 (69)
Menominee	408	68.6 (24)	267	24.3 (35)	308	13.0 (38)	195	4.6 (82)	197	1.0 (81)	597	89.4 (7)	819	23.4 (75)
MilwaukeeJ	1,643	64.8 (45)	1,137	22.3 (46)	1,216	12.3 (49)	814	8.1 (69)	801	3.1 (74)	2,671	73.7 (91)	3,536	18.2 (39)
MilwaukeeK	1,755	39.7 (89)	1,154	10.7 (88)	1,289	6.5 (87)	848	3.7 (83)	885	0.9 (83)	2,638	62.5 (97)	3,835	24.1 (79)
MilwaukeeN	3,127	45.4 (88)	1,684	13.3 (87)	1,760	8.9 (82)	1,156	6.0 (77)	1,119	2.6 (77)	3,452	69.3 (96)	5,974	18.2 (39)
MilwaukMLK	2,448	55.0 (75)	1,441	16.8 (77)	1,441	9.2 (78)	977	8.2 (68)	951	3.2 (72)	3,180	73.1 (92)	4,783	28.1 (92)
Monroe Cou	846	68.0 (29)	517	22.2 (48)	507	15.0 (21)	366	11.2 (55)	337	5.0 (53)	981	80.0 (62)	1,605	19.1 (46)
N.E.W. Eas	2,150	65.3 (43)	1,430	25.7 (27)	1,526	16.0 (15)	1,095	7.7 (74)	1,062	3.9 (67)	3,227	76.2 (80)	4,385	11.4 (3)
N.E.W. Wes	2,265	58.2 (67)	1,385	22.0 (50)	1,458	13.7 (33)	1,012	10.2 (62)	983	4.5 (61)	2,989	79.1 (67)	4,661	17.4 (35)
Neenah	1,069	63.9 (48)	684	21.9 (51)	671	11.5 (58)	520	15.8 (33)	530	7.5 (26)	1,257	81.8 (49)	2,488	24.3 (81)
Oconto Cty	474	51.3 (81)	298	16.4 (81)	272	6.3 (88)	233	7.7 (74)	232	3.9 (67)	599	78.8 (71)	942	21.8 (68)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (6) the Breastfed At Least 6 Months analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2005 - 2007 Pediatric Nutrition Surveillance (1)
Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
 (4,5)

Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Oneida Cty	500	61.8 (55)	313	26.8 (20)	290	11.4 (60)	255	23.1 (7)	245	11.4 (7)	548	92.0 (4)	955	19.5 (48)
Oneida Tri	452	60.4 (61)	253	16.6 (79)	286	9.8 (73)	191	13.1 (47)	179	4.5 (61)	561	78.3 (72)	849	20.4 (55)
Oshkosh	1,021	59.1 (65)	659	17.6 (74)	568	10.2 (70)	524	11.3 (53)	503	3.8 (70)	1,262	83.1 (38)	1,635	13.1 (7)
Outagamie	2,029	62.6 (52)	1,238	22.1 (49)	1,311	11.7 (55)	1,047	16.3 (29)	976	7.5 (26)	2,679	79.1 (67)	4,115	15.5 (24)
Ozaukee	410	70.7 (19)	260	28.5 (12)	261	12.3 (49)	230	27.4 (2)	224	11.6 (6)	470	77.9 (75)	771	13.6 (11)
Pepin	73	* *	41	* *	39	* *	26	* *	23	* *	112	83.9 (33)	154	18.8 (44)
Pierce Cty	506	61.1 (59)	336	21.1 (56)	353	9.1 (81)	274	16.1 (31)	254	7.1 (33)	746	88.5 (9)	1,075	18.1 (38)
Polk Cty	710	72.3 (13)	437	26.3 (23)	433	10.9 (66)	318	19.5 (17)	302	8.6 (18)	805	78.0 (74)	1,419	20.5 (56)
Portage Ct	922	66.3 (34)	594	27.4 (18)	539	18.6 (8)	472	16.9 (26)	432	7.4 (30)	1,171	88.0 (11)	1,857	14.1 (14)
Price Cty	283	71.4 (16)	222	30.2 (8)	221	14.9 (22)	140	12.9 (49)	148	8.1 (21)	546	80.0 (62)	670	21.5 (64)
Racine Hea	1,227	50.7 (83)	740	19.7 (63)	714	11.3 (61)	551	5.3 (80)	532	3.2 (72)	1,637	76.1 (81)	2,415	15.7 (25)
Richland	243	74.9 (6)	154	26.0 (25)	152	9.2 (78)	127	19.7 (16)	129	7.0 (34)	309	79.6 (65)	495	15.8 (26)
Rusk Cty	310	60.3 (62)	196	20.9 (57)	206	14.6 (27)	140	12.9 (49)	141	5.0 (53)	526	84.4 (30)	734	21.3 (61)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (6) the Breastfed At Least 6 Months analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2005 - 2007 Pediatric Nutrition Surveillance (1)
Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Sauk Cty	1,026	76.9 (2)	680	32.2 (6)	629	15.1 (20)	577	24.8 (3)	511	12.1 (5)	1,240	86.4 (15)	2,052	39.3 (98)
Sawyer Cty	300	65.7 (38)	222	19.4 (66)	210	9.5 (76)	173	14.5 (39)	167	6.6 (39)	456	80.3 (58)	646	21.5 (64)
Seeds Of H	2,496	73.1 (10)	1,652	23.9 (39)	1,780	12.6 (42)	1,213	9.3 (66)	1,192	4.4 (63)	3,457	81.7 (50)	4,912	13.8 (12)
Shawano Ct	600	62.7 (51)	387	21.7 (53)	404	12.6 (42)	291	12.7 (51)	293	6.5 (41)	819	84.1 (31)	1,276	23.7 (77)
Sheboygan	1,800	62.9 (49)	1,124	24.8 (31)	1,185	13.7 (33)	956	9.5 (65)	944	4.8 (57)	2,238	79.1 (67)	3,434	16.5 (30)
St. Croix	897	71.0 (18)	562	27.9 (15)	522	15.5 (17)	477	19.9 (15)	446	9.6 (15)	1,043	75.4 (85)	1,771	15.1 (18)
SWCAP	207	62.8 (50)	135	28.1 (13)	118	16.1 (14)	101	13.9 (43)	104	10.6 (10)	230	81.7 (50)	383	14.1 (14)
Taylor Cty	344	66.0 (37)	212	27.8 (16)	206	14.1 (32)	147	18.4 (19)	134	8.2 (20)	454	81.7 (50)	710	24.8 (82)
Trempealea	566	71.9 (15)	349	27.5 (17)	365	15.6 (16)	265	18.1 (21)	256	5.9 (46)	777	90.3 (5)	1,138	13.4 (10)
Vernon Cou	469	74.4 (9)	317	29.3 (11)	322	17.1 (11)	243	17.3 (23)	224	8.0 (24)	736	85.5 (22)	1,022	12.3 (4)
Vilas Cty	200	56.5 (72)	128	19.5 (64)	113	11.5 (58)	100	16.0 (32)	99	* *	215	82.3 (47)	366	19.9 (52)
Walworth C	1,604	75.1 (4)	1,068	30.9 (7)	977	15.5 (17)	854	22.8 (8)	811	7.8 (25)	1,815	82.4 (45)	3,134	14.0 (13)
Washburn C	330	65.5 (41)	233	26.6 (21)	232	11.2 (62)	183	15.8 (33)	183	4.9 (55)	454	82.4 (45)	653	15.3 (20)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2005 - 2007 Pediatric Nutrition Surveillance (1)
Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Washington	1,185	68.3 (27)	696	26.6 (21)	712	12.6 (42)	588	21.4 (11)	564	9.0 (17)	1,325	83.5 (37)	2,263	16.1 (27)
Waukesha C	2,146	68.6 (24)	1,306	29.7 (10)	1,191	16.7 (12)	1,049	17.0 (25)	998	10.3 (12)	2,241	80.1 (60)	4,108	15.2 (19)
Waupaca Ct	694	61.4 (56)	389	17.5 (75)	404	10.6 (69)	304	13.8 (44)	288	3.1 (74)	792	83.1 (38)	1,343	24.1 (79)
Waushara	367	55.0 (75)	191	24.1 (37)	202	24.3 (2)	115	7.8 (72)	108	5.6 (49)	441	72.8 (93)	709	18.2 (39)
Wee Care W	1,763	61.3 (58)	1,148	14.1 (84)	1,221	6.6 (86)	822	7.4 (76)	819	2.2 (79)	2,474	74.2 (89)	3,611	26.3 (84)
Wee Care W	2,973	58.6 (66)	1,868	16.1 (82)	1,899	9.4 (77)	1,379	7.8 (72)	1,399	3.6 (71)	3,490	78.1 (73)	5,688	13.2 (9)
Weecare	1,532	51.2 (82)	1,000	13.5 (85)	1,020	6.8 (85)	769	4.8 (81)	780	1.0 (81)	1,879	81.7 (50)	2,887	22.2 (70)
West Allis	1,084	66.2 (35)	527	25.0 (29)	554	14.3 (30)	445	10.3 (60)	391	5.6 (49)	1,090	76.9 (79)	1,975	22.7 (71)
Wood Cty	1,188	57.2 (69)	698	18.8 (68)	694	14.3 (30)	503	17.1 (24)	484	7.2 (32)	1,406	80.0 (62)	2,263	20.5 (56)
Unknown Clinics	272	59.9 (63)	206	15.0 (83)	209	6.2 (89)	164	5.5 (78)	161	3.1 (74)	199	94.0 (2)	450	26.7 (86)
Wisconsin	98,487	62.7	61,694	23.7	62,351	13.5	46,764	12.8	45,452	6.1	126,010	80.3	195,683	18.2

(1) Reporting period is January 1 through December 31.
(2) TV Viewing and Smoking in Household data are not reported by all contributors.
(3) Analyses based on one record per child.
(4) Excludes records with unknown data or errors.
(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
(7) Children ages 2 years and older included in the analyses.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

