

Table 4B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Comparison of Racial and Ethnic Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by County								
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Adams Cty	480	86.7	0.2	7.7	0.0	0.0	5.4	0.0
Ashland	658	64.7	0.0	2.1	23.6	0.5	9.1	0.0
Barron	1,062	86.3	4.1	8.0	0.6	0.0	0.9	0.1
Bayfield C	352	60.5	0.6	4.5	27.6	0.0	6.8	0.0
Brown	6,347	41.2	4.4	35.4	7.2	6.9	5.0	0.0
Buffalo	257	89.5	0.0	7.0	0.4	0.0	3.1	0.0
Burnett	382	81.7	0.8	4.5	2.1	0.0	11.0	0.0
Calumet	619	65.4	4.8	20.2	0.3	7.3	1.9	0.0
Chippewa	1,363	90.3	0.6	3.1	0.9	1.4	3.7	0.1
Clark	786	72.8	0.6	24.6	0.4	0.0	1.7	0.0
Columbia	835	76.6	1.0	18.0	0.2	0.4	3.8	0.0
Crawford C	287	92.0	0.7	4.2	0.7	0.7	1.4	0.3
Dane	6,748	26.2	21.7	35.8	0.2	7.2	8.9	0.0
Dodge	1,214	64.1	1.3	30.4	0.1	0.7	3.4	0.0
Door	443	79.2	1.6	15.6	0.5	0.5	2.7	0.0
Douglas Ct	1,143	81.5	0.7	4.9	0.9	0.5	11.4	0.1
Dunn	950	80.0	0.9	5.1	0.5	8.5	4.9	0.0
Eau Claire	2,372	67.1	1.1	7.8	0.5	11.6	11.8	0.1
Florence	111	94.6	0.0	2.7	0.9	0.0	1.8	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Comparison of Racial and Ethnic Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by County								
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Fond du La	1,937	64.8	3.1	23.0	0.2	3.5	5.3	0.1
Forest	367	68.9	0.0	4.6	16.1	0.0	10.4	0.0
Grant Cty	1,150	91.7	0.4	5.7	0.0	0.3	1.9	0.0
Green Cty	655	81.5	0.6	15.9	0.2	0.2	1.7	0.0
Green Lake	333	64.9	0.0	28.2	0.0	2.7	4.2	0.0
Iowa Cty	336	89.3	0.9	6.0	0.3	0.6	3.0	0.0
Iron Cty	89	*	*	*	*	*	*	*
Jackson	722	64.4	0.6	7.6	24.7	0.4	2.2	0.1
Jefferson	1,725	52.4	0.7	43.7	0.1	0.3	2.8	0.0
Juneau	798	87.3	0.5	6.1	0.1	1.0	4.9	0.0
Kenosha	3,917	36.0	16.0	41.2	0.2	0.5	6.1	0.0
Kewaunee	319	73.0	2.5	20.4	0.0	0.0	4.1	0.0
La Crosse	2,302	67.2	3.5	4.7	0.4	14.5	9.6	0.0
Lafayette	247	81.4	0.4	16.2	0.0	0.0	1.6	0.4
Langlade C	453	87.6	0.2	8.4	0.2	0.0	3.5	0.0
Lincoln Ct	424	85.8	0.0	6.6	0.0	0.2	7.3	0.0
Manitowoc	1,562	59.9	1.1	22.5	0.6	9.7	6.1	0.1
Marathon C	2,555	56.4	1.7	9.3	0.4	26.1	6.3	0.0
Marinette	1,044	95.1	0.1	2.7	0.6	0.2	1.3	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Comparison of Racial and Ethnic Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by County								
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Marquette	222	76.1	1.4	21.2	0.5	0.0	0.9	0.0
Menominee	555	0.9	0.2	15.0	56.0	0.0	27.9	0.0
Milwaukee	36,333	11.6	49.0	31.6	0.3	3.8	3.8	0.0
Monroe	1,087	77.1	1.4	17.6	1.2	0.6	2.1	0.0
Oconto	585	92.1	0.0	3.6	0.9	0.3	3.1	0.0
Oneida	582	90.4	0.3	4.8	0.5	0.3	3.6	0.0
Outagamie	2,546	56.3	3.1	20.2	0.8	13.6	5.9	0.0
Ozaukee	458	71.2	3.3	13.5	0.4	0.9	10.7	0.0
Pepin	125	84.0	0.0	7.2	1.6	0.8	6.4	0.0
Pierce	709	88.0	1.0	3.9	0.4	0.3	6.3	0.0
Polk	854	93.4	0.0	3.3	0.1	0.2	2.9	0.0
Portage	1,151	67.0	0.7	14.3	0.6	14.1	3.3	0.0
Price	465	90.3	0.2	2.6	0.6	3.2	3.0	0.0
Racine Cou	5,080	25.2	26.7	39.3	0.2	0.4	8.0	0.1
Richland C	324	87.0	0.0	10.5	0.3	0.0	2.2	0.0
Rock	3,965	59.3	10.3	25.8	0.1	0.9	3.7	0.0
Rusk	444	88.1	1.4	4.5	0.0	0.0	6.1	0.0
Sauk	1,376	73.1	1.7	19.5	4.2	0.3	1.2	0.1
Sawyer	612	51.6	2.0	3.4	40.4	0.8	1.8	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Comparison of Racial and Ethnic Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by County								
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Shawano	923	67.0	1.0	10.0	14.2	0.4	7.5	0.0
Sheboygan	2,171	46.8	2.9	28.2	0.0	18.1	4.1	0.0
St. Croix	1,107	82.0	1.4	8.3	0.5	2.9	4.8	0.0
Taylor	442	86.0	0.5	10.0	0.0	0.0	3.6	0.0
Trempealea	751	66.3	0.1	30.6	0.3	0.1	2.5	0.0
Vernon	642	87.9	0.5	8.3	0.3	0.2	3.0	0.0
Vilas	499	44.9	0.6	2.6	45.3	0.0	6.6	0.0
Walworth	1,915	43.7	1.3	50.5	0.7	0.6	3.2	0.0
Washburn	450	88.2	0.2	5.8	0.2	1.1	4.4	0.0
Washington	1,376	74.1	2.8	16.8	0.3	0.4	5.6	0.0
Waukesha	2,356	49.3	4.6	37.4	0.4	1.3	6.9	0.0
Waupaca	832	83.4	0.0	14.1	0.2	0.2	2.0	0.0
Waushara C	466	53.2	0.0	44.6	0.2	0.0	1.9	0.0
Winnebago	2,503	63.0	3.6	17.6	0.4	7.8	7.5	0.0
Wood	1,407	80.0	1.3	8.8	2.3	5.0	2.7	0.0
Unknown Counties	142	6.3	0.0	6.3	56.3	0.0	30.3	0.7
Wisconsin	122,799	45.2	18.6	24.7	1.9	4.4	5.1	0.0
Nation (Prior Year)	7,599,318	31.5	18.5	41.1	1.0	2.5	1.5	3.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5B
2007 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Age Distribution by County
Children Aged < 5 Years (2)

Comparison of Age Distribution by County				
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Adams Cty	480	32.5	21.7	45.8
Ashland	658	29.6	21.3	49.1
Barron	1,062	39.1	19.9	41.1
Bayfield C	352	32.7	19.0	48.3
Brown	6,347	32.9	22.5	44.6
Buffalo	257	39.7	16.3	44.0
Burnett	382	34.3	19.9	45.8
Calumet	619	31.5	23.9	44.6
Chippewa	1,363	35.6	20.8	43.7
Clark	786	36.4	21.2	42.4
Columbia	835	40.0	18.9	41.1
Crawford C	287	40.4	17.1	42.5
Dane	6,748	36.2	22.3	41.5
Dodge	1,214	36.7	21.5	41.8
Door	443	32.1	20.8	47.2
Douglas Ct	1,143	35.0	18.7	46.3
Dunn	950	34.6	21.5	43.9
Eau Claire	2,372	35.3	20.4	44.3

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Records rejected if date of birth and date of visit unknown.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Comparison of Age Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution by County				
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Florence	111	29.7	16.2	54.1
Fond du La	1,937	32.8	23.3	43.8
Forest	367	31.9	16.9	51.2
Grant Cty	1,150	33.9	20.3	45.7
Green Cty	655	34.8	22.4	42.7
Green Lake	333	41.1	16.2	42.6
Iowa Cty	336	45.5	17.0	37.5
Iron Cty	89	*	*	*
Jackson	722	35.0	20.5	44.5
Jefferson	1,725	37.7	20.6	41.7
Juneau	798	38.1	19.9	42.0
Kenosha	3,917	37.9	21.3	40.8
Kewaunee	319	36.7	15.7	47.6
La Crosse	2,302	36.2	19.5	44.2
Lafayette	247	38.9	19.0	42.1
Langlade C	453	36.4	22.3	41.3
Lincoln Ct	424	37.0	18.2	44.8
Manitowoc	1,562	36.5	18.6	44.9

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Records rejected if date of birth and date of visit unknown.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Comparison of Age Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution by County				
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Marathon C	2,555	35.7	22.5	41.8
Marinette	1,044	33.0	22.0	45.0
Marquette	222	41.0	16.2	42.8
Menominee	555	30.5	24.5	45.0
Milwaukee	36,333	35.4	22.0	42.6
Monroe	1,087	38.9	19.9	41.2
Oconto	585	39.7	19.1	41.2
Oneida	582	40.4	19.1	40.5
Outagamie	2,546	32.1	23.6	44.4
Ozaukee	458	35.2	25.5	39.3
Pepin	125	35.2	23.2	41.6
Pierce	709	34.1	20.6	45.3
Polk	854	36.4	23.3	40.3
Portage	1,151	42.4	16.1	41.5
Price	465	31.2	21.1	47.7
Racine Cou	5,080	38.6	19.4	41.9
Richland C	324	35.5	19.8	44.8
Rock	3,965	40.4	20.1	39.6

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Records rejected if date of birth and date of visit unknown.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5B
2007 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Age Distribution by County
Children Aged < 5 Years (2)

Comparison of Age Distribution by County				
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Rusk	444	34.5	21.2	44.4
Sauk	1,376	38.4	19.5	42.2
Sawyer	612	35.0	23.2	41.8
Shawano	923	32.7	22.4	44.9
Sheboygan	2,171	33.4	23.2	43.4
St. Croix	1,107	40.2	18.5	41.3
Taylor	442	38.7	17.0	44.3
Trempealea	751	38.3	20.2	41.4
Vernon	642	36.3	18.1	45.6
Vilas	499	40.3	19.2	40.5
Walworth	1,915	39.3	20.4	40.4
Washburn	450	32.2	25.6	42.2
Washington	1,376	36.5	22.5	41.0
Waukesha	2,356	44.1	18.0	37.9
Waupaca	832	40.4	18.5	41.1
Waushara C	466	41.8	15.7	42.5
Winnebago	2,503	40.3	18.8	41.0
Wood	1,407	38.9	20.5	40.6

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Records rejected if date of birth and date of visit unknown.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5B
2007 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Age Distribution by County
Children Aged < 5 Years (2)

Comparison of Age Distribution by County				
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Unknown Counties	142	26.1	26.8	47.2
Wisconsin	122,799	36.3	21.1	42.6
Nation (Prior Year)	7,599,318	37.6	21.8	40.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2007 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by County (3,4)												
County	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Adams Cty	109	9.2 (45)	6.4 (8)	472	5.9 (53)	3.4 (38)	15.5 (64)	214	18.7 (51)	12.6 (27)	344	9.3 (46)
Ashland	142	7.7 (27)	12.7 (54)	647	5.4 (42)	3.6 (42)	10.5 (19)	317	16.1 (28)	11.0 (18)	480	4.2 (13)
Barron	263	9.9 (49)	8.4 (30)	1,051	5.2 (38)	2.4 (17)	13.2 (48)	432	17.8 (42)	15.3 (53)	742	9.3 (46)
Bayfield C	76	* *	* *	340	3.8 (9)	5.0 (67)	11.2 (25)	164	24.4 (67)	12.8 (32)	246	2.4 (5)
Brown	1,624	7.8 (31)	8.9 (36)	6,179	4.3 (22)	4.7 (62)	12.0 (35)	2,792	13.5 (8)	13.0 (35)	4,491	5.2 (22)
Buffalo	65	* *	* *	254	2.8 (3)	3.9 (51)	7.9 (2)	114	21.9 (63)	10.5 (15)	179	11.7 (61)
Burnett	75	* *	* *	376	6.9 (64)	4.0 (53)	8.8 (7)	176	17.0 (34)	6.3 (2)	277	1.8 (2)
Calumet	140	10.0 (50)	6.4 (8)	603	7.1 (66)	2.8 (24)	13.3 (50)	272	16.5 (32)	15.4 (54)	456	4.6 (15)
Chippewa	328	8.2 (32)	5.5 (3)	1,339	6.6 (62)	3.0 (30)	10.4 (17)	597	14.9 (17)	11.6 (22)	965	9.9 (50)
Clark	173	11.6 (55)	6.9 (17)	766	5.1 (37)	3.7 (43)	13.3 (50)	338	12.4 (6)	17.8 (62)	558	15.2 (67)
Columbia	221	9.0 (43)	10.4 (43)	816	5.9 (53)	3.3 (36)	10.4 (17)	333	15.9 (25)	12.6 (27)	550	7.5 (34)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2007 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by County (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Crawford C	70	* *	* *	279	6.8 (63)	1.8 (6)	9.7 (11)	121	18.2 (47)	10.7 (17)	182	8.2 (39)
Dane	1,836	8.8 (38)	8.5 (32)	6,554	5.0 (30)	3.0 (30)	12.8 (45)	2,773	13.5 (8)	12.0 (23)	4,605	10.7 (55)
Dodge	306	8.8 (38)	7.2 (22)	1,178	4.7 (26)	4.2 (58)	8.7 (5)	506	10.5 (2)	8.1 (5)	824	8.0 (37)
Door	94	* *	* *	435	3.2 (6)	1.8 (6)	10.1 (14)	205	22.0 (64)	13.7 (43)	326	4.0 (11)
Douglas Ct	271	5.5 (8)	11.1 (49)	1,123	4.2 (17)	3.7 (43)	11.6 (27)	520	20.0 (56)	12.9 (33)	760	15.4 (68)
Dunn	208	5.3 (5)	12.5 (53)	933	5.8 (49)	4.9 (64)	11.5 (26)	420	17.1 (35)	13.8 (44)	674	1.9 (3)
Eau Claire	547	7.1 (20)	6.4 (8)	2,334	5.8 (49)	2.1 (9)	9.7 (11)	1,034	15.3 (21)	9.1 (7)	1,708	12.1 (62)
Florence	21	* *	* *	109	6.4 (60)	2.8 (24)	10.1 (14)	57	* *	* *	72	* *
Fond du La	481	6.7 (15)	5.8 (5)	1,888	6.0 (57)	4.0 (53)	8.2 (3)	832	14.2 (11)	8.3 (6)	1,380	8.9 (43)
Forest	82	* *	* *	364	7.1 (66)	3.8 (47)	18.4 (70)	179	15.1 (19)	22.9 (66)	251	10.0 (51)
Grant Cty	259	6.9 (17)	6.6 (12)	1,140	4.9 (29)	3.9 (51)	8.5 (4)	522	14.4 (13)	9.6 (10)	823	6.0 (25)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2007 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by County (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low		High	Short Stature (6)		Under- weight (7)	Over- weight (7)	≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Green Cty	157	4.5 (4)	6.4 (8)	640	8.0 (70)	2.8 (24)	16.7 (67)	278	21.2 (61)	23.7 (68)	458	7.4 (33)
Green Lake	89	* *	* *	321	3.4 (7)	3.7 (43)	11.8 (29)	134	14.2 (11)	11.2 (19)	226	11.5 (58)
Iowa Cty	96	* *	* *	327	4.6 (24)	3.4 (38)	11.9 (32)	124	22.6 (66)	12.1 (24)	195	9.7 (49)
Iron Cty	16	* *	* *	84	* *	* *	* *	38	* *	* *	63	* *
Jackson	161	8.7 (35)	10.6 (46)	709	4.1 (14)	3.5 (40)	15.1 (62)	317	21.1 (60)	13.9 (45)	484	8.7 (41)
Jefferson	408	5.4 (7)	9.1 (37)	1,696	3.1 (5)	3.8 (47)	10.7 (20)	716	18.0 (45)	14.5 (51)	1,164	5.1 (20)
Juneau	201	3.5 (1)	10.4 (43)	787	5.7 (47)	1.7 (4)	15.1 (62)	335	17.9 (44)	13.4 (40)	530	6.4 (27)
Kenosha	1,014	9.6 (48)	5.4 (2)	3,817	7.5 (69)	2.4 (17)	14.1 (58)	1,564	15.8 (23)	14.0 (48)	2,600	16.5 (69)
Kewaunee	71	* *	* *	314	3.8 (9)	1.6 (3)	14.3 (59)	147	18.4 (49)	12.9 (33)	234	14.1 (66)
La Crosse	575	5.9 (11)	10.6 (46)	2,229	5.6 (44)	4.5 (61)	11.1 (23)	1,002	18.0 (45)	12.1 (24)	1,584	6.0 (25)
Lafayette	66	* *	* *	243	9.5 (72)	3.3 (36)	10.3 (16)	101	21.8 (62)	16.8 (60)	157	10.2 (53)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2007 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by County (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Langlade C	121	5.8 (10)	6.6 (12)	448	5.8 (49)	2.5 (20)	11.8 (29)	191	19.9 (55)	12.6 (27)	313	12.1 (62)
Lincoln Ct	116	11.2 (53)	6.0 (7)	411	6.1 (58)	1.5 (2)	13.6 (55)	188	17.6 (40)	15.4 (54)	286	2.1 (4)
Manitowoc	383	6.8 (16)	7.6 (24)	1,538	5.2 (38)	2.9 (28)	12.0 (35)	684	19.3 (53)	14.0 (48)	1,080	11.6 (60)
Marathon C	651	7.5 (23)	6.6 (12)	2,504	8.7 (71)	1.7 (4)	12.6 (42)	1,047	20.1 (57)	13.9 (45)	1,772	3.3 (7)
Marinette	224	8.9 (41)	9.4 (38)	1,022	4.2 (17)	3.8 (47)	9.5 (10)	462	8.4 (1)	8.0 (4)	758	4.9 (18)
Marquette	57	* *	* *	215	4.2 (17)	5.6 (71)	12.6 (42)	92	* *	* *	147	12.9 (65)
Menominee	130	7.7 (27)	13.1 (55)	533	1.5 (1)	2.1 (9)	19.5 (71)	251	22.3 (65)	19.1 (64)	403	2.7 (6)
Milwaukee	9,443	10.4 (52)	5.8 (5)	35,517	5.7 (47)	4.4 (59)	12.2 (39)	15,276	15.6 (22)	13.6 (42)	24,877	18.2 (70)
Monroe	274	6.6 (12)	8.0 (26)	1,061	5.6 (44)	2.2 (12)	14.6 (60)	437	14.4 (13)	12.1 (24)	729	6.7 (30)
Oconto	152	6.6 (12)	8.6 (33)	574	5.4 (42)	4.7 (62)	16.2 (66)	231	15.2 (20)	20.3 (65)	402	7.5 (34)
Oneida	155	7.7 (27)	7.1 (19)	577	4.0 (12)	4.9 (64)	7.8 (1)	237	14.8 (16)	6.8 (3)	387	5.4 (23)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2007 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by County (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Outagamie	610	8.7 (35)	6.6 (12)	2,467	5.0 (30)	5.0 (67)	10.7 (20)	1,115	17.8 (42)	13.9 (45)	1,659	9.2 (45)
Ozaukee	111	3.6 (2)	8.1 (28)	445	5.6 (44)	2.5 (20)	12.6 (42)	181	13.3 (7)	9.9 (12)	309	7.8 (36)
Pepin	27	* *	* *	123	4.1 (14)	4.9 (64)	8.9 (8)	50	* *	* *	91	* *
Pierce	162	4.3 (3)	12.3 (52)	696	6.2 (59)	1.9 (8)	12.1 (38)	315	21.0 (59)	10.2 (13)	514	10.7 (55)
Polk	215	7.4 (22)	9.8 (40)	827	4.2 (17)	3.7 (43)	9.2 (9)	344	11.6 (4)	10.5 (15)	590	8.1 (38)
Portage	288	7.6 (26)	11.8 (51)	1,130	5.8 (49)	3.1 (33)	10.0 (13)	467	15.8 (23)	9.4 (9)	763	4.7 (16)
Price	96	* *	* *	458	2.8 (3)	3.5 (40)	11.8 (29)	210	16.2 (29)	13.3 (37)	338	3.6 (8)
Racine Cou	1,332	10.1 (51)	6.9 (17)	4,951	5.0 (30)	2.9 (28)	12.4 (40)	2,092	17.7 (41)	12.7 (30)	3,441	11.5 (58)
Richland C	73	* *	* *	320	5.0 (30)	2.8 (24)	13.4 (53)	143	25.2 (68)	16.8 (60)	225	8.4 (40)
Rock	1,054	8.5 (33)	8.4 (30)	3,882	5.0 (30)	4.0 (53)	12.8 (45)	1,569	15.0 (18)	13.3 (37)	2,644	10.1 (52)
Rusk	115	8.7 (35)	10.4 (43)	437	4.1 (14)	1.1 (1)	16.0 (65)	195	15.9 (25)	15.9 (57)	306	4.9 (18)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2007 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by County (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Sauk	332	7.2 (21)	11.1 (49)	1,350	7.1 (66)	2.1 (9)	17.6 (69)	573	17.3 (37)	23.4 (67)	926	6.7 (30)
Sawyer	140	5.7 (9)	8.6 (33)	605	4.8 (27)	2.6 (22)	13.9 (57)	259	19.7 (54)	15.8 (56)	431	7.0 (32)
Shawano	221	7.7 (27)	7.7 (25)	905	5.2 (38)	2.3 (15)	11.9 (32)	413	17.4 (38)	10.2 (13)	672	5.1 (20)
Sheboygan	546	7.5 (23)	6.8 (16)	2,129	5.9 (53)	5.5 (70)	12.5 (41)	932	16.2 (29)	13.3 (37)	1,545	4.1 (12)
St. Croix	283	8.5 (33)	10.2 (42)	1,087	5.2 (38)	3.2 (34)	11.9 (32)	456	18.2 (47)	12.7 (30)	731	3.6 (8)
Taylor	124	8.9 (41)	8.1 (28)	431	4.2 (17)	6.3 (72)	10.7 (20)	195	11.8 (5)	9.2 (8)	304	3.6 (8)
Trempealea	196	6.6 (12)	8.7 (35)	729	3.6 (8)	4.4 (59)	13.6 (55)	311	20.6 (58)	14.1 (50)	509	8.8 (42)
Vernon	148	8.8 (38)	14.2 (56)	634	5.0 (30)	2.2 (12)	14.7 (61)	296	16.2 (29)	16.6 (59)	454	5.9 (24)
Vilas	131	5.3 (5)	10.7 (48)	483	3.9 (11)	2.3 (15)	17.0 (68)	194	18.6 (50)	18.0 (63)	316	0.0 (1)
Walworth	469	7.0 (19)	9.8 (40)	1,880	4.4 (23)	2.6 (22)	11.7 (28)	766	14.6 (15)	14.5 (51)	1,256	6.5 (28)
Washburn	107	7.5 (23)	5.6 (4)	439	4.6 (24)	5.2 (69)	8.7 (5)	191	11.5 (3)	5.2 (1)	323	4.3 (14)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2007 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by County (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Washington	376	9.0 (43)	7.4 (23)	1,343	6.4 (60)	4.1 (57)	12.0 (35)	558	16.8 (33)	11.3 (20)	914	9.0 (44)
Waukesha	641	9.5 (47)	8.0 (26)	2,331	4.8 (27)	2.4 (17)	13.2 (48)	883	16.0 (27)	13.0 (35)	1,395	6.5 (28)
Waupaca	233	12.0 (56)	9.4 (38)	819	7.0 (65)	4.0 (53)	13.3 (50)	337	13.9 (10)	9.8 (11)	536	4.7 (16)
Waushara C	125	11.2 (53)	4.8 (1)	448	4.0 (12)	3.8 (47)	12.9 (47)	190	18.9 (52)	16.3 (58)	303	10.9 (57)
Winnebago	651	9.4 (46)	7.1 (19)	2,468	5.0 (30)	3.0 (30)	13.5 (54)	1,016	17.2 (36)	13.4 (40)	1,719	12.8 (64)
Wood	379	6.9 (17)	7.1 (19)	1,370	5.9 (53)	3.2 (34)	11.1 (23)	553	17.4 (38)	11.4 (21)	936	10.6 (54)
Unknown Counties	26	* *	* *	137	2.2 (2)	2.2 (12)	25.5 (72)	62	* *	* *	114	9.6 (48)
Wisconsin	31,162	8.7	7.5	120,071	5.4	3.7	12.2	51,636	16.1	13.1	84,006	11.3
Nation (Prior Year)	1,842,970	9.2	6.6	7,192,043	6.4	4.7	13.8	2,945,212	16.4	14.8	4,521,591	14.0

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7B
2007 Pediatric Nutrition Surveillance (1)
Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Adams Cty	108	64.8 (29)	62	* *	67	* *	45	* *	60	* *	236	83.9 (31)	472	29.4 (72)
Ashland	143	59.4 (42)	66	* *	100	17.0 (2)	51	* *	65	* *	347	86.5 (23)	652	10.9 (44)
Barron	266	67.7 (20)	137	26.3 (18)	159	10.1 (29)	103	20.4 (9)	132	6.1 (17)	466	78.5 (61)	1,051	7.9 (16)
Bayfield C	75	* *	42	* *	49	* *	27	* *	38	* *	184	89.7 (7)	348	9.5 (31)
Brown	1,625	62.1 (34)	652	23.3 (28)	995	11.8 (20)	472	11.9 (20)	596	4.5 (25)	3,044	78.6 (60)	6,267	8.6 (22)
Buffalo	65	* *	26	* *	41	* *	27	* *	25	* *	120	88.3 (12)	257	7.4 (13)
Burnett	73	* *	62	* *	71	* *	41	* *	58	* *	185	93.5 (1)	381	17.8 (68)
Calumet	141	59.6 (41)	81	* *	101	9.9 (31)	55	* *	75	* *	295	81.7 (46)	613	8.2 (19)
Chippewa	328	71.6 (11)	159	22.0 (31)	218	6.4 (42)	98	* *	150	5.3 (18)	640	88.3 (12)	1,355	11.0 (45)
Clark	171	72.5 (9)	84	* *	126	7.1 (41)	63	* *	80	* *	377	82.5 (39)	785	11.7 (50)
Columbia	220	65.5 (27)	102	31.4 (8)	117	16.2 (5)	80	* *	87	* *	363	84.3 (28)	833	9.0 (26)
Crawford C	69	* *	32	* *	39	* *	33	* *	30	* *	131	84.0 (30)	280	12.5 (55)
Dane	1,840	74.3 (7)	775	42.2 (1)	1,066	23.2 (1)	585	17.3 (14)	669	10.0 (9)	2,983	83.9 (31)	6,603	7.3 (12)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2007 Pediatric Nutrition Surveillance (1)
Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Dodge	308	77.3 (2)	122	32.0 (5)	166	13.9 (11)	132	23.5 (5)	118	10.2 (7)	538	88.8 (10)	1,201	5.7 (4)
Door	94	* *	39	* *	62	* *	31	* *	39	* *	221	82.4 (40)	433	10.2 (38)
Douglas Ct	271	70.1 (15)	130	31.5 (7)	184	14.7 (9)	110	36.4 (1)	127	16.5 (1)	551	91.3 (4)	1,125	9.1 (28)
Dunn	209	61.7 (35)	107	29.0 (15)	137	10.9 (24)	68	* *	101	10.9 (6)	450	80.4 (52)	934	7.5 (14)
Eau Claire	546	70.5 (14)	279	24.7 (22)	385	10.4 (27)	202	14.9 (15)	261	8.0 (13)	1,132	88.3 (12)	2,367	6.8 (9)
Florence	22	* *	10	* *	15	* *	9	* *	7	* *	63	* *	111	9.0 (26)
Fond du La	481	65.1 (28)	209	29.7 (11)	314	11.5 (22)	182	29.1 (2)	202	7.4 (14)	908	87.7 (17)	1,918	9.9 (37)
Forest	79	* *	34	* *	51	* *	21	* *	29	* *	195	80.0 (54)	367	18.3 (69)
Grant Cty	259	66.8 (23)	151	29.1 (14)	182	12.6 (15)	70	* *	102	13.7 (2)	561	90.0 (6)	1,148	8.9 (24)
Green Cty	155	58.7 (45)	76	* *	117	14.5 (10)	60	* *	75	* *	300	88.0 (15)	641	14.0 (62)
Green Lake	91	* *	32	* *	47	* *	16	* *	18	* *	149	75.2 (67)	328	11.6 (49)
Iowa Cty	96	* *	35	* *	38	* *	34	* *	33	* *	131	88.5 (11)	332	9.3 (30)
Iron Cty	17	* *	13	* *	10	* *	10	* *	12	* *	41	* *	86	* *

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2007 Pediatric Nutrition Surveillance (1)
Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Jackson	161	73.9 (8)	65	* *	106	10.4 (27)	50	* *	57	* *	346	86.7 (22)	718	14.9 (65)
Jefferson	410	68.8 (19)	230	27.0 (16)	244	13.1 (13)	159	7.5 (24)	212	3.3 (29)	773	89.3 (8)	1,690	9.6 (34)
Juneau	201	70.1 (15)	85	* *	118	11.9 (19)	62	* *	81	* *	363	86.8 (21)	774	18.5 (70)
Kenosha	1,009	59.0 (44)	409	22.5 (30)	640	7.5 (38)	269	8.9 (23)	382	3.9 (26)	1,675	81.2 (48)	3,874	12.2 (54)
Kewaunee	71	* *	29	* *	47	* *	8	* *	16	* *	157	65.6 (69)	319	8.2 (19)
La Crosse	572	71.3 (13)	289	26.3 (18)	321	9.3 (34)	202	14.9 (15)	248	4.8 (21)	1,063	87.8 (16)	2,297	4.7 (1)
Lafayette	64	* *	27	* *	27	* *	14	* *	24	* *	107	84.1 (29)	244	10.7 (43)
Langlade C	121	54.5 (51)	52	* *	72	* *	33	* *	45	* *	208	79.3 (58)	453	11.9 (52)
Lincoln Ct	117	67.5 (21)	32	* *	59	* *	25	* *	27	* *	197	83.8 (33)	422	14.5 (64)
Manitowoc	380	56.3 (49)	159	25.2 (21)	220	12.3 (17)	117	17.9 (12)	151	8.6 (12)	754	80.9 (50)	1,550	10.2 (38)
Marathon C	656	57.6 (47)	303	18.5 (32)	375	8.0 (37)	180	13.9 (18)	276	5.1 (20)	1,144	80.0 (54)	2,542	7.8 (15)
Marinette	225	48.4 (55)	110	16.4 (33)	171	8.8 (36)	68	* *	103	3.9 (26)	497	87.3 (19)	1,040	13.1 (59)
Marquette	59	* *	19	* *	24	* *	13	* *	10	* *	102	79.4 (57)	219	12.8 (57)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2007 Pediatric Nutrition Surveillance (1)
Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Menominee	128	67.2 (22)	52	* *	98	* *	28	* *	47	* *	272	92.3 (3)	532	9.8 (36)
Milwaukee	9,433	60.3 (38)	3,852	25.4 (20)	5,871	12.3 (17)	2,537	11.5 (22)	3,564	3.7 (28)	16,565	78.3 (62)	35,975	13.5 (60)
Monroe	279	64.2 (30)	119	23.5 (27)	165	11.5 (22)	93	* *	102	2.0 (30)	467	79.9 (56)	1,074	11.5 (47)
Oconto	152	50.0 (53)	56	* *	79	* *	42	* *	54	* *	255	83.5 (34)	583	14.4 (63)
Oneida	154	61.7 (35)	61	* *	77	* *	51	* *	59	* *	248	93.5 (1)	580	9.1 (28)
Outagamie	618	59.9 (40)	288	26.7 (17)	408	12.5 (16)	217	20.3 (10)	286	10.1 (8)	1,180	82.3 (41)	2,526	6.2 (6)
Ozaukee	110	69.1 (18)	64	* *	78	* *	43	* *	63	* *	194	81.4 (47)	444	5.4 (3)
Pepin	27	* *	10	* *	19	* *	8	* *	9	* *	53	* *	123	11.4 (46)
Pierce	163	65.6 (26)	82	* *	106	7.5 (38)	62	* *	78	* *	339	90.9 (5)	702	13.0 (58)
Polk	216	76.9 (4)	104	29.8 (10)	138	9.4 (33)	67	* *	92	* *	371	76.5 (65)	848	10.6 (42)
Portage	289	71.6 (11)	138	29.7 (11)	149	12.8 (14)	122	23.8 (4)	125	6.4 (16)	511	87.1 (20)	1,141	6.7 (8)
Price	96	* *	47	* *	57	* *	24	* *	41	* *	239	74.5 (68)	464	9.5 (31)
Racine Cou	1,326	58.1 (46)	561	24.1 (25)	734	10.8 (25)	412	12.4 (19)	539	4.6 (23)	2,254	77.9 (63)	4,983	10.5 (40)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2007 Pediatric Nutrition Surveillance (1)
Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Richland C	73	* *	45	* *	54	* *	37	* *	44	* *	154	81.8 (44)	322	8.7 (23)
Rock	1,060	48.3 (56)	429	23.3 (28)	630	11.6 (21)	312	11.9 (20)	388	4.6 (23)	1,685	83.0 (37)	3,853	10.5 (40)
Rusk	115	54.8 (50)	45	* *	54	* *	26	* *	39	* *	214	86.4 (25)	444	11.5 (47)
Sauk	334	75.1 (6)	182	33.0 (4)	206	13.6 (12)	161	27.3 (3)	173	11.6 (5)	608	82.1 (42)	1,364	24.6 (71)
Sawyer	139	56.8 (48)	66	* *	99	* *	55	* *	65	* *	281	87.5 (18)	602	9.5 (31)
Shawano	220	66.4 (24)	103	24.3 (23)	137	7.3 (40)	70	* *	94	* *	453	83.2 (35)	919	12.6 (56)
Sheboygan	545	63.5 (32)	229	33.2 (3)	365	16.2 (5)	168	14.3 (17)	209	4.8 (21)	1,007	81.0 (49)	2,171	8.9 (24)
St. Croix	286	71.7 (10)	137	29.9 (9)	152	16.4 (4)	112	22.3 (8)	131	12.2 (3)	485	77.7 (64)	1,091	8.2 (19)
Taylor	124	69.4 (17)	50	* *	41	* *	36	* *	45	* *	205	82.0 (43)	441	15.6 (66)
Trempealea	197	76.6 (5)	91	* *	112	17.0 (2)	61	* *	82	* *	342	88.9 (9)	732	6.1 (5)
Vernon	146	78.8 (1)	71	* *	88	* *	58	* *	63	* *	319	80.3 (53)	638	7.2 (11)
Vilas	130	50.8 (52)	71	* *	90	* *	50	* *	70	* *	216	80.6 (51)	496	11.9 (52)
Walworth	469	77.0 (3)	247	31.6 (6)	269	15.2 (7)	194	23.2 (6)	234	7.3 (15)	828	83.1 (36)	1,906	6.5 (7)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2007 Pediatric Nutrition Surveillance (1)
Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)		Exclusive Breastfeeding (6)		≤2 Hours TV Viewing/Day (7)		Smoking in Household							
	Number (Rank)	% Ever Breastfed (Rank)	Number (Rank)	% Breastfed At Least 6 Months (Rank)	Number (Rank)	% Breastfed At Least 12 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)				
Washburn	107	61.7 (35)	42	* *	72	* *	36	* *	38	* *	211	79.1 (59)	448	5.1 (2)
Washington	374	63.6 (31)	158	29.7 (11)	214	10.7 (26)	126	23.0 (7)	152	9.9 (10)	599	86.1 (26)	1,348	7.0 (10)
Waukesha	640	66.3 (25)	285	35.8 (2)	335	14.9 (8)	229	19.7 (11)	279	11.8 (4)	948	81.8 (44)	2,347	7.9 (16)
Waupaca	234	60.3 (38)	86	* *	122	9.8 (32)	55	* *	75	* *	360	85.6 (27)	817	15.9 (67)
Waushara C	128	49.2 (54)	43	* *	55	* *	23	* *	22	* *	203	75.4 (66)	447	8.1 (18)
Winnebago	660	63.5 (32)	302	24.2 (24)	343	9.0 (35)	235	17.4 (13)	283	5.3 (18)	1,078	86.5 (23)	2,444	9.6 (34)
Wood	380	59.2 (43)	156	23.7 (26)	230	10.0 (30)	99	* *	143	9.8 (11)	595	82.9 (38)	1,367	11.7 (50)
Unknown Counties	21	* *	18	* *	24	* *	12	* *	18	* *	73	* *	138	13.8 (61)
Wisconsin	31,171	63.2	13,616	26.6	18,952	12.3	9,686	16.3	12,527	6.2	55,809	81.8	121,340	10.9
Nation (Prior Year)	1,577,832	60.1	790,341	25.2	875,205	18.1	104,492	10.3	143,261	5.6	584,732	73.3	2,855,911	10.6

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2005 - 2007 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by County (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Adams Cty	383	10.7 (69)	6.0 (2)	1,569	5.8 (47)	2.9 (21)	14.3 (60)	686	17.5 (46)	14.4 (51)	1,110	8.1 (36)
Ashland	453	6.2 (8)	12.6 (67)	2,013	5.6 (40)	4.7 (57)	11.5 (24)	977	12.5 (6)	11.8 (23)	1,505	6.2 (25)
Barron	786	8.4 (47)	9.4 (49)	3,120	5.8 (47)	2.4 (10)	12.1 (33)	1,333	17.1 (41)	14.0 (48)	2,166	6.9 (32)
Bayfield C	217	6.5 (11)	12.4 (65)	1,009	5.1 (25)	6.4 (71)	12.1 (33)	507	19.3 (63)	12.6 (30)	741	4.7 (12)
Brown	4,501	7.9 (36)	9.0 (42)	17,978	4.7 (19)	4.8 (59)	12.1 (33)	8,346	14.4 (13)	12.9 (36)	13,081	6.3 (28)
Buffalo	207	6.8 (16)	8.7 (37)	844	4.1 (9)	3.9 (47)	10.3 (12)	376	17.6 (48)	15.2 (58)	578	9.0 (45)
Burnett	278	10.8 (70)	7.6 (20)	1,130	6.0 (55)	4.4 (55)	8.5 (3)	538	13.9 (9)	7.8 (2)	792	2.1 (1)
Calumet	413	9.9 (64)	7.7 (22)	1,776	5.9 (51)	3.1 (28)	12.5 (39)	821	17.5 (46)	15.7 (61)	1,323	4.8 (14)
Chippewa	969	7.3 (26)	8.0 (27)	4,025	5.2 (26)	3.8 (44)	9.9 (7)	1,841	14.8 (18)	10.5 (12)	2,905	5.8 (22)
Clark	536	8.4 (47)	8.4 (33)	2,198	5.3 (32)	3.3 (36)	15.2 (65)	957	16.6 (33)	19.6 (70)	1,543	13.0 (66)
Columbia	605	8.6 (50)	10.9 (61)	2,342	5.8 (47)	3.2 (33)	12.0 (30)	1,014	16.1 (28)	14.9 (54)	1,602	7.1 (34)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2005 - 2007 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by County (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low		High	Short Stature (6)		Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)		(8)	
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Crawford C	306	7.5 (29)	9.2 (44)	1,124	6.5 (68)	2.8 (16)	11.7 (25)	470	17.0 (38)	12.6 (30)	762	10.5 (58)
Dane	5,245	8.3 (44)	8.4 (33)	19,318	5.2 (26)	2.8 (16)	13.0 (47)	8,257	14.2 (10)	11.8 (23)	13,646	10.7 (59)
Dodge	937	9.0 (56)	6.7 (8)	3,670	4.5 (16)	4.9 (62)	9.1 (5)	1,628	10.5 (3)	9.1 (8)	2,635	6.4 (31)
Door	304	5.6 (5)	7.6 (20)	1,306	3.8 (6)	3.7 (42)	10.6 (13)	619	19.9 (65)	14.2 (49)	943	4.0 (8)
Douglas Ct	767	5.3 (3)	9.8 (52)	3,418	4.4 (12)	4.7 (57)	11.4 (21)	1,614	19.0 (61)	13.3 (42)	2,374	13.0 (66)
Dunn	666	6.9 (20)	9.3 (46)	2,773	5.9 (51)	4.3 (53)	12.0 (30)	1,282	16.6 (33)	13.7 (47)	1,955	4.2 (10)
Eau Claire	1,568	6.8 (16)	7.7 (22)	6,498	6.0 (55)	2.0 (6)	10.8 (14)	2,908	15.1 (20)	11.3 (18)	4,722	13.5 (69)
Florence	62	* *	* *	341	6.2 (61)	1.8 (3)	11.1 (16)	182	14.3 (12)	9.9 (9)	248	11.7 (62)
Fond du La	1,356	8.3 (44)	6.2 (3)	5,443	6.2 (61)	3.2 (33)	8.4 (2)	2,463	14.7 (16)	8.4 (4)	3,906	8.3 (37)
Forest	255	8.2 (37)	7.5 (17)	1,074	5.4 (34)	3.4 (38)	16.5 (68)	522	17.2 (44)	17.0 (64)	771	10.4 (55)
Grant Cty	765	6.5 (11)	9.8 (52)	3,409	4.1 (9)	4.8 (59)	9.8 (6)	1,551	15.6 (22)	12.5 (27)	2,464	5.0 (17)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2005 - 2007 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators by County ^(3,4)												
County	Birthweight ⁽⁵⁾			Height and Weight						Anemia Low Hb/Hct ⁽⁸⁾		
	Low	High		Short Stature ⁽⁶⁾	Under- weight ⁽⁷⁾	Over- weight ⁽⁷⁾		≥ 2 Yrs Over- weight ⁽⁷⁾				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Green Cty	494	7.7 (35)	8.9 (41)	1,865	8.0 (72)	2.8 (16)	17.5 (71)	752	21.3 (69)	23.1 (73)	1,257	8.4 (38)
Green Lake	252	7.5 (29)	9.9 (56)	994	4.5 (16)	4.6 (56)	12.3 (37)	416	14.7 (16)	10.8 (15)	696	12.4 (64)
Iowa Cty	259	6.6 (14)	8.1 (28)	941	5.2 (26)	3.1 (28)	15.4 (66)	369	20.9 (68)	17.6 (66)	610	8.7 (42)
Iron Cty	56	* *	* *	280	6.4 (66)	4.3 (53)	18.2 (72)	138	18.8 (59)	13.0 (37)	206	8.7 (42)
Jackson	457	7.0 (21)	12.7 (68)	2,023	4.4 (12)	3.1 (28)	14.2 (58)	943	20.8 (67)	14.4 (51)	1,422	10.1 (53)
Jefferson	1,211	5.5 (4)	8.2 (29)	5,001	3.4 (4)	3.8 (44)	11.3 (19)	2,137	16.9 (36)	15.3 (60)	3,479	5.6 (19)
Juneau	523	6.5 (11)	9.2 (44)	2,168	5.4 (34)	3.0 (24)	13.3 (53)	1,004	18.4 (58)	11.2 (17)	1,496	7.1 (34)
Kenosha	3,027	9.3 (60)	6.4 (7)	11,139	7.8 (71)	2.4 (10)	15.1 (64)	4,772	17.0 (38)	15.2 (58)	7,646	17.7 (73)
Kewaunee	194	8.2 (37)	9.3 (46)	919	5.2 (26)	1.0 (1)	14.8 (62)	428	19.6 (64)	15.0 (55)	676	9.9 (52)
La Crosse	1,660	7.1 (22)	9.7 (51)	6,550	6.4 (66)	4.2 (51)	11.1 (16)	2,949	18.0 (50)	13.4 (45)	4,683	9.2 (48)
Lafayette	165	10.3 (68)	7.3 (11)	639	5.6 (40)	3.8 (44)	11.4 (21)	255	22.7 (71)	13.3 (42)	435	11.0 (60)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2005 - 2007 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by County (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Langlade C	358	9.5 (62)	9.8 (52)	1,368	5.5 (38)	2.3 (8)	11.3 (19)	587	16.0 (26)	10.1 (10)	985	4.9 (16)
Lincoln Ct	328	8.2 (37)	11.6 (64)	1,285	6.1 (58)	1.9 (4)	13.5 (56)	590	16.8 (35)	13.2 (41)	904	2.1 (1)
Manitowoc	1,082	7.2 (25)	7.5 (17)	4,429	5.7 (44)	2.5 (13)	12.9 (44)	1,998	19.2 (62)	14.7 (53)	3,124	14.2 (71)
Marathon C	1,783	7.6 (32)	6.2 (3)	7,081	8.7 (73)	1.9 (4)	13.0 (47)	3,076	18.1 (51)	13.1 (39)	5,059	3.2 (5)
Marinette	676	7.4 (28)	9.8 (52)	3,037	5.4 (34)	3.7 (42)	10.2 (11)	1,406	9.5 (1)	8.5 (5)	2,210	2.9 (4)
Marquette	144	4.2 (2)	8.3 (30)	581	2.9 (2)	7.4 (73)	10.0 (8)	256	9.8 (2)	8.2 (3)	403	13.2 (68)
Menominee	388	8.2 (37)	12.4 (65)	1,557	1.9 (1)	1.7 (2)	20.6 (73)	755	22.6 (70)	20.1 (71)	1,147	2.6 (3)
Milwaukee	27,517	10.1 (67)	6.2 (3)	104,414	5.6 (40)	5.0 (64)	11.9 (27)	46,101	16.0 (26)	13.1 (39)	73,046	17.6 (72)
Monroe	743	7.3 (26)	9.0 (42)	2,845	6.5 (68)	2.6 (14)	14.8 (62)	1,194	15.0 (19)	12.6 (30)	1,925	5.1 (18)
Oconto	445	9.7 (63)	7.2 (10)	1,706	6.1 (58)	4.2 (51)	17.1 (70)	746	17.8 (49)	18.0 (68)	1,186	9.0 (45)
Oneida	460	10.0 (66)	6.3 (6)	1,702	4.0 (8)	4.9 (62)	7.6 (1)	710	17.0 (38)	7.7 (1)	1,149	5.7 (21)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2005 - 2007 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by County (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Outagamie	1,825	8.4 (47)	7.3 (11)	7,161	6.0 (55)	5.0 (64)	12.0 (30)	3,295	18.3 (54)	15.0 (55)	4,924	8.6 (40)
Ozaukee	347	5.8 (7)	8.6 (36)	1,339	5.7 (44)	4.0 (48)	13.0 (47)	558	13.3 (7)	10.9 (16)	935	8.8 (44)
Pepin	59	* *	* *	281	5.0 (22)	6.0 (67)	12.5 (39)	135	25.2 (73)	17.8 (67)	208	9.1 (47)
Pierce	454	6.4 (9)	8.8 (38)	2,012	6.1 (58)	2.7 (15)	12.6 (42)	933	18.3 (54)	11.7 (22)	1,468	11.7 (62)
Polk	663	8.3 (44)	6.8 (9)	2,471	4.9 (20)	4.0 (48)	8.7 (4)	1,035	14.5 (14)	8.9 (6)	1,677	9.6 (51)
Portage	830	6.6 (14)	10.5 (58)	3,347	6.3 (65)	3.2 (33)	10.9 (15)	1,438	16.1 (28)	11.6 (20)	2,311	6.0 (23)
Price	259	3.9 (1)	8.5 (35)	1,329	3.2 (3)	3.3 (36)	11.9 (27)	663	14.6 (15)	11.6 (20)	1,012	3.6 (7)
Racine Cou	3,771	9.0 (56)	7.5 (17)	14,024	5.6 (40)	3.0 (24)	13.1 (51)	6,109	17.1 (41)	13.6 (46)	9,740	11.4 (61)
Richland C	211	7.1 (22)	12.8 (69)	878	4.9 (20)	2.8 (16)	12.4 (38)	388	24.2 (72)	14.2 (49)	603	10.3 (54)
Rock	3,078	9.4 (61)	8.8 (38)	11,009	5.5 (38)	4.0 (48)	12.5 (39)	4,527	15.3 (21)	12.7 (34)	7,435	9.2 (48)
Rusk	298	9.1 (58)	11.1 (62)	1,334	4.6 (18)	2.0 (6)	13.3 (53)	649	16.9 (36)	13.3 (42)	989	4.8 (14)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2005 - 2007 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators by County ^(3,4)												
County	Birthweight ⁽⁵⁾			Height and Weight						Anemia Low Hb/Hct ⁽⁸⁾		
	Low	High		Short Stature ⁽⁶⁾	Under- weight ⁽⁷⁾	Over- weight ⁽⁷⁾		≥ 2 Yrs Over- weight ⁽⁷⁾			Anemia Low Hb/Hct ⁽⁸⁾	
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Sauk	887	6.8 (16)	10.7 (60)	3,718	6.2 (61)	2.4 (10)	14.3 (60)	1,623	18.2 (53)	17.4 (65)	2,566	8.6 (40)
Sawyer	407	6.4 (9)	11.3 (63)	1,742	4.4 (12)	3.4 (38)	12.2 (36)	777	18.3 (54)	12.7 (34)	1,260	6.3 (28)
Shawano	649	8.2 (37)	7.7 (22)	2,646	4.4 (12)	3.0 (24)	12.7 (43)	1,211	14.2 (10)	10.2 (11)	1,911	6.2 (25)
Sheboygan	1,636	7.1 (22)	7.3 (11)	6,126	5.8 (47)	6.1 (69)	11.2 (18)	2,697	17.3 (45)	12.6 (30)	4,340	6.0 (23)
St. Croix	789	8.2 (37)	10.5 (58)	3,001	6.2 (61)	2.8 (16)	11.9 (27)	1,269	17.1 (41)	11.8 (23)	2,060	4.1 (9)
Taylor	315	5.7 (6)	8.3 (30)	1,276	3.8 (6)	6.1 (69)	10.0 (8)	595	10.8 (4)	10.6 (13)	912	4.3 (11)
Trempealea	526	6.8 (16)	10.3 (57)	2,089	4.3 (11)	6.0 (67)	13.1 (51)	943	18.1 (51)	12.5 (27)	1,476	10.4 (55)
Vernon	420	8.8 (53)	13.6 (70)	1,890	5.9 (51)	3.1 (28)	14.2 (58)	867	16.5 (32)	15.9 (62)	1,330	5.6 (19)
Vilas	367	7.6 (32)	9.3 (46)	1,363	3.5 (5)	2.3 (8)	16.9 (69)	575	20.7 (66)	18.6 (69)	889	4.7 (12)
Walworth	1,406	7.6 (32)	8.3 (30)	5,468	5.2 (26)	2.9 (21)	12.9 (44)	2,279	16.4 (31)	15.9 (62)	3,679	6.9 (32)
Washburn	299	8.7 (51)	7.4 (14)	1,229	5.4 (34)	5.9 (66)	10.1 (10)	564	11.7 (5)	9.0 (7)	855	3.2 (5)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2005 - 2007 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by County (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Washington	1,060	9.2 (59)	7.4 (14)	3,819	5.9 (51)	4.8 (59)	11.4 (21)	1,625	15.8 (23)	10.7 (14)	2,660	9.5 (50)
Waukesha	1,921	8.2 (37)	7.8 (26)	7,007	5.0 (22)	2.9 (21)	12.9 (44)	2,801	16.3 (30)	13.0 (37)	4,509	6.2 (25)
Waupaca	636	9.9 (64)	7.7 (22)	2,365	5.0 (22)	3.6 (40)	13.4 (55)	1,022	13.4 (8)	11.4 (19)	1,572	6.3 (28)
Waushara C	318	8.8 (53)	5.3 (1)	1,241	5.2 (26)	3.6 (40)	13.0 (47)	556	18.3 (54)	15.1 (57)	858	10.4 (55)
Winnebago	1,863	8.9 (55)	7.4 (14)	7,278	5.3 (32)	3.1 (28)	13.8 (57)	3,086	15.8 (23)	12.5 (27)	5,119	13.9 (70)
Wood	1,111	7.5 (29)	8.8 (38)	4,128	5.7 (44)	3.0 (24)	11.8 (26)	1,770	15.9 (25)	11.9 (26)	2,840	8.5 (39)
Unknown Counties	446	8.7 (51)	9.6 (50)	899	6.5 (68)	6.5 (72)	16.1 (67)	249	18.9 (60)	22.5 (72)	434	12.7 (65)
Wisconsin	90,652	8.6	7.7	351,372	5.6	4.0	12.3	154,713	16.2	13.0	246,088	11.3

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7B
2005 - 2007 Pediatric Nutrition Surveillance (1)
Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Adams Cty	364	64.0 (38)	283	18.0 (63)	279	12.5 (40)	224	13.8 (42)	227	4.8 (53)	554	83.6 (32)	818	32.9 (72)
Ashland	468	61.3 (49)	340	30.3 (5)	340	20.0 (4)	252	25.0 (3)	254	18.1 (1)	819	85.2 (21)	1,030	18.7 (33)
Barron	869	64.9 (36)	574	20.2 (52)	545	11.2 (54)	447	15.7 (36)	418	5.7 (45)	1,088	80.5 (48)	1,737	16.4 (21)
Bayfield C	240	72.5 (10)	182	35.7 (2)	186	20.4 (3)	124	31.5 (1)	125	12.8 (2)	406	84.0 (29)	538	19.3 (38)
Brown	4,867	61.6 (45)	3,068	23.3 (37)	3,270	14.4 (25)	2,298	9.2 (58)	2,224	4.2 (57)	6,777	77.7 (64)	9,895	15.0 (12)
Buffalo	201	75.1 (2)	133	30.1 (7)	131	18.3 (8)	92	* *	88	* *	286	85.0 (22)	465	13.1 (4)
Burnett	300	74.7 (6)	216	22.7 (39)	190	12.6 (38)	174	24.1 (6)	163	12.3 (4)	432	93.1 (2)	621	24.0 (61)
Calumet	481	60.5 (51)	316	19.3 (57)	333	11.7 (49)	251	12.0 (50)	244	7.4 (29)	659	81.2 (47)	1,003	15.4 (17)
Chippewa	1,047	68.6 (21)	696	20.0 (53)	677	10.0 (63)	499	14.0 (40)	506	7.5 (26)	1,439	86.9 (12)	2,172	19.3 (38)
Clark	575	68.7 (19)	390	21.8 (45)	406	12.3 (43)	339	17.7 (23)	328	6.4 (40)	799	82.7 (38)	1,174	17.0 (26)
Columbia	681	68.7 (19)	414	26.1 (22)	405	13.6 (31)	286	22.0 (11)	269	10.4 (12)	834	82.1 (44)	1,354	20.2 (46)
Crawford C	289	66.4 (30)	189	24.3 (30)	178	19.7 (5)	140	21.4 (12)	138	5.8 (44)	397	83.1 (35)	627	20.9 (50)
Dane	5,807	72.8 (8)	3,646	38.4 (1)	3,624	22.3 (2)	2,675	16.5 (30)	2,533	10.9 (10)	6,725	83.3 (34)	11,115	13.7 (7)

(1) Reporting period is January 1 through December 31.
(2) TV Viewing and Smoking in Household data are not reported by all contributors.
(3) Analyses based on one record per child.
(4) Excludes records with unknown data or errors.
(5) Rank compares this county's rate to other counties. Rank 1 = best rate.
Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
(7) Children ages 2 years and older included in the analyses.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2005 - 2007 Pediatric Nutrition Surveillance (1)
Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Dodge	1,033	74.8 (5)	646	28.0 (12)	622	16.6 (11)	532	22.6 (10)	475	11.4 (8)	1,267	87.0 (11)	2,157	19.0 (35)
Door	323	71.2 (14)	216	25.0 (26)	227	12.3 (43)	171	15.8 (34)	161	6.2 (41)	479	82.5 (40)	702	18.5 (32)
Douglas Ct	856	67.9 (27)	574	25.3 (25)	574	14.8 (20)	454	24.0 (7)	444	12.2 (5)	1,307	90.2 (5)	1,895	21.1 (51)
Dunn	728	64.4 (37)	468	23.7 (35)	448	13.2 (34)	358	24.6 (4)	343	12.8 (2)	1,086	77.7 (64)	1,493	14.3 (11)
Eau Claire	1,731	68.2 (25)	1,210	22.3 (41)	1,212	10.1 (61)	933	14.3 (39)	916	8.1 (22)	2,416	83.7 (31)	3,522	16.6 (24)
Florence	78	* *	58	* *	56	* *	37	* *	38	* *	142	85.9 (15)	190	20.5 (47)
Fond du La	1,479	66.2 (32)	904	23.6 (36)	970	12.5 (40)	745	20.4 (14)	706	8.4 (20)	2,050	84.7 (26)	3,036	11.0 (1)
Forest	259	49.0 (70)	171	17.0 (66)	172	9.9 (64)	129	10.1 (55)	135	3.0 (66)	449	74.8 (70)	559	27.7 (71)
Grant Cty	838	62.1 (43)	616	24.8 (27)	607	13.5 (32)	359	18.4 (20)	361	10.0 (15)	1,246	88.4 (9)	1,818	18.0 (27)
Green Cty	545	58.0 (56)	365	19.5 (56)	380	12.4 (42)	300	18.7 (19)	297	6.7 (37)	646	86.7 (13)	1,032	23.3 (57)
Green Lake	268	49.3 (68)	173	20.8 (50)	177	18.6 (6)	101	7.9 (61)	103	4.9 (51)	332	71.1 (73)	576	18.2 (29)
Iowa Cty	306	65.7 (34)	177	22.6 (40)	163	15.3 (16)	150	20.0 (15)	145	10.3 (13)	294	85.0 (22)	566	20.1 (45)
Iron Cty	62	* *	45	* *	44	* *	34	* *	34	* *	104	89.4 (6)	152	19.7 (42)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2005 - 2007 Pediatric Nutrition Surveillance (1)
Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Jackson	496	72.8 (8)	304	23.0 (38)	310	13.9 (29)	237	16.9 (27)	220	9.1 (17)	797	85.4 (19)	1,056	24.3 (63)
Jefferson	1,354	69.7 (17)	979	26.9 (17)	876	14.8 (20)	683	10.4 (54)	646	6.7 (37)	1,778	85.8 (16)	2,710	15.3 (15)
Juneau	579	67.4 (29)	372	24.5 (29)	362	10.8 (58)	291	16.8 (29)	279	6.8 (35)	795	85.4 (19)	1,172	26.9 (70)
Kenosha	3,279	56.3 (61)	1,729	18.2 (61)	1,811	9.8 (65)	1,340	9.3 (57)	1,261	4.0 (59)	3,988	80.2 (49)	6,468	19.5 (40)
Kewaunee	217	67.7 (28)	145	24.1 (32)	155	12.9 (36)	96	* *	99	* *	345	71.6 (72)	507	19.7 (42)
La Crosse	1,834	69.5 (18)	1,179	25.8 (24)	1,114	14.8 (20)	853	14.4 (38)	829	6.2 (41)	2,428	86.0 (14)	3,689	12.8 (3)
Lafayette	207	62.8 (41)	135	28.1 (11)	118	16.1 (12)	101	13.9 (41)	104	10.6 (11)	230	81.7 (45)	383	14.1 (9)
Langlade C	396	54.5 (65)	263	16.7 (67)	251	10.8 (58)	195	10.8 (53)	195	4.1 (58)	497	79.5 (55)	783	25.8 (67)
Lincoln Ct	345	57.1 (58)	205	21.5 (47)	208	14.4 (25)	136	16.2 (32)	136	6.6 (39)	478	82.8 (37)	749	26.3 (68)
Manitowoc	1,184	57.1 (58)	752	23.9 (34)	797	14.6 (23)	633	13.3 (45)	610	7.5 (26)	1,675	75.5 (67)	2,412	21.4 (53)
Marathon C	1,998	55.8 (62)	1,213	17.9 (64)	1,183	12.1 (48)	834	11.3 (51)	803	4.7 (55)	2,566	79.0 (58)	3,988	16.5 (22)
Marinette	772	49.1 (69)	515	18.8 (59)	558	11.6 (51)	406	7.9 (61)	413	3.9 (60)	1,101	84.7 (26)	1,677	23.6 (60)
Marquette	176	61.4 (47)	94	* *	97	* *	60	* *	54	* *	207	77.8 (63)	337	22.0 (56)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2005 - 2007 Pediatric Nutrition Surveillance (1)
Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Menominee	408	68.6 (21)	267	24.3 (30)	308	13.0 (35)	195	4.6 (67)	197	1.0 (67)	597	89.4 (6)	819	23.4 (58)
Milwaukee	29,239	59.2 (55)	17,964	21.8 (45)	18,844	12.7 (37)	13,393	8.0 (60)	13,336	3.5 (63)	37,641	76.3 (66)	57,260	19.0 (35)
Monroe	846	68.0 (26)	517	22.2 (42)	507	15.0 (18)	366	11.2 (52)	337	5.0 (49)	981	80.0 (51)	1,605	19.1 (37)
Oconto	474	51.3 (67)	298	16.4 (68)	272	6.3 (68)	233	7.7 (64)	232	3.9 (60)	599	78.8 (59)	942	21.8 (55)
Oneida	500	61.8 (44)	313	26.8 (18)	290	11.4 (52)	255	23.1 (8)	245	11.4 (8)	548	92.0 (3)	955	19.5 (40)
Outagamie	2,029	62.6 (42)	1,238	22.1 (43)	1,311	11.7 (49)	1,047	16.3 (31)	976	7.5 (26)	2,679	79.1 (56)	4,115	15.5 (18)
Ozaukee	410	70.7 (16)	260	28.5 (10)	261	12.3 (43)	230	27.4 (2)	224	11.6 (7)	470	77.9 (62)	771	13.6 (6)
Pepin	73	* *	41	* *	39	* *	26	* *	23	* *	112	83.9 (30)	154	18.8 (34)
Pierce	506	61.1 (50)	336	21.1 (48)	353	9.1 (67)	274	16.1 (33)	254	7.1 (33)	746	88.5 (8)	1,075	18.1 (28)
Polk	710	72.3 (11)	437	26.3 (21)	433	10.9 (56)	318	19.5 (18)	302	8.6 (19)	805	78.0 (61)	1,419	20.5 (47)
Portage	922	66.3 (31)	594	27.4 (16)	539	18.6 (6)	472	16.9 (27)	432	7.4 (29)	1,171	88.0 (10)	1,857	14.1 (9)
Price	283	71.4 (13)	222	30.2 (6)	221	14.9 (19)	140	12.9 (47)	148	8.1 (22)	546	80.0 (51)	670	21.5 (54)
Racine Cou	4,121	56.8 (60)	2,475	20.0 (53)	2,378	12.3 (43)	1,905	8.8 (59)	1,844	4.6 (56)	4,880	75.2 (69)	7,953	16.9 (25)

(1) Reporting period is January 1 through December 31.
(2) TV Viewing and Smoking in Household data are not reported by all contributors.
(3) Analyses based on one record per child.
(4) Excludes records with unknown data or errors.
(5) Rank compares this county's rate to other counties. Rank 1 = best rate.
Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
(7) Children ages 2 years and older included in the analyses.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2005 - 2007 Pediatric Nutrition Surveillance (1)
Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
 (4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
Richland C	243	74.9 (4)	154	26.0 (23)	152	9.2 (66)	127	19.7 (17)	129	7.0 (34)	309	79.6 (54)	495	15.8 (19)
Rock	3,307	53.2 (66)	1,977	18.8 (59)	2,008	11.4 (52)	1,387	7.6 (65)	1,346	3.7 (62)	3,659	85.0 (22)	6,222	18.4 (31)
Rusk	310	60.3 (52)	196	20.9 (49)	206	14.6 (23)	140	12.9 (47)	141	5.0 (49)	526	84.4 (28)	734	21.3 (52)
Sauk	1,070	77.0 (1)	701	31.8 (3)	649	15.1 (17)	593	24.5 (5)	522	11.9 (6)	1,285	85.8 (16)	2,133	39.0 (73)
Sawyer	445	59.6 (54)	320	18.1 (62)	317	10.1 (61)	252	14.7 (37)	251	5.2 (48)	621	84.9 (25)	933	23.4 (58)
Shawano	695	64.0 (38)	457	22.1 (43)	472	12.3 (43)	331	12.7 (49)	337	6.8 (35)	971	82.7 (38)	1,471	24.6 (64)
Sheboygan	1,800	62.9 (40)	1,124	24.8 (27)	1,185	13.7 (30)	956	9.5 (56)	944	4.8 (53)	2,238	79.1 (56)	3,434	16.5 (22)
St. Croix	897	71.0 (15)	562	27.9 (13)	522	15.5 (14)	477	19.9 (16)	446	9.6 (16)	1,043	75.4 (68)	1,771	15.1 (13)
Taylor	344	66.0 (33)	212	27.8 (14)	206	14.1 (27)	147	18.4 (20)	134	8.2 (21)	454	81.7 (45)	710	24.8 (66)
Trempealea	566	71.9 (12)	349	27.5 (15)	365	15.6 (13)	265	18.1 (22)	256	5.9 (43)	777	90.3 (4)	1,138	13.4 (5)
Vernon	469	74.4 (7)	317	29.3 (9)	322	17.1 (9)	243	17.3 (24)	224	8.0 (24)	736	85.5 (18)	1,022	12.3 (2)
Vilas	391	55.8 (62)	263	20.5 (51)	261	13.4 (33)	203	13.3 (45)	204	7.4 (29)	475	78.1 (60)	753	24.6 (64)
Walworth	1,604	75.1 (2)	1,068	30.9 (4)	977	15.5 (14)	854	22.8 (9)	811	7.8 (25)	1,815	82.4 (42)	3,134	14.0 (8)

(1) Reporting period is January 1 through December 31.
 (2) TV Viewing and Smoking in Household data are not reported by all contributors.
 (3) Analyses based on one record per child.
 (4) Excludes records with unknown data or errors.
 (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
 (6) the Breastfed At Least 6 Months analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
 (7) Children ages 2 years and older included in the analyses.
 * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2005 - 2007 Pediatric Nutrition Surveillance (1)
Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
 (4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Washburn	330	65.5 (35)	233	26.6 (19)	232	11.2 (54)	183	15.8 (34)	183	4.9 (51)	454	82.4 (42)	653	15.3 (15)
Washington	1,185	68.3 (24)	696	26.6 (19)	712	12.6 (38)	588	21.4 (12)	564	9.0 (18)	1,325	83.5 (33)	2,263	16.1 (20)
Waukesha	2,146	68.6 (21)	1,306	29.7 (8)	1,191	16.7 (10)	1,049	17.0 (26)	998	10.3 (13)	2,241	80.1 (50)	4,108	15.2 (14)
Waupaca	694	61.4 (47)	389	17.5 (65)	404	10.6 (60)	304	13.8 (42)	288	3.1 (64)	792	83.1 (35)	1,343	24.1 (62)
Waushara C	367	55.0 (64)	191	24.1 (32)	202	24.3 (1)	115	7.8 (63)	108	5.6 (47)	441	72.8 (71)	709	18.2 (29)
Winnebago	2,090	61.5 (46)	1,343	19.8 (55)	1,239	10.9 (56)	1,044	13.5 (44)	1,033	5.7 (45)	2,519	82.5 (40)	4,123	19.8 (44)
Wood	1,209	57.4 (57)	713	18.9 (58)	708	14.1 (27)	519	17.3 (24)	498	7.4 (29)	1,437	80.0 (51)	2,311	20.5 (47)
Unknown Counties	272	59.9 (53)	206	15.0 (69)	209	6.2 (69)	164	5.5 (66)	161	3.1 (64)	199	94.0 (1)	450	26.7 (69)
Wisconsin	98,487	62.7	61,694	23.7	62,351	13.5	46,764	12.8	45,452	6.1	126,010	80.3	195,683	18.2

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

