

Table 4F
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin

Comparison of Racial and Ethnic Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by Local Agency								
Local Agency	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
16th Stree	6,758	4.0	4.5	85.8	0.2	4.3	1.1	0.0
Aurora	3,904	4.6	81.1	5.4	0.5	7.2	1.2	0.0
Barron Cty	1,062	86.3	4.1	8.0	0.6	0.0	0.9	0.1
Bay Area	856	82.9	0.0	2.7	4.1	0.4	9.9	0.0
Buffalo	382	87.7	0.0	7.1	0.8	0.3	4.2	0.0
Burnett Ct	382	81.7	0.8	4.5	2.1	0.0	11.0	0.0
Calumet Ct	619	65.4	4.8	20.2	0.3	7.3	1.9	0.0
Chippewa	1,363	90.3	0.6	3.1	0.9	1.4	3.7	0.1
City Mad	5,768	24.8	23.0	35.3	0.2	7.8	8.9	0.0
Clark Cty	786	72.8	0.6	24.6	0.4	0.0	1.7	0.0
Columbia C	835	76.6	1.0	18.0	0.2	0.4	3.8	0.0
Cudahy	2,172	63.8	3.3	23.7	0.3	1.4	7.6	0.0
Dane Cty	980	34.8	13.5	38.9	0.1	3.9	8.9	0.0
Dodge Cty	1,214	64.1	1.3	30.4	0.1	0.7	3.4	0.0
Door Cty	443	79.2	1.6	15.6	0.5	0.5	2.7	0.0
Dunn Cty	950	80.0	0.9	5.1	0.5	8.5	4.9	0.0
Eau Claire	2,372	67.1	1.1	7.8	0.5	11.6	11.8	0.1
Family Hea	1,021	62.0	0.3	34.2	0.2	0.9	2.4	0.0
Family Pla	3,432	64.1	1.3	8.8	0.3	19.4	6.0	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4F
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin

Comparison of Racial and Ethnic Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by Local Agency								
Local Agency	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Florence C	111	94.6	0.0	2.7	0.9	0.0	1.8	0.0
Fond du La	1,937	64.8	3.1	23.0	0.2	3.5	5.3	0.1
Forest Cty	244	88.9	0.0	2.5	3.7	0.0	4.9	0.0
GLITC	1,170	6.8	0.2	4.3	81.6	0.1	7.0	0.1
Grant Cty	1,150	91.7	0.4	5.7	0.0	0.3	1.9	0.0
Green Cty	655	81.5	0.6	15.9	0.2	0.2	1.7	0.0
Health	3,385	29.4	21.3	39.9	0.1	0.4	8.9	0.1
Jackson	581	79.0	0.7	8.6	9.1	0.5	2.1	0.0
Jefferson	1,725	52.4	0.7	43.7	0.1	0.3	2.8	0.0
Juneau	1,278	87.1	0.4	6.7	0.1	0.6	5.1	0.0
Kenosha Ct	3,917	36.0	16.0	41.2	0.2	0.5	6.1	0.0
Kewaunee C	319	73.0	2.5	20.4	0.0	0.0	4.1	0.0
La Crosse	2,302	67.2	3.5	4.7	0.4	14.5	9.6	0.0
Marinette	1,044	95.1	0.1	2.7	0.6	0.2	1.3	0.0
Menominee	555	0.9	0.2	15.0	56.0	0.0	27.9	0.0
Mil. City	8,285	8.7	59.1	23.5	0.3	3.6	4.9	0.0
MLK	3,006	3.2	85.1	7.2	0.2	0.8	3.4	0.0
Monitowoc	1,562	59.9	1.1	22.5	0.6	9.7	6.1	0.1
Monroe Cty	1,087	77.1	1.4	17.6	1.2	0.6	2.1	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4F
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin

Comparison of Racial and Ethnic Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by Local Agency								
Local Agency	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
NEW Comm	5,798	44.4	4.8	36.8	2.4	7.5	4.2	0.0
NHA	3,965	59.3	10.3	25.8	0.1	0.9	3.7	0.0
NWCSA	1,143	81.5	0.7	4.9	0.9	0.5	11.4	0.1
Oconto Cty	585	92.1	0.0	3.6	0.9	0.3	3.1	0.0
Oneida	549	7.3	0.2	20.9	57.7	0.2	13.7	0.0
Oneida Cty	582	90.4	0.3	4.8	0.5	0.3	3.6	0.0
Outagamie	2,546	56.3	3.1	20.2	0.8	13.6	5.9	0.0
Pierce Cty	709	88.0	1.0	3.9	0.4	0.3	6.3	0.0
Polk Cty	854	93.4	0.0	3.3	0.1	0.2	2.9	0.0
Portage Ct	1,151	67.0	0.7	14.3	0.6	14.1	3.3	0.0
Price Cty	465	90.3	0.2	2.6	0.6	3.2	3.0	0.0
Racine	1,695	17.0	37.6	38.3	0.4	0.4	6.2	0.1
Rusk Cty	444	88.1	1.4	4.5	0.0	0.0	6.1	0.0
Sauk Cty	1,327	75.8	1.7	20.1	0.9	0.3	1.1	0.1
Sawyer Cty	431	73.3	2.8	4.2	16.2	1.2	2.3	0.0
Seeds	3,217	16.4	4.2	70.3	0.7	1.2	7.2	0.0
Shawano	776	77.4	1.2	9.5	5.0	0.4	6.4	0.0
Sheboygan	2,171	46.8	2.9	28.2	0.0	18.1	4.1	0.0
St. Croix	1,107	82.0	1.4	8.3	0.5	2.9	4.8	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4F
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin

Comparison of Racial and Ethnic Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by Local Agency								
Local Agency	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
SWCAP	1,194	87.7	0.5	8.9	0.3	0.3	2.1	0.2
Taylor Cty	442	86.0	0.5	10.0	0.0	0.0	3.6	0.0
Trempealeau	751	66.3	0.1	30.6	0.3	0.1	2.5	0.0
Vernon Cty	642	87.9	0.5	8.3	0.3	0.2	3.0	0.0
Vilas	244	89.8	1.2	4.9	2.0	0.0	2.0	0.0
Walworth C	1,915	43.7	1.3	50.5	0.7	0.6	3.2	0.0
Wash/Ozaukee	1,834	73.3	2.9	16.0	0.3	0.5	6.9	0.0
Washburn C	450	88.2	0.2	5.8	0.2	1.1	4.4	0.0
Waukesha C	2,356	49.3	4.6	37.4	0.4	1.3	6.9	0.0
Waupaca Ct	832	83.4	0.0	14.1	0.2	0.2	2.0	0.0
Wee Care	7,799	4.3	84.5	3.2	0.1	4.9	2.9	0.1
West Allis	1,192	57.0	6.5	22.7	0.7	2.0	11.2	0.0
Winnebago	2,503	63.0	3.6	17.6	0.4	7.8	7.5	0.0
Wood Cty	1,376	81.5	1.3	9.0	0.4	5.1	2.8	0.0
Unknown Local Ag.	142	6.3	0.0	6.3	56.3	0.0	30.3	0.7
Wisconsin	122,799	45.2	18.6	24.7	1.9	4.4	5.1	0.0
Nation (Prior Year)	7,599,318	31.5	18.5	41.1	1.0	2.5	1.5	3.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5F
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Comparison of Age Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution by Local Agency				
Local Agency	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
16th Stree	6,758	31.0	21.3	47.7
Aurora	3,904	48.6	16.1	35.3
Barron Cty	1,062	39.1	19.9	41.1
Bay Area	856	31.5	20.3	48.1
Buffalo	382	38.2	18.6	43.2
Burnett Ct	382	34.3	19.9	45.8
Calumet Ct	619	31.5	23.9	44.6
Chippewa	1,363	35.6	20.8	43.7
City Mad	5,768	36.1	22.6	41.3
Clark Cty	786	36.4	21.2	42.4
Columbia C	835	40.0	18.9	41.1
Cudahy	2,172	38.1	23.6	38.3
Dane Cty	980	36.5	20.5	43.0
Dodge Cty	1,214	36.7	21.5	41.8
Door Cty	443	32.1	20.8	47.2
Dunn Cty	950	34.6	21.5	43.9
Eau Claire	2,372	35.3	20.4	44.3
Family Hea	1,021	41.4	16.0	42.6

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Records rejected if date of birth and date of visit unknown.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5F
2007 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Age Distribution by Local Agency
Children Aged < 5 Years (2)

Comparison of Age Distribution by Local Agency				
Local Agency	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Family Pla	3,432	35.9	21.9	42.1
Florence C	111	29.7	16.2	54.1
Fond du La	1,937	32.8	23.3	43.8
Forest Cty	244	32.8	17.2	50.0
GLITC	1,170	32.6	21.5	45.9
Grant Cty	1,150	33.9	20.3	45.7
Green Cty	655	34.8	22.4	42.7
Health	3,385	39.0	19.8	41.2
Jackson	581	36.7	19.6	43.7
Jefferson	1,725	37.7	20.6	41.7
Juneau	1,278	36.0	20.6	43.4
Kenosha Ct	3,917	37.9	21.3	40.8
Kewaunee C	319	36.7	15.7	47.6
La Crosse	2,302	36.2	19.5	44.2
Marinette	1,044	33.0	22.0	45.0
Menominee	555	30.5	24.5	45.0
Mil. City	8,285	31.7	24.0	44.2
MLK	3,006	36.3	22.8	40.9

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Records rejected if date of birth and date of visit unknown.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5F
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Comparison of Age Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution by Local Agency				
Local Agency	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Monitowoc	1,562	36.5	18.6	44.9
Monroe Cty	1,087	38.9	19.9	41.2
NEW Comm	5,798	32.6	22.6	44.8
NHA	3,965	40.4	20.1	39.6
NWCSA	1,143	35.0	18.7	46.3
Oconto Cty	585	39.7	19.1	41.2
Oneida	549	35.5	21.7	42.8
Oneida Cty	582	40.4	19.1	40.5
Outagamie	2,546	32.1	23.6	44.4
Pierce Cty	709	34.1	20.6	45.3
Polk Cty	854	36.4	23.3	40.3
Portage Ct	1,151	42.4	16.1	41.5
Price Cty	465	31.2	21.1	47.7
Racine	1,695	37.9	18.7	43.4
Rusk Cty	444	34.5	21.2	44.4
Sauk Cty	1,327	38.2	19.6	42.2
Sawyer Cty	431	35.5	21.6	42.9
Seeds	3,217	33.9	22.7	43.4

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Records rejected if date of birth and date of visit unknown.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5F
2007 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Age Distribution by Local Agency
Children Aged < 5 Years (2)

Comparison of Age Distribution by Local Agency				
Local Agency	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Shawano	776	32.0	23.7	44.3
Sheboygan	2,171	33.4	23.2	43.4
St. Croix	1,107	40.2	18.5	41.3
SWCAP	1,194	40.2	18.2	41.6
Taylor Cty	442	38.7	17.0	44.3
Trempealeau	751	38.3	20.2	41.4
Vernon Cty	642	36.3	18.1	45.6
Vilas	244	44.3	17.2	38.5
Walworth C	1,915	39.3	20.4	40.4
Wash/Oz	1,834	36.2	23.3	40.6
Washburn C	450	32.2	25.6	42.2
Waukesha C	2,356	44.1	18.0	37.9
Waupaca Ct	832	40.4	18.5	41.1
Wee Care	7,799	34.9	22.8	42.3
West Allis	1,192	43.4	19.2	37.4
Winnebago	2,503	40.3	18.8	41.0
Wood Cty	1,376	39.3	20.1	40.6
Unknown Local Ag.	142	26.1	26.8	47.2

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Records rejected if date of birth and date of visit unknown.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5F
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Comparison of Age Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution by Local Agency				
Local Agency	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Wisconsin	122,799	36.3	21.1	42.6
Nation (Prior Year)	7,599,318	37.6	21.8	40.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2007 Pediatric Nutrition Surveillance (1)
Wisconsin

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency (3,4)													
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)			
	Low	High		Short Stature (6)	Under-weight (7)	Over-weight (7)	≥ 2 Yrs Over-weight (7)						
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
16th Stree	1,428	6.9 (17)	8.8 (38)	6,649	7.4 (68)	1.7 (3)	18.7 (69)	3,165	19.0 (56)	22.2 (66)		5,035	11.6 (57)
Aurora	1,432	9.8 (54)	3.6 (1)	3,843	4.8 (28)	7.0 (72)	8.7 (5)	1,389	14.1 (14)	10.1 (15)		2,120	28.4 (71)
Barron Cty	263	9.9 (55)	8.4 (31)	1,051	5.2 (39)	2.4 (16)	13.2 (51)	432	17.8 (47)	15.3 (57)		742	9.3 (47)
Bay Area	190	5.8 (8)	14.7 (61)	841	5.7 (47)	3.8 (44)	8.9 (9)	404	18.3 (53)	8.2 (6)		614	4.7 (16)
Buffalo	92	* *	* *	377	3.2 (6)	4.2 (53)	8.2 (2)	164	23.2 (69)	11.6 (24)		270	11.9 (59)
Burnett Ct	75	* *	* *	376	6.9 (64)	4.0 (48)	8.8 (8)	176	17.0 (42)	6.3 (2)		277	1.8 (2)
Calumet Ct	140	10.0 (56)	6.4 (10)	603	7.1 (67)	2.8 (22)	13.3 (53)	272	16.5 (38)	15.4 (58)		456	4.6 (14)
Chippewa	328	8.2 (33)	5.5 (7)	1,339	6.6 (63)	3.0 (30)	10.4 (17)	597	14.9 (20)	11.6 (24)		965	9.9 (51)
City Mad	1,649	8.9 (43)	8.4 (31)	5,607	5.2 (39)	3.0 (30)	13.1 (50)	2,331	13.3 (10)	12.0 (26)		3,898	10.9 (54)
Clark Cty	173	11.6 (57)	6.9 (17)	766	5.1 (36)	3.7 (40)	13.3 (53)	338	12.4 (7)	17.8 (62)		558	15.2 (64)
Columbia C	221	9.0 (48)	10.4 (50)	816	5.9 (52)	3.3 (36)	10.4 (17)	333	15.9 (29)	12.6 (31)		550	7.5 (34)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2007 Pediatric Nutrition Surveillance (1)
Wisconsin

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Over-weight (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Cudahy	636	9.3 (50)	9.7 (45)	2,113	5.1 (36)	3.3 (36)	11.1 (24)	826	15.4 (25)	11.1 (23)	1,450	9.2 (45)
Dane Cty	187	8.6 (38)	9.1 (40)	947	3.6 (10)	2.7 (21)	11.4 (29)	442	14.9 (20)	12.0 (26)	707	9.8 (50)
Dodge Cty	306	8.8 (41)	7.2 (22)	1,178	4.7 (27)	4.2 (53)	8.7 (5)	506	10.5 (2)	8.1 (5)	824	8.0 (37)
Door Cty	94	* *	* *	435	3.2 (6)	1.8 (4)	10.1 (14)	205	22.0 (65)	13.7 (42)	326	4.0 (10)
Dunn Cty	208	5.3 (4)	12.5 (58)	933	5.8 (48)	4.9 (62)	11.5 (30)	420	17.1 (43)	13.8 (43)	674	1.9 (3)
Eau Claire	547	7.1 (21)	6.4 (10)	2,334	5.8 (48)	2.1 (7)	9.7 (12)	1,034	15.3 (24)	9.1 (9)	1,708	12.1 (60)
Family Hea	271	8.9 (43)	9.6 (44)	984	3.9 (13)	4.2 (53)	12.5 (45)	416	16.3 (36)	13.9 (44)	676	11.5 (56)
Family Pla	888	7.8 (29)	6.5 (13)	3,363	8.0 (71)	1.8 (4)	12.6 (47)	1,426	19.7 (59)	14.0 (46)	2,371	4.3 (12)
Florence C	21	* *	* *	109	6.4 (61)	2.8 (22)	10.1 (14)	57	* *	* *	72	* *
Fond du La	481	6.7 (14)	5.8 (9)	1,888	6.0 (57)	4.0 (48)	8.2 (2)	832	14.2 (15)	8.3 (7)	1,380	8.9 (43)
Forest Cty	57	* *	* *	243	7.8 (70)	4.5 (58)	16.0 (63)	121	12.4 (7)	17.4 (61)	179	6.1 (27)

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
 - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2007 Pediatric Nutrition Surveillance (1)
Wisconsin

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency (3,4)													
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)			
	Low	High		Short Stature (6)	Under-weight (7)	Over-weight (7)	≥ 2 Yrs Over-weight (7)						
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
GLITC	254	5.9 (9)	11.8 (55)	1,134	4.9 (30)	2.9 (26)	21.4 (71)	519	22.9 (68)	22.7 (67)		812	8.4 (40)
Grant Cty	259	6.9 (17)	6.6 (14)	1,140	4.9 (30)	3.9 (47)	8.5 (4)	522	14.4 (16)	9.6 (12)		823	6.0 (25)
Green Cty	157	4.5 (3)	6.4 (10)	640	8.0 (71)	2.8 (22)	16.7 (66)	278	21.2 (64)	23.7 (69)		458	7.4 (33)
Health	892	9.2 (49)	8.2 (30)	3,305	5.9 (52)	2.9 (26)	12.7 (48)	1,372	18.7 (55)	14.1 (49)		2,274	8.3 (39)
Jackson	132	8.3 (35)	9.8 (46)	572	4.2 (17)	4.0 (48)	12.2 (43)	252	19.4 (58)	10.7 (20)		378	6.3 (28)
Jefferson	408	5.4 (5)	9.1 (40)	1,696	3.1 (5)	3.8 (44)	10.7 (19)	716	18.0 (49)	14.5 (55)		1,164	5.1 (21)
Juneau	310	5.5 (6)	9.0 (39)	1,259	5.8 (48)	2.3 (15)	15.3 (62)	549	18.2 (51)	13.1 (37)		874	7.6 (36)
Kenosha Ct	1,014	9.6 (53)	5.4 (6)	3,817	7.5 (69)	2.4 (16)	14.1 (58)	1,564	15.8 (27)	14.0 (46)		2,600	16.5 (66)
Kewaunee C	71	* *	* *	314	3.8 (12)	1.6 (2)	14.3 (59)	147	18.4 (54)	12.9 (34)		234	14.1 (63)
La Crosse	575	5.9 (9)	10.6 (52)	2,229	5.6 (45)	4.5 (58)	11.1 (24)	1,002	18.0 (49)	12.1 (28)		1,584	6.0 (25)
Marinette	224	8.9 (43)	9.4 (42)	1,022	4.2 (17)	3.8 (44)	9.5 (11)	462	8.4 (1)	8.0 (4)		758	4.9 (19)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2007 Pediatric Nutrition Surveillance (1)
Wisconsin

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Menominee	130	7.7 (27)	13.1 (59)	533	1.5 (1)	2.1 (7)	19.5 (70)	251	22.3 (67)	19.1 (63)	403	2.7 (4)
Mil. City	2,008	11.7 (58)	4.5 (4)	8,072	5.9 (52)	4.9 (62)	11.5 (30)	3,617	16.7 (40)	12.8 (33)	5,945	16.5 (66)
MLK	770	14.5 (62)	3.6 (1)	2,928	5.3 (43)	6.6 (71)	11.0 (23)	1,221	10.5 (2)	8.9 (8)	2,094	28.2 (70)
Monitowoc	383	6.8 (16)	7.6 (23)	1,538	5.2 (39)	2.9 (26)	12.0 (40)	684	19.3 (57)	14.0 (46)	1,080	11.6 (57)
Monroe Cty	274	6.6 (11)	8.0 (27)	1,061	5.6 (45)	2.2 (11)	14.6 (60)	437	14.4 (16)	12.1 (28)	729	6.7 (31)
NEW Comm	1,462	8.1 (32)	7.7 (25)	5,638	4.3 (24)	4.9 (62)	11.5 (30)	2,557	12.9 (9)	12.2 (30)	4,127	5.3 (22)
NHA	1,054	8.5 (36)	8.4 (31)	3,882	5.0 (32)	4.0 (48)	12.8 (49)	1,569	15.0 (22)	13.3 (38)	2,644	10.1 (52)
NWCSA	271	5.5 (6)	11.1 (54)	1,123	4.2 (17)	3.7 (40)	11.6 (34)	520	20.0 (60)	12.9 (34)	760	15.4 (65)
Oconto Cty	152	6.6 (11)	8.6 (36)	574	5.4 (44)	4.7 (61)	16.2 (65)	231	15.2 (23)	20.3 (64)	402	7.5 (34)
Oneida	162	4.3 (1)	19.1 (62)	541	3.5 (9)	2.4 (16)	17.6 (68)	235	20.4 (61)	20.9 (65)	364	3.3 (6)
Oneida Cty	155	7.7 (27)	7.1 (19)	577	4.0 (15)	4.9 (62)	7.8 (1)	237	14.8 (19)	6.8 (3)	387	5.4 (23)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2007 Pediatric Nutrition Surveillance (1)
Wisconsin

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Over-weight (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Outagamie	610	8.7 (39)	6.6 (14)	2,467	5.0 (32)	5.0 (66)	10.7 (19)	1,115	17.8 (47)	13.9 (44)	1,659	9.2 (45)
Pierce Cty	162	4.3 (1)	12.3 (57)	696	6.2 (58)	1.9 (6)	12.1 (41)	315	21.0 (63)	10.2 (17)	514	10.7 (53)
Polk Cty	215	7.4 (22)	9.8 (46)	827	4.2 (17)	3.7 (40)	9.2 (10)	344	11.6 (5)	10.5 (19)	590	8.1 (38)
Portage Ct	288	7.6 (25)	11.8 (55)	1,130	5.8 (48)	3.1 (33)	10.0 (13)	467	15.8 (27)	9.4 (11)	763	4.7 (16)
Price Cty	96	* *	* *	458	2.8 (3)	3.5 (39)	11.8 (36)	210	16.2 (33)	13.3 (38)	338	3.6 (7)
Racine	440	11.8 (59)	4.3 (3)	1,646	3.4 (8)	2.9 (26)	11.8 (36)	720	15.7 (26)	10.1 (15)	1,167	17.7 (68)
Rusk Cty	115	8.7 (39)	10.4 (50)	437	4.1 (16)	1.1 (1)	16.0 (63)	195	15.9 (29)	15.9 (59)	306	4.9 (19)
Sauk Cty	319	6.9 (17)	10.7 (53)	1,305	6.9 (64)	2.1 (7)	16.7 (66)	554	17.5 (45)	22.7 (67)	895	6.7 (31)
Sawyer Cty	95	* *	* *	428	4.2 (17)	2.1 (7)	11.9 (38)	189	16.4 (37)	14.3 (54)	307	2.9 (5)
Seeds	834	7.6 (25)	8.4 (31)	3,171	3.0 (4)	4.4 (56)	11.1 (24)	1,399	16.7 (40)	14.1 (49)	2,258	9.7 (49)
Shawano	190	8.9 (43)	7.9 (26)	759	5.1 (36)	2.2 (11)	11.1 (24)	340	16.5 (38)	10.3 (18)	564	4.6 (14)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2007 Pediatric Nutrition Surveillance (1)
Wisconsin

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Sheboygan	546	7.5 (23)	6.8 (16)	2,129	5.9 (52)	5.5 (68)	12.5 (45)	932	16.2 (33)	13.3 (38)	1,545	4.1 (11)
St. Croix	283	8.5 (36)	10.2 (49)	1,087	5.2 (39)	3.2 (35)	11.9 (38)	456	18.2 (51)	12.7 (32)	731	3.6 (7)
SWCAP	305	8.2 (33)	8.5 (35)	1,169	6.2 (58)	2.8 (22)	11.5 (30)	489	22.1 (66)	14.1 (49)	759	9.1 (44)
Taylor Cty	124	8.9 (43)	8.1 (29)	431	4.2 (17)	6.3 (70)	10.7 (19)	195	11.8 (6)	9.2 (10)	304	3.6 (7)
Tremp	196	6.6 (11)	8.7 (37)	729	3.6 (10)	4.4 (56)	13.6 (57)	311	20.6 (62)	14.1 (49)	509	8.8 (42)
Vernon Cty	148	8.8 (41)	14.2 (60)	634	5.0 (32)	2.2 (11)	14.7 (61)	296	16.2 (33)	16.6 (60)	454	5.9 (24)
Vilas	71	* *	* *	236	4.2 (17)	3.4 (38)	12.3 (44)	88	* *	* *	144	0.0 (1)
Walworth C	469	7.0 (20)	9.8 (46)	1,880	4.4 (25)	2.6 (20)	11.7 (35)	766	14.6 (18)	14.5 (55)	1,256	6.5 (29)
Wash/Oz	487	7.8 (29)	7.6 (23)	1,788	6.2 (58)	3.7 (40)	12.1 (41)	739	16.0 (31)	11.0 (22)	1,223	8.7 (41)
Washburn C	107	7.5 (23)	5.6 (8)	439	4.6 (26)	5.2 (67)	8.7 (5)	191	11.5 (4)	5.2 (1)	323	4.3 (12)
Waukesha C	641	9.5 (52)	8.0 (27)	2,331	4.8 (28)	2.4 (16)	13.2 (51)	883	16.0 (31)	13.0 (36)	1,395	6.5 (29)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2007 Pediatric Nutrition Surveillance (1)
Wisconsin

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency (3,4)													
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)			
	Low	High		Short Stature (6)	Under-weight (7)	Over-weight (7)	≥ 2 Yrs Over-weight (7)						
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Waupaca Ct	233	12.0 (60)	9.4 (42)	819	7.0 (66)	4.0 (48)	13.3 (53)	337	13.9 (13)	9.8 (13)		536	4.7 (16)
Wee Care	1,981	12.3 (61)	4.7 (5)	7,578	6.4 (61)	4.5 (58)	10.3 (16)	3,213	13.4 (11)	9.9 (14)		5,236	25.1 (69)
West Allis	354	7.9 (31)	7.1 (19)	1,163	3.9 (13)	5.5 (68)	11.2 (28)	446	13.5 (12)	14.1 (49)		739	13.0 (62)
Winnebago	651	9.4 (51)	7.1 (19)	2,468	5.0 (32)	3.0 (30)	13.5 (56)	1,016	17.2 (44)	13.4 (41)		1,719	12.8 (61)
Wood Cty	372	6.7 (14)	7.0 (18)	1,339	5.9 (52)	3.1 (33)	10.8 (22)	540	17.6 (46)	10.7 (20)		912	10.9 (54)
Unknown Local Ag.	26	* *	* *	137	2.2 (2)	2.2 (11)	25.5 (72)	62	* *	* *		114	9.6 (48)
Wisconsin	31,162	8.7	7.5	120,071	5.4	3.7	12.2	51,636	16.1	13.1		84,006	11.3
Nation (Prior Year)	1,842,970	9.2	6.6	7,192,043	6.4	4.7	13.8	2,945,212	16.4	14.8		4,521,591	14.0

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7F
2007 Pediatric Nutrition Surveillance (1)
Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
(4,5)

Local Agency	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
16th Stree	1,432	86.9 (1)	772	45.9 (1)	1,148	27.1 (1)	527	17.6 (14)	708	5.5 (24)	3,503	79.3 (59)	6,710	5.5 (3)
Aurora	1,403	35.6 (62)	355	17.7 (40)	533	9.4 (37)	236	4.2 (33)	325	3.1 (36)	1,472	80.0 (55)	3,893	17.1 (66)
Barron Cty	266	67.7 (23)	137	26.3 (24)	159	10.1 (33)	103	20.4 (10)	132	6.1 (19)	466	78.5 (61)	1,051	7.9 (15)
Bay Area	191	67.0 (26)	93	* *	120	15.8 (8)	78	* *	91	* *	439	88.4 (11)	843	8.8 (24)
Buffalo	92	* *	36	* *	60	* *	35	* *	34	* *	173	89.6 (7)	380	8.7 (23)
Burnett Ct	73	* *	62	* *	71	* *	41	* *	58	* *	185	93.5 (1)	381	17.8 (68)
Calumet Ct	141	59.6 (47)	81	* *	101	9.9 (34)	55	* *	75	* *	295	81.7 (47)	613	8.2 (19)
Chippewa	328	71.6 (14)	159	22.0 (36)	218	6.4 (53)	98	* *	150	5.3 (25)	640	88.3 (12)	1,355	11.0 (45)
City Mad	1,654	74.2 (10)	682	40.0 (2)	924	23.1 (3)	513	16.8 (16)	596	9.4 (10)	2,504	84.1 (29)	5,629	7.3 (13)
Clark Cty	171	72.5 (12)	84	* *	126	7.1 (51)	63	* *	80	* *	377	82.5 (40)	785	11.7 (51)
Columbia C	220	65.5 (31)	102	31.4 (10)	117	16.2 (6)	80	* *	87	* *	363	84.3 (28)	833	9.0 (27)
Cudahy	636	65.4 (32)	277	22.4 (34)	362	9.4 (37)	165	12.1 (24)	227	5.7 (21)	894	71.9 (69)	2,164	27.7 (72)
Dane Cty	186	75.3 (7)	93	* *	142	23.9 (2)	72	* *	73	* *	479	82.5 (40)	974	6.9 (11)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2007 Pediatric Nutrition Surveillance (1)
Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
(4,5)

Local Agency	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Dodge Cty	308	77.3 (3)	122	32.0 (6)	166	13.9 (15)	132	23.5 (6)	118	10.2 (8)	538	88.8 (10)	1,201	5.7 (4)
Door Cty	94	* *	39	* *	62	* *	31	* *	39	* *	221	82.4 (43)	433	10.2 (38)
Dunn Cty	209	61.7 (40)	107	29.0 (17)	137	10.9 (30)	68	* *	101	10.9 (7)	450	80.4 (52)	934	7.5 (14)
Eau Claire	546	70.5 (18)	279	24.7 (27)	385	10.4 (31)	202	14.9 (19)	261	8.0 (13)	1,132	88.3 (12)	2,367	6.8 (10)
Family Hea	278	48.2 (61)	94	* *	126	8.7 (44)	52	* *	50	* *	454	76.2 (66)	994	10.3 (42)
Family Pla	894	58.5 (51)	387	19.1 (39)	506	8.5 (45)	238	14.7 (21)	348	5.7 (21)	1,549	80.4 (52)	3,417	9.2 (31)
Florence C	22	* *	10	* *	15	* *	9	* *	7	* *	63	* *	111	9.0 (27)
Fond du La	481	65.1 (33)	209	29.7 (14)	314	11.5 (25)	182	29.1 (2)	202	7.4 (15)	908	87.7 (16)	1,918	9.9 (37)
Forest Cty	56	* *	19	* *	37	* *	13	* *	16	* *	128	79.7 (58)	244	17.6 (67)
GLITC	251	50.6 (56)	136	21.3 (37)	193	14.0 (14)	81	* *	122	7.4 (15)	570	82.5 (40)	1,155	16.4 (65)
Grant Cty	259	66.8 (28)	151	29.1 (16)	182	12.6 (19)	70	* *	102	13.7 (2)	561	90.0 (6)	1,148	8.9 (25)
Green Cty	155	58.7 (49)	76	* *	117	14.5 (12)	60	* *	75	* *	300	88.0 (14)	641	14.0 (60)
Health	891	62.1 (39)	379	22.4 (34)	517	10.4 (31)	275	16.4 (17)	367	5.7 (21)	1,477	76.3 (65)	3,305	11.5 (47)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2007 Pediatric Nutrition Surveillance (1)
Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
(4,5)

Local Agency	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Jackson	132	75.0 (9)	50	* *	82	* *	39	* *	46	* *	275	87.3 (17)	579	11.2 (46)
Jefferson	410	68.8 (21)	230	27.0 (22)	244	13.1 (17)	159	7.5 (31)	212	3.3 (33)	773	89.3 (8)	1,690	9.6 (34)
Juneau	309	68.3 (22)	147	27.2 (21)	185	11.4 (28)	107	22.4 (8)	141	7.8 (14)	599	85.6 (23)	1,246	22.6 (70)
Kenosha Ct	1,009	59.0 (48)	409	22.5 (33)	640	7.5 (48)	269	8.9 (28)	382	3.9 (31)	1,675	81.2 (48)	3,874	12.2 (52)
Kewaunee C	71	* *	29	* *	47	* *	8	* *	16	* *	157	65.6 (70)	319	8.2 (19)
La Crosse	572	71.3 (16)	289	26.3 (24)	321	9.3 (40)	202	14.9 (19)	248	4.8 (27)	1,063	87.8 (15)	2,297	4.7 (1)
Marinette	225	48.4 (59)	110	16.4 (43)	171	8.8 (43)	68	* *	103	3.9 (31)	497	87.3 (17)	1,040	13.1 (56)
Menominee	128	67.2 (25)	52	* *	98	* *	28	* *	47	* *	272	92.3 (3)	532	9.8 (36)
Mil. City	2,022	51.9 (55)	835	17.6 (41)	1,373	7.6 (47)	527	8.9 (28)	792	2.9 (38)	3,893	72.3 (68)	8,254	13.9 (59)
MLK	771	60.3 (44)	314	17.5 (42)	470	8.3 (46)	237	8.9 (28)	300	3.0 (37)	1,314	83.0 (35)	2,911	18.8 (69)
Monitowoc	380	56.3 (53)	159	25.2 (26)	220	12.3 (21)	117	17.9 (13)	151	8.6 (12)	754	80.9 (51)	1,550	10.2 (38)
Monroe Cty	279	64.2 (35)	119	23.5 (29)	165	11.5 (25)	93	* *	102	2.0 (41)	467	79.9 (56)	1,074	11.5 (47)
NEW Comm	1,463	62.3 (38)	603	23.2 (32)	916	12.2 (22)	437	10.3 (27)	550	4.4 (30)	2,793	78.3 (62)	5,720	8.1 (18)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2007 Pediatric Nutrition Surveillance (1)
Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
(4,5)

Local Agency	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
NHA	1,060	48.3 (60)	429	23.3 (31)	630	11.6 (23)	312	11.9 (25)	388	4.6 (29)	1,685	83.0 (35)	3,853	10.5 (43)
NWCSA	271	70.1 (19)	130	31.5 (8)	184	14.7 (11)	110	36.4 (1)	127	16.5 (1)	551	91.3 (4)	1,125	9.1 (29)
Oconto Cty	152	50.0 (58)	56	* *	79	* *	42	* *	54	* *	255	83.5 (33)	583	14.4 (61)
Oneida	162	60.5 (43)	49	* *	79	* *	35	* *	46	* *	251	82.9 (38)	547	13.2 (57)
Oneida Cty	154	61.7 (40)	61	* *	77	* *	51	* *	59	* *	248	93.5 (1)	580	9.1 (29)
Outagamie	618	59.9 (46)	288	26.7 (23)	408	12.5 (20)	217	20.3 (11)	286	10.1 (9)	1,180	82.3 (44)	2,526	6.2 (6)
Pierce Cty	163	65.6 (30)	82	* *	106	7.5 (48)	62	* *	78	* *	339	90.9 (5)	702	13.0 (55)
Polk Cty	216	76.9 (5)	104	29.8 (13)	138	9.4 (37)	67	* *	92	* *	371	76.5 (64)	848	10.6 (44)
Portage Ct	289	71.6 (14)	138	29.7 (14)	149	12.8 (18)	122	23.8 (5)	125	6.4 (18)	511	87.1 (19)	1,141	6.7 (9)
Price Cty	96	* *	47	* *	57	* *	24	* *	41	* *	239	74.5 (67)	464	9.5 (32)
Racine	435	50.1 (57)	182	27.5 (19)	217	11.5 (25)	137	4.4 (32)	172	2.3 (40)	777	81.0 (49)	1,678	8.5 (22)
Rusk Cty	115	54.8 (54)	45	* *	54	* *	26	* *	39	* *	214	86.4 (22)	444	11.5 (47)
Sauk Cty	321	75.1 (8)	176	34.1 (4)	199	14.1 (13)	158	27.8 (3)	169	11.8 (4)	588	82.7 (39)	1,316	24.9 (71)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2007 Pediatric Nutrition Surveillance (1)
Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
(4,5)

Local Agency	Breastfeeding (5)		Exclusive Breastfeeding (6)		≤2 Hours TV Viewing/Day (7)		Smoking in Household							
	Number (Rank)	% Ever Breastfed (Rank)	Number (Rank)	% Breastfed At Least 6 Months (Rank)	Number (Rank)	% Breastfed At Least 12 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)				
Sawyer Cty	95	* *	46	* *	66	* *	43	* *	46	* *	207	83.6 (32)	431	10.2 (38)
Seeds	832	73.2 (11)	373	27.3 (20)	540	13.7 (16)	258	10.5 (26)	367	3.3 (33)	1,512	83.9 (30)	3,200	8.0 (17)
Shawano	189	67.7 (23)	87	* *	118	6.8 (52)	57	* *	79	* *	377	84.4 (27)	773	12.2 (52)
Sheboygan	545	63.5 (36)	229	33.2 (5)	365	16.2 (6)	168	14.3 (22)	209	4.8 (27)	1,007	81.0 (49)	2,171	8.9 (25)
St. Croix	286	71.7 (13)	137	29.9 (12)	152	16.4 (5)	112	22.3 (9)	131	12.2 (3)	485	77.7 (63)	1,091	8.2 (19)
SWCAP	302	66.9 (27)	139	28.1 (18)	158	8.9 (42)	118	16.1 (18)	131	6.1 (19)	523	84.5 (26)	1,178	10.2 (38)
Taylor Cty	124	69.4 (20)	50	* *	41	* *	36	* *	45	* *	205	82.0 (45)	441	15.6 (63)
Trempealeau	197	76.6 (6)	91	* *	112	17.0 (4)	61	* *	82	* *	342	88.9 (9)	732	6.1 (5)
Vernon Cty	146	78.8 (2)	71	* *	88	* *	58	* *	63	* *	319	80.3 (54)	638	7.2 (12)
Vilas	70	* *	38	* *	41	* *	29	* *	37	* *	100	87.0 (20)	242	9.5 (32)
Walworth C	469	77.0 (4)	247	31.6 (7)	269	15.2 (9)	194	23.2 (7)	234	7.3 (17)	828	83.1 (34)	1,906	6.5 (7)
Wash/Ozaukee	484	64.9 (34)	222	31.5 (8)	292	11.6 (23)	169	26.6 (4)	215	11.6 (6)	793	85.0 (25)	1,792	6.6 (8)
Washburn C	107	61.7 (40)	42	* *	72	* *	36	* *	38	* *	211	79.1 (60)	448	5.1 (2)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2007 Pediatric Nutrition Surveillance (1)
Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
(4,5)

Local Agency	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Waukesha C	640	66.3 (29)	285	35.8 (3)	335	14.9 (10)	229	19.7 (12)	279	11.8 (4)	948	81.8 (46)	2,347	7.9 (15)
Waupaca Ct	234	60.3 (44)	86	* *	122	9.8 (36)	55	* *	75	* *	360	85.6 (23)	817	15.9 (64)
Wee Care	1,979	58.3 (52)	807	19.6 (38)	1,259	7.2 (50)	489	12.5 (23)	731	3.3 (33)	3,511	79.8 (57)	7,691	14.9 (62)
West Allis	358	70.9 (17)	119	30.3 (11)	186	11.3 (29)	98	* *	114	2.6 (39)	466	83.9 (30)	1,152	12.2 (52)
Winnebago	660	63.5 (36)	302	24.2 (28)	343	9.0 (41)	235	17.4 (15)	283	5.3 (25)	1,078	86.5 (21)	2,444	9.6 (34)
Wood Cty	373	58.7 (49)	153	23.5 (29)	222	9.9 (34)	96	* *	140	9.3 (11)	582	83.0 (35)	1,336	11.5 (47)
Unknown Local Ag.	21	* *	18	* *	24	* *	12	* *	18	* *	73	* *	138	13.8 (58)
Wisconsin	31,171	63.2	13,616	26.6	18,952	12.3	9,686	16.3	12,527	6.2	55,809	81.8	121,340	10.9
Nation (Prior Year)	1,577,832	60.1	790,341	25.2	875,205	18.1	104,492	10.3	143,261	5.6	584,732	73.3	2,855,911	10.6

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate. Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6F
2005 - 2007 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
16th Stree	4,240	6.6 (12)	8.8 (41)	19,685	6.8 (69)	2.5 (11)	18.6 (70)	9,627	19.8 (66)	20.6 (69)	14,841	8.8 (42)
Aurora	4,003	9.0 (56)	4.5 (2)	11,073	4.6 (20)	7.5 (72)	8.6 (4)	4,252	13.5 (9)	10.1 (13)	6,407	27.3 (72)
Barron Cty	786	8.4 (43)	9.4 (52)	3,120	5.8 (46)	2.4 (9)	12.1 (41)	1,333	17.1 (46)	14.0 (50)	2,166	6.9 (31)
Bay Area	594	5.7 (7)	13.5 (68)	2,652	5.7 (43)	5.1 (61)	10.0 (10)	1,287	12.5 (6)	8.4 (4)	2,004	6.4 (28)
Buffalo	266	5.6 (5)	8.6 (39)	1,125	4.4 (14)	4.4 (50)	10.8 (19)	511	19.6 (64)	15.9 (61)	786	9.0 (43)
Burnett Ct	278	10.8 (68)	7.6 (20)	1,130	6.0 (54)	4.4 (50)	8.5 (3)	538	13.9 (10)	7.8 (2)	792	2.1 (1)
Calumet Ct	413	9.9 (64)	7.7 (23)	1,776	5.9 (49)	3.1 (27)	12.5 (44)	821	17.5 (50)	15.7 (60)	1,323	4.8 (14)
Chippewa	969	7.3 (24)	8.0 (30)	4,025	5.2 (30)	3.8 (42)	9.9 (9)	1,841	14.8 (18)	10.5 (14)	2,905	5.8 (22)
City Mad	3,634	8.4 (43)	8.0 (30)	12,929	5.5 (39)	2.8 (15)	13.9 (59)	5,501	13.3 (7)	11.6 (24)	9,072	11.3 (55)
Clark Cty	536	8.4 (43)	8.4 (37)	2,198	5.3 (33)	3.3 (35)	15.2 (65)	957	16.6 (39)	19.6 (66)	1,543	13.0 (62)
Columbia C	605	8.6 (48)	10.9 (65)	2,342	5.8 (46)	3.2 (31)	12.0 (36)	1,014	16.1 (33)	14.9 (55)	1,602	7.1 (33)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2005 - 2007 Pediatric Nutrition Surveillance (1)
Wisconsin

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency (3,4)												
Local Agency	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Cudahy	1,830	9.3 (59)	9.3 (47)	6,056	4.7 (23)	5.2 (63)	10.0 (10)	2,335	15.7 (28)	11.6 (24)	4,056	10.1 (52)
Dane Cty	1,611	8.1 (34)	9.4 (52)	6,389	4.6 (20)	2.8 (15)	11.3 (27)	2,756	16.0 (32)	12.2 (30)	4,574	9.5 (48)
Dodge Cty	937	9.0 (56)	6.7 (11)	3,670	4.5 (18)	4.9 (58)	9.1 (6)	1,628	10.5 (2)	9.1 (9)	2,635	6.4 (28)
Door Cty	304	5.6 (5)	7.6 (20)	1,306	3.8 (5)	3.7 (40)	10.6 (17)	619	19.9 (67)	14.2 (51)	943	4.0 (9)
Dunn Cty	666	6.9 (19)	9.3 (47)	2,773	5.9 (49)	4.3 (49)	12.0 (36)	1,282	16.6 (39)	13.7 (48)	1,955	4.2 (11)
Eau Claire	1,568	6.8 (17)	7.7 (23)	6,498	6.0 (54)	2.0 (5)	10.8 (19)	2,908	15.1 (21)	11.3 (19)	4,722	13.5 (64)
Family Hea	714	7.4 (27)	7.6 (20)	2,816	4.5 (18)	4.8 (55)	12.1 (41)	1,228	15.3 (24)	12.2 (30)	1,957	11.7 (57)
Family Pla	2,469	7.9 (33)	7.5 (18)	9,734	7.9 (71)	2.0 (5)	12.8 (47)	4,253	17.6 (51)	12.7 (41)	6,948	3.3 (6)
Florence C	62	* *	* *	341	6.2 (60)	1.8 (3)	11.1 (22)	182	14.3 (14)	9.9 (11)	248	11.7 (57)
Fond du La	1,356	8.3 (40)	6.2 (6)	5,443	6.2 (60)	3.2 (31)	8.4 (2)	2,463	14.7 (17)	8.4 (4)	3,906	8.3 (37)
Forest Cty	175	10.3 (67)	6.3 (7)	752	5.9 (49)	3.5 (37)	14.0 (60)	383	15.1 (21)	13.3 (44)	558	5.4 (18)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2005 - 2007 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
GLITC	761	6.6 (12)	13.9 (70)	3,231	4.4 (14)	2.9 (19)	21.0 (72)	1,500	22.3 (71)	22.9 (71)	2,280	9.9 (50)
Grant Cty	765	6.5 (11)	9.8 (58)	3,409	4.1 (10)	4.8 (55)	9.8 (8)	1,551	15.6 (27)	12.5 (35)	2,464	5.0 (16)
Green Cty	494	7.7 (31)	8.9 (44)	1,865	8.0 (72)	2.8 (15)	17.5 (69)	752	21.3 (70)	23.1 (72)	1,257	8.4 (38)
Health	2,681	8.8 (53)	7.9 (29)	9,803	6.3 (63)	3.0 (24)	13.6 (55)	4,227	18.1 (55)	14.6 (53)	6,676	8.6 (39)
Jackson	372	7.3 (24)	9.7 (56)	1,650	4.7 (23)	3.5 (37)	11.6 (31)	768	20.7 (68)	11.2 (18)	1,143	8.1 (35)
Jefferson	1,211	5.5 (4)	8.2 (33)	5,001	3.4 (3)	3.8 (42)	11.3 (27)	2,137	16.9 (41)	15.3 (59)	3,479	5.6 (19)
Juneau	906	8.3 (40)	7.8 (27)	3,737	5.5 (39)	2.9 (19)	13.7 (56)	1,690	18.0 (53)	12.5 (35)	2,606	7.5 (34)
Kenosha Ct	3,027	9.3 (59)	6.4 (10)	11,139	7.8 (70)	2.4 (9)	15.1 (64)	4,772	17.0 (44)	15.2 (58)	7,646	17.7 (69)
Kewaunee C	194	8.2 (35)	9.3 (47)	919	5.2 (30)	1.0 (1)	14.8 (62)	428	19.6 (64)	15.0 (56)	676	9.9 (50)
La Crosse	1,660	7.1 (21)	9.7 (56)	6,550	6.4 (65)	4.2 (47)	11.1 (22)	2,949	18.0 (53)	13.4 (47)	4,683	9.2 (45)
Marinette	676	7.4 (27)	9.8 (58)	3,037	5.4 (36)	3.7 (40)	10.2 (15)	1,406	9.5 (1)	8.5 (6)	2,210	2.9 (4)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2005 - 2007 Pediatric Nutrition Surveillance (1)
Wisconsin

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency (3,4)													
Local Agency	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Menominee	388	8.2 (35)	12.4 (67)	1,557	1.9 (1)	1.7 (2)	20.6 (71)	755	22.6 (72)	20.1 (67)		1,147	2.6 (2)
Mil. City	6,039	11.4 (69)	5.4 (4)	24,026	5.3 (33)	5.6 (65)	11.2 (25)	10,972	16.4 (36)	12.3 (32)		17,442	16.4 (67)
MLK	2,268	13.4 (71)	3.9 (1)	8,833	5.4 (36)	7.0 (71)	10.6 (17)	3,924	11.7 (4)	8.3 (3)		6,311	26.7 (71)
Monitowoc	1,082	7.2 (23)	7.5 (18)	4,429	5.7 (43)	2.5 (11)	12.9 (49)	1,998	19.2 (63)	14.7 (54)		3,124	14.2 (66)
Monroe Cty	743	7.3 (24)	9.0 (45)	2,845	6.5 (66)	2.6 (13)	14.8 (62)	1,194	15.0 (20)	12.6 (39)		1,925	5.1 (17)
NEW Comm	4,078	8.2 (35)	8.0 (30)	16,448	4.8 (26)	5.1 (61)	11.6 (31)	7,673	14.0 (12)	12.3 (32)		12,037	6.6 (30)
NHA	3,078	9.4 (61)	8.8 (41)	11,009	5.5 (39)	4.0 (45)	12.5 (44)	4,527	15.3 (24)	12.7 (41)		7,435	9.2 (45)
NWCSA	767	5.3 (3)	9.8 (58)	3,418	4.4 (14)	4.7 (54)	11.4 (29)	1,614	19.0 (62)	13.3 (44)		2,374	13.0 (62)
Oconto Cty	445	9.7 (63)	7.2 (13)	1,706	6.1 (58)	4.2 (47)	17.1 (67)	746	17.8 (52)	18.0 (65)		1,186	9.0 (43)
Oneida	423	5.0 (2)	17.7 (71)	1,530	3.8 (5)	1.8 (3)	17.1 (67)	673	18.7 (60)	20.1 (67)		1,044	2.8 (3)
Oneida Cty	460	10.0 (66)	6.3 (7)	1,702	4.0 (8)	4.9 (58)	7.6 (1)	710	17.0 (44)	7.7 (1)		1,149	5.7 (21)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2005 - 2007 Pediatric Nutrition Surveillance (1)
Wisconsin

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency (3,4)													
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)			
	Low	High		Short Stature (6)	Under-weight (7)	Over-weight (7)	≥ 2 Yrs Over-weight (7)						
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Outagamie	1,825	8.4 (43)	7.3 (14)	7,161	6.0 (54)	5.0 (60)	12.0 (36)	3,295	18.3 (58)	15.0 (56)		4,924	8.6 (39)
Pierce Cty	454	6.4 (10)	8.8 (41)	2,012	6.1 (58)	2.7 (14)	12.6 (46)	933	18.3 (58)	11.7 (28)		1,468	11.7 (57)
Polk Cty	663	8.3 (40)	6.8 (12)	2,471	4.9 (27)	4.0 (45)	8.7 (5)	1,035	14.5 (15)	8.9 (7)		1,677	9.6 (49)
Portage Ct	830	6.6 (12)	10.5 (63)	3,347	6.3 (63)	3.2 (31)	10.9 (21)	1,438	16.1 (33)	11.6 (24)		2,311	6.0 (23)
Price Cty	259	3.9 (1)	8.5 (38)	1,329	3.2 (2)	3.3 (35)	11.9 (34)	663	14.6 (16)	11.6 (24)		1,012	3.6 (8)
Racine	1,090	9.4 (61)	6.3 (7)	4,221	4.1 (10)	3.1 (27)	12.1 (41)	1,882	14.9 (19)	11.1 (17)		3,064	17.5 (68)
Rusk Cty	298	9.1 (58)	11.1 (66)	1,334	4.6 (20)	2.0 (5)	13.3 (53)	649	16.9 (41)	13.3 (44)		989	4.8 (14)
Sauk Cty	849	6.6 (12)	10.0 (61)	3,578	6.0 (54)	2.3 (8)	13.7 (56)	1,563	18.1 (55)	16.9 (64)		2,471	8.2 (36)
Sawyer Cty	269	6.7 (16)	9.3 (47)	1,213	4.1 (10)	3.8 (42)	10.4 (16)	550	16.9 (41)	11.5 (22)		885	4.4 (13)
Seeds	2,336	6.9 (19)	9.0 (45)	9,146	3.4 (3)	4.8 (55)	11.1 (22)	4,144	17.3 (48)	13.8 (49)		6,526	11.6 (56)
Shawano	562	8.7 (50)	8.2 (33)	2,250	4.4 (14)	3.2 (31)	12.0 (36)	1,028	13.9 (10)	9.8 (10)		1,617	6.1 (25)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2005 - 2007 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency (3,4)												
Local Agency	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Sheboygan	1,636	7.1 (21)	7.3 (14)	6,126	5.8 (46)	6.1 (68)	11.2 (25)	2,697	17.3 (48)	12.6 (39)	4,340	6.0 (23)
St. Croix	789	8.2 (35)	10.5 (63)	3,001	6.2 (60)	2.8 (15)	11.9 (34)	1,269	17.1 (46)	11.8 (29)	2,060	4.1 (10)
SWCAP	941	7.7 (31)	9.4 (52)	3,582	5.6 (42)	3.0 (24)	12.8 (47)	1,482	20.9 (69)	14.4 (52)	2,410	10.1 (52)
Taylor Cty	315	5.7 (7)	8.3 (35)	1,276	3.8 (5)	6.1 (68)	10.0 (10)	595	10.8 (3)	10.6 (15)	912	4.3 (12)
Trempealeau	526	6.8 (17)	10.3 (62)	2,089	4.3 (13)	6.0 (67)	13.1 (52)	943	18.1 (55)	12.5 (35)	1,476	10.4 (54)
Vernon Cty	420	8.8 (53)	13.6 (69)	1,890	5.9 (49)	3.1 (27)	14.2 (61)	867	16.5 (38)	15.9 (61)	1,330	5.6 (19)
Vilas	189	6.3 (9)	5.8 (5)	631	4.0 (8)	2.9 (19)	12.0 (36)	233	15.5 (26)	12.4 (34)	379	3.4 (7)
Walworth C	1,406	7.6 (30)	8.3 (35)	5,468	5.2 (30)	2.9 (19)	12.9 (49)	2,279	16.4 (36)	15.9 (61)	3,679	6.9 (31)
Wash/Oz	1,407	8.4 (43)	7.7 (23)	5,158	5.9 (49)	4.6 (52)	11.8 (33)	2,183	15.2 (23)	10.8 (16)	3,595	9.3 (47)
Washburn C	299	8.7 (50)	7.4 (16)	1,229	5.4 (36)	5.9 (66)	10.1 (13)	564	11.7 (4)	9.0 (8)	855	3.2 (5)
Waukesha C	1,921	8.2 (35)	7.8 (27)	7,007	5.0 (28)	2.9 (19)	12.9 (49)	2,801	16.3 (35)	13.0 (43)	4,509	6.2 (26)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2005 - 2007 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number
Waupaca Ct	636	9.9 (64)	7.7 (23)	2,365	5.0 (28)	3.6 (39)	13.4 (54)	1,022	13.4 (8)	11.4 (21)	1,572	6.3 (27)
Wee Care	5,808	12.8 (70)	4.7 (3)	22,202	6.6 (68)	4.6 (52)	10.1 (13)	9,479	14.0 (12)	9.9 (11)	15,275	25.2 (70)
West Allis	993	8.6 (48)	9.3 (47)	3,393	4.7 (23)	5.2 (63)	9.6 (7)	1,368	15.9 (31)	11.3 (19)	2,188	12.4 (60)
Winnebago	1,863	8.9 (55)	7.4 (16)	7,278	5.3 (33)	3.1 (27)	13.8 (58)	3,086	15.8 (29)	12.5 (35)	5,119	13.9 (65)
Wood Cty	1,088	7.4 (27)	8.6 (39)	4,039	5.7 (43)	3.0 (24)	11.5 (30)	1,731	15.8 (29)	11.5 (22)	2,774	8.6 (39)
Unknown Local Ag.	446	8.7 (50)	9.6 (55)	899	6.5 (66)	6.5 (70)	16.1 (66)	249	18.9 (61)	22.5 (70)	434	12.7 (61)
Wisconsin	90,652	8.6	7.7	351,372	5.6	4.0	12.3	154,713	16.2	13.0	246,088	11.3

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7F
2005 - 2007 Pediatric Nutrition Surveillance (1)
Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
(4,5)

Local Agency	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
16th Stree	4,665	83.4 (1)	3,274	45.0 (1)	3,511	27.1 (1)	2,623	13.0 (44)	2,692	6.4 (36)	8,085	80.1 (46)	10,168	10.0 (1)
Aurora	3,742	38.6 (71)	1,950	13.5 (71)	2,008	8.6 (67)	1,554	3.0 (69)	1,567	1.5 (67)	3,316	82.8 (30)	6,288	22.9 (57)
Barron Cty	869	64.9 (38)	574	20.2 (48)	545	11.2 (53)	447	15.7 (30)	418	5.7 (43)	1,088	80.5 (43)	1,737	16.4 (21)
Bay Area	619	68.0 (26)	449	34.1 (4)	449	21.6 (4)	338	29.6 (1)	335	17.9 (1)	1,043	86.0 (15)	1,382	18.4 (30)
Buffalo	274	74.1 (7)	174	29.9 (8)	170	18.8 (6)	118	14.4 (35)	111	7.2 (29)	398	84.7 (22)	619	14.5 (11)
Burnett Ct	300	74.7 (5)	216	22.7 (36)	190	12.6 (35)	174	24.1 (4)	163	12.3 (3)	432	93.1 (2)	621	24.0 (63)
Calumet Ct	481	60.5 (50)	316	19.3 (57)	333	11.7 (45)	251	12.0 (48)	244	7.4 (27)	659	81.2 (42)	1,003	15.4 (17)
Chippewa	1,047	68.6 (22)	696	20.0 (50)	677	10.0 (59)	499	14.0 (38)	506	7.5 (24)	1,439	86.9 (11)	2,172	19.3 (38)
City Mad	4,284	72.9 (9)	2,454	39.0 (2)	2,419	22.5 (2)	1,938	16.8 (24)	1,812	11.4 (6)	4,671	85.7 (19)	7,584	12.4 (4)
Clark Cty	575	68.7 (20)	390	21.8 (42)	406	12.3 (41)	339	17.7 (19)	328	6.4 (36)	799	82.7 (31)	1,174	17.0 (25)
Columbia C	681	68.7 (20)	414	26.1 (21)	405	13.6 (28)	286	22.0 (10)	269	10.4 (9)	834	82.1 (38)	1,354	20.2 (45)
Cudahy	2,011	64.3 (40)	1,129	19.4 (55)	1,145	9.9 (60)	793	10.0 (54)	740	4.6 (53)	1,909	74.8 (67)	3,603	26.2 (66)
Dane Cty	1,523	72.8 (10)	1,192	37.2 (3)	1,205	22.0 (3)	737	15.7 (30)	721	9.6 (13)	2,054	77.8 (58)	3,531	16.4 (21)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2005 - 2007 Pediatric Nutrition Surveillance (1)
Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
(4,5)

Local Agency	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Dodge Cty	1,033	74.8 (4)	646	28.0 (11)	622	16.6 (10)	532	22.6 (9)	475	11.4 (6)	1,267	87.0 (10)	2,157	19.0 (33)
Door Cty	323	71.2 (15)	216	25.0 (24)	227	12.3 (41)	171	15.8 (28)	161	6.2 (39)	479	82.5 (32)	702	18.5 (32)
Dunn Cty	728	64.4 (39)	468	23.7 (34)	448	13.2 (31)	358	24.6 (3)	343	12.8 (2)	1,086	77.7 (59)	1,493	14.3 (10)
Eau Claire	1,731	68.2 (25)	1,210	22.3 (39)	1,212	10.1 (58)	933	14.3 (37)	916	8.1 (19)	2,416	83.7 (28)	3,522	16.6 (24)
Family Hea	811	54.5 (64)	458	22.5 (37)	476	20.8 (5)	276	8.0 (60)	265	4.9 (49)	980	73.3 (69)	1,622	19.0 (33)
Family Pla	2,739	55.8 (62)	1,681	18.1 (63)	1,642	12.2 (44)	1,165	11.8 (49)	1,134	4.9 (49)	3,541	79.6 (52)	5,520	19.2 (36)
Florence C	78	* *	58	* *	56	* *	37	* *	38	* *	142	85.9 (17)	190	20.5 (47)
Fond du La	1,479	66.2 (32)	904	23.6 (35)	970	12.5 (38)	745	20.4 (11)	706	8.4 (16)	2,050	84.7 (22)	3,036	11.0 (2)
Forest Cty	176	50.6 (68)	115	18.3 (61)	117	8.5 (68)	87	* *	93	* *	320	75.9 (64)	392	26.8 (68)
GLITC	823	58.2 (55)	576	21.0 (46)	600	13.3 (30)	420	13.6 (40)	426	6.3 (38)	1,217	80.0 (48)	1,704	27.5 (69)
Grant Cty	838	62.1 (44)	616	24.8 (27)	607	13.5 (29)	359	18.4 (16)	361	10.0 (11)	1,246	88.4 (8)	1,818	18.0 (27)
Green Cty	545	58.0 (56)	365	19.5 (53)	380	12.4 (40)	300	18.7 (15)	297	6.7 (32)	646	86.7 (12)	1,032	23.3 (59)
Health	2,894	59.3 (54)	1,735	20.1 (49)	1,664	12.7 (34)	1,354	10.3 (52)	1,312	5.1 (46)	3,243	74.7 (68)	5,538	17.5 (26)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2005 - 2007 Pediatric Nutrition Surveillance (1)
Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
(4,5)

Local Agency	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Jackson	403	72.0 (12)	241	22.4 (38)	243	12.3 (41)	185	15.7 (30)	172	8.1 (19)	648	86.4 (13)	855	23.0 (58)
Jefferson	1,354	69.7 (17)	979	26.9 (17)	876	14.8 (19)	683	10.4 (51)	646	6.7 (32)	1,778	85.8 (18)	2,710	15.3 (15)
Juneau	943	66.1 (34)	655	21.7 (43)	641	11.5 (48)	515	15.5 (33)	506	5.9 (41)	1,349	84.7 (22)	1,990	29.3 (71)
Kenosha Ct	3,279	56.3 (61)	1,729	18.2 (62)	1,811	9.8 (61)	1,340	9.3 (56)	1,261	4.0 (57)	3,988	80.2 (45)	6,468	19.5 (39)
Kewaunee C	217	67.7 (29)	145	24.1 (30)	155	12.9 (33)	96	* *	99	* *	345	71.6 (71)	507	19.7 (41)
La Crosse	1,834	69.5 (18)	1,179	25.8 (22)	1,114	14.8 (19)	853	14.4 (35)	829	6.2 (39)	2,428	86.0 (15)	3,689	12.8 (5)
Marinette	772	49.1 (69)	515	18.8 (58)	558	11.6 (47)	406	7.9 (61)	413	3.9 (58)	1,101	84.7 (22)	1,677	23.6 (61)
Menominee	408	68.6 (22)	267	24.3 (29)	308	13.0 (32)	195	4.6 (68)	197	1.0 (68)	597	89.4 (6)	819	23.4 (60)
Mil. City	6,525	48.8 (70)	3,975	15.1 (68)	4,265	9.1 (65)	2,818	5.9 (65)	2,805	2.2 (66)	8,761	68.6 (72)	13,345	19.9 (43)
MLK	2,448	55.0 (63)	1,441	16.8 (65)	1,441	9.2 (64)	977	8.2 (59)	951	3.2 (61)	3,180	73.1 (70)	4,783	28.1 (70)
Monitowoc	1,184	57.1 (59)	752	23.9 (31)	797	14.6 (22)	633	13.3 (42)	610	7.5 (24)	1,675	75.5 (65)	2,412	21.4 (52)
Monroe Cty	846	68.0 (26)	517	22.2 (40)	507	15.0 (16)	366	11.2 (50)	337	5.0 (47)	981	80.0 (48)	1,605	19.1 (35)
NEW Comm	4,415	61.7 (46)	2,815	23.9 (31)	2,984	14.9 (17)	2,107	8.9 (58)	2,045	4.2 (56)	6,216	77.6 (61)	9,046	14.5 (11)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2005 - 2007 Pediatric Nutrition Surveillance (1)
Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
(4,5)

Local Agency	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
NHA	3,307	53.2 (65)	1,977	18.8 (58)	2,008	11.4 (50)	1,387	7.6 (63)	1,346	3.7 (60)	3,659	85.0 (21)	6,222	18.4 (30)
NWCSA	856	67.9 (28)	574	25.3 (23)	574	14.8 (19)	454	24.0 (5)	444	12.2 (4)	1,307	90.2 (5)	1,895	21.1 (50)
Oconto Cty	474	51.3 (66)	298	16.4 (67)	272	6.3 (70)	233	7.7 (62)	232	3.9 (58)	599	78.8 (55)	942	21.8 (55)
Oneida	452	60.4 (51)	253	16.6 (66)	286	9.8 (61)	191	13.1 (43)	179	4.5 (54)	561	78.3 (56)	849	20.4 (46)
Oneida Cty	500	61.8 (45)	313	26.8 (18)	290	11.4 (50)	255	23.1 (6)	245	11.4 (6)	548	92.0 (3)	955	19.5 (39)
Outagamie	2,029	62.6 (43)	1,238	22.1 (41)	1,311	11.7 (45)	1,047	16.3 (25)	976	7.5 (24)	2,679	79.1 (53)	4,115	15.5 (18)
Pierce Cty	506	61.1 (49)	336	21.1 (45)	353	9.1 (65)	274	16.1 (26)	254	7.1 (31)	746	88.5 (7)	1,075	18.1 (28)
Polk Cty	710	72.3 (11)	437	26.3 (20)	433	10.9 (55)	318	19.5 (13)	302	8.6 (15)	805	78.0 (57)	1,419	20.5 (47)
Portage Ct	922	66.3 (31)	594	27.4 (15)	539	18.6 (7)	472	16.9 (23)	432	7.4 (27)	1,171	88.0 (9)	1,857	14.1 (9)
Price Cty	283	71.4 (14)	222	30.2 (7)	221	14.9 (17)	140	12.9 (45)	148	8.1 (19)	546	80.0 (48)	670	21.5 (53)
Racine	1,227	50.7 (67)	740	19.7 (52)	714	11.3 (52)	551	5.3 (67)	532	3.2 (61)	1,637	76.1 (63)	2,415	15.7 (20)
Rusk Cty	310	60.3 (52)	196	20.9 (47)	206	14.6 (22)	140	12.9 (45)	141	5.0 (47)	526	84.4 (26)	734	21.3 (51)
Sauk Cty	1,026	76.9 (2)	680	32.2 (5)	629	15.1 (15)	577	24.8 (2)	511	12.1 (5)	1,240	86.4 (13)	2,052	39.3 (72)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2005 - 2007 Pediatric Nutrition Surveillance (1)
Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
 (4,5)

Local Agency	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Sawyer Cty	300	65.7 (36)	222	19.4 (55)	210	9.5 (63)	173	14.5 (34)	167	6.6 (34)	456	80.3 (44)	646	21.5 (53)
Seeds	2,496	73.1 (8)	1,652	23.9 (31)	1,780	12.6 (35)	1,213	9.3 (56)	1,192	4.4 (55)	3,457	81.7 (40)	4,912	13.8 (7)
Shawano	600	62.7 (42)	387	21.7 (43)	404	12.6 (35)	291	12.7 (47)	293	6.5 (35)	819	84.1 (27)	1,276	23.7 (62)
Sheboygan	1,800	62.9 (41)	1,124	24.8 (27)	1,185	13.7 (27)	956	9.5 (55)	944	4.8 (52)	2,238	79.1 (53)	3,434	16.5 (23)
St. Croix	897	71.0 (16)	562	27.9 (12)	522	15.5 (12)	477	19.9 (12)	446	9.6 (13)	1,043	75.4 (66)	1,771	15.1 (13)
SWCAP	1,045	67.5 (30)	655	25.0 (24)	611	15.2 (14)	518	19.1 (14)	516	8.3 (17)	1,230	82.4 (34)	2,071	18.2 (29)
Taylor Cty	344	66.0 (35)	212	27.8 (13)	206	14.1 (26)	147	18.4 (16)	134	8.2 (18)	454	81.7 (40)	710	24.8 (65)
Trempealeau	566	71.9 (13)	349	27.5 (14)	365	15.6 (11)	265	18.1 (18)	256	5.9 (41)	777	90.3 (4)	1,138	13.4 (6)
Vernon Cty	469	74.4 (6)	317	29.3 (10)	322	17.1 (8)	243	17.3 (20)	224	8.0 (22)	736	85.5 (20)	1,022	12.3 (3)
Vilas	200	56.5 (60)	128	19.5 (53)	113	11.5 (48)	100	16.0 (27)	99	* *	215	82.3 (37)	366	19.9 (43)
Walworth C	1,604	75.1 (3)	1,068	30.9 (6)	977	15.5 (12)	854	22.8 (8)	811	7.8 (23)	1,815	82.4 (34)	3,134	14.0 (8)
Wash/Ozaukee	1,595	68.9 (19)	956	27.1 (16)	973	12.5 (38)	818	23.1 (6)	788	9.8 (12)	1,795	82.1 (38)	3,034	15.5 (18)
Washburn C	330	65.5 (37)	233	26.6 (19)	232	11.2 (53)	183	15.8 (28)	183	4.9 (49)	454	82.4 (34)	653	15.3 (15)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
 Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2005 - 2007 Pediatric Nutrition Surveillance (1)
Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
(4,5)

Local Agency	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Waukesha C	2,146	68.6 (22)	1,306	29.7 (9)	1,191	16.7 (9)	1,049	17.0 (22)	998	10.3 (10)	2,241	80.1 (46)	4,108	15.2 (14)
Waupaca Ct	694	61.4 (48)	389	17.5 (64)	404	10.6 (57)	304	13.8 (39)	288	3.1 (63)	792	83.1 (29)	1,343	24.1 (64)
Wee Care	6,268	57.5 (57)	4,016	14.9 (70)	4,140	7.9 (69)	2,970	6.9 (64)	2,998	2.6 (65)	7,843	77.7 (59)	12,186	19.2 (36)
West Allis	1,084	66.2 (32)	527	25.0 (24)	554	14.3 (24)	445	10.3 (52)	391	5.6 (45)	1,090	76.9 (62)	1,975	22.7 (56)
Winnebago	2,090	61.5 (47)	1,343	19.8 (51)	1,239	10.9 (55)	1,044	13.5 (41)	1,033	5.7 (43)	2,519	82.5 (32)	4,123	19.8 (42)
Wood Cty	1,188	57.2 (58)	698	18.8 (58)	694	14.3 (24)	503	17.1 (21)	484	7.2 (29)	1,406	80.0 (48)	2,263	20.5 (47)
Unknown Local Ag.	272	59.9 (53)	206	15.0 (69)	209	6.2 (71)	164	5.5 (66)	161	3.1 (63)	199	94.0 (1)	450	26.7 (67)
Wisconsin	98,487	62.7	61,694	23.7	62,351	13.5	46,764	12.8	45,452	6.1	126,010	80.3	195,683	18.2

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

