

Table 4G
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Comparison of Racial and Ethnic Distribution by Metro Area
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by Metro Area								
Metro Area	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Dane Cty	6,748	26.2	21.7	35.8	0.2	7.2	8.9	0.0
Mil. Cty	36,333	11.6	49.0	31.6	0.3	3.8	3.8	0.0
Racine	5,080	25.2	26.7	39.3	0.2	0.4	8.0	0.1
Rest of WI	74,496	64.7	3.1	19.5	2.9	4.7	5.1	0.0
Unknown Metro A.	142	6.3	0.0	6.3	56.3	0.0	30.3	0.7
Wisconsin	122,799	45.2	18.6	24.7	1.9	4.4	5.1	0.0
Nation (Prior Year)	7,599,318	31.5	18.5	41.1	1.0	2.5	1.5	3.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5G
2007 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Age Distribution by Metro Area
Children Aged < 5 Years (2)

Comparison of Age Distribution by Metro Area				
Metro Area	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Dane Cty	6,748	36.2	22.3	41.5
Mil. Cty	36,333	35.4	22.0	42.6
Racine	5,080	38.6	19.4	41.9
Rest of WI	74,496	36.6	20.7	42.7
Unknown Metro A.	142	26.1	26.8	47.2
Wisconsin	122,799	36.3	21.1	42.6
Nation (Prior Year)	7,599,318	37.6	21.8	40.6

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Records rejected if date of birth and date of visit unknown.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 6G
2007 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Metro Area
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Metro Area (3,4)													
Metro Area	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)			
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Dane Cty	1,836	8.8 (2)	8.5 (4)	6,554	5.0 (2)	3.0 (3)	12.8 (4)	2,773	13.5 (1)	12.0 (1)		4,605	10.7 (3)
Mil. Cty	9,443	10.4 (4)	5.8 (1)	35,517	5.7 (5)	4.4 (5)	12.2 (1)	15,276	15.6 (2)	13.6 (4)		24,877	18.2 (5)
Racine	1,332	10.1 (3)	6.9 (2)	4,951	5.0 (2)	2.9 (2)	12.4 (3)	2,092	17.7 (4)	12.7 (2)		3,441	11.5 (4)
Rest of WI	18,525	7.8 (1)	8.3 (3)	72,912	5.4 (4)	3.4 (4)	12.2 (1)	31,433	16.4 (3)	13.0 (3)		50,969	7.9 (1)
Unknown Metro A.	26	* *	* *	137	2.2 (1)	2.2 (1)	25.5 (5)	62	* *	* *		114	9.6 (2)
Wisconsin	31,162	8.7	7.5	120,071	5.4	3.7	12.2	51,636	16.1	13.1		84,006	11.3
Nation (Prior Year)	1,842,970	9.2	6.6	7,192,043	6.4	4.7	13.8	2,945,212	16.4	14.8		4,521,591	14.0

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this metro area's rate to other metro areas. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7G
2007 Pediatric Nutrition Surveillance (1)
Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Metro Area (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Metro Area
(4,5)

Metro Area	Breastfeeding (5)		Exclusive Breastfeeding (6)		≤2 Hours TV Viewing/Day (7)		Smoking in Household							
	Number (Rank)	% Ever Breastfed (Rank)	Number (Rank)	% Breastfed At Least 6 Months (Rank)	Number (Rank)	% Breastfed At Least 3 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)				
Dane Cty	1,840	74.3 (1)	775	42.2 (1)	1,066	23.2 (1)	585	17.3 (2)	669	10.0 (1)	2,983	83.9 (1)	6,603	7.3 (1)
Mil. Cty	9,433	60.3 (3)	3,852	25.4 (3)	5,871	12.3 (2)	2,537	11.5 (4)	3,564	3.7 (4)	16,565	78.3 (3)	35,975	13.5 (4)
Racine	1,326	58.1 (4)	561	24.1 (4)	734	10.8 (4)	412	12.4 (3)	539	4.6 (3)	2,254	77.9 (4)	4,983	10.5 (3)
Rest of WI	18,551	64.0 (2)	8,410	26.0 (2)	11,257	11.4 (3)	6,140	18.4 (1)	7,737	7.2 (2)	33,934	83.6 (2)	73,641	9.9 (2)
Unknown Metro A.	21	* *	18	* *	24	* *	12	* *	18	* *	73	* *	138	13.8 (5)
Wisconsin	31,171	63.2	13,616	26.6	18,952	12.3	9,686	16.3	12,527	6.2	55,809	81.8	121,340	10.9
Nation (Prior Year)	1,577,832	60.1	790,341	25.2	875,205	18.1	104,492	10.3	143,261	5.6	584,732	73.3	2,855,911	10.6

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this metro area's rate to other metro areas. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6G
2005 - 2007 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Metro Area
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Metro Area (3,4)												
Metro Area	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Dane Cty	5,245	8.3 (2)	8.4 (3)	19,318	5.2 (1)	2.8 (1)	13.0 (3)	8,257	14.2 (1)	11.8 (1)	13,646	10.7 (2)
Mil. Cty	27,517	10.1 (5)	6.2 (1)	104,414	5.6 (2)	5.0 (4)	11.9 (1)	46,101	16.0 (2)	13.1 (2)	73,046	17.6 (5)
Racine	3,771	9.0 (4)	7.5 (2)	14,024	5.6 (2)	3.0 (2)	13.1 (4)	6,109	17.1 (4)	13.6 (4)	9,740	11.4 (3)
Rest of WI	53,673	7.9 (1)	8.4 (3)	212,717	5.6 (2)	3.6 (3)	12.3 (2)	93,997	16.3 (3)	13.1 (2)	149,222	8.2 (1)
Unknown Metro A.	446	8.7 (3)	9.6 (5)	899	6.5 (5)	6.5 (5)	16.1 (5)	249	18.9 (5)	22.5 (5)	434	12.7 (4)
Wisconsin	90,652	8.6	7.7	351,372	5.6	4.0	12.3	154,713	16.2	13.0	246,088	11.3

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this metro area's rate to other metro areas. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7G
2005 - 2007 Pediatric Nutrition Surveillance (1)
Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Metro Area (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Metro Area
(4,5)

Metro Area	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Dane Cty	5,807	72.8 (1)	3,646	38.4 (1)	3,624	22.3 (1)	2,675	16.5 (1)	2,533	10.9 (1)	6,725	83.3 (2)	11,115	13.7 (1)
Mil. Cty	29,239	59.2 (4)	17,964	21.8 (3)	18,844	12.7 (3)	13,393	8.0 (4)	13,336	3.5 (4)	37,641	76.3 (4)	57,260	19.0 (4)
Racine	4,121	56.8 (5)	2,475	20.0 (4)	2,378	12.3 (4)	1,905	8.8 (3)	1,844	4.6 (3)	4,880	75.2 (5)	7,953	16.9 (2)
Rest of WI	59,048	63.8 (2)	37,403	23.4 (2)	37,296	13.2 (2)	28,627	15.1 (2)	27,578	7.0 (2)	76,565	82.3 (3)	118,905	18.3 (3)
Unknown Metro A.	272	59.9 (3)	206	15.0 (5)	209	6.2 (5)	164	5.5 (5)	161	3.1 (5)	199	94.0 (1)	450	26.7 (5)
Wisconsin	98,487	62.7	61,694	23.7	62,351	13.5	46,764	12.8	45,452	6.1	126,010	80.3	195,683	18.2

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this metro area's rate to other metro areas. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

