

Table 1C
2007 Pediatric Nutrition Surveillance (1)
Wisconsin
Summary of Demographic Indicators
Children Aged < 5 Years (2,3)

Total Records	Number
Individual Children	122,799
Total Records (All Visits)	211,653

Source of Data	Number	%
WIC	122,799	100.0
EPSDT	0	0.0
Child Health-MCH	0	0.0
Child Health-HMO	0	0.0
Headstart	0	0.0
School Health	0	0.0
Other	0	0.0
Total	122,799	100.0
<i>Excluded Unknown: 0 0.0 %</i>		

Race/Ethnic Distribution	Number	%
White, Not Hispanic	55,463	45.2
Black, Not Hispanic	22,901	18.7
Hispanic	30,379	24.7
American Indian/Alaskan Native	2,391	1.9
Asian/Pacific Islander	5,366	4.4
Multiple Races	6,267	5.1
All Other	0	0.0
Total	122,767	100.0
<i>Excluded Unknown: 32 * %</i>		

Age Distribution (4)	Number	%
0 - 5 Months	33,121	27.0
6 - 11 Months	11,426	9.3
12 - 23 Months	25,938	21.1
24 - 35 Months	19,316	15.7
3 - 4 Years	32,998	26.9
Total	122,799	100.0

% of Poverty Level	Number	%
0-50	25,817	21.1
51-100	16,682	13.6
101-130	9,256	7.6
131-150	5,040	4.1
151-185	6,304	5.2
186-200	5	*
Over 200	0	0.0
Adjunctive Eligibility	59,183	48.4
Total	122,287	100.0
<i>Excluded Unknown: 512 0.4 %</i>		

Program Participation	Number	%
WIC	122,799	100.0
FoodStamps	96,920	39.9
Medicaid	121,967	55.4
TANF	122,027	1.5
<i>Excluded Unknown:</i>		
WIC	0	0.0
FoodStamps	25,879	21.1
Medicaid	832	0.7
TANF	772	0.6

Migrant Status	Number	%
Yes	165	0.1
No	122,634	99.9
Total	122,799	100.0
<i>Excluded Unknown: 0 0.0 %</i>		

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Records rejected if date of birth and date of visit unknown.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 2C
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Summary of Health Indicators
Children Aged < 5 Years ⁽²⁾

Summary of Health Indicators ⁽³⁾						
			Wisconsin Prevalence		National Prevalence (Prior Year)	
			Number	%	Number	%
Birthweight (4)						
Low	< 2500 g		31,162	8.7	1,842,970	9.2
High	> 4000 g		31,162	7.5	1,842,970	6.6
Height and Weight						
Short Stature (5)						
	< 5th		120,071	5.4	7,192,043	6.4
	< 10th		120,071	10.2	7,192,043	11.4
Underweight (6)						
	< 5th		120,071	3.7	7,192,043	4.7
	< 10th		120,071	6.6	7,192,043	8.0
Overweight (6)						
	≥ 95th		120,071	12.2	7,192,043	13.8
≥ 2 Yrs Overweight (6)						
	85th - < 95th		51,636	16.1	2,945,212	16.4
	≥ 95th		51,636	13.1	2,945,212	14.8
Anemia (7)						
	Low Hb		80,370	11.6	4,092,770	14.3
	Low Hct		4,015	4.2	652,304	10.9
	Low Hb/Hct		84,006	11.3	4,521,591	14.0
Breastfeeding (8)						
	Ever Breastfed		31,171	63.2	1,577,832	60.1
	Breastfed At Least 6 Months		13,616	26.6	790,341	25.2
	Breastfed At Least 12 Months		18,952	12.3	875,205	18.1
Smoking in Household						
	≤ 2 Hours TV Viewing/ Day (9)		121,340	10.9	2,855,916	10.6
			55,809	81.8	584,732	73.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

(8) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(9) Children aged 2 years and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 3C
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Summary of Breastfeeding Indicators
Children Aged < 5 Years ⁽²⁾

Summary of Breastfeeding Indicators ⁽³⁾				
	Wisconsin Prevalence		National Prevalence (Prior Year)	
	Number	%	Number	%
Breastfeeding Duration ^(4,5)				
Ever Breastfed	31,171	63.2	1,577,832	60.1
Breastfed 1+ Weeks	28,212	60.2	1,299,520	58.5
Breastfed 2+ Weeks	23,943	60.6	1,030,249	55.2
Breastfed 3+ Weeks	21,499	58.3	852,030	52.5
Breastfed 4+ Weeks	19,859	55.4	746,660	49.9
Breastfed 6+ Weeks	14,986	54.1	628,208	44.0
Breastfed 2+ Months	11,825	53.3	581,374	38.7
Breastfed 3+ Months	10,624	48.4	610,380	33.8
Breastfed 4+ Months	11,228	39.8	683,087	29.9
Breastfed 5+ Months	12,377	31.8	763,521	27.0
Breastfed 6+ Months	13,616	26.6	790,341	25.2
Breastfed 9+ Months	17,688	16.9	820,087	20.7
Breastfed 12+ Months	18,952	12.3	875,205	18.1
Breastfed 18+ Months	13,843	6.5	660,721	12.2
Exclusive Breastfeeding ⁽⁶⁾				
Exclusively Breastfed at Least 3 Months	9,686	16.3	104,492	10.3
Exclusively Breastfed at Least 6 Months	12,527	6.2	143,261	5.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. For each breastfeeding duration category, the analysis includes only children who turned that age during the reporting period by/on their date of visit. For example, infants who turned 9 months old during the reporting period by/on their date of visit are included in the 9+ months analysis.

(5) It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.

(6) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4C
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin

Comparison of Racial and Ethnic Distribution by Contributor
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by Contributor								
Contributor	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Wisconsin	122,799	45.2	18.6	24.7	1.9	4.4	5.1	0.0
Nation (Prior Year)	7,599,318	31.5	18.5	41.1	1.0	2.5	1.5	3.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5C
2007 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Age Distribution by Contributor
Children Aged < 5 Years (2)

Comparison of Age Distribution by Contributor				
Contributor	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Wisconsin	122,799	36.3	21.1	42.6
Nation (Prior Year)	7,599,318	37.6	21.8	40.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 6C
2007 Pediatric Nutrition Surveillance (1)
Wisconsin

Comparison of Growth and Anemia Indicators by Contributor
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Contributor (3)												
Contributor	Birthweight (4)			Height and Weight						Anemia Low Hb/Hct (7)		
	Low	High		Short Stature (5)	Under-weight (6)	Over-weight (6)	≥ 2 Yrs Over-weight (6)					
	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥95th	Number	% 85th- <95th	% ≥95th	Number	%
Wisconsin	31,162	8.7	7.5	120,071	5.4	3.7	12.2	51,636	16.1	13.1	84,006	11.3
Nation (Prior Year)	1,842,970	9.2	6.6	7,192,043	6.4	4.7	13.8	2,945,212	16.4	14.8	4,521,591	14.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7C
2007 Pediatric Nutrition Surveillance (1)
Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Contributor (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Contributor
(4)

Contributor	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	%	Number	%		
Wisconsin	31,171	63.2	13,616	26.6	18,952	12.3	9,686	16.3	12,527	6.2	55,809	81.8	121,340	10.9
Nation (Prior Year)	1,577,832	60.1	790,341	25.2	875,205	18.1	104,492	10.3	143,261	5.6	584,732	73.3	2,855,911	10.6

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(6) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 8C
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Growth and Anemia Indicators by Race/Ethnicity or Age
Children Aged < 5 Years ⁽²⁾

Growth and Anemia Indicators by Race/Ethnicity or Age ⁽³⁾												
	Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
	Number	Low %	High %	Number	Short Stature (5) %	Under- weight (6) %	Over- weight (6) %	≥ 2 Yrs Overweight (6)				
		<2500 g	>4000 g		<5th	<5th	≥95th	Number	85th-<95th %	≥95th %		
Race/Ethnicity												
White, Not Hispanic	14,548	8.1	8.6	54,396	5.4	3.8	10.8	22,789	15.7	11.0	37,129	7.5
Black, Not Hispanic	6,214	13.4	3.9	22,250	5.7	5.1	10.3	9,433	13.3	10.2	15,245	23.7
Hispanic	7,098	6.4	8.6	29,717	4.8	2.7	15.2	13,278	17.7	17.9	21,684	9.8
American Indian/Alaskan Native	497	4.8	11.7	2,320	3.2	2.5	19.7	1,102	22.5	21.4	1,757	6.1
Asian/Pacific Islander	1,293	7.0	3.3	5,258	10.5	2.8	13.5	2,398	17.3	15.6	3,825	9.6
Multiple Races	1,512	9.0	8.6	6,121	4.6	3.3	13.1	2,628	17.3	12.3	4,352	10.7
All Other	0	*	*	9	*	*	*	8	*	*	14	*
Total	31,162	8.7	7.5	120,071	5.4	3.7	12.2	51,636	16.1	13.1	84,006	11.3
Age												
0 - 11 Months	-	-	-	42,270	7.2	5.3	9.2	-	*	*	3,416	15.8
12 - 23 Months	-	-	-	26,165	5.4	2.1	15.4	-	*	*	31,190	15.1
24 - 35 Months	-	-	-	19,319	4.2	3.2	11.7	19,319	15.6	11.7	19,796	11.0
36 - 47 Months	-	-	-	16,798	4.0	3.3	13.8	16,798	16.2	13.8	17,112	7.5
48 - 59 Months	-	-	-	15,519	3.8	2.9	14.2	15,519	16.5	14.2	12,492	6.0
Total	-	-	-	120,071	5.4	3.7	12.2	51,636	16.1	13.1	84,006	11.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 9C
2007 Pediatric Nutrition Surveillance (1)
Wisconsin

Breastfeeding, TV Viewing, and Smoking in Household by Race/Ethnicity or Age (2)
Children Aged < 5 Years (3)

Breastfeeding, TV Viewing, and Smoking in Household by Race/Ethnicity or Age (4)										
	Breastfeeding (5)						<2 Hours TV/Video Viewing/Day (6)		Smoking in Household	
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	%	Number	%
Race/Ethnicity										
White, Not Hispanic	14,556	64.2	6,392	26.3	8,261	11.0	24,501	85.0	54,890	12.0
Black, Not Hispanic	6,197	48.0	2,225	15.6	3,514	6.2	10,117	76.4	22,564	16.3
Hispanic	7,124	78.7	3,575	37.8	4,953	20.6	14,529	80.9	30,006	5.0
American Indian/Alaskan Native	493	55.8	244	20.5	391	9.2	1,212	85.5	2,361	14.7
Asian/Pacific Islander	1,292	46.4	528	15.0	844	7.8	2,601	75.6	5,315	3.2
Multiple Races	1,509	60.3	652	18.4	989	7.9	2,844	82.7	6,198	14.1
All Other	0	*	0	*	0	*	5	*	6	*
Total	31,171	63.2	13,616	26.6	18,952	12.3	55,809	81.8	121,340	10.9
Age										
0 - 11 Months	-	-	-	-	-	-	0	*	43,262	8.8
12 - 23 Months	-	-	-	-	-	-	0	*	25,870	11.2
24 - 35 Months	-	-	-	-	-	-	22,902	85.3	19,267	12.1
36 - 47 Months	-	-	-	-	-	-	17,174	79.5	17,199	12.7
48 - 59 Months	-	-	-	-	-	-	15,733	79.5	15,742	12.5
Total	31,171	63.2	13,616	26.6	18,952	12.3	55,809	81.8	121,340	10.9

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 10C
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Summary of Trends in Racial and Ethnic Distribution
Children Aged < 5 Years ⁽²⁾

Summary of Trends in Racial and Ethnic Distribution								
Year	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
2007	122,799	45.2	18.6	24.7	1.9	4.4	5.1	0.0
2006	121,673	45.1	18.6	24.2	2.0	4.5	5.1	0.5
2005	115,967	49.6	20.3	20.7	2.4	4.7	1.0	1.3
2004	116,740	52.2	21.5	19.2	2.5	4.6	0.0	0.0
2003	112,855	52.8	22.0	18.3	2.5	4.4	0.0	0.0
2002	110,533	53.1	22.3	17.5	2.5	4.6	0.0	0.0
2001	108,998	53.1	23.1	16.4	2.5	4.9	0.0	0.0
2000	106,063	53.7	23.7	14.8	2.5	5.3	0.0	0.0
1999	104,221	54.4	24.5	13.0	2.5	5.7	0.0	0.0
1998	111,982	55.0	24.8	11.6	2.5	6.0	0.0	0.0
1997	116,090	55.2	25.2	10.7	2.6	6.4	0.0	0.0
1996	117,936	54.9	25.6	10.2	2.5	6.8	0.0	0.0
1995	119,022	54.6	26.4	9.5	2.4	7.2	0.0	0.0
1994	119,132	55.4	26.5	8.4	2.4	7.3	0.0	0.0
1993	272	46.7	33.1	14.0	1.1	5.1	0.0	0.0
1992	0	*	*	*	*	*	*	*
1991	0	*	*	*	*	*	*	*
1990	0	*	*	*	*	*	*	*
1989	0	*	*	*	*	*	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 10C
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Summary of Trends in Racial and Ethnic Distribution
Children Aged < 5 Years ⁽²⁾

Summary of Trends in Racial and Ethnic Distribution								
Year	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
1988	0	*	*	*	*	*	*	*
1987	0	*	*	*	*	*	*	*
1986	0	*	*	*	*	*	*	*
1985	0	*	*	*	*	*	*	*
1984	0	*	*	*	*	*	*	*
1983	0	*	*	*	*	*	*	*
1982	115	69.6	22.6	0.0	2.6	5.2	0.0	0.0
1981	14,903	62.4	16.8	6.9	10.4	3.3	0.0	0.0
1980	31,119	68.5	13.8	6.6	8.7	2.4	0.0	0.1
1979	22,015	64.0	17.8	7.0	9.4	1.5	0.0	0.3
1978	377	97.9	0.3	0.3	0.3	0.5	0.0	0.8
1977	9	*	*	*	*	*	*	*
1976	5	*	*	*	*	*	*	*
1975	3	*	*	*	*	*	*	*
1974	1	*	*	*	*	*	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 11C
2007 Pediatric Nutrition Surveillance (1)
Wisconsin
Summary of Trends in Age Distribution
Children Aged < 5 Years (2)

Summary of Trends in Age Distribution (3)				
Year	Number Included in Analysis (4)	0-11 Months %	12-23 Months %	24-59 Months %
2007	122,799	36.3	21.1	42.6
2006	121,673	36.7	19.9	43.3
2005	115,967	31.6	23.2	45.2
2004	116,740	31.5	23.1	45.4
2003	112,855	31.8	22.7	45.5
2002	110,533	31.6	23.0	45.4
2001	108,998	32.2	23.0	44.8
2000	106,063	31.5	23.3	45.2
1999	104,221	30.2	23.1	46.7
1998	111,982	30.2	22.4	47.4
1997	116,090	29.1	22.1	48.8
1996	117,936	28.4	22.4	49.2
1995	119,022	28.7	22.2	49.1
1994	119,132	33.2	19.6	47.2
1993	272	86.8	6.3	7.0
1992	0	*	*	*
1991	0	*	*	*
1990	0	*	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Records rejected if date of birth and date of visit unknown.

(4) Excludes records with unknown data or errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 11C
2007 Pediatric Nutrition Surveillance (1)
Wisconsin
Summary of Trends in Age Distribution
Children Aged < 5 Years (2)

Summary of Trends in Age Distribution (3)				
Year	Number Included in Analysis (4)	0-11 Months %	12-23 Months %	24-59 Months %
1989	0	*	*	*
1988	0	*	*	*
1987	0	*	*	*
1986	0	*	*	*
1985	0	*	*	*
1984	0	*	*	*
1983	0	*	*	*
1982	115	79.1	5.2	15.7
1981	14,903	43.5	26.9	29.5
1980	31,119	34.4	21.6	44.0
1979	22,015	29.7	21.6	48.7
1978	377	1.9	2.1	96.0
1977	9	*	*	*
1976	5	*	*	*
1975	3	*	*	*
1974	1	*	*	*

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Records rejected if date of birth and date of visit unknown.
(4) Excludes records with unknown data or errors.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 12C
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Summary of Trends in Growth and Anemia Indicators
Children Aged < 5 Years ⁽²⁾

Summary of Trends in Growth and Anemia Indicators ⁽³⁾												
Year	Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
	Low	High		Short Stature (5)	Under- weight (6)	Over- weight (6)		≥ 2 Yrs Overweight (6)				
	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥95th	Number	% 85th-<95th	% ≥95th	Number	%
2007	31,162	8.7	7.5	120,071	5.4	3.7	12.2	51,636	16.1	13.1	84,006	11.3
2006	31,039	8.6	7.6	118,548	5.7	3.8	12.4	51,667	16.3	13.0	85,045	10.4
2005	28,451	8.6	8.1	112,753	5.5	4.5	12.3	51,410	16.0	13.0	77,037	12.2
2004	29,547	8.7	8.3	113,275	5.4	4.3	12.4	51,825	16.3	13.3	78,255	13.2
2003	28,471	8.3	8.5	109,384	5.2	4.4	12.2	50,284	15.9	13.0	75,448	12.2
2002	27,201	8.5	8.7	106,429	5.5	4.3	11.8	48,993	15.0	11.8	74,420	12.7
2001	27,782	8.4	8.9	104,796	5.6	4.6	11.4	47,741	14.6	11.4	71,952	13.0
2000	27,000	8.5	8.9	102,004	5.5	4.5	11.2	46,744	15.1	11.5	70,955	13.6
1999	25,565	8.8	9.0	100,387	5.4	4.4	10.5	47,584	14.6	10.1	69,517	13.5
1998	27,014	8.6	9.1	109,030	5.6	4.5	10.2	52,186	14.4	10.1	77,025	13.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 12C
2007 Pediatric Nutrition Surveillance (1)
Wisconsin

Summary of Trends in Growth and Anemia Indicators
Children Aged < 5 Years (2)

Summary of Trends in Growth and Anemia Indicators (3)												
Year	Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
	Low	High		Short Stature (5)	Under-weight (6)	Over-weight (6)	≥ 2 Yrs Overweight (6)					
	Number	%	%	Number	%	%	%	Number	%	%	Number	%
	<2500 g	>4000 g		<5th	<5th	≥95th		85th-<95th	≥95th			
1997	26,681	8.5	9.2	113,120	5.6	4.3	10.2	55,828	14.7	10.1	82,877	13.1
1996	26,542	8.3	9.4	114,905	5.8	4.6	9.6	57,370	14.6	9.7	85,637	14.0
1995	26,268	8.4	9.2	116,002	6.3	4.8	9.4	57,724	13.9	9.3	87,361	16.2
1994	26,120	8.8	9.4	116,138	6.5	4.9	9.4	55,382	13.8	8.9	88,300	17.2
1993	231	10.0	8.2	253	1.2	11.9	5.5	19	*	*	45	*
1992	0	*	*	0	*	*	*	0	*	*	0	*
1991	0	*	*	0	*	*	*	0	*	*	0	*
1990	0	*	*	0	*	*	*	0	*	*	0	*
1989	0	*	*	0	*	*	*	0	*	*	0	*
1988	0	*	*	0	*	*	*	0	*	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 12C
2007 Pediatric Nutrition Surveillance (1)
Wisconsin

Summary of Trends in Growth and Anemia Indicators
Children Aged < 5 Years (2)

Summary of Trends in Growth and Anemia Indicators (3)												
Year	Birthweight (4)			Height and Weight						Anemia Low Hb/Hct (7)		
	Low		High	Short Stature (5)		Under- weight (6)	Over- weight (6)	≥ 2 Yrs Overweight (6)				
	Number	%	%	Number	%	%	%	Number	%	%	Number	%
	<2500 g	>4000 g		<5th	<5th	≥95th		85th-<95th	≥95th			
1987	0	*	*	0	*	*	*	0	*	*	0	*
1986	0	*	*	0	*	*	*	0	*	*	0	*
1985	0	*	*	0	*	*	*	0	*	*	0	*
1984	0	*	*	0	*	*	*	0	*	*	0	*
1983	0	*	*	0	*	*	*	0	*	*	0	*
1982	69	*	*	101	5.9	10.9	4.0	17	*	*	33	*
1981	3,137	7.8	11.9	12,712	7.5	4.9	9.7	4,276	14.0	7.6	10,575	10.8
1980	6,007	7.7	11.8	27,903	6.5	5.0	9.0	13,338	13.4	7.6	23,768	8.3
1979	4,252	8.5	10.8	19,769	6.2	4.8	10.1	10,382	13.3	8.4	16,871	9.0
1978	2	*	*	366	3.6	4.1	8.5	354	17.5	8.5	29	*

- (1) Reporting period is January 1 through December 31.
 (2) Analyses based on one record per child.
 (3) Excludes records with unknown data or errors.
 (4) Infants born during the reporting period included in the analysis.
 (5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
 (6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
 (7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
 * Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 12C
2007 Pediatric Nutrition Surveillance (1)
Wisconsin
Summary of Trends in Growth and Anemia Indicators
Children Aged < 5 Years (2)

Summary of Trends in Growth and Anemia Indicators (3)												
Year	Birthweight (4)			Height and Weight						Anemia Low Hb/Hct (7)		
	Low		High	Short Stature (5)	Under- weight (6)	Over- weight (6)	≥ 2 Yrs Overweight (6)					
	Number	%	%	Number	%	%	%	Number	%	%	Number	%
	<2500 g	>4000 g		<5th	<5th	≥95th	85th-<95th	≥95th				
1977	2	*	*	0	*	*	*	0	*	*	5	*
1976	4	*	*	0	*	*	*	0	*	*	1	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 13C
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Summary of Trends in Breastfeeding
Children Aged < 5 Years ⁽²⁾

Summary of Trends in Breastfeeding ⁽³⁾						
Year	Breastfeeding ⁽⁴⁾					
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
2007	31,171	63.2	13,616	26.6	18,952	12.3
2006	31,071	62.6	12,726	26.0	17,467	13.2
2005	28,610	59.9	10,409	24.2	17,417	16.4
2004	27,213	59.3	11,238	25.0	17,605	16.1
2003	28,288	58.2	10,556	23.8	16,675	14.8
2002	27,000	55.0	10,711	22.6	16,754	14.9
2001	27,630	53.4	10,314	22.5	16,396	14.4
2000	26,838	51.0	9,868	22.1	16,194	14.6
1999	25,360	49.9	9,857	20.0	15,919	10.9
1998	26,682	50.4	10,148	17.9	16,018	7.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 13C
2007 Pediatric Nutrition Surveillance (1)
Wisconsin
Summary of Trends in Breastfeeding
Children Aged < 5 Years (2)

Summary of Trends in Breastfeeding (3)						
	Breastfeeding (4)					
Year	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
1997	26,338	48.7	10,663	17.3	16,548	9.8
1996	25,997	48.7	10,693	17.4	16,640	10.4
1995	25,753	47.0	10,973	18.6	16,161	12.2
1994	25,798	44.8	13,675	14.0	14,031	8.4
1993	226	42.0	14	*	3	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 14C
2007 Pediatric Nutrition Surveillance
Wisconsin
Children Aged < 5 Years

This table is forthcoming. It may present changes over time in the prevalence of short stature, underweight, overweight, or anemia among cohorts of children participating in the PedNSS.

Table 15C
2007 Pediatric Nutrition Surveillance
Wisconsin
Children Aged < 5 Years

Page: 1
Run Date: 4 / 30 / 08

This table is forthcoming. It may present changes over time in the prevalence of short stature, underweight, overweight, or anemia among cohorts of children participating in the PedNSS.

Table 16C
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	20,280	7.1	20,280	5.4	20,280	8.8	0	0.0	0.0
12 - 23 Months	11,327	5.3	11,327	2.3	11,327	14.2	0	0.0	0.0
24 - 59 Months	22,789	3.9	22,789	3.2	22,789	11.0	22,789	15.7	11.0
Total	54,396	5.4	54,396	3.8	54,396	10.8	22,789	15.7	11.0
Black, Not Hispanic									
0 - 11 Months	7,861	9.7	7,861	6.9	7,861	8.2	0	0.0	0.0
12 - 23 Months	4,956	5.4	4,956	2.9	4,956	13.9	0	0.0	0.0
24 - 59 Months	9,433	2.6	9,433	4.8	9,433	10.2	9,433	13.3	10.2
Total	22,250	5.7	22,250	5.1	22,250	10.3	9,433	13.3	10.2
Hispanic									
0 - 11 Months	9,736	5.5	9,736	4.2	9,736	10.0	0	0.0	0.0
12 - 23 Months	6,703	5.3	6,703	1.4	6,703	17.5	0	0.0	0.0
24 - 59 Months	13,278	4.0	13,278	2.2	13,278	17.9	13,278	17.7	17.9
Total	29,717	4.8	29,717	2.7	29,717	15.2	13,278	17.7	17.9
American Indian/Alaskan Native									
0 - 11 Months	673	5.2	673	5.2	673	11.9	0	0.0	0.0
12 - 23 Months	545	3.1	545	1.1	545	25.7	0	0.0	0.0
24 - 59 Months	1,102	2.1	1,102	1.5	1,102	21.4	1,102	22.5	21.4
Total	2,320	3.2	2,320	2.5	2,320	19.7	1,102	22.5	21.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16C
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Asian/Pacific Islander									
0 - 11 Months	1,656	6.6	1,656	4.3	1,656	10.0	0	0.0	0.0
12 - 23 Months	1,204	11.1	1,204	1.3	1,204	14.2	0	0.0	0.0
24 - 59 Months	2,398	12.8	2,398	2.5	2,398	15.6	2,398	17.3	15.6
Total	5,258	10.5	5,258	2.8	5,258	13.5	2,398	17.3	15.6
Multiple Races									
0 - 11 Months	2,064	7.3	2,064	4.9	2,064	11.5	0	0.0	0.0
12 - 23 Months	1,429	3.5	1,429	1.5	1,429	17.0	0	0.0	0.0
24 - 59 Months	2,628	3.0	2,628	2.9	2,628	12.3	2,628	17.3	12.3
Total	6,121	4.6	6,121	3.3	6,121	13.1	2,628	17.3	12.3
All Other/Unknown									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	1	*	1	*	1	*	0	*	*
24 - 59 Months	8	*	8	*	8	*	8	*	*
Total	9	*	9	*	9	*	8	*	*
Total All Race/Ethnic Groups									
0 - 11 Months	42,270	7.2	42,270	5.3	42,270	9.2	0	0.0	0.0
12 - 23 Months	26,165	5.4	26,165	2.1	26,165	15.4	0	0.0	0.0
24 - 59 Months	51,636	4.0	51,636	3.1	51,636	13.1	51,636	16.1	13.1
Total	120,071	5.4	120,071	3.7	120,071	12.2	51,636	16.1	13.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 17C
2007 Pediatric Nutrition Surveillance (1)
Wisconsin
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct %			Anemia Low Hb/Hct %	
	Number		Number		
White, Not Hispanic			Asian/Pacific Islander		
6 - 11 Months	1,674	11.8	6 - 11 Months	116	7.8
12 - 17 Months	7,879	12.3	12 - 17 Months	807	8.9
18 - 23 Months	5,862	8.1	18 - 23 Months	637	8.0
24 - 35 Months	8,687	6.5	24 - 35 Months	883	13.9
36 - 59 Months	13,027	4.4	36 - 59 Months	1,382	8.0
Total	37,129	7.5	Total	3,825	9.6
Black, Not Hispanic			Multiple Races		
6 - 11 Months	612	26.5	6 - 11 Months	168	23.2
12 - 17 Months	3,294	31.2	12 - 17 Months	939	16.1
18 - 23 Months	2,376	28.7	18 - 23 Months	755	12.6
24 - 35 Months	3,609	24.2	24 - 35 Months	1,023	9.4
36 - 59 Months	5,354	16.2	36 - 59 Months	1,467	5.9
Total	15,245	23.7	Total	4,352	10.7
Hispanic			All Other/Unknown		
6 - 11 Months	787	16.1	6 - 11 Months	0	*
12 - 17 Months	4,663	16.4	12 - 17 Months	0	*
18 - 23 Months	3,352	10.9	18 - 23 Months	1	*
24 - 35 Months	5,128	9.4	24 - 35 Months	7	*
36 - 59 Months	7,754	5.0	36 - 59 Months	6	*
Total	21,684	9.8	Total	14	*
American Indian/Alaskan Native			Total All Race/Ethnic Groups		
6 - 11 Months	59	*	6 - 11 Months	3,416	15.8
12 - 17 Months	355	9.9	12 - 17 Months	17,937	16.8
18 - 23 Months	270	8.1	18 - 23 Months	13,253	12.8
24 - 35 Months	459	6.5	24 - 35 Months	19,796	11.0
36 - 59 Months	614	2.3	36 - 59 Months	29,604	6.9
Total	1,757	6.1	Total	84,006	11.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 18C
2007 Pediatric Nutrition Surveillance (1)
Wisconsin

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity
Children Aged < 5 Years (2)

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity (3)													
Race/Ethnicity and Year		Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
		Low		High	Short Stature (5)		Under- weight (6)	Over- weight (6)	≥ 2 Yrs Overweight (6)				
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥95th	Number	% 85th - <95th	% ≥95th		
White, Not Hispanic	2007	14,548	8.1	8.6	54,396	5.4	3.8	10.8	22,789	15.7	11.0	37,129	7.5
	2006	14,299	8.2	8.6	53,756	5.5	3.8	10.8	23,125	15.9	10.7	38,176	6.9
	2005	14,231	8.0	9.1	56,112	5.3	4.3	11.1	25,217	15.4	11.5	37,793	8.5
	2004	15,915	8.5	9.4	59,280	5.3	4.1	11.3	26,229	16.0	11.9	40,143	9.3
	2003	15,543	7.3	9.7	57,981	5.0	4.4	11.1	26,041	15.9	11.8	39,157	8.1
	2002	14,697	7.8	10.1	56,663	5.0	4.3	10.4	25,667	14.9	10.6	38,970	8.4
	2001	15,042	7.8	10.2	55,794	5.2	4.5	10.3	24,906	14.0	10.4	37,577	9.5
	2000	14,940	7.8	10.3	54,936	5.3	4.4	10.1	24,466	14.9	10.2	37,526	9.0
	1999	14,391	7.6	10.6	54,699	4.9	4.3	9.6	25,110	14.5	9.2	37,247	8.2
	1998	15,690	7.6	10.9	60,161	5.0	4.4	9.3	27,569	13.9	9.1	41,382	8.8
Black, Not Hispanic	2007	6,214	13.4	3.9	22,250	5.7	5.1	10.3	9,433	13.3	10.2	15,245	23.7
	2006	6,049	12.5	4.3	22,015	6.0	5.3	10.5	9,497	14.1	10.3	15,502	21.5
	2005	6,028	12.4	5.0	22,789	5.4	6.1	10.4	10,401	14.0	10.0	15,560	23.6
	2004	6,485	12.3	5.3	24,278	5.6	6.1	10.6	11,241	14.3	10.7	16,818	25.4
	2003	6,332	12.7	5.1	23,964	5.5	5.6	10.3	11,180	13.6	10.1	16,601	22.5
	2002	6,077	12.3	5.2	23,664	6.5	5.3	9.9	11,172	13.2	8.9	16,779	23.7
	2001	6,302	12.0	5.4	24,070	6.4	5.6	9.8	11,281	12.9	8.2	16,980	23.0
	2000	6,343	12.3	5.1	24,136	5.8	5.9	9.9	11,286	13.0	8.8	16,925	25.4
	1999	6,153	13.1	5.0	24,581	6.2	5.6	9.4	12,010	12.3	8.1	17,156	25.6
	1998	6,381	12.6	5.0	26,952	6.2	5.5	9.0	13,553	12.7	7.6	19,367	24.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 18C
2007 Pediatric Nutrition Surveillance (1)
Wisconsin

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity
Children Aged < 5 Years (2)

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity (3)													
Race/Ethnicity and Year		Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
		Low	High		Short Stature (5)	Under- weight (6)	Over- weight (6)	≥ 2 Yrs Overweight (6)					
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥95th	Number	% 85th - <95th	% ≥95th	Number	%
Hispanic	2007	7,098	6.4	8.6	29,717	4.8	2.7	15.2	13,278	17.7	17.9	21,684	9.8
	2006	7,226	6.7	8.8	28,571	4.9	2.7	15.6	12,876	18.5	18.1	21,121	9.1
	2005	5,438	6.1	9.0	23,228	4.7	3.6	16.0	11,152	18.6	17.7	16,590	10.2
	2004	5,189	5.8	8.9	21,669	4.3	3.4	15.9	10,455	18.3	18.1	15,611	10.9
	2003	4,844	6.3	9.0	19,959	4.7	3.5	16.0	9,407	17.6	17.8	14,379	11.5
	2002	4,734	6.2	9.0	18,552	4.8	3.8	16.3	8,445	16.4	16.4	13,251	11.6
	2001	4,659	6.1	9.8	17,169	4.9	3.9	15.1	7,648	17.5	15.5	11,899	11.1
	2000	3,975	6.5	9.8	14,962	4.6	3.7	14.3	6,812	17.6	15.9	10,611	12.5
	1999	3,355	7.1	9.7	12,893	4.4	3.9	13.4	5,961	15.9	13.5	9,036	13.6
	1998	3,201	6.2	8.5	12,568	4.9	4.1	12.9	5,877	16.9	15.0	8,975	13.0
American Indian/Alaskan Native	2007	497	4.8	11.7	2,320	3.2	2.5	19.7	1,102	22.5	21.4	1,757	6.1
	2006	573	6.6	12.7	2,397	3.4	2.4	20.1	1,119	21.9	21.0	1,796	7.1
	2005	656	6.6	16.5	2,716	3.4	2.7	18.6	1,318	21.9	19.3	1,832	7.6
	2004	678	4.7	14.3	2,836	3.5	3.2	19.2	1,361	22.6	20.5	1,971	8.0
	2003	608	5.9	17.3	2,674	4.0	2.1	19.8	1,246	20.0	19.2	1,900	8.2
	2002	635	4.6	13.5	2,666	3.7	2.4	18.3	1,286	19.1	18.0	1,822	10.2
	2001	616	5.4	15.4	2,583	3.5	3.0	18.0	1,249	19.3	18.4	1,777	8.7
	2000	579	4.1	15.5	2,541	3.8	2.0	19.1	1,244	21.7	20.3	1,860	8.9
	1999	602	5.0	15.9	2,511	3.6	2.3	17.3	1,230	22.8	18.8	1,734	10.3
	1998	578	8.7	16.6	2,760	3.7	2.1	18.7	1,392	21.4	19.1	2,075	8.9

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Infants born during the reporting period included in the analysis.
(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 18C
2007 Pediatric Nutrition Surveillance (1)
Wisconsin

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity
Children Aged < 5 Years (2)

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity (3)													
Race/Ethnicity and Year		Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
		Low		High	Short Stature (5)		Under- weight (6)	Over- weight (6)	≥ 2 Yrs Overweight (6)				
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥95th	Number	% 85th - <95th	% ≥95th		
Asian/Pacific Islander	2007	1,293	7.0	3.3	5,258	10.5	2.8	13.5	2,398	17.3	15.6	3,825	9.6
	2006	1,240	6.8	4.2	5,340	11.8	3.2	13.8	2,531	16.0	15.1	4,073	10.8
	2005	1,232	7.5	3.7	5,312	12.3	3.8	13.0	2,544	16.9	15.8	3,743	13.1
	2004	1,279	7.3	4.7	5,209	11.8	3.6	13.5	2,537	17.1	15.8	3,710	13.7
	2003	1,143	6.7	4.5	4,803	9.2	3.4	15.2	2,409	17.8	18.3	3,410	13.3
	2002	1,057	8.4	5.0	4,877	9.9	3.5	15.4	2,420	17.4	18.4	3,595	13.8
	2001	1,159	6.1	4.5	5,159	9.3	3.7	14.7	2,646	17.6	18.2	3,701	11.5
	2000	1,162	6.7	5.8	5,416	9.6	2.7	15.8	2,931	16.9	18.4	4,024	13.1
	1999	1,064	8.0	4.7	5,699	9.7	3.0	14.3	3,272	18.4	15.9	4,343	12.6
	1998	1,164	7.6	4.2	6,587	11.1	2.5	13.8	3,795	17.4	15.9	5,225	12.0
Multiple Races	2007	1,512	9.0	8.6	6,121	4.6	3.3	13.1	2,628	17.3	12.3	4,352	10.7
	2006	1,652	7.7	7.4	6,053	5.2	3.7	13.2	2,473	16.1	13.1	4,289	10.0
	2005	376	10.4	8.2	1,076	5.4	4.3	14.2	343	14.3	12.5	723	9.3
	2004	0	*	*	0	*	*	*	0	*	*	0	*
	2003	0	*	*	0	*	*	*	0	*	*	0	*
	2002	0	*	*	0	*	*	*	0	*	*	0	*
	2001	0	*	*	0	*	*	*	0	*	*	0	*
	2000	0	*	*	0	*	*	*	0	*	*	0	*
	1999	0	*	*	0	*	*	*	0	*	*	0	*
	1998	0	*	*	0	*	*	*	0	*	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 18C
2007 Pediatric Nutrition Surveillance (1)
Wisconsin

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity
Children Aged < 5 Years (2)

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity (3)													
Race/Ethnicity and Year		Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
		Low		High	Short Stature (5)		Under- weight (6)	Over- weight (6)	≥ 2 Yrs Overweight (6)				
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥95th	Number	% 85th - <95th	% ≥95th		
All Other/Unknown	2007	0	*	*	9	*	*	*	8	*	*	14	*
	2006	0	*	*	416	5.0	3.4	14.2	46	*	*	88	*
	2005	490	11.0	8.6	1,520	7.6	5.2	9.8	435	12.9	11.5	796	11.2
	2004	1	*	*	3	*	*	*	2	*	*	2	*
	2003	1	*	*	3	*	*	*	1	*	*	1	*
	2002	1	*	*	7	*	*	*	3	*	*	3	*
	2001	4	*	*	21	*	*	*	11	*	*	18	*
	2000	1	*	*	13	*	*	*	5	*	*	9	*
	1999	0	*	*	4	*	*	*	1	*	*	1	*
	1998	0	*	*	2	*	*	*	0	*	*	1	*
Total All Race/Ethnic Groups	2007	31,162	8.7	7.5	120,071	5.4	3.7	12.2	51,636	16.1	13.1	84,006	11.3
	2006	31,039	8.6	7.6	118,548	5.7	3.8	12.4	51,667	16.3	13.0	85,045	10.4
	2005	28,451	8.6	8.1	112,753	5.5	4.5	12.3	51,410	16.0	13.0	77,037	12.2
	2004	29,547	8.7	8.3	113,275	5.4	4.3	12.4	51,825	16.3	13.3	78,255	13.2
	2003	28,471	8.3	8.5	109,384	5.2	4.4	12.2	50,284	15.9	13.0	75,448	12.2
	2002	27,201	8.5	8.7	106,429	5.5	4.3	11.8	48,993	15.0	11.8	74,420	12.7
	2001	27,782	8.4	8.9	104,796	5.6	4.6	11.4	47,741	14.6	11.4	71,952	13.0
	2000	27,000	8.5	8.9	102,004	5.5	4.5	11.2	46,744	15.1	11.5	70,955	13.6
	1999	25,565	8.8	9.0	100,387	5.4	4.4	10.5	47,584	14.6	10.1	69,517	13.5
	1998	27,014	8.6	9.1	109,030	5.6	4.5	10.2	52,186	14.4	10.1	77,025	13.3

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Infants born during the reporting period included in the analysis.
(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 19C
2007 Pediatric Nutrition Surveillance (1)**

**Wisconsin
Summary of Trends in Breastfeeding Indicators by Race/Ethnicity
Children Aged < 5 Years (2)**

Summary of Trends in Breastfeeding Indicators by Race/Ethnicity (3)							
Race/Ethnicity and Year		Breastfeeding (4)					
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
White, Not Hispanic	2007	14,556	64.2	6,392	26.3	8,261	11.0
	2006	14,311	63.9	5,711	25.4	7,654	12.5
	2005	14,228	60.9	5,173	23.8	8,523	15.5
	2004	14,658	60.7	6,085	23.8	9,201	15.7
	2003	15,434	59.8	5,742	24.0	8,704	14.4
	2002	14,598	57.6	5,820	23.1	8,763	15.1
	2001	14,943	56.9	5,649	24.3	8,683	15.0
	2000	14,801	55.4	5,429	23.4	8,716	15.1
	1999	14,226	54.7	5,687	21.6	8,829	10.9
	1998	15,536	55.1	5,784	18.9	8,889	8.2
Black, Not Hispanic	2007	6,197	48.0	2,225	15.6	3,514	6.2
	2006	6,027	47.2	2,230	12.9	3,272	7.2
	2005	5,917	44.8	1,920	13.5	3,401	9.8
	2004	5,921	43.6	2,223	14.9	3,655	10.7
	2003	6,305	43.0	2,175	15.1	3,558	9.6
	2002	6,054	37.9	2,248	13.5	3,662	8.8
	2001	6,284	35.1	2,217	12.5	3,731	8.8
	2000	6,335	34.3	2,200	13.0	3,835	8.7
	1999	6,142	32.9	2,195	11.8	3,765	7.7
	1998	6,250	34.8	2,305	10.8	4,006	5.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 19C
2007 Pediatric Nutrition Surveillance (1)
Wisconsin
Summary of Trends in Breastfeeding Indicators by Race/Ethnicity
Children Aged < 5 Years (2)

Summary of Trends in Breastfeeding Indicators by Race/Ethnicity (3)							
Race/Ethnicity and Year		Breastfeeding (4)					
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
Hispanic	2007	7,124	78.7	3,575	37.8	4,953	20.6
	2006	7,274	76.8	3,289	39.0	4,374	20.6
	2005	5,483	76.8	2,201	36.5	3,780	24.3
	2004	4,837	77.5	2,166	38.0	3,518	22.6
	2003	4,831	76.3	1,970	35.0	3,303	21.8
	2002	4,712	72.3	1,935	32.8	3,159	21.7
	2001	4,646	70.6	1,773	32.9	2,794	20.8
	2000	3,984	67.0	1,535	31.3	2,426	20.2
	1999	3,346	65.1	1,322	27.8	2,157	16.4
	1998	3,174	64.5	1,240	29.0	1,862	12.9
American Indian/Alaskan Native	2007	493	55.8	244	20.5	391	9.2
	2006	570	62.1	232	24.1	376	12.8
	2005	643	60.3	223	24.7	427	16.2
	2004	604	59.6	234	28.2	438	18.3
	2003	586	59.4	252	21.8	440	19.8
	2002	583	60.0	249	30.1	418	19.9
	2001	594	54.5	214	20.1	403	18.4
	2000	556	52.3	255	23.5	433	22.2
	1999	587	55.7	213	25.4	375	11.2
	1998	567	54.5	298	19.5	427	7.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 19C
2007 Pediatric Nutrition Surveillance (1)
Wisconsin
Summary of Trends in Breastfeeding Indicators by Race/Ethnicity
Children Aged < 5 Years (2)

Summary of Trends in Breastfeeding Indicators by Race/Ethnicity (3)							
Race/Ethnicity and Year		Breastfeeding (4)					
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
Asian/Pacific Islander	2007	1,292	46.4	528	15.0	844	7.8
	2006	1,234	44.4	522	16.7	803	9.2
	2005	1,227	43.0	475	21.3	814	17.9
	2004	1,192	46.5	530	26.2	793	15.8
	2003	1,131	42.2	417	14.1	670	9.9
	2002	1,052	37.0	459	15.3	751	11.3
	2001	1,159	37.1	461	10.6	784	9.9
	2000	1,161	31.1	449	17.1	784	15.9
	1999	1,059	34.1	440	15.5	793	10.7
	1998	1,155	31.5	521	11.3	834	6.5
Multiple Races	2007	1,509	60.3	652	18.4	989	7.9
	2006	1,655	58.9	680	17.2	973	8.6
	2005	376	57.2	218	17.9	247	15.8
	2004	0	*	0	*	0	*
	2003	0	*	0	*	0	*
	2002	0	*	0	*	0	*
	2001	0	*	0	*	0	*
	2000	0	*	0	*	0	*
	1999	0	*	0	*	0	*
	1998	0	*	0	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 19C
2007 Pediatric Nutrition Surveillance (1)**

**Wisconsin
Summary of Trends in Breastfeeding Indicators by Race/Ethnicity
Children Aged < 5 Years (2)**

Summary of Trends in Breastfeeding Indicators by Race/Ethnicity (3)							
Race/Ethnicity and Year		Breastfeeding (4)					
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
All Other/Unknown	2007	0	*	0	*	0	*
	2006	0	*	62	*	15	*
	2005	736	64.7	199	16.6	225	12.9
	2004	1	*	0	*	0	*
	2003	1	*	0	*	0	*
	2002	1	*	0	*	1	*
	2001	4	*	0	*	1	*
	2000	1	*	0	*	0	*
	1999	0	*	0	*	0	*
	1998	0	*	0	*	0	*
Total All Race/Ethnic Groups	2007	31,171	63.2	13,616	26.6	18,952	12.3
	2006	31,071	62.6	12,726	26.0	17,467	13.2
	2005	28,610	59.9	10,409	24.2	17,417	16.4
	2004	27,213	59.3	11,238	25.0	17,605	16.1
	2003	28,288	58.2	10,556	23.8	16,675	14.8
	2002	27,000	55.0	10,711	22.6	16,754	14.9
	2001	27,630	53.4	10,314	22.5	16,396	14.4
	2000	26,838	51.0	9,868	22.1	16,194	14.6
	1999	25,360	49.9	9,857	20.0	15,919	10.9
	1998	26,682	50.4	10,148	17.9	16,018	7.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 20C
2007 Pediatric Nutrition Surveillance (1)
Wisconsin
Summary of Trends in Growth Indicators by Age
Children Aged < 5 Years (2)

Summary of Trends in Growth Indicators by Age (3)																		
Age and Year *	Height and Weight								Age and Year *	Height and Weight								
	Short Stature (4)		Under-weight (5)	Over-weight (5)		≥ 2 Yrs Overweight (5)				Short Stature (4)		Under-weight (5)	Over-weight (5)		≥ 2 Yrs Overweight (5)			
	Number	%	%	%	Number	%	%			Number	%	%	%	Number	%	%	Number	%
	<5th	<5th	≥95th		85th-<95th	≥95th			<5th	<5th	≥95th		85th-<95th	≥95th		85th-<95th	≥95th	
0 - 11 Months								24 - 35 Months										
2007	42,270	7.2	5.3	9.2	0	*	*	2007	19,319	4.2	3.2	11.7	19,319	15.6	11.7			
2006	42,479	7.5	5.5	9.7	0	*	*	2006	19,223	4.4	3.0	11.7	19,223	16.0	11.7			
2005	34,813	7.4	8.0	8.4	0	*	*	2005	18,912	4.3	3.4	11.5	18,912	15.6	11.5			
2004	35,031	7.6	7.4	8.1	0	*	*	2004	18,993	4.1	3.2	11.3	18,993	15.8	11.3			
2003	34,087	7.3	6.9	8.2	0	*	*	2003	18,447	3.7	3.7	11.5	18,447	15.5	11.5			
2002	32,759	7.6	6.4	8.8	0	*	*	2002	18,003	3.8	4.2	10.5	18,003	13.8	10.5			
2001	32,739	8.1	6.6	8.9	0	*	*	2001	17,642	3.5	4.5	9.8	17,642	13.4	9.8			
2000	31,190	7.5	7.2	7.8	0	*	*	2000	17,219	3.7	4.0	9.8	17,219	13.9	9.8			
1999	29,268	7.7	6.8	7.8	0	*	*	1999	17,215	3.4	4.1	9.2	17,215	12.8	9.2			
1998	32,011	7.4	6.9	7.3	0	*	*	1998	18,132	3.8	4.3	9.1	18,132	13.1	9.1			
12 - 23 Months								36 - 47 Months										
2007	26,165	5.4	2.1	15.4	0	*	*	2007	16,798	4.0	3.3	13.8	16,798	16.2	13.8			
2006	24,402	5.7	2.1	15.5	0	*	*	2006	16,557	4.4	3.3	13.2	16,557	16.5	13.2			
2005	26,530	5.9	2.1	16.0	0	*	*	2005	16,587	4.1	3.4	13.5	16,587	15.7	13.5			
2004	26,419	5.4	2.2	16.1	0	*	*	2004	16,748	3.9	3.5	14.3	16,748	16.1	14.3			
2003	25,013	5.4	2.4	16.0	0	*	*	2003	16,353	3.9	4.0	13.6	16,353	15.7	13.6			
2002	24,677	5.9	2.4	15.6	0	*	*	2002	15,852	4.1	4.2	12.2	15,852	15.1	12.2			
2001	24,316	5.8	2.5	14.9	0	*	*	2001	15,447	3.8	4.5	11.6	15,447	14.8	11.6			
2000	24,070	5.6	2.4	15.1	0	*	*	2000	14,940	4.5	3.6	12.4	14,940	15.0	12.4			
1999	23,535	5.5	2.5	14.6	0	*	*	1999	15,166	4.3	4.0	10.7	15,166	15.4	10.7			
1998	24,833	5.7	2.5	13.9	0	*	*	1998	16,766	4.8	3.8	10.4	16,766	15.0	10.4			

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 20C
2007 Pediatric Nutrition Surveillance (1)
Wisconsin
Summary of Trends in Growth Indicators by Age
Children Aged < 5 Years (2)

Summary of Trends in Growth Indicators by Age (3)															
Age and Year *	Height and Weight							Age and Year *	Height and Weight						
	Short Stature (4)		Under-weight (5)	Over-weight (5)	≥ 2 Yrs Overweight (5)				Short Stature (4)		Under-weight (5)	Over-weight (5)	≥ 2 Yrs Overweight (5)		
	Number	%	%	%	Number	%	%		Number	%	%	%	Number	%	%
	<5th	<5th	≥95th	85th-<95th	≥95th			<5th	<5th	≥95th	85th-<95th	≥95th			
48 - 59 Months															
2007	15,519	3.8	2.9	14.2	15,519	16.5	14.2								
2006	15,887	3.8	3.0	14.5	15,887	16.7	14.5								
2005	15,911	3.7	3.3	14.2	15,911	16.9	14.2								
2004	16,084	3.8	3.3	14.7	16,084	17.2	14.7								
2003	15,484	3.6	3.3	14.3	15,484	16.6	14.3								
2002	15,138	3.7	3.4	13.0	15,138	16.4	13.0								
2001	14,652	3.8	3.9	13.0	14,652	16.0	13.0								
2000	14,585	4.2	3.6	12.5	14,585	16.7	12.5								
1999	15,203	4.4	3.6	10.7	15,203	15.9	10.7								
1998	17,288	4.9	3.6	10.9	17,288	15.2	10.9								
Total All Age Groups															
2007	120,071	5.4	3.7	12.2	51,636	16.1	13.1								
2006	118,548	5.7	3.8	12.4	51,667	16.3	13.0								
2005	112,753	5.5	4.5	12.3	51,410	16.0	13.0								
2004	113,275	5.4	4.3	12.4	51,825	16.3	13.3								
2003	109,384	5.2	4.4	12.2	50,284	15.9	13.0								
2002	106,429	5.5	4.3	11.8	48,993	15.0	11.8								
2001	104,796	5.6	4.6	11.4	47,741	14.6	11.4								
2000	102,004	5.5	4.5	11.2	46,744	15.1	11.5								
1999	100,387	5.4	4.4	10.5	47,584	14.6	10.1								
1998	109,030	5.6	4.5	10.2	52,186	14.4	10.1								

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 21C
2007 Pediatric Nutrition Surveillance (1)
Wisconsin
Summary of Trends in Anemia by Age
Children Aged < 5 Years (2)

Summary of Trends in Anemia by Age (3)							
Age and Year		Anemia Low Hb/Hct (4)		Age and Year		Anemia Low Hb/Hct (4)	
		Number	%			Number	%
6 - 11 Months				18 - 23 Months			
2007		3,416	15.8	2007		13,253	12.8
2006		6,956	16.2	2006		12,474	12.1
2005		5,354	16.1	2005		11,613	13.8
2004		5,135	16.9	2004		11,660	15.1
2003		5,357	16.1	2003		11,332	14.3
2002		5,411	15.4	2002		11,117	15.0
2001		4,964	16.5	2001		10,697	15.6
2000		4,330	19.0	2000		10,306	16.5
1999		4,340	17.7	1999		9,909	15.7
1998		5,815	17.0	1998		7,994	16.3
12 - 17 Months				24 - 35 Months			
2007		17,937	16.8	2007		19,796	11.0
2006		16,217	15.5	2006		19,862	9.8
2005		15,972	16.1	2005		16,657	12.5
2004		16,255	17.2	2004		16,750	13.8
2003		15,184	15.4	2003		16,205	12.7
2002		15,081	15.6	2002		16,010	13.9
2001		14,814	16.2	2001		15,688	13.8
2000		14,755	17.9	2000		15,665	14.0
1999		14,272	16.8	1999		15,384	14.6
1998		15,310	15.4	1998		17,654	15.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 21C
2007 Pediatric Nutrition Surveillance (1)
Wisconsin
Summary of Trends in Anemia by Age
Children Aged < 5 Years (2)

Summary of Trends in Anemia by Age (3)							
Age and Year		Anemia Low Hb/Hct (4)		Age and Year		Anemia Low Hb/Hct (4)	
		Number	%			Number	%
36 - 59 Months				Total All Age Groups			
2007		29,604	6.9	2007		84,006	11.3
2006		29,536	6.1	2006		85,045	10.4
2005		27,441	8.2	2005		77,037	12.2
2004		28,455	9.2	2004		78,255	13.2
2003		27,370	8.4	2003		75,448	12.2
2002		26,801	8.9	2002		74,420	12.7
2001		25,789	9.1	2001		71,952	13.0
2000		25,899	9.0	2000		70,955	13.6
1999		25,612	9.5	1999		69,517	13.5
1998		30,252	9.8	1998		77,025	13.3
All Other/Unknown							
2007		0	*				
2006		0	*				
2005		0	*				
2004		0	*				
2003		0	*				
2002		0	*				
2001		0	*				
2000		0	*				
1999		0	*				
1998		0	*				

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

