

PEDIATRIC NUTRITION SURVEILLANCE SYSTEM (PedNSS) SUMMARY

Wisconsin - 2008¹

COUNTY	Overweight/Obese Children 2-4 years ²		Birthweight ³		Breast Feeding Incidence ⁴				≤ 2 hours TV Viewing/Day ⁵	Smoking in Household	Anemia Low Hb ⁶
	% 85 th -<95 th	% ≥ 95 th	Low % < 2500 g	High % > 4000 g	Incidence %	6+ Months	12+ Months	Exclusive 3+ Months			
Adams	17.8	12.5	11.5	14.4	64.1	*	*	*	73.7	20.8	7.1
Ashland	15.0	12.2	3.0	13.5	71.6	*	14.7	*	86.3	10.3	6.7
Barron	16.8	13.9	8.2	9.7	71.1	28.4	8.8	21.1	81.4	7.8	9.7
Bayfield	17.1	17.7	*	*	*	*	*	*	84.1	9.0	6.3
Brown	13.8	13.6	7.5	8.9	58.9	23.5	10.4	12.0	78.7	9.1	6.4
Buffalo	16.1	13.6	*	*	*	*	*	*	88.9	10.2	12.1
Burnett	16.2	16.2	5.9	11.0	68.4	*	*	*	97.1	10.0	3.9
Calumet	16.6	15.9	8.8	8.1	62.2	*	*	*	78.5	9.0	4.6
Chippewa	17.5	13.3	6.6	8.1	62.1	27.3	11.1	*	88.3	8.2	12.5
Clark	21.7	11.0	9.4	9.4	77.2	*	6.9	*	86.7	8.1	13.9
Columbia	16.4	12.0	9.0	9.9	70.1	34.0	16.8	*	79.7	8.9	8.9
Crawford	12.0	12.0	*	*	*	*	*	*	88.4	3.9	11.3
Dane	12.2	10.2	7.5	8.4	76.7	45.1	22.8	19.4	84.7	5.9	11.0
Dodge	12.3	7.8	8.4	6.3	76.0	30.1	16.6	22.9	90.5	5.3	5.0
Door	16.6	13.5	7.3	10.5	67.2	*	*	*	86.6	5.1	3.8
Douglas	19.3	17.0	4.6	13.6	66.2	30.4	12.2	31.0	82.5	8.1	13.4
Dunn	19.5	10.7	5.4	9.4	73.7	28.4	8.8	*	85.9	5.5	4.9
Eau Claire	17.5	11.7	5.5	9.7	69.8	25.9	8.4	16.7	83.1	4.8	11.8
Florence	*	*	*	*	*	*	*	*	*	10.2	*
Fond du Lac	14.7	9.7	9.9	8.1	67.4	29.7	11.6	21.7	85.6	7.6	8.9
Forest	17.2	20.9	*	*	*	*	*	*	79.9	15.8	11.3
Grant	15.3	12.1	7.0	11.5	60.8	26.4	12.4	*	70.5	8.2	3.2
Green	17.9	24.9	10.1	12.2	58.1	*	10.5	*	87.5	12.0	10.6
Green Lake	12.5	14.0	*	*	*	*	*	*	75.3	10.0	8.6
Iowa	17.6	9.9	12.7	6.4	65.5	*	*	*	90.0	10.2	8.6
Iron	*	*	*	*	*	*	*	*	*	*	*
Jackson	21.9	16.1	4.4	16.1	67.9	*	*	*	81.7	10.1	7.9
Jefferson	17.5	14.5	6.2	8.5	68.2	25.1	11.6	6.9	86.9	8.2	5.7
Juneau	15.4	16.3	5.8	7.7	72.2	*	8.0	*	76.1	19.3	7.2
Kenosha	15.9	12.5	10.7	6.8	62.3	21.2	8.6	7.6	80.9	9.4	12.5
Kewaunee	20.3	13.3	*	*	*	*	*	*	67.7	7.1	14.8
La Crosse	19.9	11.0	8.3	8.0	67.6	24.7	16.4	20.6	86.6	3.8	6.6
Lafayette	*	*	*	*	*	*	*	*	*	6.9	10.2
Langlade	20.4	18.7	8.0	8.0	57.5	*	*	*	83.3	15.0	19.2

Lincoln	16.7	17.1	3.6	9.1	56.4	*	*	*	89.0	13.7	5.1
Manitowoc	18.7	15.6	10.7	6.5	60.0	24.0	11.7	23.7	76.8	8.6	8.2
Marathon	18.3	13.3	7.7	5.1	59.0	21.9	9.4	15.9	82.3	7.2	4.1
Marinette	9.3	5.3	5.4	9.0	50.0	21.8	3.1	*	86.3	11.4	3.9
Marquette	19.7	15.4	*	*	*	*	*	*	74.8	15.0	5.1
Menominee	23.2	21.3	3.4	14.3	66.4	*	*	*	89.3	7.6	5.9
Milwaukee	16.5	14.3	9.6	5.9	61.8	24.1	11.9	9.3	78.4	11.6	17.8
Monroe	15.9	12.6	8.6	10.2	69.5	32.8	13.7	*	85.6	10.0	6.6
Oconto	18.8	18.1	8.8	10.3	59.6	*	*	*	84.7	12.8	7.2
Oneida Cty	10.9	13.1	8.6	9.8	58.3	*	*	*	91.9	8.7	5.8
Outagamie	18.5	13.2	9.3	6.5	66.5	28.0	9.9	19.5	82.1	5.9	9.0
Ozaukee	12.4	6.7	6.8	13.5	76.9	*	*	*	83.6	5.3	9.9
Pepin	*	*	*	*	*	*	*	*	*	13.4	13.4
Pierce	19.3	9.8	7.1	10.4	73.5	*	10.7	*	90.8	10.8	12.3
Polk	13.3	10.0	6.9	5.4	76.1	36.4	10.1	*	82.0	8.1	9.4
Portage	13.5	12.4	7.6	6.8	72.0	31.6	13.8	*	88.5	6.7	4.3
Price	21.9	15.3	*	*	*	*	*	*	82.6	9.7	3.4
Racine	15.7	13.0	11.0	6.8	59.2	22.2	10.3	11.9	79.5	9.4	10.9
Richland	19.5	20.7	*	*	*	*	*	*	83.0	6.1	14.0
Rock	17.0	14.6	7.2	7.2	49.0	20.8	10.7	9.6	84.1	8.6	8.5
Rusk	22.5	19.9	*	*	*	*	*	*	84.3	11.8	5.2
Sauk	18.4	17.3	4.6	9.2	77.7	36.8	17.2	24.4	78.9	10.9	3.2
Sawyer	18.7	18.4	6.7	9.0	73.1	*	*	*	84.9	10.1	8.1
Shawano	14.4	14.4	6.7	7.2	66.0	20.0	10.3	*	85.2	9.7	7.9
Sheboygan	15.6	14.2	8.8	6.9	64.6	25.9	11.4	14.4	83.0	8.9	3.2
St. Croix	15.7	14.4	6.9	8.0	76.4	32.4	18.8	30.1	80.6	5.3	4.9
Taylor	9.7	8.1	10.8	11.7	68.3	*	*	*	78.2	11.8	2.5
Trempealeau	17.6	17.6	7.7	9.2	67.7	*	15.7	*	95.7	4.4	9.2
Vernon	17.7	15.9	6.6	11.0	72.0	*	17.2	*	85.8	7.3	5.1
Vilas	19.2	16.3	9.6	11.3	56.5	*	*	*	81.5	14.4	3.5
Walworth	15.2	16.2	5.8	8.1	77.4	37.0	16.6	24.5	84.7	5.8	7.2
Washburn	10.5	12.4	*	*	*	*	*	*	70.4	6.7	8.3
Washington	15.5	11.9	6.2	6.2	72.2	33.3	14.4	31.0	89.4	6.5	8.2
Waukesha	17.3	13.0	7.5	7.8	70.7	30.6	14.1	14.6	83.5	6.6	6.1
Waupaca	15.0	11.8	10.6	8.7	63.5	33.7	11.1	*	88.6	14.8	3.4
Waushara	18.5	19.4	4.5	12.6	66.4	*	*	*	75.2	10.3	10.4
Winnebago	16.0	13.5	10.0	6.8	63.1	22.8	8.3	15.0	83.7	6.8	11.4
Wood	16.0	11.1	7.6	7.8	52.4	26.1	12.4	26.5	85.0	8.6	7.8
Wisconsin	16.3	13.6	8.5	7.6	64.6	27.1	12.3	15.7	81.8	9.3	11.0

Notes

1. Reporting period is January 1, 2008 through December 31, 2008; analyses based on one record per child; excludes records with unknown data or errors.
2. Based on 2000 CDC growth chart percentiles for BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and $\geq 95^{\text{th}}$ percentile category identifies obese children.
3. Infants born during the reporting period included in the analysis; low birthweight is < 2500 grams; high birthweight is > 4000 grams.
4. Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
5. Children ages 2 years and older included in the analyses.
6. Based on the 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months and older included in the analysis.

* Percentages are not calculated if <100 records are available for analysis after exclusions.