

PEDIATRIC NUTRITION SURVEILLANCE SYSTEM (PedNSS) SUMMARY

Wisconsin - 2008¹

LOCAL AGENCY	Overweight Children 2-4 years ²		Birthweight ³		Breast Feeding Incidence ⁴				≤ 2 hours TV Viewing/Day ⁵	Smoking in Household	Anemia Low Hb ⁶
	% 85 th -<95 th	% ≥ 95 th	Low % < 2500 g	High % > 4000 g	Incidence %	6+ Months	12+ Months	Exclusive 3+ Months			
16 th Street	21.9	24.0	6.6	7.5	84.5	43.5	26.3	12.7	80.7	4.6	11.6
Aurora	14.7	10.5	9.5	4.3	38.1	16.5	8.7	10.3	83.2	14.7	28.5
Barron	16.8	13.9	8.2	9.7	71.1	28.4	8.8	21.1	81.4	7.8	9.7
Bay Area	15.4	11.4	5.2	11.5	74.7	38.5	16.8	*	89.3	7.3	7.4
Buffalo	15.5	13.0	*	*	*	*	*	*	89.5	11.3	12.6
Burnett	14.9	8.9	*	*	*	*	*	*	98.3	12.2	2.1
Calumet	16.6	15.9	8.8	8.1	62.2	*	*	*	78.5	9.0	4.6
Chippewa	17.5	13.3	6.6	8.1	62.1	27.3	11.1	*	88.3	8.2	12.5
City of Madison	12.2	10.2	7.5	8.4	76.7	45.1	22.9	19.4	84.7	5.9	11.0
Clark	21.7	11.0	9.4	9.4	77.2	*	6.9	*	86.7	8.1	13.9
Columbia	16.4	12.0	9.0	9.9	70.1	34.0	16.8	*	79.7	8.9	8.9
Cudahy	16.0	12.3	8.3	9.1	68.7	25.5	9.9	8.5	68.8	17.0	11.3
Dane Cty	*	*	*	*	*	*	*	*	*	*	*
Dodge	12.3	7.8	8.4	6.3	76.0	30.1	16.6	22.9	90.5	5.3	5.0
Door	16.6	13.5	7.3	10.5	67.2	*	*	*	86.6	5.1	3.8
Dunn	19.5	10.7	5.4	9.4	73.7	28.4	8.8	*	85.9	5.5	4.9
Eau Claire	17.5	11.7	5.5	9.7	69.8	25.9	8.4	16.7	83.1	4.8	11.8
Family Health	17.1	16.8	6.4	9.7	62.7	26.4	10.2	*	75.1	11.3	8.6
Family Planning	18.3	14.6	7.2	6.0	58.5	20.2	8.9	15.5	83.3	9.1	6.3
Florence	*	*	*	*	*	*	*	*	*	10.2	*
Fond du Lac	14.7	9.7	9.9	8.1	67.4	29.7	11.6	21.7	85.6	7.6	8.9
Forest	13.2	19.8	*	*	*	*	*	*	75.9	15.4	10.1
GLITC	21.6	24.1	6.5	14.6	60.0	19.2	11.5	*	82.7	14.3	9.7
Grant	15.3	12.1	7.0	11.5	60.8	26.4	12.4	*	70.5	8.2	3.2
Green	17.9	24.9	10.1	12.2	58.1	*	10.5	*	87.5	12.0	10.6
Health & Nutrition	16.4	13.6	11.1	6.9	61.3	23.9	10.3	12.3	80.0	10.1	8.2
Jackson	20.7	13.9	4.2	14.3	66.4	*	*	*	82.2	7.9	7.7
Jefferson	17.5	14.5	6.2	8.5	68.2	25.1	11.6	6.9	86.9	8.2	5.7
Juneau	16.5	14.6	8.5	10.9	68.3	26.2	7.6	26.2	75.0	20.0	7.1
Kenosha	15.9	12.5	10.7	6.8	62.3	21.2	8.6	7.6	80.9	9.4	12.5
Kewaunee	20.3	13.3	*	*	*	*	*	*	67.7	7.1	14.8

La Crosse	19.9	11.0	8.3	8.0	67.6	24.7	16.4	20.6	86.6	3.8	6.6
Marinette	9.3	5.3	5.4	9.0	50.0	21.8	3.1	*	86.3	11.4	3.9
Menominee	23.2	21.3	3.4	14.3	66.4	*	*	*	89.3	7.6	5.9
Milwaukee City	16.1	13.4	10.5	5.5	62.4	19.3	9.5	7.8	75.4	12.5	20.6
MLK	10.1	6.4	11.8	4.5	57.4	10.6	6.9	7.9	74.2	18.4	19.1
Manitowoc	18.7	15.6	10.7	6.5	60.0	24.0	11.7	23.7	76.8	8.6	8.2
Monroe	15.9	12.6	8.6	10.2	69.5	32.8	13.7	*	85.6	10.0	6.6
NEW Community	13.1	12.0	7.7	8.5	58.7	24.0	10.7	11.8	78.5	8.2	6.7
NHA	17.0	14.6	7.2	7.2	49.0	20.8	10.7	9.6	84.1	8.6	8.5
NWCSA	19.3	17.0	4.6	13.6	66.2	30.4	12.2	31.0	82.5	8.1	13.4
Oconto	18.8	18.1	8.8	10.3	59.6	*	*	*	84.7	12.8	7.2
Oneida Tribe	22.1	32.0	6.3	13.3	61.5	*	7.4	*	81.1	18.1	3.2
Oneida County	10.9	13.1	8.6	9.8	58.3	*	*	*	91.9	8.7	5.8
Outagamie	18.5	13.2	9.3	6.5	66.5	28.0	9.9	19.5	82.1	5.9	9.0
Pierce	19.3	9.8	7.1	10.4	73.5	*	10.7	*	90.8	10.8	12.3
Polk	13.3	10.0	6.9	5.4	76.1	36.4	10.1	*	82.0	8.1	9.4
Portage	13.5	12.4	7.6	6.8	72.0	31.6	13.8	*	88.5	6.7	4.3
Price	21.9	15.3	*	*	*	*	*	*	82.6	9.7	3.4
Racine	14.2	11.8	10.6	6.5	54.3	18.8	10.3	10.6	78.4	8.0	16.3
Rusk	22.5	19.9	*	*	*	*	*	*	84.3	11.8	5.2
Sauk	18.3	16.2	4.5	9.2	77.9	37.0	17.3	25.1	79.3	10.9	2.7
Sawyer	17.3	15.4	*	*	*	*	*	*	80.6	11.7	5.2
Seeds of Hlth	18.9	15.4	7.8	8.6	68.1	27.8	12.1	8.9	83.2	6.8	11.1
Shawano	14.2	14.2	6.5	6.0	66.8	*	10.5	*	85.7	9.9	6.3
Sheboygan	15.6	14.2	8.8	6.9	64.6	25.9	11.4	14.4	83.0	8.9	3.2
St. Croix	15.7	14.4	6.9	8.0	76.4	32.4	18.8	30.1	80.6	5.3	4.9
SWCAP	18.9	15.1	8.0	9.1	68.6	24.2	15.4	14.9	87.3	6.8	11.3
Taylor	9.7	8.1	10.8	11.7	68.3	*	*	*	78.2	11.8	2.5
Trempealeau	17.6	17.6	7.7	9.2	67.7	*	15.7	*	95.7	4.4	9.2
Vernon	17.7	15.9	6.6	11.0	72.0	*	17.2	*	85.8	7.3	5.1
Vilas	13.2	11.4	*	*	*	*	*	*	83.5	8.8	3.8
Walworth	15.2	16.2	5.8	8.1	77.4	37.0	16.6	24.5	84.7	5.8	7.2
Washington/Ozaukee	14.7	10.7	6.4	8.1	73.4	33.6	14.0	28.2	87.9	6.2	8.6
Washburn	10.5	12.4	*	*	*	*	*	*	70.4	6.7	8.3
Waukesha	17.3	13.0	7.5	7.8	70.7	30.6	14.1	14.6	83.5	6.6	6.1
Waupaca	15.0	11.8	10.6	8.7	63.5	33.7	11.1	*	88.6	14.8	3.4
Wee Care	13.9	10.9	11.2	3.9	59.1	17.5	7.0	7.8	78.4	12.8	20.9
West Allis	17.3	10.7	10.5	9.6	67.0	32.9	9.9	11.5	86.1	12.7	13.9
Winnebago	16.0	13.5	10.0	6.8	63.1	22.8	8.3	15.0	83.7	6.8	11.4
Wood	15.8	11.1	7.5	7.7	52.6	25.5	11.3	26.7	85.6	8.4	7.6

Wisconsin	16.3	13.6	8.5	7.6	64.6	27.1	12.3	15.7	81.8	9.3	11.0
-----------	------	------	-----	-----	------	------	------	------	------	-----	------

Notes

1. Reporting period is January 1, 2008 through December 31, 2008; analyses based on one record per child; excludes records with unknown data or errors.
2. Based on 2000 CDC growth chart percentiles for BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and \geq 95th percentile category identifies obese children.
3. Infants born during the reporting period included in the analysis; low birthweight is < 2500 grams; high birthweight is > 4000 grams.
4. Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
5. Children ages 2 years and older included in the analyses.
6. Based on the 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months and older included in the analysis.

* Percentages are not calculated if <100 records are available for analysis after exclusions.