

Table 4B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin

Comparison of Racial and Ethnic Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Adams Cty	611	86.7	0.5	7.0	0.2	0.0	5.6	0.0
Ashland	687	65.2	0.3	3.9	20.4	0.0	10.2	0.0
Barron	1,178	81.0	4.8	10.4	1.5	0.3	2.0	0.0
Bayfield C	376	57.4	0.8	3.5	32.4	0.0	5.9	0.0
Brown	6,983	40.9	5.4	35.5	6.3	6.1	5.7	0.0
Buffalo	289	89.3	0.0	9.0	0.3	0.0	1.4	0.0
Burnett	595	64.9	0.3	3.7	19.0	0.0	12.1	0.0
Calumet	694	64.8	3.6	21.5	0.0	8.4	1.7	0.0
Chippewa	1,431	91.6	0.2	2.8	0.4	1.5	3.4	0.0
Clark	841	69.2	0.6	28.2	0.1	0.1	1.8	0.0
Columbia	886	78.7	1.4	15.0	0.2	0.2	4.4	0.1
Crawford C	341	88.0	0.3	9.1	0.3	0.3	2.1	0.0
Dane	7,764	27.9	21.4	35.2	0.2	7.0	8.3	0.0
Dodge	1,413	68.8	0.8	26.3	0.1	0.3	3.6	0.0
Door	526	78.9	2.1	16.2	0.4	0.0	2.5	0.0
Douglas Ct	1,293	79.9	0.9	5.2	0.9	0.9	12.3	0.0
Dunn	945	80.4	0.6	5.9	0.0	9.5	3.5	0.0
Eau Claire	2,479	67.2	1.3	9.0	0.5	11.1	10.9	0.0
Florence	114	94.7	0.0	2.6	1.8	0.0	0.9	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Comparison of Racial and Ethnic Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Fond du La	2,065	63.1	2.7	24.1	0.0	4.0	6.2	0.0
Forest	343	67.6	0.0	4.4	12.0	0.0	16.0	0.0
Grant Cty	1,248	91.4	0.6	5.7	0.0	0.4	1.8	0.0
Green Cty	679	78.6	0.1	18.9	0.0	0.9	1.5	0.0
Green Lake	321	69.5	0.3	22.1	0.0	1.9	6.2	0.0
Iowa Cty	377	87.5	1.1	7.4	0.0	0.8	3.2	0.0
Iron Cty	97	*	*	*	*	*	*	*
Jackson	704	70.2	0.3	6.3	19.5	0.3	3.6	0.0
Jefferson	1,862	52.7	0.8	44.4	0.1	0.4	1.7	0.0
Juneau	784	88.3	0.5	5.9	0.4	0.1	4.8	0.0
Kenosha	4,516	35.2	16.4	40.7	0.3	0.6	6.9	0.0
Kewaunee	357	73.4	2.2	22.1	0.0	0.3	2.0	0.0
La Crosse	2,451	65.3	4.2	4.9	0.4	16.2	9.1	0.0
Lafayette	240	77.1	0.0	20.0	0.0	0.0	2.9	0.0
Langlade C	499	85.2	0.6	11.0	0.2	0.0	3.0	0.0
Lincoln Ct	481	86.9	0.2	6.7	0.8	0.2	5.2	0.0
Manitowoc	1,758	61.1	1.9	20.6	0.6	9.4	6.3	0.1
Marathon C	2,933	54.8	1.4	9.8	0.5	26.4	7.0	0.0
Marinette	1,095	94.6	0.2	2.9	0.5	0.0	1.8	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Comparison of Racial and Ethnic Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Marquette	256	76.2	0.4	19.1	0.0	0.0	4.3	0.0
Menominee	571	0.4	0.0	15.1	22.6	0.0	62.0	0.0
Milwaukee	40,333	12.0	47.5	32.1	0.3	4.1	3.9	0.0
Monroe	1,149	75.2	1.2	17.8	1.0	1.0	3.8	0.0
Oconto	684	93.1	0.0	4.4	0.4	0.3	1.8	0.0
Oneida	587	90.5	0.7	4.9	0.7	0.2	3.1	0.0
Outagamie	2,749	57.8	2.5	19.2	0.7	12.9	6.8	0.0
Ozaukee	526	77.4	3.6	12.5	0.0	1.1	5.3	0.0
Pepin	170	85.3	0.6	10.6	1.2	0.6	1.8	0.0
Pierce	746	86.7	0.9	5.0	0.4	0.3	6.7	0.0
Polk	1,062	92.6	0.3	3.9	0.5	0.1	2.7	0.0
Portage	1,250	67.4	0.6	14.8	0.1	14.0	3.2	0.0
Price	494	91.5	0.4	3.2	0.0	2.6	2.2	0.0
Racine Cou	5,644	26.3	25.4	40.0	0.1	0.4	7.8	0.1
Richland C	440	83.9	0.0	13.0	0.0	0.5	2.7	0.0
Rock	4,309	63.6	8.9	24.3	0.1	0.7	2.4	0.0
Rusk	421	90.7	0.5	3.3	0.5	0.0	5.0	0.0
Sauk	1,467	72.2	0.7	20.0	5.0	0.0	2.1	0.0
Sawyer	673	48.1	0.9	4.8	42.3	0.6	3.3	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin

Comparison of Racial and Ethnic Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Shawano	1,005	68.4	0.5	10.3	12.6	0.4	7.8	0.0
Sheboygan	2,522	47.3	2.3	27.2	0.0	18.6	4.5	0.0
St. Croix	1,253	82.9	1.1	8.9	0.3	2.1	4.6	0.0
Taylor	477	84.9	0.6	11.3	0.0	0.0	3.1	0.0
Trempealea	776	57.9	0.5	39.3	0.1	0.3	1.9	0.0
Vernon	779	86.0	0.8	9.8	0.1	0.1	3.2	0.0
Vilas	600	49.8	0.0	2.0	39.5	0.0	8.7	0.0
Walworth	2,276	46.0	1.0	48.2	0.5	0.5	3.7	0.0
Washburn	462	87.4	0.0	5.8	1.3	0.9	4.5	0.0
Washington	1,674	76.0	2.7	15.0	0.1	1.0	5.2	0.0
Waukesha	2,527	52.4	5.4	33.5	0.2	1.4	7.2	0.0
Waupaca	925	87.5	0.2	11.2	0.2	0.1	0.8	0.0
Waushara C	503	57.9	0.6	40.6	0.0	0.2	0.8	0.0
Winnebago	2,913	62.6	3.9	17.5	0.3	7.0	8.5	0.0
Wood	1,577	78.8	0.7	11.0	1.8	3.6	4.1	0.1
Unknown Counties	1	*	*	*	*	*	*	*
Wisconsin	136,057	45.4	18.2	25.0	1.6	4.4	5.3	0.0
Nation (Prior Year)	8,164,612	31.7	18.8	41.0	1.0	2.6	2.1	2.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5B
2009 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Age Distribution by County
Children Aged < 5 Years (2)

Comparison of Age Distribution				
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Adams Cty	611	31.8	20.1	48.1
Ashland	687	26.8	21.8	51.4
Barron	1,178	36.2	19.5	44.2
Bayfield C	376	31.1	21.8	47.1
Brown	6,983	30.6	23.2	46.2
Buffalo	289	34.6	19.4	46.0
Burnett	595	30.8	20.8	48.4
Calumet	694	29.8	24.1	46.1
Chippewa	1,431	31.2	22.6	46.3
Clark	841	33.3	18.7	48.0
Columbia	886	37.8	18.2	44.0
Crawford C	341	35.5	18.8	45.7
Dane	7,764	35.7	20.2	44.2
Dodge	1,413	33.0	22.2	44.9
Door	526	35.0	20.7	44.3
Douglas Ct	1,293	32.5	23.5	44.0
Dunn	945	32.9	18.8	48.3
Eau Claire	2,479	35.5	19.6	44.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Comparison of Age Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution				
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Florence	114	41.2	13.2	45.6
Fond du La	2,065	33.1	20.1	46.7
Forest	343	30.0	18.7	51.3
Grant Cty	1,248	31.9	20.0	48.1
Green Cty	679	34.9	19.1	45.9
Green Lake	321	41.1	17.1	41.7
Iowa Cty	377	35.5	21.0	43.5
Iron Cty	97	*	*	*
Jackson	704	31.8	18.2	50.0
Jefferson	1,862	35.2	19.0	45.8
Juneau	784	32.8	19.8	47.4
Kenosha	4,516	36.4	21.6	42.0
Kewaunee	357	36.4	16.8	46.8
La Crosse	2,451	33.8	20.2	46.0
Lafayette	240	32.5	19.2	48.3
Langlade C	499	28.5	23.4	48.1
Lincoln Ct	481	38.9	19.3	41.8
Manitowoc	1,758	33.5	21.3	45.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5B
2009 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Age Distribution by County
Children Aged < 5 Years (2)

Comparison of Age Distribution				
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Marathon C	2,933	34.5	20.1	45.4
Marinette	1,095	30.6	19.1	50.3
Marquette	256	40.6	16.0	43.4
Menominee	571	26.1	24.5	49.4
Milwaukee	40,333	33.4	21.4	45.2
Monroe	1,149	35.9	21.6	42.5
Oconto	684	36.8	19.6	43.6
Oneida	587	42.2	17.4	40.4
Outagamie	2,749	33.1	22.6	44.2
Ozaukee	526	35.0	22.6	42.4
Pepin	170	37.6	17.6	44.7
Pierce	746	30.2	21.3	48.5
Polk	1,062	33.1	21.9	45.0
Portage	1,250	39.4	16.4	44.2
Price	494	29.1	18.8	52.0
Racine Cou	5,644	37.8	18.6	43.6
Richland C	440	33.6	22.0	44.3
Rock	4,309	36.6	19.7	43.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5B
2009 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Age Distribution by County
Children Aged < 5 Years (2)

Comparison of Age Distribution				
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Rusk	421	34.7	19.7	45.6
Sauk	1,467	38.2	20.4	41.4
Sawyer	673	30.5	21.1	48.4
Shawano	1,005	27.1	21.9	51.0
Sheboygan	2,522	30.2	22.3	47.5
St. Croix	1,253	33.1	19.2	47.6
Taylor	477	34.2	21.4	44.4
Trempealea	776	37.0	21.8	41.2
Vernon	779	34.3	18.4	47.4
Vilas	600	31.2	19.8	49.0
Walworth	2,276	34.7	20.1	45.3
Washburn	462	29.7	21.2	49.1
Washington	1,674	34.1	22.3	43.7
Waukesha	2,527	40.7	18.7	40.6
Waupaca	925	38.4	21.4	40.2
Waushara C	503	37.4	19.3	43.3
Winnebago	2,913	38.9	19.5	41.6
Wood	1,577	37.5	22.3	40.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5B
2009 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Age Distribution by County
Children Aged < 5 Years (2)

Comparison of Age Distribution				
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Unknown Counties	1	*	*	*
Wisconsin	136,057	34.2	20.8	45.0
Nation (Prior Year)	8,164,612	35.8	23.0	41.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2009 Pediatric Nutrition Surveillance (1)
Wisconsin

Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Adams Cty	126	8.7 (34)	12.7 (54)	597	6.9 (65)	2.3 (16)	15.9 (64)	299	15.1 (14)	14.7 (50)	462	6.1 (29)
Ashland	133	6.8 (20)	3.0 (1)	673	5.6 (40)	3.9 (59)	14.0 (50)	344	15.1 (14)	14.2 (46)	532	10.0 (47)
Barron	254	5.5 (10)	10.6 (47)	1,162	4.4 (16)	3.5 (50)	11.8 (21)	510	16.5 (28)	14.1 (45)	859	9.4 (44)
Bayfield C	81	* *	* *	369	3.5 (7)	3.3 (44)	14.1 (52)	169	14.8 (12)	20.1 (67)	277	7.6 (35)
Brown	1,622	6.7 (19)	8.7 (25)	6,820	5.1 (30)	3.7 (55)	13.8 (46)	3,165	14.9 (13)	15.9 (56)	5,158	6.5 (31)
Buffalo	60	* *	* *	286	5.2 (31)	4.2 (63)	9.8 (6)	131	13.7 (9)	12.2 (18)	216	9.3 (42)
Burnett	133	3.8 (2)	9.0 (31)	581	4.5 (17)	2.1 (10)	13.1 (33)	284	18.0 (49)	12.7 (22)	446	5.4 (21)
Calumet	150	8.0 (27)	6.0 (5)	684	6.1 (55)	3.8 (56)	10.5 (11)	317	18.0 (49)	12.9 (24)	518	4.6 (17)
Chippewa	321	8.1 (29)	7.8 (17)	1,411	6.7 (63)	2.2 (14)	11.8 (21)	670	17.8 (47)	10.9 (10)	1,070	9.4 (44)
Clark	184	8.2 (31)	8.2 (22)	826	4.6 (20)	3.0 (37)	11.6 (20)	390	16.4 (26)	10.5 (7)	611	13.7 (65)
Columbia	204	5.9 (15)	9.8 (38)	875	5.6 (40)	3.2 (42)	8.9 (3)	383	19.1 (56)	11.2 (11)	633	7.7 (36)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2009 Pediatric Nutrition Surveillance (1)
Wisconsin

Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Crawford C	75	* *	* *	339	5.0 (27)	2.4 (22)	11.2 (14)	154	16.9 (34)	13.0 (25)	253	10.3 (50)
Dane	1,835	6.3 (17)	8.7 (25)	7,626	5.0 (27)	2.1 (10)	13.1 (33)	3,395	16.4 (26)	13.1 (28)	5,588	11.6 (55)
Dodge	325	4.3 (4)	9.8 (38)	1,389	5.6 (40)	4.3 (64)	11.2 (14)	631	10.6 (2)	7.8 (3)	1,027	5.9 (25)
Door	130	9.2 (40)	6.2 (7)	520	3.7 (8)	6.3 (69)	7.9 (1)	231	16.9 (34)	12.1 (16)	374	3.7 (9)
Douglas Ct	279	7.2 (23)	10.4 (44)	1,279	4.5 (17)	2.1 (10)	14.1 (52)	550	21.5 (60)	15.1 (53)	894	14.2 (67)
Dunn	197	9.1 (38)	9.1 (33)	927	5.6 (40)	3.1 (40)	12.5 (26)	455	16.9 (34)	12.7 (22)	699	3.3 (5)
Eau Claire	561	5.7 (14)	10.3 (42)	2,452	6.2 (56)	3.4 (45)	13.2 (35)	1,106	17.5 (45)	13.9 (39)	1,777	13.2 (62)
Florence	32	* *	* *	111	9.0 (71)	6.3 (69)	9.9 (8)	49	* *	* *	68	* *
Fond du La	500	10.8 (52)	7.4 (13)	2,014	7.4 (66)	3.0 (37)	9.4 (5)	957	13.2 (8)	9.9 (6)	1,502	7.5 (33)
Forest	64	* *	* *	330	2.4 (2)	3.9 (59)	16.7 (66)	172	14.0 (10)	18.6 (64)	258	11.2 (53)
Grant Cty	235	5.1 (5)	8.5 (24)	1,233	4.8 (24)	3.6 (51)	10.6 (12)	587	12.4 (5)	10.6 (9)	968	4.2 (14)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2009 Pediatric Nutrition Surveillance (1)
Wisconsin

Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Green Cty	160	8.1 (29)	8.8 (28)	665	7.5 (68)	2.6 (26)	16.5 (65)	302	25.2 (67)	19.2 (66)	470	11.9 (56)
Green Lake	79	* *	* *	317	2.5 (4)	4.1 (61)	14.5 (57)	132	12.9 (6)	13.6 (29)	221	5.9 (25)
Iowa Cty	85	* *	* *	369	5.7 (46)	2.4 (22)	17.3 (67)	155	20.6 (59)	18.7 (65)	274	12.4 (60)
Iron Cty	25	* *	* *	89	* *	* *	* *	40	* *	* *	60	* *
Jackson	143	3.5 (1)	10.5 (45)	691	5.5 (38)	1.7 (5)	13.2 (35)	345	22.3 (62)	14.8 (52)	511	9.8 (46)
Jefferson	440	5.2 (7)	10.5 (45)	1,832	4.3 (15)	3.4 (45)	12.5 (26)	823	19.0 (55)	14.3 (48)	1,350	4.8 (19)
Juneau	173	9.8 (45)	9.2 (34)	773	5.6 (40)	2.3 (16)	15.1 (61)	376	15.4 (18)	13.6 (29)	578	6.4 (30)
Kenosha	1,164	8.5 (33)	7.4 (13)	4,425	8.2 (69)	2.0 (8)	15.2 (62)	1,849	16.7 (30)	12.3 (19)	3,103	12.1 (57)
Kewaunee	83	* *	* *	350	4.0 (11)	2.6 (26)	14.6 (58)	165	24.2 (65)	13.9 (39)	264	13.6 (64)
La Crosse	587	7.5 (25)	10.2 (40)	2,399	6.0 (54)	3.8 (56)	11.8 (21)	1,117	18.4 (51)	13.0 (25)	1,788	5.2 (20)
Lafayette	39	* *	* *	235	6.8 (64)	1.3 (2)	13.6 (43)	118	23.7 (64)	16.9 (60)	181	7.7 (36)

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
 - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2009 Pediatric Nutrition Surveillance (1)
Wisconsin

Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Langlade C	96	* *	* *	487	4.5 (17)	2.1 (10)	11.5 (18)	230	17.4 (44)	16.1 (57)	399	19.0 (70)
Lincoln Ct	126	5.6 (11)	11.9 (52)	473	6.3 (58)	1.7 (5)	14.0 (50)	202	22.3 (62)	15.8 (55)	345	12.5 (61)
Manitowoc	379	9.0 (37)	8.4 (23)	1,736	4.6 (20)	3.6 (51)	13.9 (49)	786	17.9 (48)	17.9 (62)	1,290	7.3 (32)
Marathon C	713	5.6 (11)	6.0 (5)	2,883	8.7 (70)	1.5 (3)	14.3 (55)	1,318	15.9 (22)	13.8 (33)	2,174	10.0 (47)
Marinette	220	10.5 (50)	7.3 (12)	1,067	4.2 (13)	8.2 (71)	8.9 (3)	543	8.7 (1)	3.7 (1)	827	3.7 (9)
Marquette	61	* *	* *	249	2.4 (2)	3.6 (51)	18.9 (68)	106	19.8 (58)	15.1 (53)	173	4.6 (17)
Menominee	105	3.8 (2)	16.2 (55)	553	2.0 (1)	1.6 (4)	21.0 (70)	283	25.8 (69)	18.4 (63)	441	2.3 (1)
Milwaukee	9,650	10.5 (50)	6.2 (7)	39,544	5.9 (52)	3.4 (45)	13.5 (41)	17,927	17.3 (41)	14.5 (49)	28,960	17.7 (69)
Monroe	267	5.2 (7)	9.0 (31)	1,136	6.3 (58)	2.0 (8)	13.7 (45)	491	17.3 (41)	13.8 (33)	816	5.8 (24)
Oconto	174	5.2 (7)	9.2 (34)	673	3.9 (10)	1.2 (1)	14.6 (58)	283	17.3 (41)	17.7 (61)	477	3.6 (8)
Oneida	146	8.2 (31)	10.3 (42)	579	5.0 (27)	5.7 (68)	8.6 (2)	240	12.9 (6)	12.5 (21)	403	3.2 (4)

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
 - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2009 Pediatric Nutrition Surveillance (1)
Wisconsin

Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Outagamie	688	7.8 (26)	5.8 (3)	2,655	4.0 (11)	5.4 (65)	11.5 (18)	1,199	18.7 (52)	12.1 (16)	1,775	7.5 (33)
Ozaukee	129	6.2 (16)	10.9 (49)	512	6.4 (61)	2.7 (30)	11.3 (17)	224	12.1 (4)	6.7 (2)	375	10.4 (51)
Pepin	47	* *	* *	168	4.8 (24)	3.6 (51)	11.9 (24)	73	* *	* *	114	11.4 (54)
Pierce	147	8.8 (35)	8.8 (28)	740	5.9 (52)	2.3 (16)	13.2 (35)	360	17.5 (45)	13.9 (39)	577	13.5 (63)
Polk	246	8.9 (36)	10.2 (40)	1,036	3.7 (8)	3.1 (40)	10.1 (10)	477	15.9 (22)	10.5 (7)	782	8.7 (40)
Portage	320	9.4 (42)	8.8 (28)	1,232	6.3 (58)	2.8 (32)	9.8 (6)	539	15.2 (16)	8.3 (4)	885	3.7 (9)
Price	94	* *	* *	488	3.1 (5)	2.3 (16)	12.5 (26)	249	16.9 (34)	12.4 (20)	389	2.3 (1)
Racine Cou	1,368	9.4 (42)	5.8 (3)	5,459	5.8 (48)	2.6 (26)	13.8 (46)	2,364	15.4 (18)	13.0 (25)	4,082	10.7 (52)
Richland C	96	* *	* *	433	7.4 (66)	2.8 (32)	13.4 (39)	197	24.4 (66)	16.2 (58)	322	14.3 (68)
Rock	1,024	9.3 (41)	6.5 (9)	4,242	4.7 (23)	2.9 (35)	13.6 (43)	1,876	16.7 (30)	14.0 (42)	3,049	8.5 (39)
Rusk	96	* *	* *	416	5.3 (34)	4.1 (61)	14.7 (60)	190	25.3 (68)	14.7 (50)	304	4.3 (16)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2009 Pediatric Nutrition Surveillance (1)
Wisconsin

Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Sauk	369	5.1 (5)	11.4 (51)	1,442	5.8 (48)	1.7 (5)	15.2 (62)	605	19.5 (57)	16.7 (59)	1,053	3.5 (7)
Sawyer	143	7.0 (22)	11.2 (50)	655	3.1 (5)	2.7 (30)	14.2 (54)	314	18.8 (54)	14.0 (42)	496	8.7 (40)
Shawano	205	10.2 (47)	5.4 (2)	976	5.2 (31)	2.9 (35)	13.0 (32)	509	14.7 (11)	13.8 (33)	777	7.7 (36)
Sheboygan	566	8.0 (27)	8.7 (25)	2,486	5.8 (48)	5.5 (66)	11.9 (24)	1,181	16.6 (29)	13.8 (33)	1,883	4.0 (12)
St. Croix	266	5.6 (11)	7.9 (18)	1,236	4.9 (26)	2.2 (14)	10.7 (13)	579	18.7 (52)	11.6 (13)	924	5.6 (23)
Taylor	113	13.3 (55)	9.7 (37)	466	5.2 (31)	3.4 (45)	9.9 (8)	210	16.7 (30)	13.8 (33)	355	2.8 (3)
Trempealea	186	9.1 (38)	7.5 (15)	756	4.2 (13)	2.8 (32)	20.2 (69)	309	16.2 (25)	20.7 (68)	518	13.9 (66)
Vernon	161	11.2 (53)	7.5 (15)	773	6.5 (62)	2.3 (16)	12.5 (26)	368	16.8 (33)	13.6 (29)	556	5.4 (21)
Vilas	132	6.8 (20)	10.6 (47)	575	5.4 (37)	2.4 (22)	21.2 (71)	289	17.0 (40)	24.2 (69)	415	3.4 (6)
Walworth	492	6.3 (17)	7.9 (18)	2,238	4.6 (20)	2.6 (26)	12.5 (26)	1,031	15.8 (21)	13.6 (29)	1,691	12.1 (57)
Washburn	96	* *	* *	448	5.8 (48)	5.6 (67)	13.4 (39)	215	10.7 (3)	14.0 (42)	335	4.2 (14)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2009 Pediatric Nutrition Surveillance (1)
Wisconsin

Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Washington	399	7.3 (24)	6.5 (9)	1,644	5.5 (38)	3.2 (42)	11.2 (14)	724	16.0 (24)	9.3 (5)	1,204	12.2 (59)
Waukesha	654	10.4 (48)	8.0 (20)	2,489	5.3 (34)	3.4 (45)	14.4 (56)	1,013	16.9 (34)	13.8 (33)	1,616	5.9 (25)
Waupaca	251	10.4 (48)	9.6 (36)	901	6.2 (56)	3.0 (37)	13.2 (35)	360	15.6 (20)	11.4 (12)	628	4.0 (12)
Waushara C	124	12.1 (54)	12.1 (53)	487	5.7 (46)	2.3 (16)	13.8 (46)	212	21.7 (61)	14.2 (46)	340	10.0 (47)
Winnebago	764	9.8 (45)	7.2 (11)	2,867	5.6 (40)	2.5 (25)	13.5 (41)	1,198	16.9 (34)	11.9 (15)	2,002	9.3 (42)
Wood	382	9.7 (44)	8.1 (21)	1,540	5.3 (34)	3.8 (56)	12.7 (31)	635	15.3 (17)	11.7 (14)	1,090	5.9 (25)
Wisconsin	31,974	8.6	7.7	133,389	5.6	3.2	13.2	60,280	16.8	13.7	97,832	11.1
Nation (Prior Year)	1,909,620	9.0	6.4	7,107,000	6.0	4.5	14.1	2,943,996	16.5	14.8	4,916,523	14.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B
2009 Pediatric Nutrition Surveillance (1)
Wisconsin**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
Children Aged < 5 Years (3)**

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)												
	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
County	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)
Adams Cty	126	63.5 (44)	62	* *	103	10.7 (30)	38	* *	62	* *	314	75.5 (63)
Ashland	134	61.2 (48)	62	* *	102	27.5 (1)	46	* *	62	* *	383	89.3 (11)
Barron	261	68.6 (31)	136	23.5 (22)	187	9.6 (39)	124	20.2 (15)	134	5.2 (25)	553	86.1 (28)
Bayfield C	81	* *	42	* *	56	* *	35	* *	42	* *	188	89.4 (10)
Brown	1,629	69.1 (29)	661	25.3 (17)	1,113	9.9 (37)	509	14.7 (24)	627	7.0 (21)	3,401	78.7 (59)
Buffalo	60	* *	30	* *	49	* *	30	* *	28	* *	139	88.5 (16)
Burnett	129	67.4 (38)	64	* *	86	* *	46	* *	63	* *	265	95.5 (1)
Calumet	149	64.4 (42)	70	* *	114	10.5 (32)	51	* *	69	* *	345	75.4 (64)
Chippewa	322	71.7 (20)	157	22.3 (26)	237	6.8 (42)	100	32.0 (3)	138	11.6 (10)	718	85.5 (32)
Clark	184	78.8 (7)	83	* *	119	15.1 (11)	62	* *	83	* *	428	86.7 (23)
Columbia	204	73.5 (16)	98	* *	115	10.4 (34)	72	* *	91	* *	410	83.4 (42)
Crawford C	75	* *	36	* *	56	* *	25	* *	34	* *	164	82.9 (46)
Dane	1,836	79.3 (4)	890	45.3 (1)	1,195	25.9 (2)	756	20.0 (17)	871	11.6 (10)	3,642	83.7 (40)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B
2009 Pediatric Nutrition Surveillance (1)
Wisconsin**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)**

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
County	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
Dodge	324	80.9 (1)	165	35.2 (6)	220	15.0 (12)	148	31.8 (4)	164	16.5 (1)	673	92.9 (2)	1,407	6.3 (19)
Door	130	70.8 (25)	54	* *	92	* *	41	* *	54	* *	250	82.4 (49)	525	4.6 (6)
Douglas Ct	279	71.0 (24)	141	23.4 (23)	226	13.3 (17)	114	23.7 (10)	140	14.3 (6)	615	84.4 (35)	1,288	8.9 (45)
Dunn	199	64.3 (43)	94	* *	127	17.3 (8)	77	* *	94	* *	484	86.6 (25)	938	5.3 (11)
Eau Claire	562	74.6 (12)	257	24.9 (18)	391	14.3 (14)	191	19.4 (19)	252	6.7 (22)	1,186	86.7 (23)	2,475	5.3 (11)
Florence	31	* *	4	* *	10	* *	7	* *	4	* *	53	* *	114	12.3 (62)
Fond du La	501	67.7 (35)	211	23.2 (24)	296	10.1 (36)	163	28.2 (6)	208	8.2 (19)	1,027	89.9 (9)	2,049	7.1 (27)
Forest	64	* *	29	* *	44	* *	27	* *	29	* *	198	83.3 (43)	343	18.1 (70)
Grant Cty	234	63.2 (45)	136	27.2 (13)	167	11.4 (28)	92	* *	122	15.6 (3)	629	77.6 (61)	1,241	8.5 (40)
Green Cty	163	71.8 (19)	73	* *	96	* *	65	* *	73	* *	331	90.0 (8)	676	9.9 (53)
Green Lake	81	* *	35	* *	35	* *	30	* *	32	* *	144	79.9 (57)	320	12.8 (64)
Iowa Cty	85	* *	46	* *	64	* *	32	* *	45	* *	172	86.0 (30)	377	9.5 (50)
Iron Cty	26	* *	8	* *	18	* *	9	* *	7	* *	44	* *	95	* *

(1) Reporting period is January 1 through December 31.
(2) TV Viewing and Smoking in Household data are not reported by all contributors.
(3) Analyses based on one record per child.
(4) Excludes records with unknown data or errors.
(5) Rank compares this county's rate to other counties. Rank 1 = best rate.
(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
(8) Children aged 2 years and older included in the analyses.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B
2009 Pediatric Nutrition Surveillance (1)
Wisconsin**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
Children Aged < 5 Years (3)**

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
County	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
Jackson	143	79.7 (3)	83	* *	82	* *	51	* *	78	* *	371	88.7 (12)	702	8.3 (37)
Jefferson	442	73.1 (17)	222	32.0 (8)	270	13.0 (18)	165	21.2 (14)	211	10.4 (13)	894	88.6 (13)	1,858	6.3 (19)
Juneau	173	72.8 (18)	86	* *	110	10.9 (29)	72	* *	85	* *	403	74.7 (65)	782	16.6 (67)
Kenosha	1,162	58.0 (51)	452	27.0 (14)	725	12.6 (20)	337	14.8 (23)	422	7.6 (20)	1,980	82.0 (50)	4,464	7.6 (33)
Kewaunee	83	* *	36	* *	56	* *	31	* *	35	* *	178	65.7 (68)	357	6.7 (23)
La Crosse	584	71.6 (22)	284	25.7 (16)	339	11.5 (27)	207	22.7 (13)	254	15.4 (4)	1,201	88.6 (13)	2,449	3.8 (3)
Lafayette	41	* *	27	* *	34	* *	22	* *	25	* *	120	87.5 (19)	236	9.3 (48)
Langlade C	96	* *	61	* *	72	* *	42	* *	50	* *	253	86.2 (27)	499	16.8 (68)
Lincoln Ct	126	67.5 (37)	51	* *	55	* *	35	* *	47	* *	224	83.5 (41)	480	12.1 (61)
Manitowoc	373	67.6 (36)	167	32.3 (7)	303	14.5 (13)	128	25.0 (9)	162	15.4 (4)	852	78.8 (58)	1,749	7.9 (35)
Marathon C	715	58.0 (51)	283	22.3 (26)	353	10.2 (35)	220	17.3 (22)	267	9.4 (16)	1,436	83.1 (45)	2,922	6.1 (18)
Marinette	221	56.6 (55)	100	13.0 (30)	153	4.6 (43)	63	* *	93	* *	586	88.6 (13)	1,092	8.5 (40)
Marquette	61	* *	29	* *	40	* *	18	* *	28	* *	113	72.6 (66)	255	17.3 (69)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B
2009 Pediatric Nutrition Surveillance (1)
Wisconsin**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
Children Aged < 5 Years (3)**

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
County	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%		
	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)		
Menominee	105	77.1 (10)	59	* *	105	10.5 (32)	39	* *	57	* *	300	92.3 (3)	569	8.3 (37)
Milwaukee	9,679	62.6 (46)	4,087	24.6 (20)	6,258	12.2 (24)	2,886	12.1 (25)	3,978	5.8 (24)	19,425	77.9 (60)	40,126	10.4 (55)
Monroe	265	71.7 (20)	110	19.1 (29)	169	18.3 (5)	93	* *	106	10.4 (13)	532	85.3 (33)	1,143	10.8 (57)
Oconto	174	61.5 (47)	69	* *	84	* *	50	* *	68	* *	324	69.4 (67)	683	12.9 (65)
Oneida	146	69.9 (26)	76	* *	87	* *	56	* *	74	* *	254	91.3 (6)	587	9.0 (47)
Outagamie	693	68.5 (33)	281	27.0 (14)	420	10.7 (30)	225	23.1 (11)	278	6.5 (23)	1,261	86.1 (28)	2,721	4.2 (4)
Ozaukee	128	78.9 (6)	57	* *	80	* *	48	* *	57	* *	235	88.1 (18)	522	5.4 (13)
Pepin	47	* *	14	* *	20	* *	10	* *	12	* *	77	* *	170	10.6 (56)
Pierce	147	68.7 (30)	70	* *	112	14.3 (14)	52	* *	70	* *	388	91.5 (5)	741	7.2 (28)
Polk	246	78.5 (8)	125	28.8 (11)	167	8.4 (41)	105	32.4 (2)	125	4.8 (29)	506	81.8 (52)	1,058	7.4 (30)
Portage	318	79.2 (5)	140	37.9 (2)	144	9.7 (38)	122	23.0 (12)	137	5.1 (26)	583	92.1 (4)	1,245	5.0 (9)
Price	94	* *	40	* *	61	* *	33	* *	35	* *	272	81.3 (55)	493	7.7 (34)
Racine Cou	1,362	57.9 (53)	623	24.4 (21)	782	12.5 (22)	416	11.3 (26)	614	4.9 (28)	2,605	85.0 (34)	5,591	11.0 (58)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2009 Pediatric Nutrition Surveillance (1)
Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
County	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Richland C	96	* *	61	* *	65	* *	56	* *	56	* *	212	87.3 (20)	439	6.6 (22)
Rock	1,035	60.7 (49)	424	23.1 (25)	623	13.5 (16)	319	10.0 (27)	417	5.0 (27)	2,013	81.7 (54)	4,277	8.4 (39)
Rusk	96	* *	33	* *	51	* *	28	* *	20	* *	208	84.1 (38)	421	14.0 (66)
Sauk	369	79.9 (2)	177	36.2 (4)	189	22.8 (3)	154	39.0 (1)	174	12.1 (8)	660	80.2 (56)	1,461	9.9 (53)
Sawyer	143	71.3 (23)	66	* *	85	* *	64	* *	61	* *	305	88.5 (16)	669	6.9 (26)
Shawano	205	58.5 (50)	95	* *	145	12.4 (23)	76	* *	90	* *	550	90.4 (7)	1,004	9.5 (50)
Sheboygan	566	68.0 (34)	241	28.2 (12)	405	15.6 (10)	199	18.1 (21)	237	9.3 (17)	1,272	84.2 (36)	2,521	5.8 (16)
St. Croix	269	74.3 (14)	122	30.3 (9)	178	18.0 (6)	118	28.0 (7)	121	15.7 (2)	620	82.7 (48)	1,244	4.9 (8)
Taylor	113	74.3 (14)	53	* *	55	* *	40	* *	51	* *	227	82.8 (47)	477	9.4 (49)
Trempealea	185	69.2 (28)	90	* *	119	12.6 (20)	68	* *	87	* *	348	85.6 (31)	775	2.8 (1)
Vernon	161	74.5 (13)	92	* *	110	20.9 (4)	65	* *	89	* *	393	84.2 (36)	779	5.8 (16)
Vilas	130	66.2 (39)	46	* *	83	* *	45	* *	42	* *	314	81.8 (52)	595	8.9 (45)
Walworth	493	77.7 (9)	259	37.1 (3)	315	17.8 (7)	224	27.2 (8)	253	13.0 (7)	1,102	86.3 (26)	2,269	6.7 (23)

(1) Reporting period is January 1 through December 31.
 (2) TV Viewing and Smoking in Household data are not reported by all contributors.
 (3) Analyses based on one record per child.
 (4) Excludes records with unknown data or errors.
 (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
 (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
 (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
 (8) Children aged 2 years and older included in the analyses.
 * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2009 Pediatric Nutrition Surveillance (1)
Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
County	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Washburn	95	* *	39	* *	62	* *	26	* *	29	* *	236	64.8 (69)	462	3.5 (2)
Washington	402	75.1 (11)	182	29.1 (10)	251	12.0 (25)	155	29.7 (5)	180	11.7 (9)	785	87.1 (21)	1,669	6.4 (21)
Waukesha	659	69.7 (27)	310	35.5 (5)	328	16.5 (9)	257	20.2 (15)	308	10.1 (15)	1,083	83.3 (43)	2,511	7.4 (30)
Waupaca	251	64.5 (41)	87	* *	138	13.0 (18)	78	* *	85	* *	398	86.9 (22)	915	12.5 (63)
Waushara C	129	65.1 (40)	49	* *	71	* *	56	* *	46	* *	228	76.3 (62)	494	11.1 (59)
Winnebago	767	68.6 (31)	289	24.9 (18)	425	9.4 (40)	256	19.9 (18)	288	8.7 (18)	1,291	81.9 (51)	2,900	5.4 (13)
Wood	381	57.7 (54)	194	20.6 (28)	277	11.6 (26)	145	19.3 (20)	186	10.8 (12)	680	84.1 (38)	1,563	7.5 (32)
Wisconsin	32,038	66.9	14,185	27.5	20,374	13.2	10,845	18.8	13,716	8.6	65,054	82.2	135,319	8.5
Nation (Prior Year)	1,719,083	62.0	848,761	26.9	1,038,203	19.1	144,421	12.9	206,416	7.2	744,697	74.8	3,277,352	10.9

(1) Reporting period is January 1 through December 31.
 (2) TV Viewing and Smoking in Household data are not reported by all contributors.
 (3) Analyses based on one record per child.
 (4) Excludes records with unknown data or errors.
 (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
 (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
 (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
 (8) Children aged 2 years and older included in the analyses.
 * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2007 - 2009 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Adams Cty	374	9.9 (63)	11.5 (63)	1,640	6.3 (61)	2.7 (22)	15.0 (60)	777	17.0 (35)	13.4 (37)	1,229	7.3 (34)
Ashland	408	5.9 (11)	9.8 (54)	1,975	5.3 (36)	3.2 (42)	12.5 (30)	981	15.4 (16)	12.5 (25)	1,531	7.1 (32)
Barron	796	7.9 (43)	9.5 (48)	3,338	4.7 (20)	2.9 (33)	12.4 (29)	1,430	17.0 (35)	14.4 (48)	2,415	9.5 (49)
Bayfield C	239	5.4 (3)	12.6 (67)	1,063	3.2 (3)	4.2 (63)	13.3 (42)	508	18.7 (56)	16.9 (64)	793	5.5 (20)
Brown	4,865	7.3 (30)	8.8 (34)	19,477	4.7 (20)	4.1 (60)	13.3 (42)	8,910	14.1 (11)	14.2 (47)	14,494	6.1 (25)
Buffalo	192	10.4 (67)	7.3 (15)	801	3.5 (5)	3.6 (49)	9.5 (5)	363	17.1 (39)	12.1 (22)	585	10.9 (58)
Burnett	352	5.7 (8)	9.7 (52)	1,627	4.8 (25)	2.8 (29)	13.8 (49)	768	17.7 (44)	13.4 (37)	1,246	4.5 (13)
Calumet	438	8.9 (56)	6.8 (9)	1,920	6.6 (65)	4.1 (60)	12.0 (26)	891	17.1 (39)	14.7 (52)	1,456	4.6 (14)
Chippewa	984	7.6 (37)	7.1 (13)	4,151	6.8 (66)	2.5 (16)	11.7 (22)	1,913	16.8 (32)	11.9 (19)	3,087	10.7 (56)
Clark	537	9.7 (61)	8.2 (25)	2,380	5.0 (31)	3.0 (37)	12.6 (31)	1,101	17.0 (35)	12.9 (26)	1,751	14.3 (69)
Columbia	647	8.0 (44)	10.0 (56)	2,538	5.7 (46)	3.6 (49)	9.9 (7)	1,058	17.2 (41)	11.9 (19)	1,781	8.0 (35)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2007 - 2009 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Crawford C	233	7.7 (39)	8.6 (29)	924	6.0 (56)	2.7 (22)	10.0 (8)	408	15.7 (21)	12.0 (21)	648	10.0 (51)
Dane	5,553	7.5 (32)	8.6 (29)	21,320	4.8 (25)	2.7 (22)	12.8 (32)	9,232	14.1 (11)	11.8 (18)	15,325	11.1 (60)
Dodge	965	7.2 (28)	7.8 (22)	3,896	5.0 (31)	4.3 (64)	10.0 (8)	1,738	11.2 (3)	7.9 (3)	2,817	6.2 (26)
Door	348	7.8 (40)	7.8 (22)	1,429	3.6 (6)	4.1 (60)	8.9 (2)	665	18.3 (51)	13.1 (34)	1,039	3.8 (6)
Douglas Ct	852	5.8 (10)	11.7 (65)	3,620	4.2 (12)	3.1 (40)	13.3 (42)	1,599	20.3 (64)	15.0 (55)	2,475	14.3 (69)
Dunn	607	6.6 (17)	10.4 (57)	2,767	5.8 (50)	3.8 (56)	11.6 (20)	1,295	17.8 (45)	12.4 (24)	2,050	3.4 (4)
Eau Claire	1,686	6.1 (12)	8.8 (34)	7,156	5.8 (50)	2.7 (22)	11.1 (16)	3,210	16.8 (32)	11.6 (17)	5,209	12.4 (65)
Florence	79	* *	* *	345	8.1 (70)	2.9 (33)	10.4 (12)	168	15.5 (19)	8.9 (4)	226	8.4 (38)
Fond du La	1,436	9.1 (57)	7.1 (13)	5,848	6.8 (66)	3.5 (47)	9.4 (4)	2,687	14.0 (9)	9.3 (5)	4,349	8.4 (38)
Forest	215	10.7 (68)	8.4 (27)	1,028	4.7 (20)	3.6 (49)	17.4 (70)	514	15.4 (16)	20.8 (71)	757	10.8 (57)
Grant Cty	780	6.4 (15)	9.0 (37)	3,596	4.7 (20)	3.8 (56)	10.1 (10)	1,679	14.0 (9)	10.8 (11)	2,731	4.4 (11)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2007 - 2009 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Green Cty	465	7.5 (32)	9.0 (37)	1,947	7.8 (68)	2.7 (22)	17.1 (68)	865	21.5 (67)	22.5 (72)	1,392	10.0 (51)
Green Lake	237	7.2 (28)	9.3 (43)	945	2.9 (2)	3.5 (47)	13.1 (37)	402	13.2 (7)	12.9 (26)	668	8.7 (41)
Iowa Cty	291	10.0 (64)	6.2 (3)	1,042	5.7 (46)	2.5 (16)	13.8 (49)	410	20.2 (63)	13.9 (43)	701	10.4 (53)
Iron Cty	67	* *	* *	267	6.4 (63)	6.4 (72)	13.1 (37)	123	22.0 (69)	11.4 (14)	190	11.6 (62)
Jackson	441	5.7 (8)	12.2 (66)	2,072	5.4 (39)	2.4 (13)	14.1 (55)	991	21.8 (68)	14.9 (54)	1,477	8.8 (42)
Jefferson	1,250	5.6 (4)	9.4 (47)	5,214	3.9 (7)	3.4 (45)	11.9 (25)	2,303	18.2 (50)	14.5 (50)	3,750	5.2 (18)
Juneau	529	6.2 (13)	9.3 (43)	2,261	5.5 (42)	1.9 (5)	15.3 (62)	1,030	16.2 (24)	14.4 (48)	1,639	6.7 (29)
Kenosha	3,285	9.6 (60)	6.6 (7)	12,270	7.9 (69)	2.0 (7)	15.0 (60)	5,065	16.2 (24)	12.9 (26)	8,506	13.6 (67)
Kewaunee	231	8.7 (53)	9.5 (48)	985	4.4 (14)	1.8 (4)	15.6 (65)	455	21.1 (65)	13.4 (37)	727	14.2 (68)
La Crosse	1,762	7.3 (30)	9.6 (50)	6,991	6.1 (60)	4.0 (58)	11.4 (19)	3,178	18.8 (57)	12.1 (22)	5,136	5.9 (22)
Lafayette	159	7.5 (32)	6.3 (4)	695	8.1 (70)	2.2 (10)	12.9 (33)	311	24.8 (72)	16.7 (61)	495	9.3 (47)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2007 - 2009 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Langlade C	330	7.6 (37)	7.3 (15)	1,419	5.1 (35)	2.3 (11)	12.2 (27)	646	19.2 (60)	15.9 (57)	1,082	17.1 (71)
Lincoln Ct	352	6.8 (20)	9.1 (40)	1,352	6.0 (56)	1.6 (1)	14.2 (56)	606	18.8 (57)	16.2 (60)	987	6.8 (30)
Manitowoc	1,165	8.8 (54)	7.5 (19)	4,915	4.8 (25)	3.3 (44)	13.3 (42)	2,207	18.6 (55)	15.9 (57)	3,510	8.9 (44)
Marathon C	1,986	6.9 (23)	5.9 (1)	8,020	8.6 (72)	1.6 (1)	13.7 (48)	3,532	17.9 (46)	13.7 (40)	5,949	6.0 (23)
Marinette	666	8.3 (50)	8.6 (29)	3,119	4.4 (14)	6.3 (71)	9.0 (3)	1,479	8.8 (1)	5.5 (1)	2,354	4.2 (9)
Marquette	174	7.5 (32)	6.9 (11)	713	4.5 (17)	3.6 (49)	16.5 (67)	315	18.1 (47)	14.6 (51)	498	7.2 (33)
Menominee	382	5.0 (2)	14.4 (68)	1,656	2.1 (1)	1.6 (1)	20.7 (72)	797	23.8 (71)	19.6 (69)	1,268	3.6 (5)
Milwaukee	28,631	10.2 (65)	5.9 (1)	112,468	5.9 (53)	4.0 (58)	13.0 (34)	49,721	16.5 (30)	14.1 (45)	80,789	17.9 (72)
Monroe	807	6.8 (20)	9.0 (37)	3,324	5.5 (42)	1.9 (5)	14.4 (57)	1,412	15.9 (22)	12.9 (26)	2,363	6.3 (28)
Oconto	462	6.7 (18)	9.3 (43)	1,870	4.5 (17)	2.4 (13)	15.5 (64)	801	17.2 (41)	18.6 (67)	1,348	6.0 (23)
Oneida	464	8.2 (47)	9.1 (40)	1,783	4.8 (25)	5.0 (66)	8.7 (1)	744	12.8 (5)	10.9 (12)	1,220	4.8 (15)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2007 - 2009 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Outagamie	1,975	8.6 (52)	6.3 (4)	7,645	4.3 (13)	5.1 (67)	11.3 (17)	3,477	18.3 (51)	13.1 (34)	5,089	8.5 (40)
Ozaukee	373	5.6 (4)	11.0 (62)	1,444	6.0 (56)	2.7 (22)	11.6 (20)	614	12.5 (4)	7.7 (2)	1,027	9.4 (48)
Pepin	101	6.9 (23)	14.9 (69)	441	3.9 (7)	4.3 (64)	10.9 (15)	205	15.6 (20)	14.1 (45)	324	12.3 (64)
Pierce	463	6.7 (18)	10.6 (58)	2,147	6.3 (61)	2.0 (7)	13.2 (39)	1,011	19.2 (60)	11.4 (14)	1,629	12.2 (63)
Polk	720	7.8 (40)	8.3 (26)	2,819	3.9 (7)	3.7 (55)	9.6 (6)	1,221	13.8 (8)	10.3 (7)	2,051	8.8 (42)
Portage	886	8.2 (47)	9.1 (40)	3,549	6.0 (56)	2.8 (29)	10.5 (13)	1,508	14.9 (13)	10.0 (6)	2,515	4.2 (9)
Price	269	5.6 (4)	8.9 (36)	1,412	3.4 (4)	2.9 (33)	13.0 (34)	701	18.4 (53)	13.7 (40)	1,109	3.1 (3)
Racine Cou	4,161	10.2 (65)	6.5 (6)	15,785	5.3 (36)	3.0 (37)	13.2 (39)	6,754	16.2 (24)	12.9 (26)	11,444	11.0 (59)
Richland C	268	4.9 (1)	14.9 (69)	1,149	5.8 (50)	2.8 (29)	14.7 (59)	514	23.0 (70)	17.9 (66)	825	12.6 (66)
Rock	3,145	8.3 (50)	7.4 (17)	12,198	4.7 (20)	3.6 (49)	13.5 (46)	5,137	16.3 (29)	14.0 (44)	8,533	9.0 (46)
Rusk	296	7.1 (26)	11.5 (63)	1,262	4.4 (14)	2.6 (18)	15.3 (62)	576	21.2 (66)	16.8 (63)	917	4.8 (15)

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
 - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2007 - 2009 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Sauk	1,049	5.6 (4)	10.6 (58)	4,216	5.9 (53)	2.0 (7)	15.9 (66)	1,796	18.4 (53)	19.0 (68)	3,019	4.4 (11)
Sawyer	417	6.5 (16)	9.6 (50)	1,889	4.0 (10)	2.6 (18)	13.8 (49)	867	19.0 (59)	16.0 (59)	1,406	8.0 (35)
Shawano	635	8.2 (47)	6.8 (9)	2,827	5.3 (36)	2.4 (13)	13.5 (46)	1,361	15.4 (16)	12.9 (26)	2,187	7.0 (31)
Sheboygan	1,680	8.1 (46)	7.4 (17)	6,941	5.7 (46)	5.5 (69)	12.3 (28)	3,187	16.2 (24)	13.8 (42)	5,149	3.8 (6)
St. Croix	837	7.0 (25)	8.7 (33)	3,497	5.4 (39)	2.6 (18)	11.3 (17)	1,556	17.5 (43)	12.9 (26)	2,504	4.8 (15)
Taylor	357	10.9 (69)	9.8 (54)	1,340	4.5 (17)	5.4 (68)	10.3 (11)	590	12.9 (6)	10.5 (8)	984	2.9 (2)
Trempealea	578	7.8 (40)	8.5 (28)	2,255	4.1 (11)	3.1 (40)	17.2 (69)	956	18.1 (47)	17.5 (65)	1,582	10.6 (55)
Vernon	491	8.8 (54)	10.8 (60)	2,149	5.7 (46)	2.3 (11)	13.2 (39)	991	17.0 (35)	15.2 (56)	1,544	5.4 (19)
Vilas	378	7.1 (26)	10.8 (60)	1,605	4.9 (29)	2.8 (29)	18.7 (71)	728	18.1 (47)	19.9 (70)	1,136	2.5 (1)
Walworth	1,481	6.3 (14)	8.6 (29)	6,140	5.0 (31)	2.6 (18)	13.0 (34)	2,625	15.3 (15)	14.7 (52)	4,400	8.9 (44)
Washburn	295	6.8 (20)	7.5 (19)	1,332	4.9 (29)	6.1 (70)	10.5 (13)	616	10.9 (2)	10.7 (9)	997	5.6 (21)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2007 - 2009 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Washington	1,176	7.5 (32)	6.7 (8)	4,481	5.9 (53)	3.2 (42)	11.8 (23)	1,935	16.1 (23)	10.7 (9)	3,172	9.9 (50)
Waukesha	1,946	9.1 (57)	7.9 (24)	7,220	5.0 (31)	2.7 (22)	13.8 (49)	2,859	16.8 (32)	13.3 (36)	4,561	6.2 (26)
Waupaca	702	11.0 (70)	9.3 (43)	2,550	6.5 (64)	3.6 (49)	13.8 (49)	1,036	14.9 (13)	11.0 (13)	1,755	4.0 (8)
Waushara C	360	9.4 (59)	9.7 (52)	1,423	5.5 (42)	3.0 (37)	14.4 (57)	624	19.7 (62)	16.7 (61)	1,000	10.4 (53)
Winnebago	2,092	9.8 (62)	7.0 (12)	7,904	5.6 (45)	2.9 (33)	13.9 (54)	3,258	16.7 (31)	12.9 (26)	5,540	11.1 (60)
Wood	1,223	8.0 (44)	7.7 (21)	4,441	5.4 (39)	3.4 (45)	11.8 (23)	1,799	16.2 (24)	11.4 (14)	3,014	8.0 (35)
Unknown Counties	0	* *	* *	1	* *	* *	* *	1	* *	* *	1	* *
Wisconsin	95,076	8.6	7.6	380,229	5.5	3.4	12.9	167,791	16.4	13.5	273,457	11.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2007 - 2009 Pediatric Nutrition Surveillance (1)
Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
County	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Adams Cty	414	65.0 (44)	312	16.0 (63)	306	8.8 (56)	292	14.4 (33)	304	4.9 (54)	839	77.2 (67)	863	24.0 (72)
Ashland	443	65.0 (44)	333	34.5 (3)	349	19.5 (3)	305	23.6 (3)	322	15.5 (2)	1,073	87.4 (19)	1,025	10.5 (52)
Barron	903	70.7 (25)	649	22.3 (35)	630	8.7 (57)	633	16.4 (22)	635	6.1 (39)	1,541	82.2 (49)	1,850	7.0 (19)
Bayfield C	251	72.1 (16)	181	38.7 (1)	183	22.4 (2)	173	28.3 (1)	173	17.9 (1)	567	87.7 (16)	572	7.2 (22)
Brown	5,178	63.9 (50)	3,512	20.0 (47)	3,688	10.2 (45)	3,172	9.4 (57)	3,227	5.0 (52)	9,618	78.7 (64)	10,696	9.2 (43)
Buffalo	205	75.1 (12)	141	22.7 (33)	147	11.6 (28)	141	14.2 (37)	133	11.3 (8)	385	88.6 (10)	446	8.3 (32)
Burnett	370	67.8 (37)	309	18.8 (55)	306	9.8 (48)	269	16.4 (22)	292	4.8 (55)	763	95.7 (1)	861	12.9 (65)
Calumet	492	64.4 (47)	357	26.3 (17)	351	12.8 (21)	325	20.9 (10)	338	12.7 (4)	970	78.4 (65)	1,093	7.0 (19)
Chippewa	1,064	68.5 (33)	728	19.1 (51)	770	8.7 (57)	611	14.4 (33)	644	5.7 (45)	2,067	87.3 (21)	2,278	9.2 (43)
Clark	580	75.5 (10)	396	23.7 (26)	407	9.6 (50)	368	14.4 (33)	381	6.0 (42)	1,218	85.4 (30)	1,308	8.7 (38)
Columbia	706	70.5 (26)	471	24.0 (24)	426	13.6 (18)	424	18.2 (19)	419	6.2 (37)	1,138	82.5 (48)	1,493	8.6 (36)
Crawford C	248	63.7 (52)	164	18.9 (54)	167	9.0 (54)	159	13.2 (43)	157	3.8 (62)	433	85.0 (31)	524	6.7 (18)
Dane	6,153	77.2 (6)	4,134	38.5 (2)	4,027	23.3 (1)	3,836	15.6 (28)	3,784	9.3 (13)	9,931	84.1 (37)	12,222	6.1 (12)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2007 - 2009 Pediatric Nutrition Surveillance (1)
Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
County	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Dodge	1,085	78.1 (3)	696	29.7 (10)	681	15.9 (9)	710	23.7 (2)	675	12.4 (5)	1,864	90.9 (7)	2,309	6.4 (14)
Door	365	72.1 (16)	232	25.9 (18)	246	13.8 (16)	233	21.0 (9)	230	6.1 (39)	710	83.8 (40)	793	5.7 (10)
Douglas Ct	947	70.3 (27)	671	23.5 (29)	693	13.3 (20)	651	21.8 (8)	656	13.7 (3)	1,736	85.9 (27)	1,993	8.3 (32)
Dunn	664	68.1 (35)	462	23.6 (28)	464	11.4 (31)	432	20.8 (11)	453	9.5 (11)	1,394	84.4 (35)	1,535	6.4 (14)
Eau Claire	1,802	71.6 (20)	1,267	22.2 (36)	1,293	10.7 (40)	1,188	12.6 (47)	1,206	6.1 (39)	3,481	86.0 (26)	3,921	5.1 (5)
Florence	82	* *	41	* *	44	* *	40	* *	34	* *	183	88.5 (11)	193	8.8 (41)
Fond du La	1,579	68.5 (33)	1,039	23.9 (25)	1,070	11.1 (36)	1,026	19.0 (18)	1,011	6.5 (35)	2,909	87.8 (15)	3,313	8.1 (27)
Forest	230	53.9 (68)	167	14.4 (66)	178	5.6 (67)	151	8.6 (60)	154	1.9 (68)	572	81.1 (53)	565	16.6 (70)
Grant Cty	850	63.2 (54)	630	23.5 (29)	626	11.2 (32)	485	16.1 (25)	489	9.0 (15)	1,807	79.0 (61)	1,943	8.5 (34)
Green Cty	523	64.8 (46)	354	20.3 (45)	354	11.6 (28)	340	15.9 (26)	343	6.7 (32)	950	88.5 (11)	1,130	11.2 (57)
Green Lake	253	54.5 (67)	157	15.9 (65)	159	6.9 (66)	140	8.6 (60)	130	5.4 (47)	439	76.8 (68)	520	10.0 (49)
Iowa Cty	308	66.6 (39)	212	23.1 (32)	201	10.9 (39)	203	11.3 (53)	195	6.2 (37)	443	88.0 (14)	598	8.2 (30)
Iron Cty	79	* *	49	* *	43	* *	52	* *	47	* *	131	93.1 (3)	162	10.5 (52)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2007 - 2009 Pediatric Nutrition Surveillance (1)
Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
County	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
Jackson	466	75.5 (10)	345	22.0 (38)	347	12.4 (24)	304	11.5 (50)	314	7.3 (26)	1,077	85.7 (28)	1,089	11.0 (55)
Jefferson	1,355	70.9 (24)	966	27.0 (16)	901	13.7 (17)	855	9.9 (56)	877	5.1 (50)	2,484	88.2 (13)	2,953	8.2 (30)
Juneau	551	71.1 (22)	410	22.7 (33)	410	10.7 (40)	383	18.0 (20)	396	7.6 (23)	1,114	79.1 (60)	1,216	16.9 (71)
Kenosha	3,515	60.1 (59)	2,189	20.2 (46)	2,273	9.6 (50)	2,045	7.0 (67)	2,056	3.6 (63)	5,449	81.4 (51)	7,114	9.8 (48)
Kewaunee	249	71.1 (22)	166	24.1 (23)	171	15.2 (11)	151	23.2 (4)	147	9.5 (11)	493	66.3 (72)	553	7.8 (24)
La Crosse	1,907	70.3 (27)	1,299	23.4 (31)	1,241	11.7 (27)	1,117	14.7 (31)	1,110	7.7 (21)	3,405	87.7 (16)	4,015	3.8 (1)
Lafayette	175	65.1 (43)	129	29.5 (12)	113	11.5 (30)	114	13.2 (43)	121	4.1 (60)	326	87.1 (22)	387	9.3 (46)
Langlade C	355	59.7 (60)	260	13.8 (67)	252	8.3 (63)	218	11.5 (50)	221	7.2 (29)	701	83.2 (44)	773	13.7 (66)
Lincoln Ct	384	64.1 (48)	238	16.0 (63)	229	8.7 (57)	204	9.3 (58)	203	4.4 (59)	649	85.5 (29)	766	11.9 (61)
Manitowoc	1,247	61.6 (57)	884	21.9 (40)	896	12.5 (23)	840	15.1 (29)	847	8.5 (17)	2,392	78.8 (62)	2,660	8.7 (38)
Marathon C	2,148	59.0 (63)	1,481	17.4 (60)	1,353	8.4 (61)	1,319	11.4 (52)	1,353	5.3 (48)	3,854	81.9 (50)	4,479	6.6 (16)
Marinette	719	51.5 (70)	505	13.3 (68)	539	5.6 (67)	457	10.3 (55)	470	4.7 (56)	1,608	87.4 (19)	1,732	12.2 (63)
Marquette	197	59.4 (61)	117	17.9 (57)	118	12.7 (22)	101	15.8 (27)	89	* *	338	75.4 (70)	405	15.6 (68)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2007 - 2009 Pediatric Nutrition Surveillance (1)
Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
County	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Menominee	395	69.4 (32)	296	19.6 (48)	330	11.2 (32)	265	5.7 (69)	277	3.6 (63)	861	91.3 (5)	858	8.5 (34)
Milwaukee	30,310	62.3 (56)	20,286	21.0 (42)	21,296	11.8 (26)	18,530	7.1 (66)	19,169	3.4 (66)	53,891	78.2 (66)	61,375	11.8 (59)
Monroe	883	68.0 (36)	587	20.8 (43)	608	13.5 (19)	551	12.5 (48)	545	6.6 (33)	1,520	83.8 (40)	1,853	10.5 (52)
Oconto	489	58.3 (65)	320	12.2 (69)	332	4.5 (69)	294	6.5 (68)	308	3.6 (63)	887	78.8 (62)	1,008	11.8 (59)
Oneida	509	63.9 (50)	324	18.8 (55)	292	9.9 (47)	327	13.1 (45)	320	4.7 (56)	785	92.2 (4)	1,029	8.7 (38)
Outagamie	2,134	66.4 (40)	1,383	21.2 (41)	1,380	10.3 (44)	1,335	14.2 (37)	1,352	6.0 (42)	3,692	83.5 (43)	4,514	5.3 (7)
Ozaukee	435	76.6 (8)	276	32.2 (4)	267	15.4 (10)	269	21.9 (7)	269	7.8 (20)	654	84.6 (34)	886	4.7 (3)
Pepin	117	78.6 (2)	68	* *	73	* *	61	* *	63	* *	214	93.5 (2)	246	11.0 (55)
Pierce	514	70.2 (30)	373	22.0 (38)	373	10.2 (45)	352	17.6 (21)	358	8.4 (19)	1,087	91.1 (6)	1,210	9.5 (47)
Polk	801	77.4 (5)	565	23.7 (26)	540	9.1 (53)	518	20.8 (11)	523	5.7 (45)	1,311	80.4 (57)	1,638	8.1 (27)
Portage	955	73.7 (15)	647	24.4 (22)	583	11.0 (37)	632	14.6 (32)	616	5.0 (52)	1,643	89.3 (9)	1,969	5.3 (7)
Price	301	74.1 (13)	238	27.7 (15)	233	14.2 (14)	186	13.4 (42)	200	7.5 (25)	770	79.6 (59)	727	8.1 (27)
Racine Cou	4,407	59.0 (63)	2,911	19.2 (50)	2,789	11.0 (37)	2,747	7.9 (64)	2,818	3.9 (61)	7,369	80.9 (55)	8,887	10.2 (50)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2007 - 2009 Pediatric Nutrition Surveillance (1)
Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
County	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%		
	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)		
Richland C	299	79.9 (1)	213	30.5 (9)	200	14.5 (13)	212	19.8 (14)	199	8.5 (17)	548	84.3 (36)	630	6.0 (11)
Rock	3,375	53.4 (69)	2,205	19.0 (53)	2,215	11.2 (32)	2,079	7.2 (65)	2,088	3.4 (66)	5,538	82.9 (45)	6,863	9.1 (42)
Rusk	313	62.6 (55)	207	16.4 (62)	205	8.3 (63)	164	8.5 (62)	170	7.1 (30)	626	85.0 (31)	682	12.6 (64)
Sauk	1,170	77.5 (4)	843	31.3 (6)	744	16.0 (7)	816	23.2 (4)	808	9.3 (13)	1,937	80.3 (58)	2,403	15.7 (69)
Sawyer	456	67.8 (37)	341	17.9 (57)	352	8.5 (60)	327	14.1 (39)	321	6.5 (35)	885	87.0 (23)	1,003	7.8 (24)
Shawano	682	64.1 (48)	495	20.4 (44)	501	9.6 (50)	449	11.6 (49)	461	6.9 (31)	1,483	86.5 (25)	1,552	10.2 (50)
Sheboygan	1,862	66.0 (42)	1,283	24.6 (21)	1,356	14.2 (14)	1,217	10.8 (54)	1,203	5.2 (49)	3,429	82.9 (45)	3,905	7.8 (24)
St. Croix	913	74.0 (14)	607	28.2 (14)	580	16.7 (5)	599	19.5 (17)	569	11.2 (9)	1,651	80.6 (56)	2,003	5.1 (5)
Taylor	380	71.8 (19)	255	25.1 (20)	217	9.7 (49)	228	19.7 (15)	236	11.9 (7)	634	81.1 (53)	763	12.1 (62)
Trempealea	613	70.3 (27)	418	30.6 (8)	408	14.7 (12)	375	13.9 (40)	377	6.6 (33)	1,061	90.2 (8)	1,301	4.6 (2)
Vernon	541	76.3 (9)	378	31.0 (7)	375	18.4 (4)	359	22.0 (6)	352	12.2 (6)	1,072	83.6 (42)	1,148	5.3 (7)
Vilas	409	59.4 (61)	303	17.5 (59)	311	9.0 (54)	285	8.8 (59)	289	5.9 (44)	806	81.4 (51)	850	11.2 (57)
Walworth	1,660	76.9 (7)	1,187	31.9 (5)	1,070	16.0 (7)	1,128	19.7 (15)	1,130	7.3 (26)	2,836	84.8 (33)	3,493	6.6 (16)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2007 - 2009 Pediatric Nutrition Surveillance (1)
Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)						Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
County	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Washburn	324	71.3 (21)	236	28.8 (13)	250	10.4 (43)	187	14.4 (33)	195	8.7 (16)	670	71.2 (71)	721	4.9 (4)
Washington	1,297	71.9 (18)	826	25.4 (19)	836	12.4 (24)	813	20.5 (13)	803	7.7 (21)	2,079	87.6 (18)	2,619	6.2 (13)
Waukesha	2,133	69.6 (31)	1,348	29.6 (11)	1,214	16.3 (6)	1,303	13.5 (41)	1,310	7.6 (23)	3,075	82.9 (45)	4,290	7.1 (21)
Waupaca	747	63.5 (53)	454	22.2 (36)	457	11.2 (32)	444	14.9 (30)	422	7.3 (26)	1,119	87.0 (23)	1,500	14.2 (67)
Waushara C	396	60.4 (58)	257	17.1 (61)	252	7.5 (65)	227	8.4 (63)	202	4.5 (58)	665	75.6 (69)	810	8.6 (36)
Winnebago	2,322	66.3 (41)	1,454	19.1 (51)	1,379	8.4 (61)	1,419	12.7 (46)	1,413	5.1 (50)	3,484	83.9 (39)	4,593	7.4 (23)
Wood	1,313	56.7 (66)	848	19.6 (48)	830	10.7 (40)	767	16.3 (24)	775	9.9 (10)	1,947	84.0 (38)	2,557	9.2 (43)
Unknown Counties	0	* *	0	* *	0	* *	0	* *	0	* *	1	* *	1	* *
Wisconsin	102,497	65.6	69,085	23.0	69,500	12.2	63,932	11.9	64,777	5.7	181,282	82.0	212,235	9.4

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

