

Table 4G
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin

Comparison of Racial and Ethnic Distribution by Metro Area
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
Metro Area	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Dane Cty	7,764	27.9	21.4	35.2	0.2	7.0	8.3	0.0
Mil. Cty	40,333	12.0	47.5	32.1	0.3	4.1	3.9	0.0
Racine	5,644	26.3	25.4	40.0	0.1	0.4	7.8	0.1
Rest of WI	82,315	64.7	3.1	19.5	2.5	4.6	5.6	0.0
Unknown Metro A.	1	*	*	*	*	*	*	*
Wisconsin	136,057	45.4	18.2	25.0	1.6	4.4	5.3	0.0
Nation (Prior Year)	8,164,612	31.7	18.8	41.0	1.0	2.6	2.1	2.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5G
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Comparison of Age Distribution by Metro Area
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution				
Metro Area	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Dane Cty	7,764	35.7	20.2	44.2
Mil. Cty	40,333	33.4	21.4	45.2
Racine	5,644	37.8	18.6	43.6
Rest of WI	82,315	34.2	20.7	45.1
Unknown Metro A.	1	*	*	*
Wisconsin	136,057	34.2	20.8	45.0
Nation (Prior Year)	8,164,612	35.8	23.0	41.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 6G
2009 Pediatric Nutrition Surveillance (1)
Wisconsin

Comparison of Growth and Anemia Indicators by Metro Area
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Metro Area	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Dane Cty	1,835	6.3 (1)	8.7 (4)	7,626	5.0 (1)	2.1 (1)	13.1 (2)	3,395	16.4 (2)	13.1 (2)	5,588	11.6 (3)
Mil. Cty	9,650	10.5 (4)	6.2 (2)	39,544	5.9 (4)	3.4 (4)	13.5 (3)	17,927	17.3 (4)	14.5 (4)	28,960	17.7 (4)
Racine	1,368	9.4 (3)	5.8 (1)	5,459	5.8 (3)	2.6 (2)	13.8 (4)	2,364	15.4 (1)	13.0 (1)	4,082	10.7 (2)
Rest of WI	19,121	7.7 (2)	8.5 (3)	80,760	5.5 (2)	3.2 (3)	13.0 (1)	36,594	16.7 (3)	13.4 (3)	59,202	7.9 (1)
Wisconsin	31,974	8.6	7.7	133,389	5.6	3.2	13.2	60,280	16.8	13.7	97,832	11.1
Nation (Prior Year)	1,909,620	9.0	6.4	7,107,000	6.0	4.5	14.1	2,943,996	16.5	14.8	4,916,523	14.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this metro area's rate to other metro areas. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7G
2009 Pediatric Nutrition Surveillance (1)
Wisconsin**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Metro Area (2)
Children Aged < 5 Years (3)**

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
Metro Area	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
Dane Cty	1,836	79.3 (1)	890	45.3 (1)	1,195	25.9 (1)	756	20.0 (2)	871	11.6 (1)	3,642	83.7 (3)	7,706	4.5 (1)
Mil. Cty	9,679	62.6 (3)	4,087	24.6 (3)	6,258	12.2 (4)	2,886	12.1 (3)	3,978	5.8 (3)	19,425	77.9 (4)	40,126	10.4 (3)
Racine	1,362	57.9 (4)	623	24.4 (4)	782	12.5 (2)	416	11.3 (4)	614	4.9 (4)	2,605	85.0 (1)	5,591	11.0 (4)
Rest of WI	19,161	68.6 (2)	8,585	27.3 (2)	12,139	12.5 (2)	6,787	22.0 (1)	8,253	9.8 (2)	39,382	84.0 (2)	81,896	7.7 (2)
Wisconsin	32,038	66.9	14,185	27.5	20,374	13.2	10,845	18.8	13,716	8.6	65,054	82.2	135,319	8.5
Nation (Prior Year)	1,719,083	62.0	848,761	26.9	1,038,203	19.1	144,421	12.9	206,416	7.2	744,697	74.8	3,277,352	10.9

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this metro area's rate to other metro areas. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6G
2007 - 2009 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Metro Area
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Metro Area	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number
Dane Cty	5,553	7.5 (1)	8.6 (4)	21,320	4.8 (1)	2.7 (1)	12.8 (1)	9,232	14.1 (1)	11.8 (1)	15,325	11.1 (3)
Mil. Cty	28,631	10.2 (3)	5.9 (1)	112,468	5.9 (4)	4.0 (4)	13.0 (3)	49,721	16.5 (3)	14.1 (4)	80,789	17.9 (4)
Racine	4,161	10.2 (3)	6.5 (2)	15,785	5.3 (2)	3.0 (2)	13.2 (4)	6,754	16.2 (2)	12.9 (2)	11,444	11.0 (2)
Rest of WI	56,731	7.8 (2)	8.4 (3)	230,655	5.4 (3)	3.3 (3)	12.8 (1)	102,083	16.6 (4)	13.3 (3)	165,898	7.8 (1)
Unknown Metro A.	0	* *	* *	1	* *	* *	* *	1	* *	* *	1	* *
Wisconsin	95,076	8.6	7.6	380,229	5.5	3.4	12.9	167,791	16.4	13.5	273,457	11.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this metro area's rate to other metro areas. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7G
2007 - 2009 Pediatric Nutrition Surveillance (1)
Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Metro Area (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
Metro Area	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
Dane Cty	6,153	77.2 (1)	4,134	38.5 (1)	4,027	23.3 (1)	3,836	15.6 (1)	3,784	9.3 (1)	9,931	84.1 (1)	12,222	6.1 (1)
Mil. Cty	30,310	62.3 (3)	20,286	21.0 (3)	21,296	11.8 (2)	18,530	7.1 (4)	19,169	3.4 (4)	53,891	78.2 (4)	61,375	11.8 (4)
Racine	4,407	59.0 (4)	2,911	19.2 (4)	2,789	11.0 (4)	2,747	7.9 (3)	2,818	3.9 (3)	7,369	80.9 (3)	8,887	10.2 (3)
Rest of WI	61,627	66.5 (2)	41,754	22.7 (2)	41,388	11.4 (3)	38,819	14.1 (2)	39,006	6.7 (2)	110,090	83.7 (2)	129,750	8.5 (2)
Unknown Metro A.	0	* *	0	* *	0	* *	0	* *	0	* *	1	* *	1	* *
Wisconsin	102,497	65.6	69,085	23.0	69,500	12.2	63,932	11.9	64,777	5.7	181,282	82.0	212,235	9.4

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this metro area's rate to other metro areas. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

