



Drought Toolkit

A planning guide for health, climate, and emergency response professionals

Wisconsin Climate and Health Program



dhs.wi.gov/climate



dhsclimate@wi.gov



608-266-1120

Wisconsin Department of Health Services
Climate and Health Program
201 East Washington Avenue
Madison, WI 53703



Wisconsin Department of Health Services | Division of Public Health
Bureau of Environmental and Occupational Health | P-00884 (08/2025)

Contents

Introduction

- Definitions
- Measuring Drought
- Categories of Drought Safety

Community health

- Drought and Human Health
- Disease and Drought
- Water Conservation Tips
- Heat Awareness Tips

Media relations

- Message maps
- Talking points

Additional Resources

Acknowledgements

The Wisconsin Extreme Heat Toolkit was made possible through funding from cooperative agreement 5UE1/EH001043-02 at the Centers for Disease Control and Prevention (CDC) and the commitment of many individuals at the Wisconsin Department of Health Services (DHS) who contributed their time and expertise to its development.

Introduction

Purpose

The purpose of this drought toolkit is to provide information to local governments, health departments, and residents of Wisconsin about preparing for and responding to drought events. The toolkit provides background information, practical guidance, strategies, media releases, talking points, definitions, and useful reference materials on this topic.

The guides in this toolkit may be copied onto your agency letterhead for distribution to residents and visitors affected by drought. Additional resources may be found in the resources at the end of this toolkit.

Background

Drought occurs when the levels of rainfall and other precipitation are lower than average for an extended period of time. Drought is a slowly progressing event that can affect anywhere throughout the United States and can last from weeks to years in some parts of the country. Annually, drought conditions can occur even after a wet period in late winter and spring when the summer and fall months contain an extended period of warming and drought.¹ These conditions may lead to reduced drinking water availability, food insecurity, and respiratory distress from dust, pollen, and airborne particulates.²

When a drought becomes severe, there is an adverse effect on the state's economy

Wisconsin is susceptible to drought, and has experienced severe drought during the summer months, most recently in 2012 and 2023. The summer of 2023 experienced the fourth driest May – August on record, with the hardest hit part of the state receiving at least 6 inches less rain than the yearly average, and other parts more than a foot below normal rainfall.³ Wisconsin's economy has strong roots in agriculture and agriculture-based businesses. When a drought becomes severe, there is an adverse effect on the state's economy. In 2012, the prolonged period of drought and sustained heat resulted in crop loss, heat-related fatalities, and health concerns throughout Wisconsin. Weather-related events in 2012, including drought, led to crop insurance claims of over \$10.7 billion.⁴

Climate trends



Long-term trend analysis of Wisconsin's climate indicates that the state is becoming warmer. After analyzing historical climate data from 1950 to 2021 and developing downscaled local climate models, University of Wisconsin climate scientists created potential climate projections based on the historical trends and scientifically validated models.⁵

Climate trends continued

Climate projections appear to support the scenario of heavy, intense precipitation events in the late winter and spring, and then an extended period of warming and drought. Several of the modeled outcomes suggest that drought periods may become more likely and longer lasting in the future. Warmer temperatures are expected to lengthen the growing season, but yields of corn and soybeans may decrease due to heat stress and drought conditions in late summer and early fall.

Heat health impacts

Ongoing drought conditions will place a strain on human health. Drought conditions may lead to food insecurity resulting from crop failures or market demands driving up food costs, and respiratory distress from dust, pollen, and airborne particulates. Furthermore, drought can potentially threaten drinking water quality and quantity. Residents depending on groundwater for drinking water may notice water with different tastes or odors due to changes in water chemistry, and may be at risk for consuming heavy metals, organics, and other groundwater contaminants.

Similar to the impacts of heat extremes, drought can negatively affect agriculture through crop failures, livestock water shortages, and the resulting economic losses to farmers, food processors, and the trucking industry. Drought conditions will also place a stronger demand on groundwater resources, as farmers look to irrigate valuable crops.

There is also a strong correlation between drought conditions and the occurrence of wildfires,⁴ which are associated with injury or death, eye irritation, and exacerbation of asthma and other respiratory diseases.²

Emergency planning must consider drought-related needs and impacts on infrastructure, water conservation plans, agricultural impacts, and the economic and societal stresses caused by drought.



Human impacts


Drought can have impacts on all people, but some people will feel the impacts more strongly. Droughts can impact farm workers' livelihoods by causing crop failures, livestock losses, and reduced production. These losses can lead to financial strain, and the threat of losing the farm which can lead to stress and anxiety. Additionally, access to mental health services can be limited in some rural areas making it harder for farmers to seek help in coping with the challenges.

Migrant workers can be significantly impacted by droughts as the lack of water and agricultural production can lead to displacement from their home or work regions. Droughts are a significant driver of climate-caused migration, as people need to move due to the environmental changes.⁶ The Dust Bowl during the Great Depression is an example of widespread displacement of farmers and migrant workers due to a drop in agricultural production.⁷ This kind of forced displacement can lead to higher rates of depression, anxiety, and post-traumatic stress disorder.⁷

Drought conditions significantly impact people experiencing homelessness by worsening existing vulnerabilities. Drought can limit access to clean water, making it harder for unhoused people to access clean drinking water and maintain personal hygiene. This can lead to dehydration and skin infections or other illnesses. Experiencing events like drought or other extreme weather events can also result in PTSD and other mental health challenges.⁸

Drought response and recovery guidance

Under the Wisconsin "Home Rule" principle, drought preparedness and response are considered local activities. The local or county emergency management office, health agency, or police/fire first responders will be the lead agency during a drought event. However, when requested, state resources will be provided to assist and support the local response.



Definitions

Aquifer: An area that contains large amounts of water under the surface of the earth.

Drought: A deficiency in precipitation over an extended period. Drought is a normal, recurrent feature of climate that occurs in virtually all climate zones.

Agricultural drought: A drought that is based on the impacts to agriculture by factors such as rainfall deficits, soil water deficits, reduced groundwater, or reduced reservoir levels due to the need for irrigation.

Hydrological drought: A drought that is based on the impact of rainfall deficits on the water supply such as reduced stream flow, lowered reservoir and lake levels, and groundwater table decline.

Meteorological drought: A drought that is based on the degree of dryness (rainfall deficit) and the length of the dry period.


Socioeconomic drought: A drought that is based on the impact of drought conditions (meteorological, agricultural, or hydrological drought) on supply and demand of some economic goods, and occurs when the demand for an economic good exceeds supply as a result of a weather-related deficit in water supply.

Groundwater: Water that is found underground in soil, sand, or rock fractures.

Reservoirs: Water collected and stored in natural or manmade lakes, or in other containment vessels.

Runoff: Water from rain, melting snow, or irrigation that flows over the land and into streams or other surface waters instead of being absorbed into the ground.

Xeriscaping: Landscaping that uses native plants with lower water requirements than exotic vegetation and turfgrass.




Measuring drought

Drought can be difficult to measure because of the many variables involved with the causes and the duration of drought. Several indices and measurements have been developed in order to gain a better picture of a drought's severity.⁹

Palmer Drought Severity Index (PDSI)

The Palmer Drought Severity Index (PDSI) calculates its values using a supply and demand concept of the water balance equation, and factors temperature and precipitation into the equation to determine the soil moisture conditions of an area.


PDSI is the most widely used method of measurement. Its calculations run from +4 or more (extremely wet conditions) to -4 or less (extreme drought).



Standard Precipitation Index

The Standard Precipitation Index (SPI) considers precipitation only in its calculation. It is calculated based on the probability of precipitation for any time scale.

The numbers calculated represent whether there will be there will be wet or dry conditions. The index shows a negative number where drought conditions are present (redder colors, -3) and a positive value for wetter conditions (blue to purple colors, +3).



Categories of drought safety


Category	Description	Possible impacts	Palmer Drought Severity Index	Standard Precipitation Index
D0	Abnormally dry	Going into drought: short-term dryness slowing planting, growth of crops or pastures. Coming out of drought: some lingering water deficits; pastures or crops not fully recovered.	-1.0 to -1.9	-0.5 to -0.7
D1	Moderate dry	Some damage to crops, pastures; streams, reservoirs, or wells low, some water shortages developing or imminent; voluntary water-use restrictions requested	-2.0 to -2.9	-0.8 to -1.2
D2	Severe drought	Crop or pasture losses likely; water shortages common; water restrictions imposed	-3.0 to -3.9	-1.3 to -1.5
D3	Extreme drought	Major crop/pasture losses; widespread water shortages or restrictions	-4.0 to -4.9	-1.6 to -1.9
D4	Exceptional drought	Exceptional and widespread crop/pasture losses; shortages of water in reservoirs, streams, and wells creating water emergencies.	-5.0 or less	-2.0 or less

Drought and human health

Standard Precipitation Index

Concern	Signs and symptoms	Actions
Extreme heat	<ul style="list-style-type: none">• Heat exhaustion• Heat stroke	<ul style="list-style-type: none">• Stay cool• Stay hydrated• Stay informed
Diminished food supply	<ul style="list-style-type: none">• Drought-damaged crops• Healthy foods not readily available or more expensive	<ul style="list-style-type: none">• Maintain the healthiest diet possible• Seek services of food banks or other resources if necessary
Poor air quality	<ul style="list-style-type: none">• Breathing problems• Worsening asthma or other respiratory conditions• Fatigue with exertion	<ul style="list-style-type: none">• Stay indoors• Avoid strenuous outdoor activity• Take prescribed medications• Talk to your health care provider if symptoms worsen
Limited water supply	<ul style="list-style-type: none">• Lower water levels in aquifers, which can affect private wells• Public restrictions on water use• Lower lake and river levels	<ul style="list-style-type: none">• Listen for local government officials' directions on how to conserve water• Continue practicing proper sanitation• Use recycled water for non-sanitary purposes• Avoid swimming in warm, shallow waters <p><i>For private well users:</i> Follow local, state and federal restrictions on water use</p>
Mental health	<ul style="list-style-type: none">• Stress and Anxiety• Depression	Consult with a mental health provider and/or your doctor

Disease and drought



Chronic disease


Conditions associated with drought can adversely affect people with certain chronic health conditions such as asthma and some immune disorders. Drought-related changes in air quality can irritate eyes, lungs, and respiratory systems of individuals with chronic respiratory conditions. Changes in water quality can threaten people whose immune systems are compromised.⁹



Diseases transmitted by insects and animals

In periods of limited rainfall, both human and animal behavior can change in ways that increase the likelihood of human contact with wildlife, the insects they host, and the diseases they carry.

Drought reduces the size of water bodies and causes them to become stagnant. This provides additional breeding grounds for certain types of mosquitoes. Outbreaks of West Nile Virus have occurred under such conditions. Inadequate water supply can cause people to collect rainwater, leading to collections of stagnant water that can become manmade mosquito breeding areas.



Infectious disease

- **Viruses, protozoa, and bacteria** can pollute groundwater and surface water when rainfall decreases. People who get their drinking water from private wells may be at higher risk for drought-related infectious disease. Lowered groundwater levels can concentrate contaminants such as nitrates and arsenic.
- **Acute respiratory and gastrointestinal illnesses** are more easily spread from person to person when handwashing is compromised by a perceived or real lack of available water.
- ***E. coli* and *Salmonella*** are examples of bacteria that can more readily contaminate food and cause infectious disease.
- **Other infectious disease threats** arise when drought leads to the contamination of surface waters and other types of water that are used for recreational purposes.

Water conservation tips


Efficient use of water, through behavioral, operational, or equipment changes, can help mitigate the effects of drought.^{10,11}

Indoor water conservation tips

- Turn off the water while shaving or brushing teeth.
- Take short showers instead of baths. Turn off the water while soaping or shampooing.
- Keep drinking water in the refrigerator instead of running the faucet until the water's cold.
- Do not use water to defrost frozen foods; thaw in the refrigerator overnight.
- Scrape, rather than rinse, dishes before loading into the dishwasher; wash only full loads.
- Wash only full loads of laundry or use the appropriate water level or load size.
- Repair all leaks. To detect leaks in the toilet, add food coloring to the tank water. If the colored water appears in the bowl, the toilet is leaking.

Outdoor water conservation tips

- Detect and repair all leaks in irrigation system.
- Water the lawn or garden during the coolest part of the day (early morning is best). Do not water on windy days.
- Set sprinklers to water the lawn or garden only – not the street or sidewalk.
- Use a shut-off nozzle on your hose, so that water flows only as needed. When finished, turn it off at the faucet to avoid hose connection leaks.
- Raise the lawn mower blade to at least three inches, or to its highest level. A higher cut encourages grass roots to grow deeper, shades the roots and holds soil moisture.
- Use mulch around shrubs and garden plants to reduce evaporation from the soil surface and to cut down on weed growth.
- Follow local, state and federal restrictions on water use when in place.



Heat awareness tips

Never leave children, disabled persons, or pets in a parked car.

On an 80°F day, the temperature inside a car even with the windows cracked slightly can reach 100°F in less than 10 minutes!

Keep your living space cool or seek shelter at a public space.

If you have an air conditioner, use it! If you don't have an air conditioner and the temperature is above 95°F, you should go to a community cooling center or public space because using a fan will no longer prevent heat related illnesses at this temperature.

Slow down and limit physical activity.

Plan outings or exercise for the early morning or after dark, when temperatures are cooler.

Drink plenty of water and eat lightly.

Don't wait for thirst, but instead drink plenty of water throughout the day. Avoid alcohol or caffeine and stay away from hot, heavy meals.

Wear lightweight, loose-fitting, light-colored clothing.

Add a hat or umbrella to keep your head cool...and don't forget sunscreen!



Don't stop taking medication unless your doctor says you should.

Take extra care to stay cool, and ask your doctor or pharmacist for any special heat advice.

Take a cool shower or bath to cool yourself down.


A cool shower or bath will actually work faster at reducing your body temperature than an air conditioner. Apply a cold, wet cloth to your head and neck to quickly cool down.



Media relations

Talking points and message maps for drought-related fatalities

Message mapping is one of the most important risk communication tools that public health agencies can employ. The goal of a message map is to convey important information in a concise, easy-to-understand, and credible manner.



General guidelines for completing a message map

- Stick to one to three key messages. Underlying concerns or specific questions can be highlighted in the messages.
- Keep key messages brief. The reader should spend less than 10 seconds per line.
- Develop messages that are easily understood by the target audience. Use a 5th- to 8th-grade readability level for communications with the general public.
- Place messages within a message set. The most important messages should occupy the first and last positions.
- Develop key messages that cite credible third parties.
- Use graphics and other visual aids to enhance key messages.
- Keep a positive tone. Messages should be solution-oriented and constructive.
- Avoid unnecessary uses of the words no, not, never, nothing, and none.
- Plan for making messages accessible for people who don't speak English as a first language or those who have visual impairments.

Sample message map

If the media approaches you regarding a reported drought health risk in your jurisdiction, the following talking points may be used or adapted. Start with message A1 or A2, then follow the instructions within that box.

A1

“We were notified by the medical examiner/coroner about fatality/injury possibly due to extreme drought. Our condolences go out to the family.”

Go to message B1 or B2.

A2

“We have not been notified by any recent fatalities or injuries linked to extreme drought.”

Go to message C.

B1

“We are unable to share any details out of respect for the family.”

Go to message C.

B2

“On (insert date), a (insert gender) (insert “_ years old” OR “between the ages of _ and _”) died during the drought.”

Go to message C.

C

Drought can be long lasting and result in many adverse health effects. People should remain safe by:

1. Monitoring drought, air quality and fire hazard conditions in your area.
2. Checking on family, friends and neighbors who do not have air conditioning, who spend much of their time alone or who are more likely to be affected by the heat and the drought.
3. Conserving water.
4. For more information visit [insert relevant website].

Talking points for Heat safety

Main message:

“Since June/July/August ___, there has/have been ___ heat or drought-related fatalities in Wisconsin. To help you and your community stay safe during the heat wave...”

Three key messages

Message 1:

“Monitor drought conditions in your area.”

Message 2:

“Conserve your water supply during a drought.”

Message 3:

“If you must be out during the hottest times of the day during drought, be alert for signs of heat illness.”

Supporting information:

Three supporting messages for each key message

1. Wisconsin can experience drought. It most commonly occurs during late summer.
2. Drought can be long-lasting or short-term. It is important to be prepared for drought of any duration.
3. Heed drought warnings in your area and stay up to date on conditions with the U.S. Drought Monitor (www.droughtmonitor.unl.edu).

1. Be conscious of your water use. Limit the amount of water you use both inside and outside your home.
2. Recycle/reuse water when you can. For example, use leftover drinking water to water plants.
3. If there is a boil water notice, follow the guidelines for safe water practices and use your water only for approved purposes.

1. Symptoms include feeling hot, weak, dizzy or faint, cramping and muscle spasms, nausea, or rapid pulse.
2. Protect yourself by limiting physical activities, drinking plenty of water, and wearing light, loose-fitting clothing.
3. Call 911 or seek medical attention if you or someone you know develops heat illness.

Resources

- **Wisconsin Department of Health Services (DHS)** <https://www.dhs.wisconsin.gov/climate/drought.htm>
- **Wisconsin Department of Natural Resources** <https://dnr.wisconsin.gov/drought>
- **National Drought Mitigation Center** <https://drought.unl.edu/>
- **National Integrated Drought Information System** www.drought.gov
- **Ready Wisconsin** www.readywisconsin.wi.gov/drought
- **Environmental Protection Agency** <https://www.epa.gov/natural-disasters/drought>
- **Centers for Disease Control and Prevention** <https://www.cdc.gov/drought-health/about/index.html>
- **List of Wisconsin Local Health Departments** www.dhs.wisconsin.gov/lh-depts/counties.htm
- **List of Wisconsin Tribal Health Directors** www.dhs.wisconsin.gov/lh-depts/contacts/tribal-health-directors.pdf

Agriculture and Drought Resources

Drought can have devastating consequences on Wisconsin's agricultural community. Below is a list of resources for farmers to prepare for the possibility of drought and for those already impacted by drought.

Disaster Assistance

- Access to disaster help and resources: www.disasterassistance.gov

United States Department of Agriculture

- Emergency Conservation Program: www.fsa.usda.gov and search "Emergency Conservation"
- Livestock Forage Disaster Program: www.fsa.usda.gov and search "Livestock Forage"
- Noninsured Crop Disaster Assistance Program: www.fsa.usda.gov and search "Crop Disaster"
- Wisconsin Service Center Locator: <https://www.farmers.gov/working-with-us/service-center-locator>
- Emergency Haying and Grazing: www.fsa.usda.gov and search "Emergency Haying"

USDA

- **National Agricultural Statistics Service:** Crop Progress and Condition Report: www.usda.gov and search "Crop Progress"
- **Natural Resources Conservation Service:** Drought Resources: www.usda.gov and search "Drought Resources"

UW-Madison Extension

- Resources for farmers who are feeding with drought-stressed feed and for farmers who need to purchase feed: www.uwex.edu

Wisconsin Office of the Commissioner of Insurance

- Crop Insurance: www.oci.wi.gov



References

1. Wisconsin Initiative on Climate Change Impacts (WICCI). Wisconsin's changing climate: impacts and adaptation. Nelson Institute for Environmental Studies, University of Wisconsin and Wisconsin Department of Natural Resources. 2011. Available at: http://www.wicci.wisc.edu/report/2011_WICCI-Report.pdf Accessed October 30, 2013.
2. Greenough G, McGeehin M, Bernard SM, Trtanj J, Riad J, Engleberg D. The potential impacts of climate variability and change on health impacts of extreme weather events in the United States. *Environ. Health Perspect.* 2001; 109:191-198.
3. Vavrus S. *Wisconsin Year-End Climate Synopsis for 2023*. Wisconsin State Climatology Office <https://climatology.nelson.wisc.edu/wisconsin-year-end-climate-synopsis-for-2023/> Accessed July 1, 2025.
4. Cleetus R. *The Enormous Costs of the 2012 Drought to American Farmers and Taxpayers*. The Equation. [https://blog.ucs.org/rachel-cleetus/the-enormous-costs-of-the-2012-drought-to-american-farmers-and-taxpayers/#:~:text=Crop%20insurance%20losses:%20Your%20tax,alone%20could%20top%20\\$3.2%20billion](https://blog.ucs.org/rachel-cleetus/the-enormous-costs-of-the-2012-drought-to-american-farmers-and-taxpayers/#:~:text=Crop%20insurance%20losses:%20Your%20tax,alone%20could%20top%20$3.2%20billion). Accessed July 1, 2025.
5. Climate projections in this toolkit come from Wisconsin's Changing Climate: Impacts and Adaptation. 2021. Wisconsin Initiative on Climate Change Impacts. Nelson Institute for Environmental Studies. UW-Madison and Wisconsin Department of Natural Resources, Madison, WI.
6. Huang L. *Climate Migration101: An Explainer*. Migration Policy Institute <https://www.migrationpolicy.org/article/climate-migration-101-explainer#:~:text=Human%20mobility%20linked%20to%20environmental,ands%20livelihoods%20that%20compel%20migration>. Accessed July 1, 2025.
7. Sukiasyan S. *The Mental Health of Refugees and Forcibly Displaced People: A Narrative Review*. *Consort Psychiatr.* 2024 Dec 19;5(4):78-92. doi: 10.17816/CP15552. PMID: 39980620; PMCID: PMC11839216.
8. L. A. Goodman & M. Harvey, *Homelessness as a psychological trauma: Broadening perspectives*, 46 *American Psychologist* 1219-25 (1991), <https://psycnet.apa.org/record/1992-08847-001>.
9. National Drought Mitigation Center <http://drought.unl.edu/Home.aspx> Accessed July 1, 2025.
10. Environmental Protection Agency. Using Water Efficiently: Ideas for Residences. Accessed July 30, 2014, at <http://www.epa.gov/WaterSense/pubs/res.html>
11. American Red Cross. "Drought Preparedness & Water Conservation," Accessed July 30, 2014, at <http://www.redcross.org/prepare/disaster/drought>

