AGE-SPECIFIC ADL / IADL ANSWER CHOICES FOR CHILDREN'S LONG-TERM SUPPORT PROGRAMS AGE: 12 - 14 Years

AGE. 12 - 14 fedis
ACTIVITIES OF DAILY LIVING (ADL)
Bathing
 Needs adaptive equipment. Is combative during bathing (e.g., flails, takes two caregivers to accomplish task). Needs physical help with bathing tasks. Needs help getting in and out of bathtub or shower.
Needs step-by-step cueing to complete the task.
 Lacks an understanding of risk and must be supervised for safety. Exhibits non-compliant behavior that is extreme to point that child does not perform bathing tasks for at least 5 or more consecutive days
None of the above apply
Is at least one of the bathing functional impairments expected to last for at least one year from the date of screening? Yes No
Grooming (brushing teeth, washing hands and face)
 Is combative during grooming (e.g., flails, clamps mouth shut, takes two caregivers to accomplish task). Needs physical help with grooming tasks. Needs step-by-step cueing to complete grooming tasks.
 Exhibits non-compliant behavior that is extreme to the point that child does not brush their teeth for at least 5 or more consecutive days. None of the above apply.
Is at least one of the grooming (brushing teeth, washing hands and face) functional impairments expected to last for at least one year from the date of screening?
☐ Yes □ No
Dressing
Needs physical assistance with getting clothing on. This does not include fasteners such as buttons, zippers, and snaps.
None of the above apply.
Is at least one of the dressing functional impairments expected to last for at least one year from the date of screening? Yes No
Eating Needs help with tube feedings or TPN. Needs to be fed.
Needs one-on-one monitoring to prevent choking, aspiration, or other serious complications.
Is at least one of the eating functional impairments expected to last for at least one year from the date of screening? Yes
Toileting
Incontinent of bowel and/or bladder.
Needs physical help, step-by-step cues, or a toileting schedule. None of the above apply.
Is at least one of the toileting functional impairments expected to last for at least one year from the date of screening? Yes No

Mobility

Does not walk or needs physical help to walk.

Uses a wheelchair or other mobility device not including a single cane.

None of the above apply.

Is at least one of the mobility functional impairments expected to last for at least one year from the date of screening?

Yes

Transfers (does not include bathtub or shower)

Needs physical help with transfers.

Uses a mechanical lift.

□ None of the above apply.

Is at least one of the transfers (not including bathtub or shower) functional impairments expected to last for at least one year from the date of screening?

Yes
N I .

_ No

NOTES

INSTRUMENTAL ACTIVITIES OF DAILY LIVING (IADL)

Communication

A norm referenced assessment in receptive language within the last three (3) years. (A substantial functional impairment is defined by results that indicate a delay of 30% or greater or 2 Standard Deviations (SD) below the mean.)

Date of Assessment: (mm/yyyy)

Assessment To	ol:
---------------	-----

(See list of "Norm-Referenced Assessment Tools for Communication and Learning")

Assessment Result: Within normal limits

Less than 30% delay

Greater than or equal to 30% delay

Less than 2 Standard Deviations (SD) below the norm

Greater than or equal to 2 Standard Deviations (SD) below the norm

A norm referenced assessment in expressive language within the last three (3) years. (A substantial functional impairment is defined by results that indicate a delay of 30% or greater or 2 Standard Deviations (SD) below the mean.)

Date of Assessment: _____ (mm/yyyy) Assessment Tool: _

(See list of "Norm-Referenced Assessment Tools for Communication and Learning")

Assessment Result: Within normal limits

Less than 30% delay

Greater than or equal to 30% delay

Less than 2 Standard Deviations (SD) below the norm

Greater than or equal to 2 Standard Deviations (SD) below the norm

Does not follow 3-step instructions that are related and are not routine.

Does not follow 2	single step	instructions	given at	the same t	time that a	re unrelated	and are not	routine.

Does not use language to share information other than basic needs or wants.

None of the above apply.

Is at least one of the communication functional impairments expected to last for at least one year from the date of screening?

Yes
No

.

Learning
Has a valid full scale IQ (A substantial functional impairment is defined by a full scale IQ score of 75 or less.)
IQ Test: Score:
A norm referenced assessment in cognition within the last three (3) years. (A substantial functional impairment defined by results that indicate a delay of 30% or greater or 2 Standard Deviations (SD) below the mean.)
Date of Assessment: (mm/yyyy)
Assessment Tool:
(See list of "Norm-Referenced Assessment Tools for Communication and Learning")
Assessment Result: 🗌 Within normal limits
Less than 30% delay
Greater than or equal to 30% delay
Less than 2 Standard Deviations (SD) below the norm
Greater than or equal to 2 Standard Deviations (SD) below the norm
Is two or more grade levels behind in two academic subjects.
Cannot provide primary address.
Cannot make change from a dollar.
Requires supervision due to inability to problem solve routine issues.
Does not use time to follow a schedule.
None of the above apply.
Is at least one of the learning functional impairments expected to last for at least one year from the date of screening?
Yes
□ No
Social Competency
Does not maintain a friendship with at least one person. Does not demonstrate the interpersonal give-and-take necessary to keep a friendship.
Does not express an interest in spending time with similar aged peers. Isolates himself / herself from peers.
Does not show concern for the feelings of friends. Does not notice another person's feelings and offer care or comfort.
None of the above apply.
Is at least one of the social competency functional impairments expected to last for at least one year from the date of screening?
□ No