FORWARDHEALTH PRIOR AUTHORIZATION / PREFERRED DRUG LIST (PA/PDL) FOR OPIOID DEPENDENCY AGENTS – BUPRENORPHINE

Instructions: Type or print clearly. Before completing this form, read the Prior Authorization/Preferred Drug List (PA/PDL) for Opioid Dependency Agents – Buprenorphine Instructions, F-00081A. Providers may refer to the Forms page of the ForwardHealth Portal at www.forwardhealth.wi.gov/WIPortal/Content/provider/forms/index.htm.spage for the completion instructions.

Pharmacy providers are required to have a completed PA/PDL for Opioid Dependency Agents – Buprenorphine form signed by the prescriber before calling the Specialized Transmission Approval Technology-Prior Authorization (STAT-PA) system or submitting a PA request on the Portal, by fax, or by mail. Providers may call Provider Services at 800-947-9627 with questions.

SECTION I – MEMBER INFORMATION								
1. Name – Member (Last, First, Middle Initial)								
2. Member ID Number	3. Date of Birth – Member							
SECTION II – PRESCRIPTION INFORMATION								
4. Drug Name	5. Drug Strength							
6 Data Propariation Written	7. Defile							
6. Date Prescription Written	7. Refills							
8. Directions for Use								
9. Name – Prescriber		10. National Provide	r Ident	ifier (NP	9l) – P	rescriber		
11. Address – Prescriber (Street, City, State, ZIP+4 Code)								
12. Telephone Number – Prescriber								
·								
SECTION III – CLINICAL INFORMATION (Required for all PA re	equests.)							
13. Diagnosis Code and Description								
14. Is the member 16 years of age or older?				Yes		No		
15. Does the prescriber have a valid Drug Addiction Treatment Act of 2000 (DATA 2000) waiver								
allowing him or her to prescribe buprenorphine-based agents for opioid dependency treatment? U Yes U No					No			
If yes, enter the prescriber's "X" Drug Enforcement Administra	tion (DEA) num	ber in the space provi	ded.					
16. Has the prescriber read the educational brochure titled "Office	Poood Puprop	orphing Thoropy						
for Opioid Dependence: Important Information for Prescribers"	provided throu	gh the -						
Buprenorphine containing Transmucosal products for Opioid Dependence (BTOD) Risk Evaluation and Mitigations Strategy (REMS) program?				Yes		No		
				162	-	INU		
If yes, has the prescriber communicated the key messages to of accidental overdose, misuse, and abuse while taking produc								
REMS program?		·····		Yes		No		
						Continued		



DT-PA081-081

PRIOR AUTHORIZATION / PREFERRED DRUG LIST (PA/PDL) FOR OPIOID DEPENDENCY AGENTS – BUPRENORPHINE F-00081 (01/2018)

SECTION III – CLINICAL INFORMATION (Required for all PA requests.) (Continued)							
17. Is the member taking any other opioids, tramadol, or carisoprodol?	Yes	No					
If yes, list the drug(s) taken and the dates they have been taken in the space provided.							
18. Has the member been receiving BTOD treatment for greater than two years?	Yes	No					
If yes, is the member being maintained on a daily dose of 12 mg or less of BTOD?	Yes	D No					
19. Is the member pregnant?	Yes	No					
SECTION IV – ATTESTATION							
 The U.S. Department of Health and Human Services endorses the Federation of State Medical Boards – Model Policy Guidelines for Opioid Addiction Treatment. The prescribing physician agrees to follow these guidelines, including: The member should receive opioids from only one provider and/or pharmacy when possible. The physician should employ the use of a written agreement between the physician and patient addressing issues such as: Alternative treatment options. Regular toxicologic testing for drugs of abuse and therapeutic drug levels. Number and frequency of all prescription refills. Reasons for which drug therapy may be discontinued. Continuation or modification of opioid therapy should depend on the physician's evaluation of progress toward stated treatment objectives such as: Absence of toxicity. Absence of toxicity. Compliance with all elements of the treatment plan, including recovery-oriented activities, psychotherapy, and/or psychosocial modalities. Abstinence from illicit drug use. 							
20. Has the prescriber read the attestation statement?	Yes	D No					
21. Does the prescriber agree to follow the guidelines set forth by State Medical Boards for opioid addiction treatment?	🛛 Yes	No No					
SECTION V – ADDITIONAL CLINICAL INFORMATION FOR BUPRENORPHINE TABLET REQUESTS (Complete for pregnant women only.)							
22. Indicate the member's expected delivery date (MM/DD/CCYY).							
23. Has the prescriber discussed with the member that methadone maintenance is the standard of care for opioid addiction treatment in pregnant women?	Yes	🔲 No					
24. Has the prescriber informed the member about the limited safety data for the support of buprenorphine use in pregnant women?	Yes	No					
		Continued					

drug requested may be included here.

SECTION VI – ADDITIONAL CLINICAL INFORMATION FOR NON-PREFERRED BUPRENORPHINE-NALOXONE DRUG REQUESTS (PA requests for a non-preferred buprenorphine-naloxone drug must be submitted on paper.)

25. Provide detailed clinical justification for prescribing a non-preferred buprenorphine-naloxone drug instead of Suboxone[®] film and Zubsolv[®], including clinical information why the member cannot use Suboxone[®] film and Zubsolv[®], and why it is medically necessary that the member receive a non-preferred buprenorphine-naloxone drug instead of Suboxone[®] film and Zubsolv[®].

SECTION VII – AUTHORIZED SIGNATURE							
26. SIGNATURE – Prescriber			27. Date Signed				
SECTION VIII – FOR PHARMACY PROVIDERS USING STAT-PA							
28. National Drug Code (11 Digits) 29.		29. Days' Supply Requ	29. Days' Supply Requested (Up to 183 Days)				
30. NPI							
31. Date of Service (MM/DD/CCYY) (For ST days in the past.)	「AT-PA requests, the d	ate of service may be u	p to 31 days in the future and / or up to 14				
32. Place of Service							
33. Assigned PA Number							
34. Grant Date	35. Expiration Date		36. Number of Days Approved				
SECTION IX – ADDITIONAL INFORMATION							
37. Include any additional information in the space below. Additional diagnostic and clinical information explaining the need for the							