DEPARTMENT OF HEALTH SERVICES

Division of Medicaid Services F-02573 (04/2021)

STATE OF WISCONSIN

Wis. Admin. Code § DHS 107.10(2)

FORWARDHEALTH PRIOR AUTHORIZATION DRUG ATTACHMENT FOR WAKIX

INSTRUCTIONS: Type or print clearly. Before completing this form, read the Prior Authorization Drug Attachment for Wakix Instructions, F-02573A. Providers may refer to the Forms page of the ForwardHealth Portal at https://www.forwardhealth.wi.gov/WIPortal/Subsystem/Publications/ForwardHealthCommunications.aspx?panel=Forms for the completion instructions.

Pharmacy providers are required to have a completed Prior Authorization Drug Attachment for Wakix form signed by the prescriber before submitting a prior authorization request on the Portal, by fax, or by mail. Providers may call Provider Services at 800-947-9627 with questions.

SECTION I – MEMBER INFORMATION			
Name – Member (Last, First, Middle Initial)			
2. Member ID Number	3. Date of Birth – Member		
SECTION II – PRESCRIPTION INFORMATION			
4. Drug Name	5. Drug Strength		
6. Date Prescription Written	7. Directions for Use		
8. Refills			
9. Name – Prescriber	10.	. National Provider Identifier – Prescriber	
11. Address – Prescriber (Street, City, State, Zip+4 Code)	·		
12. Phone Number – Prescriber			
SECTION III – CLINICAL INFORMATION			
Note: A copy of the member's current medical records that	support a clinical co	prrelation between the member's test	
results and the member's medical condition of narcolepsy w			

submitted with the prior authorization request, including the following:

- Test results and provider interpretation for the overnight polysomnogram and Multiple Sleep Latency Test (MSLT)
- For members with excessive daytime sleepiness, a copy of the Epworth Sleepiness Scale questionnaire, Maintenance of Wakefulness Test, or MSLT
- For renewal prior authorization requests, medical record documentation demonstrating clinical improvement, including a decrease in cataplexy or a decrease in the member's excessive daytime sleepiness, supported by an Epworth Sleepiness Scale questionnaire, Maintenance of Wakefulness Test, or MSLT
- 13. Diagnosis Code and Description



14. Does the member have narcolepsy with cataplexy?	☐ Yes	☐ No	
If yes, indicate the cataplexy symptoms experienced by the member and how frequ	ently they oc	cur.	
15. Does the member have narcolepsy without cataplexy?	☐ Yes	☐ No	
16. Is the member 18 years of age or older?	☐ Yes	☐ No	
17. Has the prescriber reviewed the member's current medication list to evaluate for potential drug interactions (for example, cytochrome P450 2D6 [CYP2D6] inhibitors, cytochrome P450 3A4 [CYP3A4] inducers, and drugs that increase the QT interval)?	☐ Yes	□ No	
18. Indicate which symptom(s) of narcolepsy Wakix is being used to treat.			
☐ Cataplexy			
Excessive Daytime Sleepiness			
Other			_
19. Is the member taking any sedative hypnotics?	☐ Yes	☐ No	
20. Is the member taking central nervous system depressants (for example, anxiolytics, barbiturates, or opioids)?	☐ Yes	□ No	
If yes, indicate the central nervous system depressants and daily doses.			
1			_
2			_
3			_
Are any of the above listed central nervous system depressants contributing to the member's daytime sleepiness?	☐ Yes	☐ No	
If no, indicate how the prescriber evaluated the central nervous system depressants contributing to the member's daytime sleepiness.	and determi	ned they are not	
21. Has the member had an overnight polysomnogram sleep study followed by an MSLT?	☐ Yes	□ No	
22. Does the member have excessive daytime sleepiness that interferes with normal activities on a daily basis?	☐ Yes	☐ No	
23. Has the member completed an ESS questionnaire, MWT, or MSLT?	☐ Yes	□ No	

24.	Has the prescriber ruled out or treated the member for each of the following potential causes of EDS? Other sleep disorders including sleep apnea Chronic pain or illness that disrupts normal sleep patterns Mood disorders such as depression Caffeine or nicotine use causing poor quality of nighttime sleep		Yes		No
	Has the member experienced an unsatisfactory therapeutic response or a clinically significant adverse drug reaction with a stimulant? If yes, list the stimulant and dose, specific details about the unsatisfactory therapeutic significant adverse drug reaction, and the approximate dates the stimulant was taken	resp		clin	
26.	Does the member have a medical condition(s) that prevents treatment with a stimulant?		Yes		No
	If yes, list the medical condition(s) that prevents treatment with a stimulant in the space	e pro	ovided.		
27.	Is there a clinically significant drug interaction between another medication the member is taking and stimulants?		Yes		No
	If yes, list the medication(s) and interaction(s) in the space provided.				
28.	Has the member experienced an unsatisfactory therapeutic response after the medication has been titrated to a maximum recommended daily dose or experienced a clinically significant adverse drug reaction with armodafinil or modafinil?		Yes		No
	If yes, list the drug and dose, specific details about the unsatisfactory therapeutic resp adverse drug reaction, and the approximate dates armodafinil or modafinil was taken				

29. Does the member have a medical condition(s) that prevents treatment with armodafinil or modafinil? If yes, list the medical condition(s) that that prevents treatment with armoda	☐ Yes ☐ No
If yes, list the medical condition(s) that that prevents treatment with armoda	ifinil or modafinil in the space provided.
30. Is there a clinically significant drug interaction between another medication	
member is taking and armodafinil or modafinil?	☐ Yes ☐ No
If yes, list the medication(s) and interaction(s) in the space provided.	
24 Has the manch or america and an area Cafact.	
31. Has the member experienced an unsatisfactory therapeutic response or experienced a clinically significant adverse drug reaction with tricyclic	
antidepressant, selective serotonin reuptake inhibitor, or serotonin	
norepinephrine reuptake inhibitor?	☐ Yes ☐ No
If yes, list the tricyclic antidepressant, selective serotonin reuptake inhibitor	
serotonin norepinephrine reuptake inhibitor was taken in the space provide	
SECTION IV – AUTHORIZED SIGNATURE 32. SIGNATURE – Prescriber 33.	2 Data Signed
32. SIGNATURE - Prescriber	3. Date Signed
SECTION V – ADDITIONAL INFORMATION	
34. Include any additional information in the space below. Additional diagnostic	and clinical information explaining the
need for the drug requested may also be included here.	
If yes, list the tricyclic antidepressant, selective serotonin reuptake inhibitor inhibitor, the dose, specific details about the unsatisfactory therapeutic resp drug reaction, and the approximate dates the tricyclic antidepressant, selective serotonin norepinephrine reuptake inhibitor was taken in the space provide	r, or serotonin norepinephrine reuptake conse or clinically significant adverse ctive serotonin reuptake inhibitor, or