

FORWARDHEALTH
PRIOR AUTHORIZATION DRUG ATTACHMENT FOR CYTOKINE AND CELL ADHESION
MOLECULE (CAM) ANTAGONIST DRUGS FOR ORAL ULCERS ASSOCIATED
WITH BEHCET'S DISEASE AND UVEITIS

INSTRUCTIONS: Type or print clearly. Before completing this form, read the Prior Authorization Drug Attachment for Cytokine and Cell Adhesion Molecule (CAM) Antagonist Drugs for Oral Ulcers Associated With Behcet's Disease and Uveitis Instructions, F-03224A. Prescribers may refer to the Forms page of the ForwardHealth Portal (the Portal) at forwardhealth.wi.gov/WIPortal/Subsystem/Publications/ForwardHealthCommunications.aspx?panel=Forms for the completion instructions.

Pharmacy providers are required to have a completed Prior Authorization Drug Attachment for Cytokine and CAM Antagonist Drugs for Oral Ulcers Associated With Behcet's Disease and Uveitis form signed and dated by the prescriber before submitting a prior authorization (PA) request on the Portal, by fax, or by mail. Prescribers and pharmacy providers may call Provider Services at 800-947-9627 with questions.

SECTION I – MEMBER INFORMATION

1. Name – Member (Last, First, Middle Initial)

2. Member ID Number

3. Date of Birth – Member

SECTION II – PRESCRIPTION INFORMATION

4. Drug Name

5. Drug Strength

6. Date Prescription Written

7. Directions for Use

8. Name – Prescriber

9. Address – Prescriber (Street, City, State, ZIP+4 Code)

10. Phone Number – Prescriber

11. National Provider Identifier – Prescriber

SECTION III – CLINICAL INFORMATION (Required for All PA Requests)

12. Diagnosis Code and Description

Note: Supporting clinical information and a copy of the member's current medical records must be submitted with all PA requests.



DT-PA133-133

SECTION III A – CLINICAL INFORMATION FOR ORAL ULCERS ASSOCIATED WITH BEHCET'S DISEASE ONLY

13. Does the member have oral ulcers associated with Behcet's disease? ☐ Yes ☐ No

14. Is the prescription written by a rheumatologist or through a rheumatology consultation? ☐ Yes ☐ No

15. Is the member currently using the requested non-preferred cytokine and CAM antagonist drug? ☐ Yes ☐ No

If yes, indicate the approximate date therapy was started.

16. Has the member taken Otezla for **at least three** consecutive months and experienced an unsatisfactory therapeutic response or a clinically significant adverse drug reaction? ☐ Yes ☐ No

If yes, list the Otezla dose and the dates taken, and describe the unsatisfactory therapeutic response or clinically significant adverse drug reaction. If additional space is needed, continue documentation in Section V of this form.

Dose: _____ Dates Taken: _____

Describe the unsatisfactory therapeutic response or clinically significant adverse drug reaction.

17. Indicate the clinical reason(s) why the prescriber is requesting a non-preferred cytokine and CAM antagonist drug.

SECTION III B – ADDITIONAL CLINICAL INFORMATION FOR OTEZLA XR PA REQUESTS

18. PA requests for Otezla XR must include detailed clinical justification for prescribing Otezla XR instead of Otezla. This clinical information must document why the member cannot use Otezla, including why it is medically necessary that the member receive Otezla XR instead of Otezla.

SECTION III C – CLINICAL INFORMATION FOR UVEITIS ONLY

19. Does the member have uveitis? ☐ Yes ☐ No
20. Is the prescription written by an ophthalmologist or through an ophthalmology consult? ☐ Yes ☐ No
21. Is the member currently using the requested non-preferred cytokine and CAM antagonist drug? ☐ Yes ☐ No

If yes, indicate the approximate date therapy was started.

-
22. Has the member taken Hadlima or Humira for **at least three** consecutive months and experienced an unsatisfactory therapeutic response or a clinically significant adverse drug reaction? ☐ Yes ☐ No

If yes, list the name and dose of the drug used and the dates taken, and describe the unsatisfactory therapeutic response or clinically significant adverse drug reaction. If additional space is needed, continue documentation in Section V of this form.

Name _____ Dose _____ Dates Taken _____

Describe the unsatisfactory therapeutic response or clinically significant adverse drug reaction.

-
23. Indicate the clinical reason(s) why the prescriber is requesting a non-preferred cytokine and CAM antagonist drug.

SECTION III D – ADDITIONAL CLINICAL INFORMATION FOR NON-PREFERRED ADALIMUMAB-XXXX PA REQUESTS

24. PA requests for a non-preferred adalimumab-xxxx drug must include detailed clinical justification for prescribing a non-preferred adalimumab-xxxx drug instead of Hadlima and Humira. This clinical information must document why the member cannot use Hadlima and Humira, including why it is medically necessary that the member receive a non-preferred adalimumab-xxxx drug instead of Hadlima and Humira.

SECTION IV – AUTHORIZED SIGNATURE

25. **SIGNATURE** – Prescriber

26. Date Signed

SECTION V – ADDITIONAL INFORMATION

27. Include any additional information in the space below. Additional diagnostic and clinical information explaining the need for the requested drug may be included here.
