INFORMED CONSENT FOR MEDICATION

Dosage and / or Side Effect information last revised on 8/13/2021

Completion of this form is voluntary. If informed consent is not given, the medication cannot be administered without a court order unless in an emergency.

This consent is maintained in the client's record and is accessible to authorized users.

Name – Patient / Client (Last, First MI)			ID Number		Living Unit	Date of Birth
, Name – Individual Preparing This Form Name – Sta		Name – Staff Cor	Contact		Name / Telephone Number – Institution	
MEDICATION CATEGORY	MEDICATION			RECOMMENDED DAILY TOTAL DOSAGE RANGE		ANTICIPATED DOSAGE RANGE
Antianxiety Agent	BuSpar (buspirone)			15mg - 60mg		
The anticipated dosage range is to be without your informed and written con Recommended daily total dosage ran This medication will be administered	isent. ige of manufactur Orally	rer, as stated in <i>Pl</i>	<i>hysician's E</i>	Desk Referer Specify:	nce (PDR) or another stand	
1. Reason for Use of Psychotropic Include DSM-5 diagnosis or the di				this is 'Off	-Label' Use)	
 Alternative mode(s) of treatment other than OR in addition to m Note: Some of these would be applicable only in an inpatient enviro Environment and/or staff changes Positive redirection and staff interaction Individual and/or group therapy Other Alternatives: 						
3. Probable consequences of NOT	receiving the p	proposed medicat	tion are			
Impairment of Uvrk Activities	🗌 Fa	mily Relationships	6		Social Functioning	
Possible increase in symptoms lea	ding to potentia	al	_			
 Use of seclusion or restraint Limits on access to possessions Limits on personal freedoms Limit participation in treatment and Other Consequences: 	activities		Interver		and leisure activities enforcement authorities or others	
Note: These consequences m						so possible that in

See Page 2

Client Initial

Date _____

F-24277

4. Possible side effects, warnings, and cautions associated with this medication are listed below. This is not an all-inclusive list but is representative of items of potential clinical significance to you. For more information on this medication, you may consult further with your physician or refer to a standard text, such as the PDR. As part of monitoring some of these potential side effects, your physician may order laboratory or other tests. The treatment team will closely monitor individuals who are unable to readily communicate side effects in order to enhance care and treatment.

Continued - Possible side effects, warnings, and cautions associated with this medication.

Most Common Side Effects: dizziness or lightheadedness (especially when getting up from a sitting or lying position); drowsiness; headache; nausea; nervousness or unusual excitement; trouble sleeping.

Less Common Side Effects: blurred vision; clamminess or sweating; decreased concentration; diarrhea; dryness of mouth; muscle pain, spasms, cramps, or stiffness; unusual tiredness or weakness.

Rare Side Effects: Check with your doctor immediately if any of the following rare side effects occur: chest pain; sudden confusion; fast or pounding heartbeat; fever; incoordination; mental depression; muscle weakness; numbness, tingling, pain, or weakness in hands or feet; skin rash or hives; stiffness of arms or legs; sore throat; uncontrolled movements of the body.

Caution

No Antipsychotic Activity

Because buspirone has no established antipsychotic activity, it should not be used in lieu of appropriate antipsychotic treatment.

Serotonin Syndrome

Potentially life-threatening serotonin syndrome has been reported with SNRIs and SSRIs, and other serotonergic drugs, including buspirone, alone but particularly with concomitant use of other serotonergic drugs (including triptans), with drugs that impair metabolism of serotonin (in particular, MAOIs, including reversible MAOIs such as linezolid and intravenous methylene blue), or with antipsychotics or other dopamine antagonists. The use of buspirone with MAOIs intended to treat depression is contraindicated. Discontinue treatment (and any concomitant serotonergic agent) immediately if signs/symptoms arise.

See standard reference text for an all-inclusive list of side effects.

By my signature below, I GIVE consent for the named medication on Page 1 and anticipated dosage range. My signature also indicates that I understand the following:

- 1. I can refuse to give consent or can withdraw my consent at any time with written notification to the institution director or designee. This will not affect my right to change my decision at a later date. If I withdraw consent after a medication is started, I realize that the medication may not be discontinued immediately. Rather, it will be tapered as rapidly as medically safe and then discontinued so as to prevent an adverse medical consequence, such as seizures, due to rapid medication withdrawal.
- 2. Questions regarding this medication can be discussed with the Interdisciplinary Team, including the physician. The staff contact person can assist in making any necessary arrangements.
- 3. Questions regarding any behavior support plan or behavior intervention plan, which correspond with the use of the medication, can be directed to the client's social worker, case manager, or psychologist.
- 4. I have the right to request a review at any time of my record, pursuant to § 51.30(4)(d) or § 51.30(5)(b).
- 5. I have a legal right to file a complaint if I feel that client rights have been inappropriately restricted. The client's social worker, case manager, or agency/facility client rights specialist may be contacted for assistance.
- 6. My consent permits the dose to be changed within the anticipated dosage range without signing another consent.
- 7. I understand the reasons for the use of the medication, its potential risks and benefits, other alternative treatment(s), and the probable consequences that may occur if the proposed medication is not given. I have been given adequate time to study the information and find the information to be specific, accurate, and complete.
- 8. This medication consent is for a period effective immediately and not to exceed fifteen (15) months from the date of my signature. The need for and continued use of this medication will be reviewed at least quarterly by the Interdisciplinary Team. The goal, on behalf of the client, will be to arrive at and maintain the client at the minimum effective dose.

SIGNATURES

SIGNATURES		DATE SIGNED
Client – If Presumed Competent to Consent/Parent of Minor/Guardian (POA-HC)	Relationship to Client Self	
	Parent Guardian (POA-HC)	
Staff Present at Oral Discussion	Title	

Client / Parent of Minor / Guardian (POA-HC) Comments

As parent/guardian (POA-HC) was not available for signature, he/she was verbally informed of the information in this consent.

Verbal Consent						
Obtained by – PRINT – Staff Name	Date Obtained	Written Consent Received				
Obtained from – PRINT – Parent / Guardian (POA-HC) Name	Date Expires	Date Received				