# INFORMED CONSENT FOR MEDICATION

#### Dosage and / or Side Effect information last revised on 04/05/2021

Completion of this form is voluntary. If informed consent is not given, the medication cannot be administered without a court order unless in an emergency.

This consent is maintained in the client's record and is accessible to authorized users.

Name – Patient / Client (Last, First MI)			ID Num	ber Living Unit		Date of Birth
Name – Individual Preparing This Form Nam		Name – Staff Con	Name – Staff Contact		Name / Telephone Number – Institution	
MEDICATION CATEGORY		MEDICATION		RECOMMENDED DAILY TOTAL DOSAGE RANGE		ANTICIPATE D DOSAGE RANGE
Attention Deficit/ Hyperactivity Disorder/ ADHD	imn ■ Intu	ex (guanfacine nediate release tab niv (guanfacine ended release table	,	2 m	nediate release: 0.5 mg- g ended release: 1 mg- 4	

The anticipated dosage range is to be individualized, may be above or below the recommended range but no medication will be administered without your informed and written consent. Recommended daily total dosage range of manufacturer, as stated in Physician's Desk Reference (PDR) or another standard reference. Injection

This medication will be administered		Orally	/
--------------------------------------	--	--------	---

- Other Specify:
- 1. Reason for Use of Psychotropic Medication and Benefits Expected (note if this is 'Off-Label' Use) Include DSM-5 diagnosis or the diagnostic impression ("working hypothesis.")

<ol> <li>Alternative mode(s) of treatment other than OR in addition to medications include Note: Some of these would be applicable only in an inpatient environment.</li> </ol>						
	and/or staff changes		Rehabilitation treatments/therapy (OT, PT, AT)			
Positive redirection and staff interaction			☐ Treatment programs and approaches (habilitation)			
Individual and	l/or group therapy		Use of behavior intervention techniques			
Other Alternativ	• • • •		—			
3 Probable co	nsequences of NOT rece	eiving the proposed medic	ation are			
	Work Activities	Family Relationshi	_			
Possible increa	ise in symptoms leading	to potential				
Use of seclus	ion or restraint		Limits on recreation and leisure activities			
	ess to possessions		Intervention of law enforcement authorities			
Limits on pers	sonal freedoms	ution	Risk of harm to self or others			
Other Conseque		/11/25				
Other Conseque	chices.					
			or not the individual is in an inpatient setting. It is also possible that in			
unusual s	ituations, little or no adver	se consequences may occu	r if the medications are not administered.			

See Page 2

Date

#### F-24277

4. Possible side effects, warnings, and cautions associated with this medication are listed below. This is not an all-inclusive list but is representative of items of potential clinical significance to you. For more information on this medication, you may consult further with your physician or refer to a standard text, such as the PDR. As part of monitoring some of these potential side effects, your physician may order laboratory or other tests. The treatment team will closely monitor individuals who are unable to readily communicate side effects in order to enhance care and treatment.

Continued – Possible side effects, warnings, and cautions associated with this medication.

**Most Common Side Effects:** Drowsiness; headache; fatigue; dizziness; insomnia (not able to fall asleep or stay asleep); abdominal pain; decreased appetite.

Less Common Side Effects: low blood pressure; feeling light headed or faint, especially when standing from a seated position; slow or fast heartbeat; irregular heartbeat; irritability; feeling tired or sluggish; anxiety; nightmares; unable to control emotions; agitation; depression; high blood pressure; loss of consciousness; skin rash; itchy skin; weight gain; dry mouth; nausea; vomiting; diarrhea; constipation; regurgitation of stomach acid or taste of acid in the mouth; urinary incontinence; worsening asthma; fever.

**Rare Side Effects:** Although rare, contact your doctor as soon as possible if any of the following occur: chest pain; extremely elevated blood pressure; pale skin or lips; seizures; increased need to urinate; muscle weakness; hair loss; changes to vision; tingling of the hands, feet, or face; unable to obtain or maintain an erection; leg pain or cramps; hallucinations; swelling of the hand, legs, or feet; difficulty breathing; swelling of the face, lips, or tongue; severe rash or hives.

## Caution

## Withdrawal

There is a risk of symptoms of nervousness and anxiety and, less commonly, rebound hypertension, if guanfacine is stopped abruptly. Before stopping this medication, please speak with your doctor, who can help find a plan that is right for you. **Driving and operating heavy machinery** 

- Exercise caution when operating heavy machinery, driving a car, or participating in any other activity that could be dangerous if not fully alert. Wait to know how this medication affects you before participating in these activities.
- Rash

Skin rash with exfoliation and pruritus have been reported; discontinue guanfacine and call your doctor if you develop a rash.

See standard reference text for an all-inclusive list of side effects.

#### F-24277

## By my signature below, I GIVE consent for the named medication on Page 1 and anticipated dosage range. My signature also indicates that I understand the following:

- I can refuse to give consent or can withdraw my consent at any time with written notification to the institution director or designee. This will not affect my right to change my decision at a later date. If I withdraw consent after a medication is started, I realize that the medication may not be discontinued immediately. Rather, it will be tapered as rapidly as medically safe and then discontinued so as to prevent an adverse medical consequence, such as seizures, due to rapid medication withdrawal.
- Questions regarding this medication can be discussed with the Interdisciplinary Team, including the physician. The staff contact person 2. can assist in making any necessary arrangements.
- Questions regarding any behavior support plan or behavior intervention plan, which correspond with the use of the medication, can be 3. directed to the client's social worker, case manager, or psychologist.
- I have the right to request a review at any time of my record, pursuant to § 51.30(4)(d) or § 51.30(5)(b). 4.
- I have a legal right to file a complaint if I feel that client rights have been inappropriately restricted. The client's social worker, case 5. manager, or agency/facility client rights specialist may be contacted for assistance.
- My consent permits the dose to be changed within the anticipated dosage range without signing another consent. 6.
- I understand the reasons for the use of the medication, its potential risks and benefits, other alternative treatment(s), and the probable 7. consequences that may occur if the proposed medication is not given. I have been given adequate time to study the information and find the information to be specific, accurate, and complete.
- 8. This medication consent is for a period effective immediately and not to exceed fifteen (15) months from the date of my signature. The need for and continued use of this medication will be reviewed at least guarterly by the Interdisciplinary Team. The goal, on behalf of the client, will be to arrive at and maintain the client at the minimum effective dose.

## 

SIGNATURES		DATE SIGNED
Client – If Presumed Competent to Consent/Parent of Minor/Guardian (POA-HC)		
	Parent 🔲 Guardian (POA-HC)	
Staff Present at Oral Discussion	Title	
Client / Parent of Minor / Guardian (POA-HC) Comments		

As parent/guardian (POA-HC) was not available for signature, he/she was verbally informed of the information in this consent.

Verbal Consent				
Obtained by – PRINT – Staff Name	Date Obtained	Written Consent Received		
Obtained from – PRINT – Parent / Guardian (POA-HC) Name	Date Expires	Date Received		