INFORMED CONSENT FOR MEDICATION

Dosage and / or Side Effect information last revised on 06/08/2017

Completion of this form is voluntary. If informed consent is not given, the medication cannot be administered without a court order unless in an emergency.

This consent is maintained in the clien	t's record and i	is accessible to aut	horized u	sers.				
Name – Patient / Client (Last, First MI)			ID Number		Living Unit	Date of Birth		
, Name – Individual Preparing This Forr	n	Name – Staff Cor	ntact		Name / Telenhone Numh	er – Institution		
Name – Individual Preparing This Form		Name – Stan Contact			Name / Telephone Number – Institution			
MEDICATION CATEGORY	MEDICATION		RECOMMENDED DAILY TOTAL DOSAGE RANGE		ANTICIPATED DOSAGE RANGE			
Maintenance treatment of opioid dependence	Suboxone, Suboxone Film Strips (buprenorphine and naloxone sublingual tablet & film)			4/1 mg buprenorphine/naloxone to 24/6 mg buprenorphine/naloxone per day				
The anticipated dosage range is to be individualized, may be above or below the recommended range but no medication will be administered without your informed and written consent. Recommended daily total dosage range of manufacturer, as stated in <i>Physician's Desk Reference</i> (PDR) or another standard reference. This medication will be administered Orally Injection Other – Specify:								
 Reason for Use of Psychotropic Medication and Benefits Expected (note if this is 'Off-Label' Use) Include DSM-5 diagnosis or the diagnostic impression ("working hypothesis.") 								
 2. Alternative mode(s) of treatment other than OR in addition to m Note: Some of these would be applicable only in an inpatient environ Environment and/or staff changes Positive redirection and staff interaction Individual and/or group therapy Other Alternatives: 								
3. Probable consequences of NOT receiving the proposed medication are Impairment of Work Activities Impairment of Work Activities								
Possible increase in symptoms lead Use of seclusion or restraint Limits on access to possessions Limits on personal freedoms Limit participation in treatment and Other Consequences:		ial	Interve		and leisure activities nforcement authorities or others			

Note: These consequences may vary depending upon whether or not the individual is in an inpatient setting. It is also possible that in unusual situations, little or no adverse consequences may occur if the medications are not administered.

See Page 2

Client Initial

Date _____

4. Possible side effects, warnings, and cautions associated with this medication are listed below. This is not an all-inclusive list but is representative of items of potential clinical significance to you. For more information on this medication, you may consult further with your physician or refer to a standard text, such as the PDR. As part of monitoring some of these potential side effects, your physician may order laboratory or other tests. The treatment team will closely monitor individuals who are unable to readily communicate side effects in order to enhance care and treatment.

Continued - Possible side effects, warnings, and cautions associated with this medication.

Most Common Side Effects

Chills; constipation; diarrhea; dizziness; drowsiness; flushing; headache; nausea; sleeplessness; stomach pain; sweating; vomiting; weakness.

Less Common Side Effects

Seek medical attention right away if any of these SEVERE side effects occur when using Suboxone: Severe allergic reactions (rash; hives; itching; difficulty breathing; tightness in the chest; swelling of the mouth, face, lips, or tongue); anxiety or nervousness; blurred vision; confusion; dark urine; decreased attention; fainting; irregular heartbeat; loss of appetite; loss of coordination; mental or mood changes (e.g., depression); pale stools; persistent trouble sleeping; severe or persistent dizziness or drowsiness; severe or persistent stomach pain or constipation; slow or shallow breathing; slowed reflexes; slurred speech; swelling of the hands, ankles, or feet; yellowing of the eyes or skin.

Caution:

Some signs of Suboxone overdose may include: cold clammy skin, coma, extreme weakness, fainting, hypotension, pinpoint pupils, respiratory depression, sedation, shortness of breath.

IMPORTANT:

Keep SUBOXONE in a secure place away from children. Accidental use by a child is a medical emergency and can result in death. If a child accidentally uses SUBOXONE sublingual film, get emergency help right away.

SUBOXONE sublingual film is a controlled substance (CIII) because it contains buprenorphine, which can be a target for people who abuse prescription medicines or street drugs. Keep your SUBOXONE sublingual film in a safe place to protect it from theft. Never give your SUBOXONE sublingual film to anyone else; it can cause death or harm them. Selling or giving away this medicine is against the law.

See standard reference text for an all-inclusive list of side effects.

Medication: Suboxone, Suboxone Film Strips -

(buprenorphine and naloxone sublingual tablet & film)

By my signature below, I GIVE consent for the named medication on Page 1 and anticipated dosage range. My signature also indicates that I understand the following:

- 1. I can refuse to give consent or can withdraw my consent at any time with written notification to the institution director or designee. This will not affect my right to change my decision at a later date. If I withdraw consent after a medication is started, I realize that the medication may not be discontinued immediately. Rather, it will be tapered as rapidly as medically safe and then discontinued so as to prevent an adverse medical consequence, such as seizures, due to rapid medication withdrawal.
- 2. Questions regarding this medication can be discussed with the Interdisciplinary Team, including the physician. The staff contact person can assist in making any necessary arrangements.
- 3. Questions regarding any behavior support plan or behavior intervention plan, which correspond with the use of the medication, can be directed to the client's social worker, case manager, or psychologist.
- 4. I have the right to request a review at any time of my record, pursuant to § 51.30(4)(d) or § 51.30(5)(b).
- 5. I have a legal right to file a complaint if I feel that client rights have been inappropriately restricted. The client's social worker, case manager, or agency/facility client rights specialist may be contacted for assistance.
- 6. My consent permits the dose to be changed within the anticipated dosage range without signing another consent.
- 7. I understand the reasons for the use of the medication, its potential risks and benefits, other alternative treatment(s), and the probable consequences that may occur if the proposed medication is not given. I have been given adequate time to study the information and find the information to be specific, accurate, and complete.
- 8. This medication consent is for a period effective immediately and not to exceed fifteen (15) months from the date of my signature. The need for and continued use of this medication will be reviewed at least quarterly by the Interdisciplinary Team. The goal, on behalf of the client, will be to arrive at and maintain the client at the minimum effective dose.

SIGNATURES

SIGNATURES		DATE SIGNED
Client – If Presumed Competent to Consent/Parent of Minor/Guardian (POA-HC)	Relationship to Client Self	
	Parent Guardian (POA-HC)	
Staff Present at Oral Discussion	Title	

Client / Parent of Minor / Guardian (POA-HC) Comments

As parent/guardian (POA-HC) was not available for signature, he/she was verbally informed of the information in this consent.

Verbal Consent						
Obtained by – PRINT – Staff Name	Date Obtained	Written Consent Received				
Obtained from – PRINT – Parent / Guardian (POA-HC) Name	Date Expires	Date Received				

DATE SIGNED