

Individual Antigen and 4:3:1:3:3:1:4¹ Coverage Rates by 24 Months of Age by County

Data Source: Wisconsin Immunization Registry (WIR) Benchmark Report

2012 Results: Birth Date Range of 1/1/2010-12/31/2010

2013 Results: Birth Date Range of 1/1/2011-12/31/2011

2014 Results: Birth Date Range of 1/1/2012-12/31/2012

2015 Results: Birth Date Range of 1/1/2013-12/31/2013

Northern Region

County/City	Year	DTaP (4)	HepB (3)	Hib (3)	MMR (1)	Polio (3)	Pneumo (4)	Varicella (1)	4313314 Series
Ashland	2012	74.38%	83.74%	85.22%	83.74%	86.21%	79.31%	76.35%	62.07%
	2013	77.97%	90.96%	94.35%	88.70%	92.66%	88.70%	80.79%	65.54%
	2014	66.51%	86.79%	82.08%	77.36%	84.91%	78.77%	72.64%	57.08%
	2015	71.98%	86.96%	90.34%	85.02%	87.92%	81.16%	77.78%	64.73%
Bayfield	2012	77.60%	76.00%	87.20%	84.00%	83.20%	80.80%	65.60%	60.00%
	2013	80.99%	87.32%	90.85%	86.62%	90.14%	88.03%	76.76%	64.79%
	2014	67.81%	77.40%	80.14%	76.71%	83.56%	72.60%	70.55%	53.42%
	2015	69.63%	82.22%	80.74%	81.48%	82.22%	78.52%	77.04%	65.93%
Florence	2012	86.36%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	86.36%
	2013	74.19%	80.65%	80.65%	83.87%	87.10%	80.65%	80.65%	70.97%
	2014	63.64%	68.18%	72.73%	72.73%	72.73%	68.18%	68.18%	59.09%
	2015	86.36%	86.36%	86.36%	81.82%	86.36%	86.36%	81.82%	81.82%
Forest	2012	77.44%	87.97%	91.73%	90.23%	91.73%	87.22%	89.47%	72.93%
	2013	81.05%	96.84%	95.79%	90.53%	95.79%	91.58%	89.47%	78.95%
	2014	77.36%	91.51%	87.74%	85.85%	89.62%	83.02%	84.91%	72.64%
	2015	86.78%	95.04%	92.56%	90.91%	90.91%	91.74%	89.26%	77.69%
Iron	2012	70.00%	84.00%	84.00%	76.00%	84.00%	78.00%	72.00%	64.00%
	2013	86.67%	95.56%	97.78%	93.33%	97.78%	93.33%	93.33%	84.44%
	2014	75.76%	90.91%	93.94%	90.91%	93.94%	93.94%	84.85%	66.67%
	2015	77.50%	82.50%	87.50%	82.50%	85.00%	82.50%	80.00%	75.00%
Langlade	2012	76.55%	86.28%	85.84%	84.07%	85.84%	81.42%	81.86%	73.89%
	2013	76.41%	90.26%	86.67%	85.64%	89.23%	86.67%	84.10%	71.28%
	2014	82.61%	87.92%	86.96%	86.47%	88.41%	85.99%	84.54%	77.29%
	2015	71.43%	89.95%	86.24%	86.24%	89.95%	83.60%	83.07%	68.78%
Lincoln	2012	86.79%	89.29%	91.43%	89.64%	90.71%	88.93%	87.86%	80.36%
	2013	82.99%	90.97%	87.15%	87.15%	89.93%	87.50%	84.38%	79.51%
	2014	80.14%	83.97%	87.11%	84.32%	88.85%	83.97%	81.53%	72.47%
	2015	79.35%	85.51%	88.41%	85.87%	88.77%	83.70%	80.43%	70.65%

Individual Antigen and 4:3:1:3:3:1:4¹ Coverage Rates by 24 Months of Age by County

Data Source: Wisconsin Immunization Registry (WIR) Benchmark Report

2012 Results: Birth Date Range of 1/1/2010-12/31/2010

2013 Results: Birth Date Range of 1/1/2011-12/31/2011

2014 Results: Birth Date Range of 1/1/2012-12/31/2012

2015 Results: Birth Date Range of 1/1/2013-12/31/2013

Northern Region

County/City	Year	DTaP (4)	HepB (3)	Hib (3)	MMR (1)	Polio (3)	Pneumo (4)	Varicella (1)	4313314 Series
Marathon	2012	84.14%	89.69%	91.05%	87.88%	90.77%	88.11%	85.84%	79.39%
	2013	83.62%	90.08%	90.77%	87.54%	91.00%	88.00%	84.72%	77.80%
	2014	84.50%	89.97%	90.82%	88.09%	91.00%	89.12%	85.65%	79.82%
	2015	82.57%	87.76%	89.79%	88.18%	89.79%	87.16%	83.88%	76.78%
Oneida	2012	79.94%	89.82%	90.12%	85.03%	90.12%	81.14%	82.93%	73.65%
	2013	86.71%	92.75%	90.33%	89.43%	93.05%	88.22%	86.71%	78.25%
	2014	77.88%	87.91%	82.89%	84.37%	88.20%	81.42%	84.66%	73.75%
	2015	75.68%	86.34%	81.97%	83.33%	87.70%	79.78%	80.60%	71.04%
Portage	2012	84.52%	88.13%	91.10%	86.58%	90.06%	87.35%	86.71%	78.97%
	2013	82.20%	87.68%	91.30%	86.08%	88.76%	85.94%	85.27%	77.11%
	2014	80.35%	89.04%	90.78%	87.17%	90.24%	86.90%	85.29%	75.80%
	2015	77.75%	83.73%	89.57%	87.07%	87.07%	85.40%	83.17%	72.46%
Price	2012	81.51%	91.60%	92.44%	87.39%	92.44%	89.08%	87.39%	78.15%
	2013	83.33%	91.18%	90.20%	82.35%	91.18%	85.29%	81.37%	74.51%
	2014	80.00%	90.91%	88.18%	84.55%	90.91%	87.27%	82.73%	77.27%
	2015	76.86%	84.30%	86.78%	79.34%	83.47%	81.82%	79.34%	72.73%
Sawyer	2012	75.50%	86.00%	88.50%	84.50%	88.50%	83.00%	79.00%	68.00%
	2013	79.41%	88.82%	86.47%	85.88%	88.82%	84.71%	83.53%	76.47%
	2014	82.51%	87.43%	89.62%	86.34%	90.16%	85.79%	80.33%	73.22%
	2015	81.98%	87.21%	85.47%	88.37%	87.79%	85.47%	83.72%	75.00%
Taylor	2012	74.59%	78.69%	78.69%	75.41%	80.74%	77.46%	72.54%	66.80%
	2013	76.29%	81.47%	80.60%	75.86%	83.19%	78.02%	71.98%	68.10%
	2014	64.11%	71.77%	69.38%	64.59%	71.77%	67.46%	61.24%	55.50%
	2015	68.42%	77.73%	74.90%	71.66%	78.14%	73.28%	68.42%	62.35%
Vilas	2012	84.26%	93.40%	91.88%	91.88%	92.89%	87.31%	86.80%	79.19%
	2013	74.43%	89.20%	88.07%	82.39%	88.64%	81.25%	78.98%	68.75%
	2014	76.14%	89.85%	89.34%	84.77%	88.83%	81.73%	82.74%	70.05%
	2015	72.78%	82.78%	86.67%	86.67%	83.89%	80.56%	85.00%	67.78%

Individual Antigen and 4:3:1:3:3:1:4¹ Coverage Rates by 24 Months of Age by County

Data Source: Wisconsin Immunization Registry (WIR) Benchmark Report

2012 Results: Birth Date Range of 1/1/2010-12/31/2010

2013 Results: Birth Date Range of 1/1/2011-12/31/2011

2014 Results: Birth Date Range of 1/1/2012-12/31/2012

2015 Results: Birth Date Range of 1/1/2013-12/31/2013

Northern Region

County/City	Year	DTaP (4)	HepB (3)	Hib (3)	MMR (1)	Polio (3)	Pneumo (4)	Varicella (1)	4313314 Series
Wood	2012	81.50%	87.22%	90.02%	85.99%	89.35%	85.65%	84.98%	76.01%
	2013	83.70%	90.26%	91.25%	87.86%	90.15%	88.40%	86.21%	79.87%
	2014	78.59%	86.59%	89.06%	84.94%	88.12%	85.18%	83.06%	72.71%
	2015	79.20%	84.57%	90.06%	85.37%	88.80%	85.94%	83.43%	72.11%

¹Series refers to a client having at least 4 DTaP, 3 Polio, 1 MMR, 3 Haemophilus influenzae type b, 3 Hepatitis B, 1 Varicella and 4 Pneumococcal conjugate doses.

Northeastern Region

County/City	Year	DTaP (4)	HepB (3)	Hib (3)	MMR (1)	Polio (3)	Pneumo (4)	Varicella (1)	4313314 Series
Brown	2012	80.50%	86.51%	90.69%	85.20%	89.23%	86.35%	85.65%	73.99%
	2013	81.02%	88.25%	90.94%	84.84%	90.27%	86.98%	84.93%	74.63%
	2014	79.43%	88.52%	90.62%	84.47%	89.21%	86.64%	84.76%	74.26%
	2015	82.24%	87.95%	91.29%	87.27%	89.74%	87.70%	85.83%	77.04%
Calumet	2012	87.07%	92.06%	92.83%	91.74%	93.46%	91.59%	91.43%	82.71%
	2013	86.04%	90.23%	93.02%	89.70%	91.80%	90.58%	90.05%	82.02%
	2014	86.33%	90.83%	92.50%	89.33%	93.17%	91.33%	89.67%	80.83%
	2015	85.53%	90.98%	92.86%	89.85%	92.67%	90.41%	89.66%	81.58%
DePere	2012	85.47%	87.54%	94.12%	89.27%	92.73%	91.35%	88.93%	78.55%
	2013	90.27%	94.69%	96.90%	92.04%	95.13%	93.81%	90.71%	83.19%
	2014	86.19%	91.04%	94.03%	88.81%	91.42%	91.79%	89.18%	80.22%
	2015	88.03%	90.73%	93.82%	88.42%	91.89%	91.12%	87.64%	80.69%
Door	2012	79.30%	86.34%	88.11%	85.46%	87.67%	83.70%	84.58%	77.09%
	2013	85.11%	90.64%	91.91%	88.94%	91.49%	91.91%	88.51%	82.55%
	2014	82.56%	90.26%	90.77%	87.18%	91.28%	86.67%	86.15%	78.97%
	2015	77.14%	85.31%	86.53%	82.45%	85.31%	83.67%	80.82%	72.24%

Individual Antigen and 4:3:1:3:3:1:4¹ Coverage Rates by 24 Months of Age by County

Data Source: Wisconsin Immunization Registry (WIR) Benchmark Report

2012 Results: Birth Date Range of 1/1/2010-12/31/2010

2013 Results: Birth Date Range of 1/1/2011-12/31/2011

2014 Results: Birth Date Range of 1/1/2012-12/31/2012

2015 Results: Birth Date Range of 1/1/2013-12/31/2013

Northeastern Region

County/City	Year	DTaP (4)	HepB (3)	Hib (3)	MMR (1)	Polio (3)	Pneumo (4)	Varicella (1)	4313314 Series
Fond du Lac	2012	81.76%	89.11%	92.92%	81.94%	90.29%	87.66%	83.48%	72.14%
	2013	80.98%	89.29%	90.37%	81.40%	90.70%	86.63%	81.48%	71.43%
	2014	79.70%	88.25%	91.27%	79.79%	90.12%	85.13%	81.12%	67.68%
	2015	77.34%	88.84%	87.90%	83.69%	88.50%	84.89%	81.03%	70.73%
Green Lake	2012	74.29%	78.10%	82.38%	79.52%	81.43%	79.05%	76.19%	69.05%
	2013	70.71%	78.79%	80.81%	77.78%	80.81%	78.79%	77.27%	68.18%
	2014	71.29%	78.22%	80.20%	77.72%	79.21%	78.22%	76.24%	66.83%
	2015	72.73%	83.64%	80.45%	80.91%	83.64%	79.55%	78.64%	68.18%
Kewaunee	2012	85.00%	95.50%	93.50%	92.50%	95.50%	94.50%	91.00%	79.50%
	2013	84.23%	91.44%	90.54%	90.54%	92.34%	90.99%	88.74%	77.93%
	2014	82.67%	89.11%	90.10%	86.63%	90.10%	88.61%	85.64%	79.21%
	2015	86.85%	91.08%	93.90%	91.55%	92.49%	91.55%	90.61%	80.75%
Manitowoc	2012	86.84%	92.95%	92.71%	92.48%	94.24%	90.36%	90.95%	83.20%
	2013	87.57%	91.48%	92.06%	89.99%	92.75%	91.25%	88.38%	83.31%
	2014	86.48%	91.70%	91.70%	90.63%	93.36%	90.04%	89.68%	80.43%
	2015	83.43%	90.53%	90.65%	90.65%	92.07%	88.88%	88.17%	79.64%
Marinette	2012	76.08%	85.89%	88.04%	84.93%	88.52%	83.25%	83.25%	73.68%
	2013	77.34%	86.46%	88.02%	85.94%	89.32%	86.20%	85.16%	73.96%
	2014	73.92%	85.26%	86.62%	80.50%	87.07%	81.18%	81.18%	67.57%
	2015	78.04%	89.66%	87.34%	86.82%	89.92%	86.30%	84.50%	74.16%
Marquette	2012	73.78%	82.32%	87.20%	81.71%	84.15%	79.27%	77.44%	65.85%
	2013	75.43%	85.14%	84.57%	84.00%	85.71%	78.86%	82.86%	73.71%
	2014	79.55%	80.30%	84.09%	80.30%	82.58%	78.79%	78.79%	73.48%
	2015	72.29%	82.53%	80.12%	77.71%	83.13%	75.30%	77.71%	66.27%
Menominee	2013	64.89%	92.55%	84.04%	84.04%	90.43%	84.04%	84.04%	63.83%
	2014	67.05%	90.91%	85.23%	87.50%	84.09%	78.41%	87.50%	63.64%
	2015	65.93%	92.31%	85.71%	84.62%	90.11%	83.52%	84.62%	65.93%

Individual Antigen and 4:3:1:3:3:1:4¹ Coverage Rates by 24 Months of Age by County

Data Source: Wisconsin Immunization Registry (WIR) Benchmark Report

2012 Results: Birth Date Range of 1/1/2010-12/31/2010

2013 Results: Birth Date Range of 1/1/2011-12/31/2011

2014 Results: Birth Date Range of 1/1/2012-12/31/2012

2015 Results: Birth Date Range of 1/1/2013-12/31/2013

Northeastern Region

County/City	Year	DTaP (4)	HepB (3)	Hib (3)	MMR (1)	Polio (3)	Pneumo (4)	Varicella (1)	4313314 Series
Menasha	2012	83.73%	88.10%	93.25%	89.68%	93.25%	90.08%	91.67%	80.16%
	2013	78.90%	87.16%	87.61%	86.24%	88.07%	85.78%	88.07%	76.15%
	2014	84.58%	87.38%	91.12%	86.45%	93.46%	89.72%	87.85%	78.97%
	2015	81.65%	86.70%	88.07%	88.07%	89.91%	89.91%	88.07%	77.52%
Oconto	2012	83.13%	87.47%	92.53%	87.95%	90.84%	87.23%	87.23%	75.90%
	2013	79.59%	86.56%	90.18%	84.50%	89.15%	86.30%	84.50%	72.87%
	2014	80.11%	88.06%	89.92%	86.47%	89.39%	86.21%	85.41%	73.21%
	2015	79.95%	88.02%	90.63%	87.76%	89.58%	88.02%	85.16%	75.00%
Outagamie	2012	85.68%	88.65%	91.94%	88.52%	91.78%	89.27%	89.15%	81.18%
	2013	85.97%	88.96%	92.03%	89.20%	92.24%	90.54%	89.85%	80.63%
	2014	85.48%	88.76%	91.74%	88.72%	91.57%	89.95%	89.57%	79.95%
	2015	84.67%	89.69%	91.52%	90.33%	91.99%	90.33%	89.69%	81.13%
Shawano	2012	79.87%	88.37%	89.71%	85.46%	89.93%	85.68%	84.12%	74.72%
	2013	79.21%	86.37%	91.22%	84.53%	90.07%	87.99%	86.14%	72.75%
	2014	80.74%	88.15%	89.88%	88.64%	89.38%	87.65%	88.15%	75.80%
	2015	75.41%	84.45%	88.86%	85.38%	87.94%	87.01%	83.06%	70.30%
Sheboygan	2012	85.16%	90.22%	92.61%	89.57%	92.11%	90.51%	86.31%	80.45%
	2013	87.32%	92.74%	92.74%	90.73%	93.18%	91.48%	88.58%	82.80%
	2014	85.06%	91.26%	90.74%	88.87%	92.08%	90.29%	86.03%	79.91%
	2015	84.15%	90.74%	89.78%	89.33%	91.11%	88.89%	86.37%	80.30%
Waupaca	2012	81.02%	83.11%	89.94%	81.59%	88.80%	85.77%	83.87%	72.68%
	2013	77.38%	82.59%	89.23%	82.05%	88.69%	84.20%	82.76%	70.56%
	2014	76.72%	79.77%	89.12%	82.25%	87.79%	84.92%	85.69%	70.04%
	2015	76.48%	78.64%	86.36%	82.94%	85.82%	82.94%	80.61%	68.94%
Waushara	2012	74.35%	81.68%	87.43%	82.72%	85.86%	82.20%	79.06%	68.59%
	2013	66.21%	81.28%	83.11%	77.63%	83.56%	76.71%	76.26%	60.27%
	2014	67.51%	79.32%	82.28%	79.32%	81.01%	75.95%	75.95%	64.98%
	2015	67.46%	77.51%	78.95%	78.47%	79.43%	75.12%	77.03%	63.64%

Individual Antigen and 4:3:1:3:3:1:4¹ Coverage Rates by 24 Months of Age by County

Data Source: Wisconsin Immunization Registry (WIR) Benchmark Report

2012 Results: Birth Date Range of 1/1/2010-12/31/2010

2013 Results: Birth Date Range of 1/1/2011-12/31/2011

2014 Results: Birth Date Range of 1/1/2012-12/31/2012

2015 Results: Birth Date Range of 1/1/2013-12/31/2013

Northeastern Region

County/City	Year	DTaP (4)	HepB (3)	Hib (3)	MMR (1)	Polio (3)	Pneumo (4)	Varicella (1)	4313314 Series
Winnebago	2012	82.29%	86.80%	91.79%	86.70%	90.85%	88.08%	86.94%	76.71%
	2013	83.29%	88.16%	91.74%	87.29%	90.63%	88.89%	87.97%	78.60%
	2014	83.24%	88.78%	90.98%	86.97%	91.43%	87.90%	86.77%	78.49%
	2015	82.03%	88.58%	89.90%	88.17%	90.15%	88.17%	86.85%	78.93%

¹Series refers to a client having at least 4 DTaP, 3 Polio, 1 MMR, 3 Haemophilus influenzae type b, 3 Hepatitis B, 1 Varicella and 4 Pneumococcal conjugate doses.

Southern Region

County/City	Year	DTaP (4)	HepB (3)	Hib (3)	MMR (1)	Polio (3)	Pneumo (4)	Varicella (1)	4313314 Series
Adams	2012	75.35%	88.03%	87.32%	83.10%	88.73%	83.10%	81.69%	69.01%
	2013	69.34%	86.13%	83.94%	86.13%	85.40%	74.45%	82.48%	62.77%
	2014	69.44%	83.33%	79.17%	82.64%	83.33%	75.00%	79.17%	63.89%
	2015	63.06%	82.17%	81.53%	82.17%	80.25%	71.34%	78.34%	59.87%
Columbia	2012	81.85%	86.23%	88.05%	84.27%	87.14%	83.06%	84.42%	75.64%
	2013	78.07%	84.45%	85.54%	85.07%	85.54%	81.03%	83.51%	73.09%
	2014	79.47%	87.15%	86.99%	85.11%	87.15%	83.07%	83.86%	74.29%
	2015	79.78%	85.62%	86.41%	85.47%	86.41%	83.25%	84.52%	74.72%
Crawford	2012	70.76%	80.12%	81.87%	80.70%	81.29%	79.53%	77.78%	65.50%
	2013	71.97%	84.71%	85.35%	78.34%	85.35%	81.53%	77.71%	63.69%
	2014	70.97%	79.35%	82.58%	74.19%	81.29%	75.48%	70.32%	59.35%
	2015	71.52%	85.45%	86.06%	81.21%	83.64%	79.39%	78.79%	66.67%
Dane	2012	81.69%	85.30%	88.54%	86.47%	87.81%	84.23%	84.26%	73.03%
	2013	80.76%	86.56%	86.66%	86.07%	87.46%	84.24%	83.97%	74.02%
	2014	80.46%	86.87%	86.81%	86.78%	87.73%	83.88%	84.91%	74.81%
	2015	80.62%	86.59%	86.17%	87.63%	87.43%	84.37%	85.10%	75.45%

Individual Antigen and 4:3:1:3:3:1:4¹ Coverage Rates by 24 Months of Age by County

Data Source: Wisconsin Immunization Registry (WIR) Benchmark Report

2012 Results: Birth Date Range of 1/1/2010-12/31/2010

2013 Results: Birth Date Range of 1/1/2011-12/31/2011

2014 Results: Birth Date Range of 1/1/2012-12/31/2012

2015 Results: Birth Date Range of 1/1/2013-12/31/2013

Southern Region

County/City	Year	DTaP (4)	HepB (3)	Hib (3)	MMR (1)	Polio (3)	Pneumo (4)	Varicella (1)	4313314 Series
Dodge	2012	74.79%	84.85%	87.03%	82.68%	86.83%	83.30%	82.99%	67.22%
	2013	78.29%	87.72%	87.39%	84.76%	88.49%	84.98%	83.33%	71.49%
	2014	71.32%	83.77%	83.44%	80.19%	84.52%	78.46%	79.87%	63.31%
	2015	73.71%	86.13%	86.13%	85.40%	84.68%	81.99%	83.23%	68.22%
Grant	2012	61.90%	75.05%	78.53%	74.66%	76.79%	67.89%	69.63%	52.61%
	2013	66.54%	79.47%	81.56%	76.05%	80.42%	76.05%	71.29%	57.60%
	2014	61.85%	73.80%	75.92%	70.91%	75.14%	69.36%	66.67%	55.11%
	2015	64.72%	78.56%	77.97%	75.44%	77.58%	75.05%	72.51%	59.65%
Green	2012	82.73%	90.75%	90.51%	87.59%	90.02%	87.35%	85.64%	76.89%
	2013	81.19%	88.86%	86.39%	83.17%	87.87%	86.63%	83.42%	75.74%
	2014	84.83%	90.76%	87.44%	85.55%	89.57%	88.15%	84.83%	79.38%
	2015	84.72%	90.88%	87.67%	88.47%	90.62%	88.47%	87.40%	81.50%
Iowa	2012	71.63%	86.85%	87.20%	85.12%	88.93%	78.89%	79.93%	63.67%
	2013	73.24%	87.32%	85.56%	85.21%	88.38%	82.04%	79.23%	65.49%
	2014	76.92%	91.94%	85.35%	87.18%	90.11%	82.42%	80.22%	72.53%
	2015	70.76%	84.12%	81.95%	84.12%	84.48%	79.42%	76.17%	64.62%
Jefferson	2012	80.50%	88.15%	92.24%	88.58%	90.84%	86.64%	85.88%	73.81%
	2013	86.21%	90.62%	92.99%	89.15%	91.75%	90.28%	88.02%	79.32%
	2014	81.37%	91.35%	92.13%	88.91%	91.57%	88.47%	87.25%	76.50%
	2015	79.32%	88.64%	90.23%	87.73%	89.43%	86.14%	86.59%	74.66%
Juneau	2012	82.53%	88.10%	89.96%	86.99%	89.96%	85.13%	84.01%	78.07%
	2013	82.11%	93.68%	91.93%	90.18%	92.63%	85.26%	88.42%	78.25%
	2014	76.47%	85.62%	83.99%	83.66%	85.95%	80.07%	80.39%	71.24%
	2015	75.59%	88.58%	85.43%	85.83%	89.37%	81.89%	82.28%	70.47%
Lafayette	2012	65.89%	78.50%	78.97%	76.64%	78.50%	72.43%	71.50%	61.21%
	2013	60.10%	76.26%	74.75%	73.23%	74.24%	71.21%	67.68%	53.54%
	2014	63.00%	77.97%	74.45%	73.13%	75.33%	72.69%	69.16%	59.03%
	2015	63.16%	78.07%	75.44%	75.00%	77.63%	73.68%	70.18%	60.96%

Individual Antigen and 4:3:1:3:3:1:4¹ Coverage Rates by 24 Months of Age by County

Data Source: Wisconsin Immunization Registry (WIR) Benchmark Report

2012 Results: Birth Date Range of 1/1/2010-12/31/2010

2013 Results: Birth Date Range of 1/1/2011-12/31/2011

2014 Results: Birth Date Range of 1/1/2012-12/31/2012

2015 Results: Birth Date Range of 1/1/2013-12/31/2013

Southern Region

County/City	Year	DTaP (4)	HepB (3)	Hib (3)	MMR (1)	Polio (3)	Pneumo (4)	Varicella (1)	4313314 Series
Richland	2012	72.73%	77.03%	83.25%	81.34%	82.78%	77.03%	77.99%	62.20%
	2013	70.20%	80.81%	83.33%	83.33%	84.34%	76.26%	79.29%	60.10%
	2014	68.75%	73.86%	80.11%	76.70%	78.41%	72.73%	73.30%	58.52%
	2015	70.00%	75.00%	81.00%	78.00%	76.00%	76.50%	74.00%	61.00%
Rock	2012	73.88%	84.20%	86.39%	83.29%	85.39%	80.23%	80.50%	67.49%
	2013	72.26%	84.18%	85.82%	82.93%	84.95%	79.42%	81.83%	65.58%
	2014	71.16%	84.30%	83.53%	83.24%	84.06%	79.57%	81.64%	65.51%
	2015	70.94%	85.12%	83.44%	83.82%	84.38%	79.24%	82.42%	66.56%
Sauk	2012	74.85%	85.42%	87.12%	80.44%	86.15%	80.44%	79.47%	67.19%
	2013	74.60%	85.01%	86.74%	80.67%	85.63%	80.92%	78.69%	68.40%
	2014	69.51%	84.57%	84.19%	79.55%	84.19%	77.54%	76.91%	62.48%
	2015	66.87%	79.58%	81.42%	80.68%	81.42%	75.31%	78.36%	59.05%
Vernon	2012	53.24%	56.94%	60.42%	56.71%	60.88%	56.94%	51.39%	43.06%
	2013	48.91%	55.93%	59.56%	54.24%	58.11%	51.82%	51.09%	42.86%
	2014	49.47%	57.54%	61.15%	57.11%	60.30%	55.20%	53.29%	44.16%
	2015	49.62%	55.16%	58.19%	58.19%	57.68%	55.16%	52.64%	43.32%
Watertown	2012	73.06%	85.24%	89.67%	85.24%	87.82%	82.29%	82.29%	65.31%
	2013	82.82%	90.72%	92.10%	89.00%	90.72%	87.63%	87.29%	76.29%
	2014	74.04%	88.07%	88.42%	82.81%	87.72%	83.86%	80.70%	67.02%
	2015	72.15%	85.91%	87.92%	83.22%	87.58%	81.88%	81.54%	65.10%

¹Series refers to a client having at least 4 DTaP, 3 Polio, 1 MMR, 3 Haemophilus influenzae type b, 3 Hepatitis B, 1 Varicella and 4 Pneumococcal conjugate doses.

Individual Antigen and 4:3:1:3:3:1:4¹ Coverage Rates by 24 Months of Age by County

Data Source: Wisconsin Immunization Registry (WIR) Benchmark Report

2012 Results: Birth Date Range of 1/1/2010-12/31/2010

2013 Results: Birth Date Range of 1/1/2011-12/31/2011

2014 Results: Birth Date Range of 1/1/2012-12/31/2012

2015 Results: Birth Date Range of 1/1/2013-12/31/2013

Southeastern Region

County/City	Year	DTaP (4)	HepB (3)	Hib (3)	MMR (1)	Polio (3)	Pneumo (4)	Varicella (1)	4313314 Series
Central Racine	2012	75.00%	89.29%	85.71%	89.29%	96.43%	89.29%	89.29%	67.86%
	2013	83.00%	89.42%	87.01%	90.36%	90.63%	89.16%	88.09%	78.05%
	2014	80.90%	91.09%	89.09%	88.52%	91.17%	86.60%	87.00%	76.08%
	2015	81.40%	88.99%	87.80%	89.08%	89.85%	87.29%	87.03%	76.79%
City of Milwaukee	2012	67.90%	78.74%	85.17%	84.34%	84.76%	77.13%	82.77%	56.70%
	2013	67.64%	83.88%	86.62%	84.06%	84.19%	77.93%	83.05%	60.55%
	2014	67.66%	85.52%	86.52%	84.94%	84.35%	78.52%	83.92%	62.33%
	2015	68.63%	85.25%	85.95%	84.54%	84.19%	77.51%	83.26%	62.95%
City of Racine	2013	70.14%	88.72%	77.73%	85.03%	86.84%	82.79%	84.38%	68.04%
	2014	71.68%	89.95%	79.36%	86.72%	87.26%	84.34%	85.88%	69.22%
	2015	73.42%	90.90%	79.81%	88.69%	88.77%	85.68%	87.67%	72.10%
Cudahy	2012	74.78%	82.74%	87.17%	86.73%	87.61%	82.30%	84.51%	64.16%
	2013	80.37%	88.79%	91.12%	89.25%	90.19%	84.58%	85.51%	70.56%
	2014	84.55%	92.27%	93.99%	92.27%	93.13%	90.13%	91.85%	80.26%
	2015	81.52%	94.31%	93.84%	92.42%	93.84%	85.31%	91.00%	75.83%
Franklin	2012	82.42%	85.99%	92.58%	91.76%	90.66%	88.19%	88.74%	75.55%
	2013	82.26%	85.86%	91.26%	87.15%	89.72%	85.60%	86.63%	74.55%
	2014	81.71%	84.86%	89.14%	88.86%	88.00%	85.71%	87.14%	73.14%
	2015	85.21%	87.47%	90.73%	89.47%	89.72%	88.22%	88.22%	80.20%
Greendale	2012	76.76%	73.94%	87.32%	85.92%	86.62%	81.69%	83.80%	64.08%
	2013	85.00%	89.29%	92.14%	92.86%	90.71%	87.14%	87.86%	80.00%
	2014	80.42%	86.71%	93.01%	89.51%	90.91%	89.51%	88.11%	72.73%
	2015	83.09%	90.44%	93.38%	91.18%	94.85%	88.97%	89.71%	80.15%
Greenfield	2012	76.29%	84.20%	89.92%	86.38%	89.65%	84.74%	84.74%	67.30%
	2013	76.41%	83.85%	88.46%	85.64%	87.44%	82.82%	85.64%	69.49%
	2014	79.35%	89.80%	92.54%	87.81%	91.04%	85.07%	87.81%	72.89%
	2015	81.82%	86.73%	89.93%	89.19%	86.49%	86.73%	86.24%	75.92%

Individual Antigen and 4:3:1:3:3:1:4¹ Coverage Rates by 24 Months of Age by County

Data Source: Wisconsin Immunization Registry (WIR) Benchmark Report

2012 Results: Birth Date Range of 1/1/2010-12/31/2010

2013 Results: Birth Date Range of 1/1/2011-12/31/2011

2014 Results: Birth Date Range of 1/1/2012-12/31/2012

2015 Results: Birth Date Range of 1/1/2013-12/31/2013

Southeastern Region

County/City	Year	DTaP (4)	HepB (3)	Hib (3)	MMR (1)	Polio (3)	Pneumo (4)	Varicella (1)	4313314 Series
Hales Corners	2012	82.14%	87.50%	89.29%	85.71%	91.07%	85.71%	85.71%	71.43%
	2013	86.59%	86.59%	93.90%	87.80%	92.68%	91.46%	89.02%	81.71%
	2014	89.19%	91.89%	95.95%	91.89%	94.59%	94.59%	89.19%	79.73%
	2015	88.16%	93.42%	97.37%	94.74%	93.42%	93.42%	92.11%	82.89%
Kenosha	2012	70.83%	81.09%	83.93%	79.13%	81.57%	76.72%	76.86%	62.93%
	2013	71.84%	83.11%	84.98%	80.10%	83.16%	77.82%	78.55%	64.45%
	2014	71.39%	84.18%	85.08%	80.86%	82.00%	79.49%	79.20%	65.23%
	2015	73.34%	85.16%	84.27%	83.09%	83.28%	80.31%	79.46%	67.17%
Milwaukee County	2012	71.07%	79.81%	86.70%	85.38%	85.90%	79.40%	83.56%	60.31%
	2013	70.78%	84.33%	87.54%	84.83%	85.39%	79.81%	83.63%	63.50%
	2014	71.44%	86.18%	87.67%	85.71%	85.93%	80.65%	84.62%	65.77%
	2015	72.51%	86.08%	87.66%	85.89%	85.84%	80.16%	84.51%	66.79%
Oak Creek	2012	84.41%	87.29%	91.61%	91.61%	91.13%	88.25%	88.01%	77.22%
	2013	83.08%	89.29%	92.72%	88.65%	92.08%	88.01%	88.22%	76.23%
	2014	83.49%	89.91%	89.45%	88.30%	91.06%	88.53%	86.47%	77.06%
	2015	84.23%	93.02%	93.24%	91.22%	92.79%	90.09%	90.32%	79.95%
Ozaukee	2012	75.34%	81.69%	90.79%	86.03%	84.66%	85.71%	84.23%	66.35%
	2013	73.03%	83.73%	87.66%	84.61%	84.17%	82.21%	82.86%	64.74%
	2014	77.85%	83.50%	87.30%	86.32%	86.10%	85.78%	85.34%	71.23%
	2015	78.54%	83.83%	88.27%	86.68%	87.42%	84.67%	83.30%	69.87%
Racine	2012	79.69%	90.95%	87.44%	89.98%	90.87%	87.63%	88.30%	75.30%
	2013	75.64%	89.26%	82.87%	87.37%	88.65%	85.10%	85.76%	71.52%
	2014	75.95%	90.34%	83.98%	87.45%	88.97%	85.27%	86.20%	72.33%
	2015	77.09%	90.12%	83.50%	88.98%	89.33%	86.50%	87.40%	74.17%
South Milwaukee	2012	82.07%	85.26%	90.44%	89.64%	88.45%	85.66%	87.25%	73.71%
	2013	73.36%	91.27%	88.65%	87.34%	90.83%	86.46%	84.72%	66.81%
	2014	84.03%	92.86%	92.86%	92.86%	94.12%	89.08%	90.76%	80.67%
	2015	81.61%	89.69%	91.93%	91.48%	92.38%	88.34%	87.89%	74.89%

Individual Antigen and 4:3:1:3:3:1:4¹ Coverage Rates by 24 Months of Age by County

Data Source: Wisconsin Immunization Registry (WIR) Benchmark Report

2012 Results: Birth Date Range of 1/1/2010-12/31/2010

2013 Results: Birth Date Range of 1/1/2011-12/31/2011

2014 Results: Birth Date Range of 1/1/2012-12/31/2012

2015 Results: Birth Date Range of 1/1/2013-12/31/2013

Southeastern Region

County/City	Year	DTaP (4)	HepB (3)	Hib (3)	MMR (1)	Polio (3)	Pneumo (4)	Varicella (1)	4313314 Series
St. Francis	2012	83.50%	88.35%	94.17%	89.32%	91.26%	92.23%	88.35%	73.79%
	2013	83.87%	91.40%	91.40%	93.55%	92.47%	89.25%	90.32%	77.42%
	2014	85.15%	95.05%	95.05%	93.07%	94.06%	94.06%	90.10%	82.18%
	2015	83.13%	90.36%	96.39%	92.77%	96.39%	91.57%	91.57%	80.72%
Walworth	2012	76.80%	85.66%	88.97%	85.40%	87.14%	82.19%	82.62%	70.81%
	2013	77.09%	86.76%	88.83%	84.98%	87.51%	82.44%	81.97%	70.33%
	2014	75.07%	87.44%	87.36%	83.62%	88.33%	81.39%	81.48%	69.28%
	2015	76.70%	88.73%	86.65%	86.27%	89.11%	83.43%	83.62%	71.40%
Washington	2012	83.66%	88.00%	94.44%	90.31%	92.47%	90.78%	88.61%	75.66%
	2013	83.78%	87.27%	92.87%	88.25%	91.54%	88.95%	88.32%	76.57%
	2014	82.49%	88.90%	92.60%	89.75%	91.39%	89.89%	88.33%	76.01%
	2015	84.21%	88.69%	91.59%	91.24%	91.10%	89.31%	88.97%	77.52%
Waukesha	2012	78.88%	80.76%	90.32%	85.98%	86.66%	84.81%	84.15%	66.81%
	2013	82.02%	84.15%	92.08%	86.98%	89.25%	85.36%	84.89%	69.75%
	2014	82.20%	84.96%	91.11%	86.57%	89.05%	85.93%	85.50%	72.18%
	2015	84.90%	86.66%	92.25%	89.88%	90.65%	87.85%	87.50%	76.62%
Wauwatosa	2012	82.61%	82.44%	92.64%	86.62%	89.30%	87.96%	84.11%	73.24%
	2013	82.67%	86.30%	91.75%	87.29%	89.77%	87.95%	85.64%	75.08%
	2014	84.67%	87.50%	91.00%	88.00%	88.83%	88.00%	85.50%	77.67%
	2015	85.93%	88.98%	92.71%	90.17%	91.19%	89.49%	88.14%	79.66%
West Allis	2012	78.39%	84.72%	91.93%	90.81%	90.31%	84.97%	87.70%	68.20%
	2013	78.74%	87.04%	90.69%	88.55%	90.06%	85.03%	86.29%	70.69%
	2014	77.50%	88.50%	90.25%	85.00%	89.88%	82.50%	85.13%	70.38%
	2015	80.32%	87.98%	89.43%	87.98%	89.70%	84.15%	86.13%	73.58%

¹Series refers to a client having at least 4 DTaP, 3 Polio, 1 MMR, 3 Haemophilus influenzae type b, 3 Hepatitis B, 1 Varicella and 4 Pneumococcal conjugate doses.

Individual Antigen and 4:3:1:3:3:1:4¹ Coverage Rates by 24 Months of Age by County

Data Source: Wisconsin Immunization Registry (WIR) Benchmark Report

2012 Results: Birth Date Range of 1/1/2010-12/31/2010

2013 Results: Birth Date Range of 1/1/2011-12/31/2011

2014 Results: Birth Date Range of 1/1/2012-12/31/2012

2015 Results: Birth Date Range of 1/1/2013-12/31/2013

Western Region

County/City	Year	DTaP (4)	HepB (3)	Hib (3)	MMR (1)	Polio (3)	Pneumo (4)	Varicella (1)	4313314 Series
Barron	2012	77.27%	86.89%	90.38%	86.01%	89.34%	83.92%	80.77%	71.15%
	2013	76.90%	87.91%	89.53%	82.67%	88.99%	84.30%	79.06%	71.48%
	2014	77.21%	87.28%	87.81%	82.51%	87.81%	83.22%	79.33%	71.55%
	2015	76.31%	82.46%	83.54%	79.39%	83.36%	81.19%	78.30%	69.98%
Buffalo	2012	78.52%	84.44%	86.67%	81.48%	86.67%	85.19%	80.00%	74.81%
	2013	78.91%	89.12%	91.84%	81.63%	89.80%	87.76%	76.87%	69.39%
	2014	74.52%	85.35%	87.26%	79.62%	85.35%	82.17%	76.43%	70.06%
	2015	70.12%	81.71%	84.15%	76.22%	83.54%	78.66%	75.61%	62.80%
Burnett	2012	68.75%	82.95%	80.11%	78.41%	80.68%	76.14%	76.14%	65.91%
	2013	69.29%	87.86%	85.71%	84.29%	85.71%	80.00%	80.00%	62.14%
	2014	67.11%	86.84%	82.89%	80.26%	84.21%	75.66%	78.29%	63.16%
	2015	59.21%	83.55%	78.29%	81.58%	80.26%	76.32%	76.32%	55.92%
Chippewa	2012	82.09%	85.88%	89.41%	87.14%	88.40%	86.38%	83.86%	75.91%
	2013	82.91%	87.50%	90.05%	87.24%	89.29%	87.50%	82.78%	76.53%
	2014	81.77%	86.82%	88.18%	83.99%	87.32%	85.96%	82.39%	76.23%
	2015	83.33%	88.80%	91.04%	87.39%	89.92%	87.39%	84.31%	76.89%
Clark	2012	61.05%	62.00%	68.20%	67.41%	68.04%	58.19%	54.85%	48.33%
	2013	60.66%	61.82%	69.92%	66.78%	68.60%	60.00%	54.05%	45.95%
	2014	60.48%	60.82%	67.70%	63.92%	67.53%	60.31%	54.12%	46.56%
	2015	56.82%	60.28%	66.84%	63.04%	64.94%	58.38%	53.71%	45.25%
Douglas	2012	75.19%	83.85%	90.77%	85.58%	91.15%	83.08%	81.73%	64.62%
	2013	69.87%	81.13%	85.30%	83.85%	82.94%	79.85%	81.49%	62.98%
	2014	68.26%	84.02%	82.99%	85.27%	83.82%	79.46%	80.91%	61.83%
	2015	77.28%	88.32%	87.05%	87.90%	88.96%	83.01%	85.99%	71.34%
Dunn	2012	76.13%	86.00%	89.74%	86.00%	89.35%	84.81%	83.83%	70.22%
	2013	82.24%	88.02%	91.22%	87.03%	89.82%	86.23%	85.83%	78.24%
	2014	74.57%	84.27%	87.28%	83.41%	86.64%	81.90%	81.68%	69.18%
	2015	76.99%	87.17%	89.82%	85.54%	89.00%	84.52%	83.10%	72.30%

Individual Antigen and 4:3:1:3:3:1:4¹ Coverage Rates by 24 Months of Age by County

Data Source: Wisconsin Immunization Registry (WIR) Benchmark Report

2012 Results: Birth Date Range of 1/1/2010-12/31/2010

2013 Results: Birth Date Range of 1/1/2011-12/31/2011

2014 Results: Birth Date Range of 1/1/2012-12/31/2012

2015 Results: Birth Date Range of 1/1/2013-12/31/2013

Western Region

County/City	Year	DTaP (4)	HepB (3)	Hib (3)	MMR (1)	Polio (3)	Pneumo (4)	Varicella (1)	4313314 Series
Eau Claire	2012	80.34%	84.19%	89.03%	83.54%	87.06%	85.09%	80.59%	73.79%
	2013	80.60%	85.70%	89.30%	84.11%	88.29%	85.62%	79.60%	73.08%
	2014	77.35%	83.09%	86.44%	80.38%	85.17%	82.93%	77.59%	71.69%
	2015	80.03%	84.42%	88.66%	84.19%	87.06%	85.70%	80.91%	73.88%
Jackson	2012	67.51%	83.12%	86.08%	79.75%	83.97%	78.48%	78.48%	62.45%
	2013	59.11%	80.67%	79.55%	78.07%	79.18%	75.84%	75.46%	56.88%
	2014	64.02%	79.55%	79.55%	77.27%	78.03%	75.00%	76.14%	60.98%
	2015	58.12%	74.79%	73.93%	71.79%	71.79%	67.95%	70.94%	56.84%
La Crosse	2012	82.12%	88.13%	93.07%	87.77%	91.66%	88.62%	86.43%	75.41%
	2013	84.46%	89.49%	93.71%	88.97%	91.71%	90.16%	87.64%	79.20%
	2014	83.14%	89.91%	92.28%	89.13%	91.41%	88.65%	88.10%	79.35%
	2015	84.62%	88.87%	92.27%	90.42%	91.42%	89.80%	87.33%	78.98%
Monroe	2012	75.96%	82.13%	83.51%	81.82%	82.74%	80.74%	79.51%	71.96%
	2013	76.05%	83.28%	85.39%	81.63%	84.94%	81.63%	80.27%	71.23%
	2014	72.90%	79.44%	81.93%	79.13%	81.00%	77.73%	76.01%	67.76%
	2015	73.93%	81.75%	82.82%	80.67%	82.67%	78.53%	76.69%	68.40%
Pepin	2012	69.12%	73.53%	76.47%	73.53%	75.00%	72.06%	67.65%	61.76%
	2013	83.72%	88.37%	88.37%	81.40%	88.37%	83.72%	82.56%	76.74%
	2014	75.58%	82.56%	87.21%	80.23%	82.56%	76.74%	80.23%	66.28%
	2015	79.55%	77.27%	84.09%	80.68%	81.82%	80.68%	77.27%	71.59%
Pierce	2012	74.11%	85.39%	88.31%	83.92%	87.27%	78.91%	79.96%	65.76%
	2013	71.14%	84.77%	86.82%	80.68%	85.45%	75.00%	78.64%	62.05%
	2014	74.08%	84.23%	87.69%	83.15%	85.96%	78.40%	81.64%	66.74%
	2015	72.32%	79.91%	85.71%	82.37%	84.60%	79.91%	80.36%	63.62%
Polk	2012	69.92%	83.74%	85.16%	80.28%	85.37%	79.07%	79.47%	63.82%
	2013	63.76%	79.80%	81.98%	76.04%	81.39%	73.86%	72.87%	57.23%
	2014	64.62%	83.26%	84.53%	77.75%	84.11%	75.42%	75.00%	59.53%
	2015	64.08%	80.61%	82.65%	77.96%	79.39%	74.90%	75.92%	59.39%

Individual Antigen and 4:3:1:3:3:1:4¹ Coverage Rates by 24 Months of Age by County

Data Source: Wisconsin Immunization Registry (WIR) Benchmark Report

2012 Results: Birth Date Range of 1/1/2010-12/31/2010

2013 Results: Birth Date Range of 1/1/2011-12/31/2011

2014 Results: Birth Date Range of 1/1/2012-12/31/2012

2015 Results: Birth Date Range of 1/1/2013-12/31/2013

Western Region									
County/City	Year	DTaP (4)	HepB (3)	Hib (3)	MMR (1)	Polio (3)	Pneumo (4)	Varicella (1)	4313314 Series
Rusk	2012	77.04%	82.22%	83.70%	80.74%	82.22%	81.48%	75.56%	71.11%
	2013	74.19%	80.65%	84.52%	79.35%	82.58%	76.13%	73.55%	64.52%
	2014	66.15%	73.08%	79.23%	76.15%	76.92%	73.08%	70.77%	57.69%
	2015	73.94%	78.18%	80.61%	78.79%	79.39%	78.79%	76.97%	72.12%
St Croix	2012	74.25%	80.94%	89.29%	81.81%	88.19%	77.87%	79.76%	62.44%
	2013	70.92%	79.66%	85.13%	76.96%	84.07%	75.82%	75.82%	62.58%
	2014	71.26%	80.17%	86.06%	80.95%	83.90%	76.62%	79.39%	63.03%
	2015	68.28%	78.23%	84.27%	77.64%	81.55%	74.40%	75.51%	61.73%
Trempealeau	2012	76.64%	82.73%	85.16%	81.51%	84.18%	81.51%	78.10%	71.05%
	2013	77.81%	84.69%	88.78%	82.65%	87.24%	83.42%	79.59%	70.92%
	2014	77.63%	84.02%	86.76%	83.79%	86.30%	81.96%	80.59%	71.92%
	2015	77.73%	85.15%	87.70%	81.44%	87.24%	82.60%	80.51%	72.62%
Washburn	2012	77.56%	89.10%	91.03%	89.74%	89.10%	87.18%	82.05%	69.23%
	2013	81.87%	88.89%	87.13%	82.46%	88.89%	86.55%	81.87%	73.68%
	2014	69.93%	82.52%	79.72%	74.83%	82.52%	74.83%	71.33%	62.24%
	2015	78.66%	82.32%	86.59%	82.93%	87.20%	81.10%	76.83%	67.68%

¹Series refers to a client having at least 4 DTaP, 3 Polio, 1 MMR, 3 Haemophilus influenzae type b, 3 Hepatitis B, 1 Varicella and 4 Pneumococcal conjugate doses.

