2016 Data		
Wisconsin		
Occupational Health Indicators		
Profile: Employment Demographics	Estimate	Units
Employed Persons, 16 Years and Older (in thousands)	2,997	Total number employed in thousands (e.g., 2,500 = 2,500,00)
P1. Percentage of civilian workforce unemployed	4.1	Percent unemployed
P2. Percentage of civilian employment self-employed	6.6	Percent self-employed
P3. Percentage of civilian employment in part-time jobs	21.5	Percent part-time
P4. Percentage of civilian employment by number of hours worked		
0 to 39 hours	36.5	Percent employed
40 hours	32.5	Percent employed
41+ hours	31.0	Percent employed
PF Descentance of skilling and lower the one		
P5. Percentage of civilian employment by sex	F1.0	Demonst and and
Males	51.9	Percent employed
Females	48.1	Percent employed
DC Descentere of sivilian ampleument by one group		
P6. Percentage of civilian employment by age group 16 to 17	2.2	Devoent evenlessed
	92.8	Percent employed
18 to 64	5.0	Percent employed
65+	5.0	Percent employed
P7. Percentage of civilian employment by race		
White	<u> </u>	Percent employed
Black		Percent employed
Other	5.9	Percent employed
P8. Percentage of civilian employment by Hispanic Origin	7.2	Percent employed
PO Descentere of si-ilian employment by industry		
P9. Percentage of civilian employment by industry		Dana da analaria d
Mining and logging	0.2	Percent employed
Construction	10.4	Percent employed
Manufacturing: Durable Goods	7.2	Percent employed
Manufacturing: Nondurable Goods		Percent employed
Wholesale and retail trade Transportation and utilities	14.1	Percent employed
Information	1.1	Percent employed
Information Financial activities	6.3	Percent employed Percent employed
Professional and business services	8.9	Percent employed Percent employed
Education and health services	23.2	Percent employed Percent employed
Leisure and hospitality	7.3	Percent employed Percent employed
Other services	4.8	
Other services Public administration	3.3	Percent employed Percent employed
Agriculture and related industries	3.3	Percent employed Percent employed
	5.0	reitent employed
P10. Percentage of civilian employment by occupation		
Management, business and financial operations	15.3	Percent employed
Professional and related occupations	21.9	Percent employed
Service	15.4	Percent employed
Sales and related occupations	9.4	Percent employed Percent employed
Office and administrative support	12.4	Percent employed
Farming, fishing, and forestry	12.4	Percent employed Percent employed
Construction and extraction	4.2	Percent employed Percent employed
Installation, maintenance, and repair	2.9	Percent employed Percent employed
חוסנמומנוסה, ההמתרכוומווני, מונע וכשמו	2.3	reitent employed

Production	9.4	Percent employed
Transportation and material moving	7.7	Percent employed Percent employed
	7.7	
P11. Percentage of civilian employment by union membership		
Union members	8.1	Percent employed
Represented by a union	9.0	Percent employed
Indicator 1: Non-Fatal Work-Related Injuries and Illnesses Reported by Employers		·
1.1 Estimated Annual Total Number of Work-Related Injuries and Illnesses	72,400	Total number of cases
1.2 Estimated Annual Total Work-Related Injuries and Illness Incidence Rate (per 100,000 FTEs)	3,700	Rate: Cases per 100,000 FTEs
1.3 Estimated Annual Total Number of Cases Involving Days Away From Work	20,900	Total number of cases
1.4 Estimated Annual Total Incidence Rate for Cases Involving Days Away From Work (per 100,000 FTEs)	1,100	Rate: Cases per 100,000 FTEs
1.5 Estimated Annual Total Number of Cases Involving More Than 10 Days Away From Work	8,420	Total number of cases
Indicator 2: Work-Related Hospitalizations		
2.1 Annual Number of Inpatient Work-Related Hospitalizations	1,516	Total number of inpatient hospitalizations
2.2 Annual Rate of Inpatient Work-Related Hospitalization (per 100,000 workers) Indicator 3: Fatal Work-Related Injuries	50.6	Rate: Inpatient hospitalizations per 100,000 workers
3.1 Annual Number of Fatal Work-Related Injuries	105	Total number of fatalities
3.2 Annual Fatality Rate (per 100,000 FTEs)	3.7	Rate: Fatalities per 100,000 FTEs age 16 years and older
S.2 Annual Patality Rate (per 100,000 Fies) Indicator 4: Work-Related Amputations with Days Away from Work Reported by Employers	3.7	Kate: Fatalities per 100,000 FTES age 10 years and older
4.1 Estimated Annual Number of Work-Related Amputations Involving Days Away from Work	170	Total number of cases
4.2 Estimated Annual Incidence Rate of Work-Related Amputations Involving Days Away from Work (per 100,000 FTEs)	9.0	Rate: Work-related amputations per 100,000 FTEs
Indicator 5: State Workers' Compensation Claims for Amputations with Lost Work-Time		
5.1 Annual Number of Amputation Cases with Lost Work-Time Filed with State Workers' Compensation System	244	Total number of claims
5.2 Annual Incidence Rate of Amputation Cases with Lost Work-Time Filed with State Workers' Compensation System (per		
100,000 covered workers)	8.9	Rate: Claims per 100,000 covered workers
Indicator 6: Hospitalizations for Work-Related Burns		
6.1 Annual Number of Inpatient Hospitalizations for Work-Related Burns	40	Total number of inpatient hospitalizations (primary diagnosis)
6.2 Annual Rate of Inpatient Hospitalizations for Work-Related Burns (per 100,000 workers)	1.3	Rate: Inpatient hospitalizations per 100,000 workers
Indicator 7: Work-Related Musculoskeletal Disorders (MSDs) with Days Away from Work Reported by Employers	1.5	
7.1 Estimated Annual Number of All MSDs Involving Days Away from Work	7,790	Total number of cases
	,	
7.2 Estimated Annual Incidence Rate of All MSDs Involving Days Away from Work (per 100,000 FTEs)	403	Rate: Cases per 100,000 FTEs
7.3 Estimated Annual Number of MSDs of the Neck, Shoulder & Upper Extremities Involving Days Away from Work	2,570	Total number of cases
7.4 Estimated Annual Incidence Rate of MSDs of Neck, Shoulder, and Upper Extremities Involving Days Away from Work (per 100,000 FTEs)	133	Rate: Cases per 100,000 FTEs
7.5 Estimated Annual Number of Carpal Tunnel Syndrome Cases Involving Days Away from Work	240	Total number of cases
7.6 Estimated Annual Incidence Rate of Carpal Tunnel Syndrome Cases Involving Days Away from Work (per 100,000 FTEs)	13	Rate: Cases per 100,000 FTEs
7.7 Estimated Annual Number of MSDs of the Back Involving Days Away from Work	3,010	Total number of cases
7.8 Estimated Annual Incidence Rate of MSDs of the Back Involving Days Away from Work (per 100,000 FTEs)	156	Rate: Cases per 100,000 FTEs
Indicator 8: State Workers' Compensation Claims for Carpal Tunnel Syndrome With Lost Work-Time		
8.1 Annual Number of Carpal Tunnel Syndrome Cases with Lost Work-Time Filed with State Workers' Compensation System	288	Total number of claims
8.2 Annual Incidence Rate of Carpal Tunnel Syndrome Cases with Lost Work-Time Filed with State Workers' Compensation System (per 100,000 covered workers)	10.5	Rate: Claims per 100,000 covered workers

Indicator 9: Hospitalizations from or with Pneumoconiosis		
9.1.1 Annual Number of Inpatient Hospital Discharges for Total Pneumoconiosis	109	Total number of inpatient hospitalizations (primary or contributing diagnosis)
9.1.2 Annual Rate of Inpatient Hospital Discharges for Total Pneumoconiosis (per 1,000,000 residents)	23.1	Rate: Inpatient hospitalizations per 100,000 residents
9.1.3 Annual Age-Standardized Rate of Inpatient Hospital Discharges for Total Pneumoconiosis (per 1,000,000 residents)	18.7	Age adjusted rate, invatient bespitalizations per 100.000 residents
9.1.3 Annual Age-standardized kate of inpatient Hospital Discharges for Total Pheumoconiosis (per 1,000,000 residents)	18.7	Age-adjusted rate: Inpatient hospitalizations per 100,000 residents
9.2.1 Annual Number of Inpatient Hospital Discharges for Coal Workers' Pneumoconiosis	14	Total number of inpatient hospitalizations (primary or contributing diagnosis)
9.2.2 Annual Rate of Inpatient Hospital Discharges for Coal Workers' Pneumoconiosis (per 1,000,000 residents)	3.0	Rate: Inpatient hospitalizations per 1,000,000 residents
9.2.3 Annual Age-Standardized Rate of Inpatient Hospital Discharges for Coal Workers' Pneumoconiosis (per 1,000,000 residents)	2.2	Age-adjusted rate: Inpatient hospitalizations per 1,000,000 residents
9.3.1 Annual Number of Inpatient Hospital Discharges for Asbestosis	71	Total number of inpatient hospitalizations (primary or contributing diagnosis)
9.3.2 Annual Rate of Inpatient Hospital Discharges for Asbestosis (per 1,000,000 residents)	15.1	Rate: Inpatient hospitalizations per 1,000,000 residents
9.3.3 Annual Age-Standardized Rate of Inpatient Hospital Discharges for Asbestosis (per 1,000,000 residents)	12.4	Age-adjusted rate: Inpatient hospitalizations per 1,000,000 residents
9.4.1 Annual Number of Inpatient Hospital Discharges for Silicosis	20	Total number of inpatient hospitalizations (primary or contributing diagnosis)
3-4.1 Almual Number of Impatient Rospital Discharges for Sincosis	20	Total number of inpatient nospitalizations (primary of contributing diagnosis)
9.4.2 Annual Rate of Inpatient Hospital Discharges for Silicosis (per 1,000,000 residents)	4.2	Rate: Inpatient hospitalizations per 1,000,000 residents
9.4.3 Annual Age-Standardized Rate of Inpatient Hospital Discharges for Silicosis (per 1,000,000 residents)	3.5	Age-adjusted rate: Inpatient hospitalizations per 1,000,000 residents
	_	
9.5.1 Annual Number of Inpatient Hospital Discharges for Other and Unspecified Pneumoconiosis	<5	Total number of inpatient hospitalizations (primary or contributing diagnosis)
9.5.2 Annual Rate of Inpatient Hospital Discharges for Other and Unspecified Pneumoconiosis (per 1,000,000 residents)	*	Rate: Inpatient hospitalizations per 1,000,000 residents
Sist Annual rate of inputer rospital pisentiges to other and onspectice rife and onspectice reserves		
9.5.3 Annual Age-Standardized Rate of Inpatient Hospital Discharges for Other and Unspecified Pneumoconiosis (per 1,000,000		
residents)	*	Age-adjusted rate: Inpatient hospitalizations per 1,000,000 residents
Indicator 10: Mortality from or with Pneumoconiosis	E	
10.1.1 Annual Number of Total Pneumoconiosis Deaths	25	Total number of deaths (underlying or contributing cause)
10.1.2 Annual Total Pneumoconiosis Death Rate (per 1,000,000 residents)	5.3	Rate: Deaths per 1,000,000 residents
	5.5	
10.1.3 Annual Age-Standardized Total Pneumoconiosis Death Rate (per 1,000,000 residents)	4.3	Age-adjusted rate: Deaths per 1,000,000 residents
10.2.1 Annual Number of Coal Workers' Pneumoconiosis Deaths	<5	Total number of deaths (underlying or contributing cause)
10.2.2 Annual Coal Workers' Pneumoconiosis Death Rate (per 1,000,000 residents)	*	Rate: Deaths per 1,000,000 residents
10.2.2 Annual Ago Standardized Coal Workers' Proumoconiesis Death Pate (new 1.000.000 residente)	*	Age-adjusted rate: Deaths per 1,000,000 residents
10.2.3 Annual Age-Standardized Coal Workers' Pneumoconiosis Death Rate (per 1,000,000 residents)	*	אפר-מעןעזובע ומנב. שבמווז ארו ב,000,000 ובזוענוונג
10.3.1 Annual Number of Asbestosis Deaths	18	Total number of deaths (underlying or contributing cause)
	_	
10.3.2 Annual Asbestosis Death Rate (per 1,000,000 residents)	3.8	Rate: Deaths per 1,000,000 residents
10.3.3 Annual Age-Standardized Asbestosis Death Rate (per 1,000,000 residents)	3.0	Age-adjusted rate: Deaths per 1,000,000 residents
10.4.1 Annual Number of Silicosis Deaths	5	Total number of deaths (underlying or contributing source)
10.4.1 Annual Number of Silicosis Deaths	5	Total number of deaths (underlying or contributing cause)
10.4.2 Annual Silicosis Death Rate (per 1,000,000 residents)	1.1	Rate: Deaths per 1,000,000 residents

10.4.3 Annual Age-Standardized Silicosis Death Rate (per 1,000,000 residents)	0.9	Age-adjusted rate: Deaths per 1,000,000 residents
10.5.1 Annual Number of Other and Unspecified Pneumoconiosis Deaths	<5	Total number of deaths (underlying or contributing cause)
10.5.2 Annual Other and Unspecified Pneumoconiosis Death Rate (per 1,000,000 residents)	*	Rate: Deaths per 1,000,000 residents
10.5.3 Annual Age-Standardized Other and Unspecified Pneumoconiosis Death Rate (per 1,000,000 residents)	*	Age-adjusted rate: Deaths per 1,000,000 residents
Indicator 11: Acute Work-Related Pesticide-Associated Illness and Injury Reported to Poison Control Centers		
11.1 Annual Number of Reported Work-Related Pesticide Poisoning Cases	47	Total number of cases
11.2 Annual Incidence Rate of Reported Work-Related Pesticide Poisoning Cases (per 100,000 workers)	1.6	Rate: Cases per 100,000 workers
Indicator 12: Incidence of Malignant Mesothelioma, Ages 15 and Older		
12.1 Annual Number of Incident Mesothelioma Cases	77	Total number of cases
12.2 Annual Mesothelioma Incidence Rate (per 1,000,000 residents)	16.3	Rate: Cases per 1,000,000 residents
12.3 Annual Age-Standardized Mesothelioma Incidence Rate (per 1,000,000 residents)	14.2	Age-adjusted rate: Cases per 1,000,000 residents
Indicator 13: Elevated Blood Levals (BLL) Among Adults		
13.1.1 Annual Number of Residents with Elevated Blood Lead Levels ( $\geq 5 \mu g/dL$ )	1,230	Total number of cases
13.1.2 Annual Prevalence Rate of Blood Lead Levels (≥ 5 µg/dL) (per 100,000 workers)	41.0	Rate: Cases per 100,000 workers
13.1.3 Annual Number of Incident Cases with Elevated Blood Lead Levels (≥ 5 μg/dL)	684	Total number of cases
13.1.4 Annual Incidence Rate of Blood Lead Levels (≥ 5 μg/dL) (per 100,000 workers)	22.8	Rate: Cases per 100,000 workers
13.2.1 Annual Number of Residents with Elevated Blood Lead Levels (> 10 $\mu$ g/dL)	706	Total number of cases
13.2.2 Annual Prevalence Rate of Blood Lead Levels (≥ 10 μg/dL) (per 100,000 workers)	23.6	Rate: Cases per 100,000 workers
13.2.3 Annual Number of Incident Cases with Elevated Blood Lead Levels (≥ 10 μg/dL)	354	Total number of cases
13.2.4 Annual Incidence Rate of Blood Lead Levels (≥ 10 μg/dL) (per 100,000 workers)	11.8	Rate: Cases per 100,000 workers
13.3.1 Annual Number of Residents with Elevated Blood Lead Levels ( $\geq$ 25 µg/dL)	153	Total number of cases
13.3.2 Annual Prevalence Rate of Blood Lead Levels (≥ 25 μg/dL) (per 100,000 workers)	5.1	Rate: Cases per 100,000 workers
13.3.3 Annual Number of Incident Cases with Elevated Blood Lead Levels (> 25 $\mu$ g/dL)	109	Total number of cases
13.3.4 Annual Incidence Rate of Blood Lead Levels (≥ 25 μg/dL) (per 100,000 workers)	3.6	Rate: Cases per 100,000 workers
13.4.1 Annual Number of Residents with Elevated Blood Lead Levels ( $\geq$ 40 µg/dL)	31	Total number of residents
13.4.2 Annual Prevalence Rate of Blood Lead Levels (≥ 40 μg/dL) (per 100,000 workers)	1.0	Rate: Cases per 100,000 workers
13.4.3 Annual Number of Incident Cases with Elevated Blood Lead Levels (> 40 $\mu$ g/dL)	29	Total number of cases
13.4.4 Annual Incidence Rate of Blood Lead Levels (≥ 40 μg/dL) (per 100,000 workers)	1.0	Rate: Cases per 100,000 workers
Indicator 14: Percentage of Workers Employed in Industries at High Risk for Occupational Morbidity		
14.1 Number of Employed Persons in High Morbidity Risk North American Industry Classification System (NAICS) Industries	148,844	Total number of workers
14.2 Percentage of Employed Persons in High Morbidity Risk NAICS Industries	5.9	Percent employed
Indicator 15: Percentage of Workers Employed in Occupations at High Risk for Occupational Morbidity		
15.1 Number of Employed Persons in High Morbidity Risk Bureau of the Census (BOC) Occupations	327,421	Total number of workers
15.2 Percentage of Employed Persons in High Morbidity Risk BOC Occupations	14.3	Percent employed
Indicator 16: Percentage of Workers Employed in Industries and Occupations at High Risk for Occupational Mortality		T
16.1 Number of Employed Persons in High Mortality Risk Bureau of Census (BOC) Industries	406,720	Total number of workers

16.2 Percentage of Employed Persons in High Mortality Risk BOC Industries	15.7	Percent employed
10.2 Percentage of Employed Persons in Figh Mortancy Risk BOC industries	13.7	reicent employed
16.3 Number of Employed Persons in High Mortality Risk BOC Occupations	327,692	Total number of workers
10.5 Number of Employee resons in fight mortancy risk boc occupations	327,052	Total number of workers
16.4 Percentage of Employed Persons in High Mortality Risk BOC Occupations	12.6	Percent employed
Indicator 17: Occupational Safety and Health Professionals	Indicator Discontinued	r creat chipoyed
Indicator 18: OSHA Enforcement Activities		
18.1 Annual Number of Employer Establishments Inspected by OSHA	1,088	Total number of establishments inspected
	2,000	
18.2 Number of OSHA-Covered Establishments that are Eligible for OSHA Inspection (EXCLUDING MINES & FARMS)	160,485	Total number of establishments eligible, excluding mines and farms
18.3 Percentage of OSHA-Covered Establishments Eligible for Inspection that were Inspected by OSHA	0.7	Percent of establishments
18.4 Annual Number of Employees Whose Work Areas were Inspected by OSHA	42,280	Total number of employees
	,	
18.5 Number of OSHA-Covered Employees (EXCLUDING MINERS & FARMERS)	2,450,141	Total number of employees, excluding miners and farmers
18.6 Percentage of OSHA-Covered Employees Eligible for Inspection Whose Work Areas were Inspected by OSHA	1.7	Percent of employees
Indicator 19: Workers' Compensation Awards		
19.1 Total Amount of Workers' Compensation Benefits Paid	\$1,170,936,000	Dollars
19.2 Average Amount of Workers' Compensation Benefits Paid (per covered worker)	\$428.44	Average: Dollars per covered worker
Indicator 20: Work-Related Low Back Disorder Hospitalizations	Indicator Discontinued	
Indicator 21: Asthma Among Adults Caused or Made Worse by Work		
21.1a Weighted estimate of the number of ever-employed adults with current asthma who report that their asthma was caused		
or made worse by exposures at work (LANDLINE ONLY ESTIMATES)	N/A	Total number of ever-employed adults
21.2a Estimated proportion of ever-employed adults with current asthma who report that their asthma was caused or made		
worse by exposures at work (LANDLINE ONLY ESTIMATES)	N/A	Percent of ever-employed adults
21.1b Weighted estimate of the number of ever-employed adults with current asthma who report that their asthma was caused		
or made worse by exposures at work (LANDLINE & CELLPHONE ESTIMATES)	216,318	Total number of ever-employed adults
21.2b Estimated proportion (95% CI) of ever-employed adults with current asthma who report that their asthma was caused or		
made worse by exposures at work (LANDLINE & CELLPHONE ESTIMATES)	57.7 (47.6 - 67.8)	Percent (95% Confidence Interval) of ever-employed adults
Indicator 22: Work-Related Severe Traumatic Injury Hospitalizations	Indicator Discontinued	
Indicator 23: Influenza Vaccination Coverage Among Hospital Care Personnel		
23.1 Pooled Proportion of Hospital Care Personnel Influenza Vaccination Coverage in Acute Care Hospitals (2013–2014 influenza		
season)	94.0	Percent of hospital care personnel covered
Indicator 24: Occupational Heat-Related Emergency Department (ED) Visits		
24.1 Annual Number of Emergency Department Visits for Occupational Heat-Related Illness	59	Total number of emergency department (ED) visits
24.2 Annual Rate of Emergency Department Visits for Occupational Heat-Relatd Illness (per 100,000 workers)	2.0	Rate: Emergency visits per 100,000 workers
Indicator 25: Hospitalizations for or with Occupational Eye Injuries		
25.1 Annual Number of Inpatient Hospitalizations for or with Occupational Eye Injuries	20	Total number of inpatient hospitalizations
25.2 Annual Rate of Hospitalizations for Occupational Eye Injuries (per 100,000 employed persons)	0.7	Rate: Inpatient hospitalizations per 100,000 employed persons
* indicates rates too small to produce reliable estimates.		
Data Source:		
Wisconsin Occupational Health Surveillance Program		
Bureau of Occupational and Environmental Health		
Division of Public Health		
Wisconsin Department of Health Services		
• • • • • • • • • • • • • • • • • • • •		
	1	· /