

WISCONSIN BEHAVIORAL RISK FACTOR SURVEY, 2007

The 2007 Wisconsin Behavioral Risk Factor Survey (BRFS) provides information based on responses from 7,435 adults aged 18 and older. Results are weighted to represent the overall population of Wisconsin adults living in households with landline telephones.

HEALTH STATUS; HEALTH-RELATED QUALITY OF LIFE

	<i>All Adults</i>		<i>18-54 yrs</i>		<i>55+ yrs</i>	
	%	(±)	%	(±)	%	(±)
Health in general is:						
Excellent or very good	57	2	63	2	44	2
Good	30	2	29	2	34	2
Fair or poor	13	1	8	1	22	2
Average number of days during the past 30 that ...						
Mental health was not good (<i>number of days</i>)	3		3		2	
Physical health was not good (<i>number of days</i>)	3		3		5	
Poor health prevented doing usual activities (<i>persons with 1+ days when mental or physical health was not good – number of days</i>)	3		2		5	

(±) = 95% confidence interval

TOBACCO USE

	<i>All Adults</i>		<i>18-54</i>		<i>55 +</i>	
	%	(±)	%	(±)	%	(±)
Current cigarette smoker*	20	2	23	3	12	2
Percent of smokers who quit smoking 1 day or longer in past year	58	4	59	5	50	7

OTHER RISK FACTORS FOR CHRONIC DISEASE

Overweight or obese (BMI) † *	62	2	58	2	71	3
No leisure-time physical activity	19	1	16	2	28	2
Risk factors diagnosed by a health professional:						
High blood pressure	27	2	15	2	52	2
High cholesterol (of those tested)	35	2	26	2	51	2

CHRONIC DISEASES DIAGNOSED

Arthritis	28	2	16	2	53	3
Diabetes	7	1	3	1	15	2
Asthma (ever diagnosed)	13	1	14	2	11	2

ACTIONS TO REDUCE CHRONIC DISEASE RISK

Meets recommendation for moderate or vigorous exercise (or both)*	55	2	58	2	48	3
Fruit/vegetable consumption is 5+ servings per day	24	2	22	2	30	2
Taking medication for high blood pressure (of those diagnosed)	78	3	56	6	92	2

* See Technical Notes

† Body Mass Index

FINDINGS FOR SELECTED YEARS

	2007		2006		2005	
	%	(±)	%	(±)	%	(±)
Flu shot in past 12 months, adults aged 65 and older	74	3	72	3	72	3
Cholesterol checked, past 5 years	77	2	--	--	73	2
Selected Risk Factors by Sex						
High cholesterol (of those tested)	35	2	--	--	36	2
<i>Males</i>	38	3	--	--	39	3
<i>Females</i>	32	2	--	--	32	2
Current cigarette smoker	20	2	21	2	21	2
<i>Males</i>	20	2	23	3	22	2
<i>Females</i>	19	2	18	2	19	2
Overweight or obese (BMI) † *	62	2	61	2	59	2
<i>Males</i>	72	2	71	3	69	3
<i>Females</i>	53	2	51	3	49	2
Binge drinking, past 30 days	23	2	24	2	22	2
<i>Males (5+ drinks on one occasion)</i>	30	3	33	3	32	3
<i>Females (4+ drinks as of 2006)</i>	17	2	16	2	12	2
Heavy drinking, past 30 days	7	1	8	1	8	1
<i>Males (>2 drinks per day)</i>	7	1	8	2	9	2
<i>Females (>1 drink per day)</i>	7	1	8	2	7	2
Drove a motor vehicle after having too much to drink, past 30 days	3	1	5	1	--	--
<i>Males</i>	5	2	7	2	--	--
<i>Females</i>	1	1	3	1	--	--

-- Indicates years when content items were not on the survey.

TECHNICAL NOTES

The Behavioral Risk Factor Survey (BRFS) is a representative statewide survey of Wisconsin residents 18 years and older living in households with landline telephones. Results are based on self-reports from respondents who are selected through a stratified random sample. BRFS results are weighted to account for non-response and sample design, and to adjust for the age-sex distribution of the state's adult population. The survey is managed by the Wisconsin BRFS Coordinator in collaboration with the Centers for Disease Control and Prevention's Behavioral Surveillance Branch. Wisconsin BRFS telephone interviews are conducted by the University of Wisconsin Survey Center.

Of the 7,435 Wisconsin BRFS respondents in 2007, 4,768 were 18 to 54 years old, 2,601 were 55 or older, and 66 did not report their age.

Columns labeled (\pm) indicate the 95% confidence interval associated with each estimate. For example, for all adults whose health is excellent or very good (57%), there is a 95% chance that the actual percentage falls within the range of plus or minus 2 percentage points (55%-59%).

The following CDC definitions and standards apply:

Overweight and obesity are measured using Body Mass Index (BMI), which is calculated using self-reported height and weight ($BMI = \text{weight in kilograms} / \text{height in meters squared}$). A BMI of 25.0-29.9 is considered overweight; a BMI of 30.0 or greater is considered obese.

Current smokers are those who now smoke either every day or only some days, and have smoked at least 100 cigarettes in their lifetime. **A drink of alcohol** is defined as one can or bottle of beer, one glass of wine, one can or bottle of wine cooler, one cocktail, or one shot of liquor. The definition of **binge drinking** for women was changed in 2006 to 4 or more drinks on one occasion. Previously the definition was 5 or more drinks on one occasion for both sexes. Recommended participation in **moderate physical exercise** is 30 minutes or more, five or more times per week. Recommended participation in **vigorous physical exercise** is 20 minutes or more, three or more times per week.

Differences in estimates between years, age groups, and sexes may not be statistically significant. For additional information about the BRFS, contact the Wisconsin BRFS Coordinator, Anne Ziege, at anne.ziege@wisconsin.gov or 608-267-9821. For other health data, visit the BHIP Health Statistics Web site at <http://dhs.wisconsin.gov/stats/index.htm>

2008

P- 45336-07 (8/08)

Health Counts in Wisconsin

New Findings from the Bureau of Health
Information and Policy

BEHAVIORAL RISK FACTORS

2007