



**ForwardHealth Payer Sheet:
National Council for
Prescription Drug Programs
(NCPDP) Version D.Ø**

TABLE OF CONTENTS

GENERAL INFORMATION	4
<i>Transactions Supported</i>	4
PAYER SHEET AUDIENCE	4
PURPOSE OF PAYER SHEETS	4
INFORMATION ABOUT TRANSMISSION SYNTAX AND STRUCTURE.....	5
FIELD LEGEND FOR COLUMNS	6
COPYRIGHT INFORMATION.....	6
B1 CLAIM BILLING REQUEST	7
B1 CLAIM BILLING RESPONSES	17
<i>Claim Billing Accepted/Paid (or Duplicate of Paid) Response</i>	17
<i>Claim Billing Accepted/Rejected Response</i>	27
<i>Claim Billing Rejected/Rejected Response</i>	35
B2 CLAIM REVERSAL REQUEST	36
B2 CLAIM REVERSAL RESPONSES	38
<i>Claim Reversal Accepted/Approved Response</i>	38
<i>Claim Reversal Accepted/Rejected Response</i>	40
<i>Claim Reversal Rejected/Rejected Response</i>	43
P2 PRIOR AUTHORIZATION REVERSAL.....	44
P2 PRIOR AUTHORIZATION REVERSAL RESPONSES	46
<i>Prior Authorization Reversal Accepted/Approved Response</i>	46
<i>Prior Authorization Reversal Accepted/Rejected Response</i>	47
<i>Prior Authorization Reversal Rejected/Rejected Response</i>	48
P3 PRIOR AUTHORIZATION INQUIRY	49
P3 PRIOR AUTHORIZATION INQUIRY RESPONSES.....	51
<i>Prior Authorization Inquiry Accepted/Approved Response</i>	51
<i>Prior Authorization Inquiry Accepted/Rejected Response</i>	53
<i>Prior Authorization Inquiry Rejected/Rejected Response</i>	54
P4 PRIOR AUTHORIZATION REQUEST ONLY	55
P4 PRIOR AUTHORIZATION REQUEST ONLY RESPONSES	61
<i>Prior Authorization Request Only Accepted/Captured Response</i>	61
<i>Prior Authorization Request Only Accepted/Rejected Response</i>	62
<i>Prior Authorization Request Only Rejected/Rejected Response</i>	64
APPENDIX A. REVISIONS TO FORWARDHEALTH PAYER SHEET, NCPDP VERSION D.Ø. 65	
PAYER SHEET PUBLICATION DATE JUNE 2Ø11	65
PAYER SHEET PUBLICATION DATE OCTOBER 2Ø11	65
PAYER SHEET PUBLICATION DATE MARCH 2Ø12	66
PAYER SHEET PUBLICATION DATE NOVEMBER 2Ø12	66
PAYER SHEET PUBLICATION DATE NOVEMBER 2Ø13	68
PAYER SHEET PUBLICATION DATE DECEMBER 2Ø13	68
PAYER SHEET PUBLICATION DATE OCTOBER 2Ø14	68
PAYER SHEET PUBLICATION DATE SEPTEMBER 2Ø15	69
PAYER SHEET PUBLICATION DATE APRIL 2Ø16	69
PAYER SHEET PUBLICATION DATE JUNE 2Ø16	69
PAYER SHEET PUBLICATION DATE OCTOBER 2Ø16	69
PAYER SHEET PUBLICATION DATE APRIL 2Ø17	70

PAYER SHEET PUBLICATION DATE OCTOBER 2017	70
PAYER SHEET PUBLICATION DATE FEBRUARY 2018	70

INTRODUCTION

General Information

Payer Name: ForwardHealth	Payer Sheet Publication Date: February 2018
Processor: DXC Technology	
Effective as of: February 1, 2018	NCPDP Telecommunication Standard Version / Release #: D.0
NCPDP Data Dictionary Version Date: July 2007	NCPDP External Code List Version Date: October 2016 NCPDP Emergency Telecommunication External Code List Value Addendum: April 2017
Contact / Information Source: ForwardHealth Electronic Data Interchange (EDI) Department at 866-416-4979 ForwardHealth Portal at www.forwardhealth.wi.gov/	
Provider Relations Help Desk Info: 800-947-9627 between the hours of 8:30 a.m.–4:30 p.m. Monday through Friday	
Other versions supported: None	

Transactions Supported

Transaction Code	Transaction Name
B1	Claim Billing Request and Claim Billing Responses (Accepted/Paid [or Duplicate of Paid]; Accepted/Rejected; Rejected/Rejected)
B2	Claim Reversal Request and Claim Reversal Responses (Accepted/Approved; Accepted/Rejected; Rejected/Rejected)
P2	Prior Authorization Reversal and Prior Authorization Reversal Responses (Accepted/Approved; Accepted/Rejected; Rejected/Rejected)
P3	Prior Authorization Inquiry and Prior Authorization Inquiry Responses (Accepted/Approved; Accepted/Rejected; Rejected/Rejected)
P4	Prior Authorization Request Only and Prior Authorization Request Only Responses (Accepted/Captured; Accepted/Rejected; Rejected/Rejected)

Payer Sheet Audience

Payer sheets are intended for information technology and/or systems staff who will be coding billing systems or software for compliance with the federal Health Insurance Portability and Accountability Act of 1996 (HIPAA).

Purpose of Payer Sheets

The information contained in this payer sheet applies to ForwardHealth, which includes the following programs: BadgerCare Plus, Wisconsin Medicaid, SeniorCare, Wisconsin Chronic Disease Program, and AIDS Drug Assistance Program.

This payer sheet is designed to be used with the National Council for Prescription Drug Programs (NCPDP) Telecommunication Guide Version D.0 adopted by HIPAA and provides information specific to ForwardHealth programs. The payer sheet details the way to create HIPAA-compliant NCPDP transactions for ForwardHealth and explains

how ForwardHealth creates HIPAA-compliant NCPDP response transactions. The payer sheet provides trading partners with a guide to successfully exchange electronic transactions with ForwardHealth.

ForwardHealth will accept and process NCPDP transactions described in this payer sheet that are compliant with the HIPAA standards. Additionally, compliant transactions are processed in accordance with ForwardHealth policy and must contain information required by ForwardHealth as outlined in this payer sheet.

Refer to the payer sheet for questions about ForwardHealth-specific requirements for submitting NCPDP transactions. For questions regarding appropriate billing procedures, refer to the appropriate policy area of the ForwardHealth Online Handbook. For further information not defined in this payer sheet, contact the EDI Department at 866-416-4979.

Information About Transmission Syntax and Structure

Refer to the NCPDP Telecommunication Standard Implementation Guide Version D.Ø for the structure and syntax of the transaction(s) within the transmission.

In this document, the Segment Identification (112-AM) fields are not shown. Segment, group, and field separators are not shown as they are part of the syntax. These fields are not shown because they are part of the underlying structure of the transaction and are covered in the guide. The payer sheet shows the business and plan requirements.

Field Legend for Columns

Payer Usage Column	Value	Explanation	Payer Situation Column
MANDATORY	M	The Field is mandatory for the Segment in the designated Transaction.	No
REQUIRED	R	The Field has been designated with the situation of "Required" for the Segment in the designated Transaction.	No
QUALIFIED REQUIREMENT	RW	"Required when". The situations designated have qualifications for usage ("Required if x", "Not required if y").	Yes

The only fields that are listed in the payer sheet are those used in the transaction according to the NCPDP standard and those with situational rules that are used by ForwardHealth. If a field is not listed in the payer sheet, it is not required for the transaction and is not used by ForwardHealth.

Copyright Information

Materials Reproduced With the Consent of
 ©National Council for Prescription Drug Programs, Inc.
 2010 NCPDP

B1 CLAIM BILLING REQUEST

Transaction Header Segment Questions	Check	Claim Billing If Situational, <i>Payer Situation</i>
This Segment is always sent.	X	
Source of certification IDs required in Software Vendor/Certification ID (11Ø-AK) is not used.	X	

Transaction Header Segment				Claim Billing
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
1Ø1-A1	BIN NUMBER	61Ø499 Ø16929	M	Payer Requirement: Use BIN Number 61Ø499 for all claims except ADAP claims. Use BIN Number Ø16929 for ADAP claims.
1Ø2-A2	VERSION/RELEASE NUMBER	DØ	M	
1Ø3-A3	TRANSACTION CODE	B1	M	
1Ø4-A4	PROCESSOR CONTROL NUMBER	Enter "WIPARTD" for SeniorCare, Wisconsin Chronic Disease Program (WCDP), and AIDS/HIV Drug Assistance Program (ADAP) members that are also enrolled in a Medicare Part D Prescription Plan (PDP) to ensure coordination with the TrOOP facilitator.	M	
1Ø9-A9	TRANSACTION COUNT	Maximum count of 1.	M	
2Ø2-B2	SERVICE PROVIDER ID QUALIFIER	<ul style="list-style-type: none"> Ø1 = National Provider Identifier (NPI) Ø5 = Medicaid <i>Note: "Ø5" is valid for "atypical" providers only.</i>	M	
2Ø1-B1	SERVICE PROVIDER ID	<i>Note: "Atypical" providers (i.e., specialized medical vehicle providers, blood banks, and Community Care Organizations) should enter the eight-digit or nine-digit identification number assigned by ForwardHealth.</i>	M	
4Ø1-D1	DATE OF SERVICE		M	
11Ø-AK	SOFTWARE VENDOR/CERTIFICATION ID		M	

Insurance Segment Questions	Check	Claim Billing If Situational, <i>Payer Situation</i>
This Segment is always sent.	X	

Insurance Segment Segment Identification (111-AM) = "04"			Claim Billing	
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
302-C2	CARDHOLDER ID	Enter the 10-digit ForwardHealth member identification number.	M	
301-C1	GROUP ID	TXIX WCDP ADAP	RW	<p>Imp Guide: Required if necessary for state/federal/regulatory agency programs.</p> <p>Required if needed for pharmacy claim processing and payment.</p> <p>Payer Requirement: Required. Enter value "TXIX" to indicate Wisconsin Medicaid, BadgerCare Plus, and SeniorCare or "WCDP" to indicate the Wisconsin Chronic Disease Program or "ADAP" to indicate AIDS/HIV Drug Assistance Program.</p>

Patient Segment Questions	Check	Claim Billing If Situational, <i>Payer Situation</i>
This Segment is always sent.	X	

Patient Segment Segment Identification (111-AM) = "01"			Claim Billing	
Field	NCPDP Field Name	Value	Payer Usage	Payer Situation
304-C4	DATE OF BIRTH		R	
305-C5	PATIENT GENDER CODE		R	
310-CA	PATIENT FIRST NAME		RW	<p>Imp Guide: Required when the patient has a first name.</p> <p>Payer Requirement: Required.</p>
311-CB	PATIENT LAST NAME		R	
307-C7	PLACE OF SERVICE	<ul style="list-style-type: none"> • 01 = Pharmacy • 13 = Assisted Living Facility • 14 = Group Home • 32 = Nursing Facility • 34 = Hospice • 50 = Federally Qualified Health Center • 65 = End-Stage Renal Disease Treatment Facility • 72 = Rural Health Clinic 	RW	<p>Imp Guide: Required if this field could result in different coverage, pricing, or patient financial responsibility.</p> <p>Payer Requirement: Required.</p>

Claim Segment Questions	Check	Claim Billing If Situational, <i>Payer Situation</i>
This Segment is always sent.	X	
ForwardHealth does not support partial fills.	X	

	Claim Segment Segment Identification (111-AM) = "Ø7"			Claim Billing
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER	1 = Rx Billing	M	
4Ø2-D2	PRESCRIPTION/SERVICE REFERENCE NUMBER		M	
436-E1	PRODUCT/SERVICE ID QUALIFIER	<ul style="list-style-type: none"> • ØØ = Not Specified • Ø3 = National Drug Code (NDC) 	M	
4Ø7-D7	PRODUCT/SERVICE ID		M	
442-E7	QUANTITY DISPENSED		R	
4Ø3-D3	FILL NUMBER		R	
4Ø5-D5	DAYS SUPPLY		R	
4Ø6-D6	COMPOUND CODE	Note: Multi-ingredient compounds are not valid for WCDP or ADAP.	R	
4Ø8-D8	DISPENSE AS WRITTEN (DAW)/PRODUCT SELECTION CODE	<ul style="list-style-type: none"> • Ø = No Product Selection Indicated • 1 = Substitution Not Allowed by Prescriber 	R	
414-DE	DATE PRESCRIPTION WRITTEN		R	
419-DJ	PRESCRIPTION ORIGIN CODE		RW	<p>Imp Guide: Required if necessary for plan benefit administration.</p> <p>Payer Requirement: Required.</p>
354-NX	SUBMISSION CLARIFICATION CODE COUNT	Maximum count of 3.	RW	<p>Imp Guide: Required if Submission Clarification Code (42Ø-DK) is used.</p> <p>Payer Requirement: Same as Imp Guide.</p>
42Ø-DK	SUBMISSION CLARIFICATION CODE	<ul style="list-style-type: none"> • 2 = Other Override • 8 = Process Compound for Approved Ingredients • 2Ø = 34ØB — Indicates that, prior to providing service, the pharmacy has determined the product being billed is purchased pursuant to rights available under Section 34ØB of the Public Health Act of 1992 including sub-ceiling purchases authorized by Section 34ØB(a)(1Ø) and those made through the Prime Vendor 	RW	<p>Imp Guide: Required if clarification is needed and value submitted is greater than zero (Ø). Occurs the number of times identified in Submission Clarification Code Count (354-NX). If the Date of Service (4Ø1-D1) contains the subsequent payer coverage date, the Submission Clarification Code (42Ø-DK) is required with value of "19" (Split Billing — indicates the quantity dispensed is the remainder billed to a subsequent payer when Medicare Part A expires. Used only in long-term care settings) for individual unit of use medications.</p> <p>Payer Requirement: Enter "2" to indicate claim should be processed as a 340B Drug Pricing Program (340B Program) claim even though a discrepancy exists with the provider being on the Health Resources & Services Administration (HRSA) Exclusion file.</p>

Claim Segment Segment Identification (111-AM) = "Ø7"			Claim Billing
Field #	NCPDP Field Name	Value	Payer Usage
Field #	NCPDP Field Name	Value	Payer Usage
		Program (Section 34ØB[a][8]). • 99 = Other	Payer Situation Enter "8" to indicate a multi-ingredient compound drug claim to specify acceptance of payment for only those ingredients covered. Enter "20" to indicate 340B stock was used to fill the prescription. Enter "99" to indicate the 340B provider was not able to purchase the drug being billed at a 340B rate. <i>Note: Not used by WCDP or ADAP.</i>
3Ø8-C8	OTHER COVERAGE CODE	<ul style="list-style-type: none"> • Ø = Not Specified by patient • 1 = No other coverage • 2 = Other coverage exists-payment collected • 3 = Other Coverage Billed — claim not covered • 4 = Other coverage exists-payment not collected 	RW Imp Guide: Required if needed by receiver, to communicate a summation of other coverage information that has been collected from other payers. Required for Coordination of Benefits. Payer Requirement: Same as Imp Guide.
429-DT	SPECIAL PACKAGING INDICATOR	<ul style="list-style-type: none"> • Ø = Not Specified • 1 = Not Unit Dose • 2 = Manufacturer Unit Dose • 3 = Pharmacy Unit Dose • 4 = Custom Packaging • 5 = Multi Drug Compliance Packaging 	RW Imp Guide: Required if this field could result in different coverage, pricing, or patient financial responsibility. Payer Requirement: Enter 4 or 5 to indicate repackaging.
461-EU	PRIOR AUTHORIZATION TYPE CODE	4 = Exemption from Copay and/or Co-Insurance	RW Imp Guide: Required if this field could result in different coverage, pricing, or patient financial responsibility. Payer Requirement: Required to indicate a copayment exemption for Medicaid. <i>Note: Copayment exemption is not valid for SeniorCare, WCDP, or ADAP members.</i>

Pricing Segment Questions	Check	Claim Billing
This Segment is always sent.	X	If Situational, <i>Payer Situation</i>

	Pricing Segment Segment Identification (111-AM) = "11"			Claim Billing
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
409-D9	INGREDIENT COST SUBMITTED		R	
412-DC	DISPENSING FEE SUBMITTED		RW	Imp Guide: Required if its value has an effect on the Gross Amount Due (430-DU) calculation. Zero (0) is a valid value. Payer Requirement: Same as Imp Guide.
426-DQ	USUAL AND CUSTOMARY CHARGE		RW	Imp Guide: Required if needed per trading partner agreement. Payer Requirement: Required.
430-DU	GROSS AMOUNT DUE		R	
423-DN	BASIS OF COST DETERMINATION		RW	Imp Guide: Required if needed for receiver claim/encounter adjudication. Payer Requirement: Required.

Prescriber Segment Questions	Check	Claim Billing <i>If Situational, Payer Situation</i>
This Segment is always sent.	X	
This Segment is situational.		

	Prescriber Segment Segment Identification (111-AM) = "03"			Claim Billing
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
466-EZ	PRESCRIBER ID QUALIFIER	01 = National Provider Identifier (NPI)	RW	Imp Guide: Required if Prescriber ID (411-DB) is used. Payer Requirement: Same as Imp Guide.
411-DB	PRESCRIBER ID		RW	Imp Guide: Required if this field could result in different coverage or patient financial responsibility. Required if necessary for state/federal/regulatory agency programs. Payer Requirement: Required. Providers are required to use the prescriber's NPI.

Coordination of Benefits/Other Payments Segment Questions	Check	Claim Billing <i>If Situational, Payer Situation</i>
This Segment is always sent.		
This Segment is Situational.	X	This segment is used when payment/denial information from other commercial health insurance coverage is required for claims adjudication.
Other Payer Amount Paid, Other Payer-Patient Responsibility Amount, and Benefit Stage Repetitions Present (Government Programs)	X	

	Coordination of Benefits/Other Payments Segment Identification (111-AM) = "05"			Claim Billing
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
337-4C	COORDINATION OF BENEFITS/OTHER PAYMENTS COUNT	Maximum count of 9	M	
338-5C	OTHER PAYER COVERAGE TYPE		M	
339-6C	OTHER PAYER ID QUALIFIER	99 = Other	RW	Imp Guide: Required if Other Payer ID (340-7C) is used. Payer Requirement: Same as Imp Guide.
340-7C	OTHER PAYER ID	<ul style="list-style-type: none"> PARTD = Medicare Part D PARTB = Medicare Part B COMM = Commercial Insurance 	RW	Imp Guide: Required if identification of the Other Payer is necessary for claim/encounter adjudication. Payer Requirement: Enter "PARTD" for Medicare Part D, "PARTB" for Medicare Part B, or "COMM" for commercial insurance.
443-E8	OTHER PAYER DATE		RW	Imp Guide: Required if identification of the Other Payer Date is necessary for claim/encounter adjudication. Payer Requirement: Required if Other Payer ID (340-7C) is used.
341-HB	OTHER PAYER AMOUNT PAID COUNT	Maximum count of 9.	RW	Imp Guide: Required if Other Payer Amount Paid Qualifier (342-HC) is used. Payer Requirement: Same as Imp Guide.
342-HC	OTHER PAYER AMOUNT PAID QUALIFIER		RW	Imp Guide: Required if Other Payer Amount Paid (431-DV) is used. Payer Requirement: Same as Imp Guide.
431-DV	OTHER PAYER AMOUNT PAID		RW	Imp Guide: Required if other payer has approved payment for some/all of the billing. Zero (Ø) is a valid value. Not used for patient financial responsibility only billing. Payer Requirement: Required if Other Payer Amount Paid Qualifier (342-HC) is used.
471-5E	OTHER PAYER REJECT COUNT	Maximum count of 5.	RW	Imp Guide: Required if Other Payer Reject Code (472-6E) is used. Payer Requirement: Same as Imp Guide.
472-6E	OTHER PAYER REJECT CODE		RW	Imp Guide: Required when the other payer has denied the payment for the billing, designated with Other Coverage Code (308-C8) = 3 (Other Coverage Billed — claim not covered). <i>Note:</i> This field must only contain the NCPDP Reject Code (511-FB) values.

Coordination of Benefits/Other Payments Segment Segment Identification (111-AM) = "05"			Claim Billing	
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
				Payer Requirement: Same as Imp Guide.
353-NR	OTHER PAYER-PATIENT RESPONSIBILITY AMOUNT COUNT	Maximum count of 25.	RW	Imp Guide: Required if Other Payer-Patient Responsibility Amount Qualifier (351-NP) is used. Payer Requirement: Maximum count of 1 per other payer.
351-NP	OTHER PAYER-PATIENT RESPONSIBILITY AMOUNT QUALIFIER	06 = Patient Pay Amount (505-F5) as reported by previous payer. Used to indicate the provider is submitting the amount reported by a prior payer as the patient's responsibility.	RW	Imp Guide: Required if Other Payer-Patient Responsibility Amount (352-NQ) is used. Payer Requirement: Same as Imp Guide.
352-NQ	OTHER PAYER-PATIENT RESPONSIBILITY AMOUNT		RW	Imp Guide: Required if necessary for patient financial responsibility only billing. Required if necessary for state/federal/regulatory agency programs. Not used for non-governmental agency programs if Other Payer Amount Paid (431-DV) is submitted. Payer Requirement: Required for SeniorCare when the other payer's patient pay amount is greater than zero.

DUR/PPS Segment Questions	Check	Claim Billing If Situational, Payer Situation
This Segment is always sent.		
This Segment is situational.	X	This segment is used to pre/override prospective Drug Utilization Review (DUR) alerts or request a multi-ingredient compound dispensing fee. This segment is used to bill pharmaceutical care services with dates of service (DOS) before September 1 st , 2012.

	DUR/PPS Segment Segment Identification (111-AM) = "Ø8"			Claim Billing
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
473-7E	DUR/PPS CODE COUNTER	Maximum count of 9.	RW	Imp Guide: Required if DUR/PPS Segment is used. Payer Requirement: Same as Imp Guide.
439-E4	REASON FOR SERVICE CODE		RW	Imp Guide: Required if this field could result in different coverage, pricing, patient financial responsibility, and/or drug utilization review outcome. Required if this field affects payment for or documentation of professional pharmacy service. Payer Requirement: Required to pre-override prospective DUR. Required to bill Pharmaceutical Care services with a DOS before September 1 st , 2012.
44Ø-E5	PROFESSIONAL SERVICE CODE		RW	Imp Guide: Required if this field could result in different coverage, pricing, patient financial responsibility, and/or drug utilization review outcome. Required if this field affects payment for or documentation of professional pharmacy service. Payer Requirement: Required to pre/override prospective DUR. Required to bill Pharmaceutical Care services with a DOS before September 1 st , 2012.
441-E6	RESULT OF SERVICE CODE		RW	Imp Guide: Required if this field could result in different coverage, pricing, patient financial responsibility, and/or drug utilization review outcome. Required if this field affects payment for or documentation of professional pharmacy service. Payer Requirement: Required to pre/override prospective DUR. Required to bill Pharmaceutical Care services with a DOS before September 1 st , 2012.
474-8E	DUR/PPS LEVEL OF EFFORT		RW	Imp Guide: Required if this field could result in different coverage, pricing, patient financial responsibility, and/or drug utilization review outcome. Required if this field affects payment for or documentation of professional pharmacy service. Payer Requirement: Required to bill Pharmaceutical Care services with a DOS before September 1 st , 2012, or to request a multi-ingredient compound dispensing fee. <i>Note:</i> Not used by WCDP or ADAP.

Compound Segment Questions	Check	Claim Billing If Situational, Payer Situation
This Segment is always sent.		
This Segment is situational.	X	This segment is required to submit a claim for a multi-ingredient compound drug. This segment is not used for WCDP or ADAP claims.

	Compound Segment Segment Identification (111-AM) = "10"			Claim Billing
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
450-EF	COMPOUND DOSAGE FORM DESCRIPTION CODE		M	
451-EG	COMPOUND DISPENSING UNIT FORM INDICATOR		M	
447-EC	COMPOUND INGREDIENT COMPONENT COUNT	Maximum count of 25.	M	
488-RE	COMPOUND PRODUCT ID QUALIFIER	03 = National Drug Code (NDC)	M	
489-TE	COMPOUND PRODUCT ID		M	
448-ED	COMPOUND INGREDIENT QUANTITY		M	
449-EE	COMPOUND INGREDIENT DRUG COST		RW	Imp Guide: Required if needed for receiver claim determination when multiple products are billed. Payer Requirement: Required.
490-UE	COMPOUND INGREDIENT BASIS OF COST DETERMINATION		RW	Imp Guide: Required if needed for receiver claim determination when multiple products are billed. Payer Requirement: Required.

Clinical Segment Questions	Check	Claim Billing If Situational, Payer Situation
This Segment is always sent.		
This Segment is situational.	X	This segment is required when the drug billed requires a diagnosis. This segment is required to bill pharmaceutical care services with a DOS before September 1 st , 2012. This segment is required for WCDP and ADAP.

	Clinical Segment Segment Identification (111-AM) = "13"			Claim Billing
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
491-VE	DIAGNOSIS CODE COUNT	Maximum count of 5.	RW	Imp Guide: Required if Diagnosis Code Qualifier (492-WE) and Diagnosis Code (424-DO) are used. Payer Requirement: Same as Imp Guide.

Clinical Segment Segment Identification (111-AM) = "13"			Claim Billing	
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
492-WE	DIAGNOSIS CODE QUALIFIER	Ø1 = International Classification of Diseases, Ninth Revision, Clinical Modification (ICD- 9-CM) Ø2 = International Classification of Diseases, Tenth Revision, Clinical Modification (ICD- 10-CM)	RW	Imp Guide: Required if Diagnosis Code (424-DO) is used. Payer Requirement: Same as Imp Guide.
424-DO	DIAGNOSIS CODE		RW	Imp Guide: The value for this field is obtained from the prescriber or authorized representative. Required if this field could result in different coverage, pricing, patient financial responsibility, and/or drug utilization review outcome. Required if this field affects payment for professional pharmacy service. Required if this information can be used in place of prior authorization. Required if necessary for state/federal/ regulatory agency programs. Payer Requirement: Required when the drug billed requires a diagnosis. Required to bill Pharmaceutical Care services with a DOS before September 1 st , 2012. Required for WCDP and ADAP claims.

B1 CLAIM BILLING RESPONSES

Claim Billing Accepted/Paid (or Duplicate of Paid) Response

Response Transaction Header Segment Questions	Check	Claim Billing Accepted/Paid (or Duplicate of Paid) If Situational, <i>Payer Situation</i>
This Segment is always sent.	X	

Field #	Response Transaction Header Segment NCPDP Field Name	Value	Payer Usage	Claim Billing Accepted/Paid (or Duplicate of Paid) Payer Situation
102-A2	VERSION/RELEASE NUMBER	D0	M	
103-A3	TRANSACTION CODE	B1	M	
109-A9	TRANSACTION COUNT		M	
501-F1	HEADER RESPONSE STATUS	A = Accepted	M	
202-B2	SERVICE PROVIDER ID QUALIFIER		M	
201-B1	SERVICE PROVIDER ID		M	
401-D1	DATE OF SERVICE		M	

Response Insurance Segment Questions	Check	Claim Billing Accepted/Paid (or Duplicate of Paid) If Situational, <i>Payer Situation</i>
This Segment is always sent.		
This Segment is Situational.	X	This segment returns the ForwardHealth member identification number used for adjudication if different than the B1 request.

Field #	Response Insurance Segment Identification (111-AM) = "25" NCPDP Field Name	Value	Payer Usage	Claim Billing Accepted/Paid (or Duplicate of Paid) Payer Situation
301-C1	GROUP ID	WISC_TXIX = Wisconsin Medicaid, BadgerCare Plus, or SeniorCare WISC_WCDP = Wisconsin Chronic Disease Program WISC_ADAP = AIDS/HIV Drug Assistance Program	RW	Imp Guide: Required if needed to identify the actual cardholder or employer group, to identify appropriate group number, when available. Required to identify the actual group that was used when multiple group coverages exist. <i>Note:</i> This field may contain the Group ID echoed from the request. May contain the actual Group ID if unknown to the receiver. Payer Requirement: This field returns the Group ID used by ForwardHealth if field 301-C1 was submitted.
302-C2	CARDHOLDER ID		RW	Imp Guide: Required if the identification to be used in future transactions is different than what was submitted on the request.

	Response Insurance Segment Segment Identification (111-AM) = "25"			Claim Billing Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
				Payer Requirement: This field returns the ForwardHealth member identification number if different than the B1 request.

Response Status Segment Questions	Check	Claim Billing Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation
This Segment is always sent.	X	

	Response Status Segment Segment Identification (111-AM) = "21"			Claim Billing Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
112-AN	TRANSACTION RESPONSE STATUS	P = Paid D = Duplicate of Paid	M	
503-F3	AUTHORIZATION NUMBER		RW	Imp Guide: Required if needed to identify the transaction. Payer Requirement: This field contains the authorization number on duplicate responses or the Internal Control Number (ICN) on paid responses.
130-UF	ADDITIONAL MESSAGE INFORMATION COUNT	Maximum count of 25.	RW	Imp Guide: Required if Additional Message Information (526-FQ) is used. Used to qualify the number of occurrences of the Additional Message Information (526-FQ) that is included in the Response Status Segment. Payer Requirement: Same as Imp Guide.
132-UH	ADDITIONAL MESSAGE INFORMATION QUALIFIER		RW	Imp Guide: Required if Additional Message Information (526-FQ) is used. Payer Requirement: Same as Imp Guide.
526-FQ	ADDITIONAL MESSAGE INFORMATION		RW	Imp Guide: Required when additional text is needed for clarification or detail. Payer Requirement: This field contains Explanation of Benefit text associated with the B1 request. For SeniorCare, this field reports the member's remaining spenddown and remaining deductible amounts.

	Response Status Segment Segment Identification (111-AM) = "21"			Claim Billing Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
				This field will report the duplicate ICN and payment date when a B1 request is identified as a duplicate (field 112-AN equals "D").
131-UG	ADDITIONAL MESSAGE INFORMATION CONTINUITY		RW	Imp Guide: Required if and only if current repetition of Additional Message Information (526-FQ) is used, another populated repetition of Additional Message Information (526-FQ) follows it, and the text of the following message is a continuation of the current. Payer Requirement: Same as Imp Guide.

Response Claim Segment Questions	Check	Claim Billing Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation
This Segment is always sent.	X	

	Response Claim Segment Segment Identification (111-AM) = "22"			Claim Billing Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER	1 = Rx Billing	M	
402-D2	PRESCRIPTION/SERVICE REFERENCE NUMBER		M	

Response Pricing Segment Questions	Check	Claim Billing Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation
This Segment is always sent.	X	

	Response Pricing Segment Segment Identification (111-AM) = "23"			Claim Billing Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
505-F5	PATIENT PAY AMOUNT		R	
506-F6	INGREDIENT COST PAID		RW	Imp Guide: Required if this value is used to arrive at the final reimbursement. Payer Requirement: Same as Imp Guide.
507-F7	DISPENSING FEE PAID		RW	Imp Guide: Required if this value is used to arrive at the final reimbursement.

	Response Pricing Segment Segment Identification (111-AM) = "23"			Claim Billing Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
				Payer Requirement: Same as Imp Guide.
557-AV	TAX EXEMPT INDICATOR	4 = Payer/Plan and Patient are Tax Exempt	RW	Imp Guide: Required if the sender (health plan) and/or patient is tax exempt and exemption applies to this billing. Payer Requirement: Same as Imp Guide.
558-AW	FLAT SALES TAX AMOUNT PAID		RW	Imp Guide: Required if Flat Sales Tax Amount Submitted (481-HA) is greater than zero (Ø) or if Flat Sales Tax Amount Paid (558-AW) is used to arrive at the final reimbursement. Zero (Ø) is a valid value. Payer Requirement: This field contains zero (Ø) when Flat Sales Tax Amount Submitted (481-HA) was present in the B1 request.
559-AX	PERCENTAGE SALES TAX AMOUNT PAID		RW	Imp Guide: Required if this value is used to arrive at the final reimbursement. Required if Percentage Sales Tax Amount Submitted (482-GE) is greater than zero (Ø). Zero (Ø) is a valid value. Required if Percentage Sales Tax Rate Paid (56Ø-AY) and Percentage Sales Tax Basis Paid (561-AZ) are used. Payer Requirement: This field contains zero (Ø) when Percentage Sales Tax Amount Submitted (482-GE) was present in the B1 request.
521-FL	INCENTIVE AMOUNT PAID		RW	Imp Guide: Required if this value is used to arrive at the final reimbursement. Required if Incentive Amount Submitted (438-E3) is greater than zero (Ø). Zero (Ø) is a valid value. Payer Requirement: This field contains zero (Ø) when Incentive Amount Submitted (438-E3) was included in B1 request.
563-J2	OTHER AMOUNT PAID COUNT		RW	Imp Guide: Maximum count of 3.

	Response Pricing Segment Segment Identification (111-AM) = "23"			Claim Billing Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
				Required if Other Amount Paid (565-J4) is used. Payer Requirement: Same as Imp Guide.
564-J3	OTHER AMOUNT PAID QUALIFIER		RW	Imp Guide: Required if Other Amount Paid (565-J4) is used. Payer Requirement: Same as Imp Guide.
565-J4	OTHER AMOUNT PAID		RW	Imp Guide: Required if this value is used to arrive at the final reimbursement. Required if Other Amount Claimed Submitted (480-H9) is greater than zero (0). Zero (0) is a valid value. Must respond to each occurrence submitted. Payer Requirement: This field contains zero (0) for each occurrence when Other Amount Claimed Submitted (480-H9) was present in the B1 request.
566-J5	OTHER PAYER AMOUNT RECOGNIZED		RW	Imp Guide: Required if this value is used to arrive at the final reimbursement. Required if Other Payer Amount Paid (431-DV) is greater than zero (0) and Coordination of Benefits/Other Payments Segment is supported. Payer Requirement: Same as Imp Guide.
509-F9	TOTAL AMOUNT PAID		R	
522-FM	BASIS OF REIMBURSEMENT DETERMINATION		RW	Imp Guide: Required if Ingredient Cost Paid (506-F6) is greater than zero (0). Required if Basis of Cost Determination (432-DN) is submitted on billing. Payer Requirement: Same as Imp Guide.
513-FD	REMAINING DEDUCTIBLE AMOUNT		RW	Imp Guide: Provided for informational purposes only. Payer Requirement: For SeniorCare, this field reports the member's remaining deductible.

	Response Pricing Segment Segment Identification (111-AM) = "23"			Claim Billing Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
517-FH	AMOUNT APPLIED TO PERIODIC DEDUCTIBLE		RW	Imp Guide: Required if Patient Pay Amount (505-F5) includes deductible. Payer Requirement: For SeniorCare, this field reports the total amount applied to the member's spenddown and/or deductible.
518-FI	AMOUNT OF COPAY		RW	Imp Guide: Required if Patient Pay Amount (505-F5) includes copay as patient financial responsibility. Payer Requirement: Same as Imp Guide.

Response DUR/PPS Segment Questions	Check	Claim Billing Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation
This Segment is always sent.		
This Segment is situational.	X	This segment informs providers of informational prospective DUR alerts.

	Response DUR/PPS Segment Segment Identification (111-AM) = "24"			Claim Billing Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
567-J6	DUR/PPS RESPONSE CODE COUNTER	Maximum count of 9.	RW	Imp Guide: Required if Reason For Service Code (439-E4) is used. Payer Requirement: Same as Imp Guide.
439-E4	REASON FOR SERVICE CODE	<ul style="list-style-type: none"> • AT = Additive Toxicity • DC = Drug-Disease (Inferred) • DD = Drug-Drug Interaction • ER = Overuse • HD = High Dose • LR = Under use • MC = Drug-Disease (Reported) • NS = Insufficient Quantity • PA = Drug-Age • PG = Drug-Pregnancy • SR = Suboptimal Regimen • TD = Therapeutic 	RW	Imp Guide: Required if utilization conflict is detected. Payer Requirement: Same as Imp Guide.

	Response DUR/PPS Segment Identification (111-AM) = "24"			Claim Billing Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
528-FS	CLINICAL SIGNIFICANCE CODE		RW	Imp Guide: Required if needed to supply additional information for the utilization conflict. Payer Requirement: Same as Imp Guide.
529-FT	OTHER PHARMACY INDICATOR		RW	Imp Guide: Required if needed to supply additional information for the utilization conflict. Payer Requirement: Same as Imp Guide.
530-FU	PREVIOUS DATE OF FILL		RW	Imp Guide: Required if needed to supply additional information for the utilization conflict. Required if Quantity of Previous Fill (531-FV) is used. Payer Requirement: Same as Imp Guide.
531-FV	QUANTITY OF PREVIOUS FILL		RW	Imp Guide: Required if needed to supply additional information for the utilization conflict. Required if Previous Date of Fill (530-FU) is used. Payer Requirement: Same as Imp Guide.
532-FW	DATABASE INDICATOR		RW	Imp Guide: Required if needed to supply additional information for the utilization conflict. Payer Requirement: Same as Imp Guide.
533-FX	OTHER PRESCRIBER INDICATOR		RW	Imp Guide: Required if needed to supply additional information for the utilization conflict. Payer Requirement: Same as Imp Guide.
544-FY	DUR FREE TEXT MESSAGE	Information specific to each prospective DUR alert: <ul style="list-style-type: none"> • AT = (Diagnosis code from history claim indicating side effect)/ (history drug name) • DC = (Disease description of contraindication) • DD = (Brand name of drug in 	RW	Imp Guide: Required if needed to supply additional information for the utilization conflict. Payer Requirement: Same as Imp Guide.

	Response DUR/PPS Segment Identification (111-AM) = "24"			Claim Billing Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
		history causing alert) <ul style="list-style-type: none"> • ER = (May Refill on MM/DD/YYYY) • HD = (maximum recommended dose is XXX) • LR = (refill is XX days late) • MC = (Disease description of contraindication) • NS = (three month supply opportunity) • PA = (age warning/contraindication) • PG = (pregnancy contraindication) • SR = (tablet splitting opportunity or dose consolidation opportunity) • TD = (Name of most recent history drug) 		
570-NS	DUR ADDITIONAL TEXT		RW	<p>Imp Guide: Required if needed to supply additional information for the utilization conflict.</p> <p>Payer Requirement: This field contains the drug label names, including any claim in history, causing the prospective DUR alert.</p>

Response Coordination of Benefits/Other Payers Segment Questions	Check	Claim Billing Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation
This Segment is always sent.		
This Segment is situational.	X	This segment informs providers when ForwardHealth has other insurance information for the member/date of service.

	Response Coordination of Benefits/Other Payers Segment Identification (111-AM) = "28"			Claim Billing Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
355-NT	OTHER PAYER ID COUNT	Maximum count of 3.	M	
338-5C	OTHER PAYER COVERAGE TYPE		M	

	Response Coordination of Benefits/Other Payers Segment Identification (111-AM) = "28"			Claim Billing Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
339-6C	OTHER PAYER ID QUALIFIER	<ul style="list-style-type: none"> • 03 = Bank Information Number (BIN) • 99 = Other <p>Note: Value "99" is the ForwardHealth proprietary other payer ID.</p>	RW	<p>Imp Guide: Required if Other Payer ID (340-7C) is used.</p> <p>Payer Requirement: Same as Imp Guide.</p>
340-7C	OTHER PAYER ID		RW	<p>Imp Guide: Required if other insurance information is available for coordination of benefits.</p> <p>Payer Requirement: Same as Imp Guide.</p>
991-MH	OTHER PAYER PROCESSOR CONTROL NUMBER		RW	<p>Imp Guide: Required if other insurance information is available for coordination of benefits.</p> <p>Payer Requirement: Same as Imp Guide.</p>
356-NU	OTHER PAYER CARDHOLDER ID		RW	<p>Imp Guide: Required if other insurance information is available for coordination of benefits.</p> <p>Payer Requirement: Same as Imp Guide.</p>
992-MJ	OTHER PAYER GROUP ID		RW	<p>Imp Guide: Required if other insurance information is available for coordination of benefits.</p> <p>Payer Requirement: Same as Imp Guide.</p>
142-UV	OTHER PAYER PERSON CODE		RW	<p>Imp Guide: Required if needed to uniquely identify the family members within the Cardholder ID, as assigned by the other payer.</p> <p>Payer Requirement: Same as Imp Guide.</p>
127-UB	OTHER PAYER HELP DESK PHONE NUMBER		RW	<p>Imp Guide: Required if needed to provide a support telephone number of the other payer to the receiver.</p> <p>Payer Requirement: Same as Imp Guide.</p>
143-UW	OTHER PAYER PATIENT RELATIONSHIP CODE		RW	<p>Imp Guide: Required if needed to uniquely identify the relationship of the patient to the cardholder ID, as assigned by the other payer.</p> <p>Payer Requirement: Same as Imp Guide.</p>

	Response Coordination of Benefits/Other Payers Segment Identification (111-AM) = "28"			Claim Billing Accepted/Paid (or Duplicate of Paid)
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
144-UX	OTHER PAYER BENEFIT EFFECTIVE DATE		RW	<p>Imp Guide: Required when other coverage is known which is after the Date of Service submitted.</p> <p>Payer Requirement: This field will provide other insurance information on file with ForwardHealth for the member/date of service.</p>
145-UY	OTHER PAYER BENEFIT TERMINATION DATE		RW	<p>Imp Guide: Required when other coverage is known which is after the Date of Service submitted.</p> <p>Payer Requirement: This field will provide other insurance information on file with ForwardHealth for the member/date of service.</p>

Claim Billing Accepted/Rejected Response

Response Transaction Header Segment Questions	Check	Claim Billing Accepted/Rejected If Situational, <i>Payer Situation</i>
This Segment is always sent.	X	

	Response Transaction Header Segment			Claim Billing Accepted/Rejected
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
102-A2	VERSION/RELEASE NUMBER	D0	M	
103-A3	TRANSACTION CODE	B1	M	
109-A9	TRANSACTION COUNT		M	
501-F1	HEADER RESPONSE STATUS	A = Accepted	M	
202-B2	SERVICE PROVIDER ID QUALIFIER		M	
201-B1	SERVICE PROVIDER ID		M	
401-D1	DATE OF SERVICE		M	

Response Message Segment Questions	Check	Claim Billing Accepted/Rejected If Situational, <i>Payer Situation</i>
This Segment is always sent.	X	
This Segment is situational.		

	Response Message Segment Identification (111-AM) = "20"			Claim Billing Accepted/Rejected
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
504-F4	MESSAGE		RW	<p>Imp Guide: Required if text is needed for clarification or detail.</p> <p>Payer Requirement: This field contains the program(s) in which a member is enrolled for the date of service for the payer (Group ID [301-C1]).</p> <p>If the member is enrolled in multiple programs, the programs will be separated by an asterisk (*).</p>

Response Insurance Segment Questions	Check	Claim Billing Accepted/Rejected If Situational, <i>Payer Situation</i>
This Segment is always sent.	X	
This Segment is situational.		

	Response Insurance Segment Identification (111-AM) = "25"			Claim Billing Accepted/Rejected
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
301-C1	GROUP ID	WISC_TXIX = Wisconsin Medicaid, BadgerCare Plus, or SeniorCare	RW	<p>Imp Guide: Required if needed to identify the actual cardholder or employer group, to identify</p>

	Response Insurance Segment Segment Identification (111-AM) = "25"			Claim Billing Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
		WISC_WCDP = Wisconsin Chronic Disease Program WISC_ADAP = AIDS/HIV Drug Assistance Program		appropriate group number, when available. Required to identify the actual group that was used when multiple group coverage exist. Payer Requirement: This field returns the Group ID used by ForwardHealth if field 301-C1 was submitted.
302-C2	CARDHOLDER ID		RW	Imp Guide: Required if the identification to be used in future transactions is different than what was submitted on the request. Payer Requirement: Same as Imp Guide.

Response Status Segment Questions	Check	Claim Billing Accepted/Rejected If Situational, Payer Situation
This Segment is always sent.	X	
This Segment is situational.		

	Response Status Segment Segment Identification (111-AM) = "21"			Claim Billing Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
112-AN	TRANSACTION RESPONSE STATUS	R = Rejected	M	
503-F3	AUTHORIZATION NUMBER		RW	Imp Guide: Required if needed to identify the transaction. Payer Requirement: This field contains the authorization number.
510-FA	REJECT COUNT	Maximum count of 5.	R	
511-FB	REJECT CODE		R	
546-4F	REJECT FIELD OCCURRENCE INDICATOR		RW	Imp Guide: Required if a repeating field is in error, to identify repeating field occurrence. This field must be sent when relaying error information about a repeating field or set. Note, if the Reject Code is not denoting a repeating field or set, the Reject Field Occurrence Indicator must not be sent. Payer Requirement: Same as Imp Guide.
130-UF	ADDITIONAL MESSAGE INFORMATION COUNT	Maximum count of 25.	RW	Imp Guide: Required if Additional Message Information (526-FQ) is

	Response Status Segment Segment Identification (111-AM) = "21"			Claim Billing Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
				used. Used to qualify the number of occurrences of the Additional Message Information (526-FQ) that is included in the Response Status Segment. Payer Requirement: Same as Imp Guide.
132-UH	ADDITIONAL MESSAGE INFORMATION QUALIFIER		R	Imp Guide: Required if Additional Message Information (526-FQ) is used. Payer Requirement: Same as Imp Guide.
526-FQ	ADDITIONAL MESSAGE INFORMATION		RW	Imp Guide: Required when additional text is needed for clarification or detail. Payer Requirement: This field contains Explanation of Benefit text associated with the B1 request. This field will report the Lock-In Type and effective dates when a member is in a Lock-In program. This field will include preferred products when a non-preferred product was denied for prior authorization requirements. For SeniorCare members, additional restrictions may apply.
131-UG	ADDITIONAL MESSAGE INFORMATION CONTINUITY		RW	Imp Guide: Required if and only if current repetition of Additional Message Information (526-FQ) is used, another populated repetition of Additional Message Information (526-FQ) follows it, and the text of the following message is a continuation of the current. Payer Requirement: Same as Imp Guide.
549-7F	HELP DESK PHONE NUMBER QUALIFIER	Ø3 = Processor/ PBM	RW	Imp Guide: Required if Help Desk Phone Number (55Ø-8F) is used. Payer Requirement: Same as Imp Guide.
55Ø-8F	HELP DESK PHONE NUMBER		RW	Imp Guide: Required if needed to provide a support telephone number to the receiver. Payer Requirement: Same as Imp Guide.

Response Claim Segment Questions	Check	Claim Billing Accepted/Rejected If Situational, Payer Situation
This Segment is always sent.	X	
This Segment is situational.		

	Response Claim Segment Identification (111-AM) = "22"			Claim Billing Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER	1 = Rx Billing	M	
402-D2	PRESCRIPTION/SERVICE REFERENCE NUMBER		M	

Response DUR/PPS Segment Questions	Check	Claim Billing Accepted/Rejected If Situational, Payer Situation
This Segment is always sent.		
This Segment is situational.	X	This segment informs providers of prospective DUR alerts.

	Response DUR/PPS Segment Identification (111-AM) = "24"			Claim Billing Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
567-J6	DUR/PPS RESPONSE CODE COUNTER	Maximum count of 9.	RW	Imp Guide: Required if Reason For Service Code (439-E4) is used. Payer Requirement: Same as Imp Guide.
439-E4	REASON FOR SERVICE CODE	<ul style="list-style-type: none"> • AT = Additive Toxicity • DC = Drug-Disease (Inferred) • DD = Drug-Drug Interaction • ER = Overuse • HD = High Dose • LR = Under use • MC = Drug-Disease (Reported) • NS = Insufficient Quantity • PA = Drug-Age • PG = Drug-Pregnancy • SR = Suboptimal Regimen • TD = Therapeutic 	RW	Imp Guide: Required if utilization conflict is detected. Payer Requirement: Same as Imp Guide.
528-FS	CLINICAL SIGNIFICANCE CODE		RW	Imp Guide: Required if needed to supply additional information for the utilization conflict. Payer Requirement: Same as Imp Guide.

	Response DUR/PPS Segment Segment Identification (111-AM) = "24"			Claim Billing Accepted/Rejected
529-FT	OTHER PHARMACY INDICATOR		RW	Imp Guide: Required if needed to supply additional information for the utilization conflict. Payer Requirement: Same as Imp Guide.
530-FU	PREVIOUS DATE OF FILL		RW	Imp Guide: Required if needed to supply additional information for the utilization conflict. Required if Quantity of Previous Fill (531-FV) is used. Payer Requirement: Same as Imp Guide.
531-FV	QUANTITY OF PREVIOUS FILL		RW	Imp Guide: Required if needed to supply additional information for the utilization conflict. Required if Previous Date of Fill (530-FU) is used. Payer Requirement: Same as Imp Guide.
532-FW	DATABASE INDICATOR		RW	Imp Guide: Required if needed to supply additional information for the utilization conflict. Payer Requirement: Same as Imp Guide.
533-FX	OTHER PRESCRIBER INDICATOR		RW	Imp Guide: Required if needed to supply additional information for the utilization conflict. Payer Requirement: Same as Imp Guide.
544-FY	DUR FREE TEXT MESSAGE	Information specific to each prospective DUR alert: <ul style="list-style-type: none"> • AT = (Diagnosis code from history claim indicating side effect)/(history drug name) • DC = (Disease description of contraindication) • DD = (Brand name of drug in history causing alert) • ER = (May Refill on MM/DD/YYYY) • HD = (maximum recommended dose is XXX) 	RW	Imp Guide: Required if needed to supply additional information for the utilization conflict. Payer Requirement: Same as Imp Guide.

	Response DUR/PPS Segment Identification (111-AM) = "24"			Claim Billing Accepted/Rejected
		<ul style="list-style-type: none"> • LR = (refill is XX days late) • MC = (Disease description of contraindication) • NS = (three month supply opportunity) • PA = (age warning/contraindication) • PG = (pregnancy contraindication) • SR = (tablet splitting opportunity or dose consolidation opportunity) • TD = (Name of most recent history drug) 		
570-NS	DUR ADDITIONAL TEXT		RW	<p>Imp Guide: Required if needed to supply additional information for the utilization conflict.</p> <p>Payer Requirement: This field contains the drug label names, including any claim in history, causing the prospective DUR alert.</p>

Response Coordination of Benefits/Other Payers Segment Questions	Check	Claim Billing Accepted/Rejected If Situational, <i>Payer Situation</i>
This Segment is always sent.		
This Segment is situational.	X	This segment informs providers when ForwardHealth has other insurance information for the member/date of service.

	Response Coordination of Benefits/Other Payers Segment Identification (111-AM) = "28"			Claim Billing Accepted/Rejected
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
355-NT	OTHER PAYER ID COUNT	Maximum count of 3.	M	
338-5C	OTHER PAYER COVERAGE TYPE		M	
339-6C	OTHER PAYER ID QUALIFIER	<ul style="list-style-type: none"> • 03 = Bank Information Number (BIN) • 99 = Other <p>Value "99" is the ForwardHealth proprietary other payer ID.</p>	RW	<p>Imp Guide: Required if Other Payer ID (340-7C) is used.</p> <p>Payer Requirement: Same as Imp Guide.</p>

	Response Coordination of Benefits/Other Payers Segment Identification (111-AM) = "28"			Claim Billing Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
340-7C	OTHER PAYER ID		RW	Imp Guide: Required if other insurance information is available for coordination of benefits. Payer Requirement: Same as Imp Guide.
991-MH	OTHER PAYER PROCESSOR CONTROL NUMBER		RW	Imp Guide: Required if other insurance information is available for coordination of benefits. Payer Requirement: Same as Imp Guide.
356-MH	OTHER PAYER PROCESSOR CONTROL NUMBER		RW	Imp Guide: Required if other insurance information is available for coordination of benefits. Payer Requirement: Same as Imp Guide.
992-MJ	OTHER PAYER CARDHOLDER ID		RW	Imp Guide: Required if other insurance information is available for coordination of benefits. Payer Requirement: Same as Imp Guide.
142-UV	OTHER PAYER PERSON CODE		RW	Imp Guide: Required if needed to uniquely identify the family members within the Cardholder ID, as assigned by the other payer. Payer Requirement: Same as Imp Guide.
127-UB	OTHER PAYER HELP DESK PHONE NUMBER		RW	Imp Guide: Required if needed to provide a support telephone number of the other payer to the receiver. Payer Requirement: Same as Imp Guide.
143-UW	OTHER PAYER PATIENT RELATIONSHIP CODE		RW	Imp Guide: Required if needed to uniquely identify the relationship of the patient to the cardholder ID, as assigned by the other payer. Payer Requirement: Same as Imp Guide.
144-UX	OTHER PAYER BENEFIT EFFECTIVE DATE		RW	Imp Guide: Required when other coverage is known which is after the Date of Service submitted.

	Response Coordination of Benefits/Other Payers Segment Identification (111-AM) = "28"			Claim Billing Accepted/Rejected
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
				Payer Requirement: This field will provide other insurance information on file with ForwardHealth for the member/date of service.
145-UY	OTHER PAYER BENEFIT TERMINATION DATE		RW	Imp Guide: Required when other coverage is known which is after the Date of Service submitted. Payer Requirement: This field will provide other insurance information on file with ForwardHealth for the member/date of service.

Claim Billing Rejected/Rejected Response

Response Transaction Header Segment Questions	Check	Claim Billing Rejected/Rejected If Situational, Payer Situation
This Segment is always sent.	X	

	Response Transaction Header Segment			Claim Billing Rejected/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
102-A2	VERSION/RELEASE NUMBER	D0	M	
103-A3	TRANSACTION CODE	B1	M	
109-A9	TRANSACTION COUNT		M	
501-F1	HEADER RESPONSE STATUS	R = Rejected	M	
202-B2	SERVICE PROVIDER ID QUALIFIER		M	
201-B1	SERVICE PROVIDER ID		M	
401-D1	DATE OF SERVICE		M	

Response Status Segment Questions	Check	Claim Billing Rejected/Rejected If Situational, Payer Situation
This Segment is always sent.	X	

	Response Status Segment Identification (111-AM) = "21"			Claim Billing Rejected/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
112-AN	TRANSACTION RESPONSE STATUS	R = Rejected	M	
503-F3	AUTHORIZATION NUMBER		RW	Imp Guide: Required if needed to identify the transaction. Payer Requirement: This field contains the authorization number.
510-FA	REJECT COUNT	Maximum count of 5.	R	
511-FB	REJECT CODE		R	
546-4F	REJECT FIELD OCCURRENCE INDICATOR		RW	Imp Guide: Required if a repeating field is in error, to identify repeating field occurrence. This field must be sent when relaying error information about a repeating field or set. Note: if the Reject Code is not denoting a repeating field or set, the Reject Field Occurrence Indicator must not be sent. Payer Requirement: Same as Imp Guide.

B2 CLAIM REVERSAL REQUEST

Question	Answer
What is your reversal window? (If transaction is billed today what is the timeframe for reversal to be submitted?)	365-days from Date of Service

Transaction Header Segment Questions	Check	Claim Reversal If Situational, Payer Situation
This Segment is always sent.	X	
Source of certification IDs required in Software Vendor/Certification ID (11Ø-AK) is not used.	X	

	Transaction Header Segment		Payer Usage	Claim Reversal Payer Situation
Field #	NCPDP Field Name	Value		
1Ø1-A1	BIN NUMBER	61Ø499 Ø16929	M	Payer Requirement: Use BIN Number 61Ø499 for all claims except ADAP claims. Use BIN Number Ø16929 for ADAP claims.
1Ø2-A2	VERSION/RELEASE NUMBER	DØ	M	
1Ø3-A3	TRANSACTION CODE	B2	M	
1Ø4-A4	PROCESSOR CONTROL NUMBER	Enter "WIPARTD" for SeniorCare, Wisconsin Chronic Disease Program (WCDP), and AIDS/HIV Drug Assistance Program (ADAP) members that are also enrolled in a Medicare Part D Prescription Plan (PDP) to ensure coordination with the TrOOP facilitator.	M	
1Ø9-A9	TRANSACTION COUNT	Maximum count of 1.	M	
2Ø2-B2	SERVICE PROVIDER ID QUALIFIER	Ø1 = National Provider Identifier (NPI) Ø5 = Medicaid Note: "Ø5" is valid for "atypical" providers only.	M	
2Ø1-B1	SERVICE PROVIDER ID	Note: "Atypical" providers (i.e., specialized medical vehicle providers, blood banks, and Community Care Organizations) should enter the eight-digit or nine-digit identification number assigned by ForwardHealth.	M	
4Ø1-D1	DATE OF SERVICE		M	
11Ø-AK	SOFTWARE VENDOR/CERTIFICATION ID		M	

Insurance Segment Questions	Check	Claim Reversal If Situational, <i>Payer Situation</i>
This Segment is always sent.	X	
This Segment is situational.		

	Insurance Segment Segment Identification (111-AM) = "Ø4"			Claim Reversal
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
3Ø2-C2	CARDHOLDER ID	Enter the 1Ø-digit ForwardHealth member identification number.	M	
3Ø1-C1	GROUP ID	TXIX WCDP ADAP	RW	Imp Guide: Required if needed to match the reversal to the original billing transaction. Payer Requirement: Required. Enter value "TXIX" to indicate Wisconsin Medicaid, BadgerCare Plus, and SeniorCare, "WCDP" to indicate the Wisconsin Chronic Disease Program or "ADAP" to indicate AIDS/HIV Drug Assistance Program.

Claim Segment Questions	Check	Claim Reversal If Situational, <i>Payer Situation</i>
This Segment is always sent.	X	

	Claim Segment Segment Identification (111-AM) = "Ø7"			Claim Reversal
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER	1 = Rx Billing	M	
4Ø2-D2	PRESCRIPTION/SERVICE REFERENCE NUMBER		M	
436-E1	PRODUCT/SERVICE ID QUALIFIER	<ul style="list-style-type: none"> • ØØ = Not Specified • Ø3 = National Drug Code (NDC) 	M	
4Ø7-D7	PRODUCT/SERVICE ID		M	

B2 CLAIM REVERSAL RESPONSES

Claim Reversal Accepted/Approved Response

Response Transaction Header Segment Questions	Check	Claim Reversal Accepted/Approved If Situational, <i>Payer Situation</i>
This Segment is always sent.	X	

	Response Transaction Header Segment			Claim Reversal Accepted/Approved
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
102-A2	VERSION/RELEASE NUMBER	D0	M	
103-A3	TRANSACTION CODE	B2	M	
109-A9	TRANSACTION COUNT		M	
501-F1	HEADER RESPONSE STATUS	A = Accepted	M	
202-B2	SERVICE PROVIDER ID QUALIFIER		M	
201-B1	SERVICE PROVIDER ID		M	
401-D1	DATE OF SERVICE		M	

Response Message Segment Questions	Check	Claim Reversal Accepted/Approved If Situational, <i>Payer Situation</i>
This Segment is always sent.	X	
This Segment is situational.		

	Response Message Segment Segment Identification (111-AM) = "20"			Claim Reversal Accepted/Approved
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
504-F4	MESSAGE		R	Imp Guide: Required if text is needed for clarification or detail. Payer Requirement: For SeniorCare, this field reports the member's remaining spenddown and remaining deductible amounts.

Response Status Segment Questions	Check	Claim Reversal Accepted/Approved If Situational, <i>Payer Situation</i>
This Segment is always sent.	X	

	Response Status Segment Segment Identification (111-AM) = "21"			Claim Reversal Accepted/Approved
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
112-AN	TRANSACTION RESPONSE STATUS	<ul style="list-style-type: none"> A = Approved S = Duplicate of Approved 	M	
503-F3	AUTHORIZATION NUMBER		RW	Imp Guide: Required if needed to identify the transaction.

	Response Status Segment Segment Identification (111-AM) = "21"			Claim Reversal Accepted/Approved
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
				Payer Requirement: This field contains the Internal Control Number (ICN).

Response Claim Segment Questions	Check	Claim Reversal Accepted/Approved <i>If Situational, Payer Situation</i>
This Segment is always sent.	X	

	Response Claim Segment Segment Identification (111-AM) = "22"			Claim Reversal Accepted/Approved
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER	1 = Rx Billing	M	
402-D2	PRESCRIPTION/SERVICE REFERENCE NUMBER		M	

Claim Reversal Accepted/Rejected Response

Response Transaction Header Segment Questions	Check	Claim Reversal Accepted/Rejected If Situational, <i>Payer Situation</i>
This Segment is always sent	X	

	Response Transaction Header Segment			Claim Reversal Accepted/Rejected
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
102-A2	VERSION/RELEASE NUMBER	D0	M	
103-A3	TRANSACTION CODE	B2	M	
109-A9	TRANSACTION COUNT		M	
501-F1	HEADER RESPONSE STATUS	A = Accepted	M	
202-B2	SERVICE PROVIDER ID QUALIFIER		M	
201-B1	SERVICE PROVIDER ID		M	
401-D1	DATE OF SERVICE		M	

Response Message Segment Questions	Check	Claim Reversal Accepted/Rejected If Situational, <i>Payer Situation</i>
This Segment is always sent.	X	
This Segment is situational.		

	Response Message Segment Identification (111-AM) = "20"			Claim Reversal Accepted/Rejected
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
504-F4	MESSAGE		RW	<p>Imp Guide: Required if text is needed for clarification or detail.</p> <p>Payer Requirement: This field will contain one of the following messages when the claim reversal was not approved:</p> <ul style="list-style-type: none"> CLAIM ALREADY REVERSED. INVALID DISPENSE DATE. ADJUDICATION DATE OLDER THAN 365 DAYS. INVALID PROVIDER NUMBER. CANNOT FIND CLAIM. MULTIPLE CLAIMS FOUND. SYSTEM ERROR. REVERSAL NOT ALLOWED FOR CLAIM STATUS.

Response Status Segment Questions	Check	Claim Reversal Accepted/Rejected If Situational, <i>Payer Situation</i>
This Segment is always sent.	X	

	Response Status Segment Identification (111-AM) = "21"			Claim Reversal Accepted/Rejected
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
112-AN	TRANSACTION RESPONSE STATUS	R = Rejected	M	
503-F3	AUTHORIZATION NUMBER		RW	Imp Guide: Required if needed to identify the transaction. Payer Requirement: This field contains the authorization number.
510-FA	REJECT COUNT	Maximum count of 5.	R	
511-FB	REJECT CODE		R	
546-4F	REJECT FIELD OCCURRENCE INDICATOR		RW	Imp Guide: Required if a repeating field is in error, to identify repeating field occurrence. This field must be sent when relaying error information about a repeating field or set. <i>Note:</i> if the Reject Code is not denoting a repeating field or set, the Reject Field Occurrence Indicator must not be sent. Payer Requirement: Same as Imp Guide.
549-7F	HELP DESK PHONE NUMBER QUALIFIER	03 = Processor/PBM	RW	Imp Guide: Required if Help Desk Phone Number (550-8F) is used. Payer Requirement: Same as Imp Guide.
550-8F	HELP DESK PHONE NUMBER		RW	Imp Guide: Required if needed to provide a support telephone number to the receiver. Payer Requirement: Same as Imp Guide.

Response Claim Segment Questions	Check	Claim Reversal Accepted/Rejected If Situational, <i>Payer Situation</i>
This Segment is always sent.	X	

	Response Claim Segment Identification (111-AM) = "22"			Claim Reversal Accepted/Rejected
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER	1 = Rx Billing	M	

	Response Claim Segment Segment Identification (111-AM) = "22"			Claim Reversal Accepted/Rejected
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
402-D2	PRESCRIPTION/SERVICE REFERENCE NUMBER		M	

Claim Reversal Rejected/Rejected Response

Response Transaction Header Segment Questions	Check	Claim Reversal Rejected/Rejected If Situational, <i>Payer Situation</i>
This Segment is always sent.	X	

	Response Transaction Header Segment			Claim Reversal Rejected/Rejected
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
102-A2	VERSION/RELEASE NUMBER	D0	M	
103-A3	TRANSACTION CODE	B2	M	
109-A9	TRANSACTION COUNT		M	
501-F1	HEADER RESPONSE STATUS	R = Rejected	M	
202-B2	SERVICE PROVIDER ID QUALIFIER		M	
201-B1	SERVICE PROVIDER ID		M	
401-D1	DATE OF SERVICE		M	

Response Status Segment Questions	Check	Claim Reversal Rejected/Rejected If Situational, <i>Payer Situation</i>
This Segment is always sent.	X	

	Response Status Segment Segment Identification (111-AM) = "21"			Claim Reversal Rejected/Rejected
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
112-AN	TRANSACTION RESPONSE STATUS	R = Rejected	M	
503-F3	AUTHORIZATION NUMBER		RW	Imp Guide: Required if needed to identify the transaction. Payer Requirement: This field contains the authorization number.
510-FA	REJECT COUNT	Maximum count of 5.	R	
511-FB	REJECT CODE		R	

P2 PRIOR AUTHORIZATION REVERSAL

Transaction Header Segment Questions	Check	Prior Authorization Reversal If Situational, Payer Situation
This Segment is always sent.	X	
Source of certification IDs required in Software Vendor/Certification ID (110-AK) is not used.	X	

Transaction Header Segment			Payer Usage	Prior Authorization Reversal
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
101-A1	BIN NUMBER	610499	M	
102-A2	VERSION/RELEASE NUMBER	D0	M	
103-A3	TRANSACTION CODE	P2	M	
104-A4	PROCESSOR CONTROL NUMBER		M	
109-A9	TRANSACTION COUNT	Maximum count of 1.	M	
202-B2	SERVICE PROVIDER ID QUALIFIER	01 = National Provider Identifier (NPI) 05 = Medicaid Note: "05" is valid for "atypical" providers only.	M	
201-B1	SERVICE PROVIDER ID	Note: "Atypical" providers (i.e., specialized medical vehicle providers, blood banks, and Community Care Organizations) should enter the eight-digit or nine-digit identification number assigned by ForwardHealth.	M	
401-D1	DATE OF SERVICE		M	
110-AK	SOFTWARE VENDOR/CERTIFICATION ID		M	

Insurance Segment Questions	Check	Prior Authorization Reversal If Situational, Payer Situation
This Segment is always sent.	X	

Insurance Segment Identification (111-AM) = "04"			Payer Usage	Prior Authorization Reversal
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
302-C2	CARDHOLDER ID	Enter the 10-digit ForwardHealth member identification number.	M	

Prior Authorization Segment Questions	Check	Prior Authorization Reversal <i>If Situational, Payer Situation</i>
This Segment is always sent.	X	
This Segment is situational.		

	Prior Authorization Segment Segment Identification (111-AM) = "12"			Prior Authorization Reversal
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
498-PA	REQUEST TYPE		M	
498-PB	REQUEST PERIOD DATE-BEGIN		M	
498-PC	REQUEST PERIOD DATE-END		M	
498-PD	BASIS OF REQUEST		M	
498-PY	PRIOR AUTHORIZATION NUMBER-ASSIGNED		RW	<p>Imp Guide: Required if known to sender; otherwise send Authorization Number (5Ø3-F3).</p> <p>Payer Requirement: Required. Enter the 1Ø-digit prior authorization number assigned by ForwardHealth.</p>

P2 PRIOR AUTHORIZATION REVERSAL RESPONSES

Prior Authorization Reversal Accepted/Approved Response

Response Transaction Header Segment Questions	Check	Prior Authorization Reversal Accepted/Approved If Situational, <i>Payer Situation</i>
This Segment is always sent.	X	

	Response Transaction Header Segment			Prior Authorization Reversal Accepted/Approved
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
102-A2	VERSION/RELEASE NUMBER	D0	M	
103-A3	TRANSACTION CODE	P2	M	
109-A9	TRANSACTION COUNT	Maximum count of 1.	M	
501-F1	HEADER RESPONSE STATUS	A = Accepted	M	
202-B2	SERVICE PROVIDER ID QUALIFIER		M	
201-B1	SERVICE PROVIDER ID		M	
401-D1	DATE OF SERVICE		M	

Response Status Segment Questions	Check	Prior Authorization Reversal Accepted/Approved If Situational, <i>Payer Situation</i>
This Segment is always sent.	X	

	Response Status Segment Segment Identification (111-AM) = "21"			Prior Authorization Reversal Accepted/Approved
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
112-AN	TRANSACTION RESPONSE STATUS	A = Approved	M	

Prior Authorization Reversal Accepted/Rejected Response

Response Transaction Header Segment Questions	Check	Prior Authorization Reversal Accepted/Rejected If Situational, <i>Payer Situation</i>
This Segment is always sent.	X	

	Response Transaction Header Segment			Prior Authorization Reversal Accepted/Rejected
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
102-A2	VERSION/RELEASE NUMBER	D0	M	
103-A3	TRANSACTION CODE	P2	M	
109-A9	TRANSACTION COUNT	Maximum count of 1.	M	
501-F1	HEADER RESPONSE STATUS	A = Accepted	M	
202-B2	SERVICE PROVIDER ID QUALIFIER		M	
201-B1	SERVICE PROVIDER ID		M	
401-D1	DATE OF SERVICE		M	

Response Status Segment Questions	Check	Prior Authorization Reversal Accepted/Rejected If Situational, <i>Payer Situation</i>
This Segment is always sent.	X	

	Response Status Segment Segment Identification (111-AM) = "21"			Prior Authorization Reversal Accepted/Rejected
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
112-AN	TRANSACTION RESPONSE STATUS	R = Rejected	M	
510-FA	REJECT COUNT	Maximum count of 5.	R	
511-FB	REJECT CODE		R	

Prior Authorization Reversal Rejected/Rejected Response

Response Transaction Header Segment Questions	Check	Prior Authorization Reversal Rejected/Rejected <i>If Situational, Payer Situation</i>
This Segment is always sent.	X	

Response Transaction Header Segment				Prior Authorization Reversal Rejected/Rejected
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
102-A2	VERSION/RELEASE NUMBER	D0	M	
103-A3	TRANSACTION CODE	P2	M	
109-A9	TRANSACTION COUNT	Maximum count of 1.	M	
501-F1	HEADER RESPONSE STATUS	R = Rejected	M	
202-B2	SERVICE PROVIDER ID QUALIFIER		M	
201-B1	SERVICE PROVIDER ID		M	
401-D1	DATE OF SERVICE		M	

Response Status Segment Questions	Check	Prior Authorization Reversal Rejected/Rejected <i>If Situational, Payer Situation</i>
This Segment is always sent.	X	

Response Status Segment Segment Identification (111-AM) = "21"				Prior Authorization Reversal Rejected/Rejected
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
112-AN	TRANSACTION RESPONSE STATUS	R = Rejected	M	
510-FA	REJECT COUNT	Maximum count of 5.	R	
511-FB	REJECT CODE		R	

P3 PRIOR AUTHORIZATION INQUIRY

Transaction Header Segment Questions	Check	Prior Authorization Inquiry If Situational, Payer Situation
This Segment is always sent.	X	
Source of certification IDs required in Software Vendor/Certification ID (11Ø-AK) is not used.	X	

Transaction Header Segment				Prior Authorization Inquiry
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
1Ø1-A1	BIN NUMBER	61Ø499	M	
1Ø2-A2	VERSION/RELEASE NUMBER	DØ	M	
1Ø3-A3	TRANSACTION CODE	P3	M	
1Ø4-A4	PROCESSOR CONTROL NUMBER		M	
1Ø9-A9	TRANSACTION COUNT	Maximum count of 1.	M	
2Ø2-B2	SERVICE PROVIDER ID QUALIFIER	Ø1 = National Provider Identifier (NPI) Ø5 = Medicaid Note: "Ø5" is valid for "atypical" providers only.	M	
2Ø1-B1	SERVICE PROVIDER ID	Note: "Atypical" providers (i.e., specialized medical vehicle providers, blood banks, and Community Care Organizations) should enter the eight-digit or nine-digit identification number assigned by ForwardHealth.	M	
4Ø1-D1	DATE OF SERVICE	Enter the requested start date of the prior authorization request.	M	
11Ø-AK	SOFTWARE VENDOR/CERTIFICATION ID		M	

Insurance Segment Questions	Check	Prior Authorization Inquiry If Situational, Payer Situation
This Segment is always sent.	X	

Insurance Segment Segment Identification (111-AM) = "Ø4"				Prior Authorization Inquiry
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
3Ø2-C2	CARDHOLDER ID	Enter the 1Ø-digit ForwardHealth member identification number.	M	

Prior Authorization Segment Questions	Check	Prior Authorization Inquiry If Situational, Payer Situation
This Segment is always sent.	X	

Prior Authorization Segment Segment Identification (111-AM) = "12"				Prior Authorization Inquiry
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
498-PA	REQUEST TYPE		M	
498-PB	REQUEST PERIOD DATE-BEGIN		M	
498-PC	REQUEST PERIOD DATE-END		M	
498-PD	BASIS OF REQUEST		M	.
498-PY	PRIOR AUTHORIZATION NUMBER-ASSIGNED		RW	<p>Imp Guide: Required if known to sender; otherwise send Authorization Number (5Ø3-F3).</p> <p>Payer Requirement: Enter the 1Ø-digit prior authorization number assigned by ForwardHealth, if known.</p>

P3 PRIOR AUTHORIZATION INQUIRY RESPONSES

Prior Authorization Inquiry Accepted/Approved Response

Response Transaction Header Segment Questions	Check	Prior Authorization Inquiry Accepted/Approved If Situational, Payer Situation
This Segment is always sent.	X	

Field #	Response Transaction Header Segment NCPDP Field Name	Value	Payer Usage	Payer Situation
102-A2	VERSION/RELEASE NUMBER	D0	M	
103-A3	TRANSACTION CODE	P3	M	
109-A9	TRANSACTION COUNT	Maximum count of 1.	M	
501-F1	HEADER RESPONSE STATUS	A = Accepted	M	
202-B2	SERVICE PROVIDER ID QUALIFIER		M	
201-B1	SERVICE PROVIDER ID		M	
401-D1	DATE OF SERVICE		M	

Response Status Segment Questions	Check	Prior Authorization Inquiry Accepted/Approved If Situational, Payer Situation
This Segment is always sent.	X	

Field #	Response Status Segment Segment Identification (111-AM) = "21" NCPDP Field Name	Value	Payer Usage	Payer Situation
112-AN	TRANSACTION RESPONSE STATUS	A = Approved	M	

Response Claim Segment Questions	Check	Prior Authorization Inquiry Accepted/Approved If Situational, Payer Situation
This Segment is always sent.	X	

Field #	Response Claim Segment Segment Identification (111-AM) = "22" NCPDP Field Name	Value	Payer Usage	Payer Situation
455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER	1 = Rx Billing	M	
402-D2	PRESCRIPTION/SERVICE REFERENCE NUMBER		M	

Response Prior Authorization Segment Questions	Check	Prior Authorization Inquiry Accepted/Approved If Situational, Payer Situation
This Segment is always sent.	X	

	Response Prior Authorization Segment Segment Identification (111-AM) = "26"			Prior Authorization Inquiry Accepted/Approved
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
498-PR	PRIOR AUTHORIZATION PROCESSED DATE		R	
498-PS	PRIOR AUTHORIZATION EFFECTIVE DATE		RW	Imp Guide: Required if the prior authorization has an effective date. Payer Requirement: Same as Imp Guide.
498-PT	PRIOR AUTHORIZATION EXPIRATION DATE		RW	Imp Guide: Required if the prior authorization has an expiration date. Payer Requirement: Same as Imp Guide.
498-RA	PRIOR AUTHORIZATION QUANTITY		RW	Imp Guide: Required if the total quantity authorized is greater than zero. Payer Requirement: This field contains the number of days prior authorized.
498-RB	PRIOR AUTHORIZATION DOLLARS AUTHORIZED		RW	Imp Guide: Required if the total dollars authorized is greater than zero. Payer Requirement: Same as Imp Guide.
498-PX	PRIOR AUTHORIZATION QUANTITY ACCUMULATED		RW	Imp Guide: Required if the Prior Authorization Quantity (498-RA) is greater than zero. The field must equal the total of the quantities from all claims processed. Payer Requirement: This field contains the number of days accumulated on the prior authorization.
498-PY	PRIOR AUTHORIZATION NUMBER-ASSIGNED		R	

Prior Authorization Inquiry Accepted/Rejected Response

Response Transaction Header Segment Questions	Check	Prior Authorization Inquiry Accepted/Rejected If Situational, <i>Payer Situation</i>
This Segment is always sent.	X	

	Response Transaction Header Segment			Prior Authorization Inquiry Accepted/Rejected
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
102-A2	VERSION/RELEASE NUMBER	DØ	M	
103-A3	TRANSACTION CODE	P3	M	
109-A9	TRANSACTION COUNT	Maximum count of 1.	M	
501-F1	HEADER RESPONSE STATUS	A = Accepted	M	
202-B2	SERVICE PROVIDER ID QUALIFIER		M	
201-B1	SERVICE PROVIDER ID		M	
401-D1	DATE OF SERVICE		M	

Response Status Segment Questions	Check	Prior Authorization Inquiry Accepted/Rejected If Situational, <i>Payer Situation</i>
This Segment is always sent.	X	

	Response Status Segment Identification (111-AM) = "21"			Prior Authorization Inquiry Accepted/Rejected
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
112-AN	TRANSACTION RESPONSE STATUS	R = Rejected	M	
510-FA	REJECT COUNT	Maximum count of 5.	R	
511-FB	REJECT CODE		R	

Response Claim Segment Questions	Check	Prior Authorization Inquiry Accepted/Rejected If Situational, <i>Payer Situation</i>
This Segment is always sent.	X	

	Response Claim Segment Identification (111-AM) = "22"			Prior Authorization Inquiry Accepted/Rejected
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER	1 = Rx Billing	M	
402-D2	PRESCRIPTION/SERVICE REFERENCE NUMBER		M	

Prior Authorization Inquiry Rejected/Rejected Response

Response Transaction Header Segment Questions	Check	Prior Authorization Inquiry Rejected/Rejected If Situational, <i>Payer Situation</i>
This Segment is always sent.	X	

Field #	Response Transaction Header Segment <i>NCPDP Field Name</i>	Value	Payer Usage	Prior Authorization Inquiry Rejected/Rejected <i>Payer Situation</i>
102-A2	VERSION/RELEASE NUMBER	D0	M	
103-A3	TRANSACTION CODE	P3	M	
109-A9	TRANSACTION COUNT	Maximum count of 1.	M	
501-F1	HEADER RESPONSE STATUS	R = Rejected	M	
202-B2	SERVICE PROVIDER ID QUALIFIER		M	
201-B1	SERVICE PROVIDER ID		M	
401-D1	DATE OF SERVICE		M	

Response Status Segment Questions	Check	Prior Authorization Inquiry Rejected/Rejected If Situational, <i>Payer Situation</i>
This Segment is always sent.	X	

Field #	Response Status Segment Identification (111-AM) = "21" <i>NCPDP Field Name</i>	Value	Payer Usage	Prior Authorization Inquiry Rejected/Rejected <i>Payer Situation</i>
112-AN	TRANSACTION RESPONSE STATUS	R = Rejected	M	
510-FA	REJECT COUNT	Maximum count of 5.	R	
511-FB	REJECT CODE		R	

P4 PRIOR AUTHORIZATION REQUEST ONLY

Transaction Header Segment Questions	Check	Prior Authorization Request Only If Situational, Payer Situation
This Segment is always sent.	X	
Source of certification IDs required in Software Vendor/Certification ID (11Ø-AK) is not used.	X	

Field #	Transaction Header Segment NCPDP Field Name	Value	Payer Usage	Prior Authorization Request Only Payer Situation
1Ø1-A1	BIN NUMBER	61Ø499	M	
1Ø2-A2	VERSION/RELEASE NUMBER	DØ	M	
1Ø3-A3	TRANSACTION CODE	P4	M	
1Ø4-A4	PROCESSOR CONTROL NUMBER		M	
1Ø9-A9	TRANSACTION COUNT	Maximum count of 1.	M	
2Ø2-B2	SERVICE PROVIDER ID QUALIFIER	Ø1 = National Provider Identifier (NPI) Ø5 = Medicaid Note: "Ø5" is valid for "atypical" providers only.	M	
2Ø1-B1	SERVICE PROVIDER ID	Note: "Atypical" providers (i.e., specialized medical vehicle providers, blood banks, and Community Care Organizations) should enter the eight-digit or nine-digit identification number assigned by ForwardHealth.	M	
4Ø1-D1	DATE OF SERVICE		M	
11Ø-AK	SOFTWARE VENDOR/CERTIFICATION ID		M	

Insurance Segment Questions	Check	Prior Authorization Request Only If Situational, Payer Situation
This Segment is always sent.	X	

Field #	Insurance Segment Segment Identification (111-AM) = "Ø4" NCPDP Field Name	Value	Payer Usage	Prior Authorization Request Only Payer Situation
3Ø2-C2	CARDHOLDER ID	Enter the 1Ø-digit ForwardHealth member identification number.	M	
312-CC	CARDHOLDER FIRST NAME		RW	Imp Guide: Required if the Patient is the Cardholder, and Date of Birth (3Ø4-C4) is not available.

	Insurance Segment Segment Identification (111-AM) = "Ø4"			Prior Authorization Request Only
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
				<p>Note: Cardholder ID (3Ø2-C2) is mandatory.</p> <p>Not used when Cardholder ID (3Ø2-C2), Date of Birth (3Ø4-C4), and Person Code (3Ø3-C3) are present.</p> <p>It is a recommendation that Cardholder ID (3Ø2-C2) and Date of Birth (3Ø4-C4) are used.</p> <p>Required if necessary for state/federal/ regulatory agency or Workers' Compensation programs.</p> <p>Required if multiple people have the same Cardholder ID.</p> <p>Required if additional verification of the submitted eligibility information is needed.</p> <p>Payer Requirement: Required.</p>
313-CD	CARDHOLDER LAST NAME		RW	<p>Imp Guide: Required if the Patient is the Cardholder, and the Date of Birth (3Ø4-C4) is not available.</p> <p>Required if Service Bureau when acting as an agent of sender.</p> <p>Required for presumptive eligibility.</p> <p>Required for coupon/sample/trial dose programs when there is no unique Cardholder ID.</p> <p>Required if contractually obligated between trading partners.</p> <p>Not used when Cardholder ID (3Ø2-C2), Date of Birth (3Ø4-C4), and Person Code (3Ø3-C3) are present.</p> <p>It is a recommendation that Cardholder ID (3Ø2-C2) and Date of Birth (3Ø4-C4) are used.</p>

	Insurance Segment Segment Identification (111-AM) = "Ø4"			Prior Authorization Request Only
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
				<p>Required if necessary for state/federal/ regulatory agency or Workers' Compensation programs.</p> <p>Required if multiple people have the same Cardholder ID.</p> <p>Required if additional verification of the submitted eligibility information is needed.</p> <p>Payer Requirement: Required.</p>
3Ø1-C1	GROUP ID	TXIX WCDP ADAP	RW	<p>Imp Guide: Required if necessary for state/federal/ regulatory agency programs.</p> <p>Required if needed for pharmacy claim processing and payment.</p> <p>Payer Requirement: Required. Enter value "TXIX" to indicate Wisconsin Medicaid, BadgerCare Plus, and SeniorCare or "WCDP" to indicate Wisconsin Chronic Disease Program or "ADAP" to indicate AIDS/HIV Drug Assistance Program.</p>

Patient Segment Questions	Check	Prior Authorization Request Only If Situational, Payer Situation
This Segment is always sent.	X	
This Segment is situational.		

	Patient Segment Segment Identification (111-AM) = "Ø1"			Prior Authorization Request Only
Field	NCPDP Field Name	Value	Payer Usage	Payer Situation
3Ø7-C7	PLACE OF SERVICE	<ul style="list-style-type: none"> • Ø1 = Pharmacy • 13 = Assisted Living Facility • 14 = Group Home • 32 = Nursing Facility • 34 = Hospice • 5Ø = Federally Qualified Health Center • 65 = End-Stage Renal Disease Treatment Facility 	RW	<p>Imp Guide: Required if this field could result in different coverage, pricing, or patient financial responsibility.</p> <p>Payer Requirement: Required.</p>

	Patient Segment Segment Identification (111-AM) = "Ø1"			Prior Authorization Request Only
<i>Field</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
		<ul style="list-style-type: none"> 72 = Rural Health Clinic 		

Claim Segment Questions	Check	Prior Authorization Request Only If Situational, <i>Payer Situation</i>
This Segment is always sent.	X	

	Claim Segment Segment Identification (111-AM) = "Ø7"			Prior Authorization Request Only
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER	1 = Rx Billing	M	
4Ø2-D2	PRESCRIPTION/SERVICE REFERENCE NUMBER		M	
436-E1	PRODUCT/SERVICE ID QUALIFIER	Ø3 = National Drug Code (NDC)	M	
4Ø7-D7	PRODUCT/SERVICE ID		M	
442-E7	QUANTITY DISPENSED		R	
4Ø5-D5	DAYS SUPPLY		R	
415-DF	NUMBER OF REFILLS AUTHORIZED		R	

Prior Authorization Segment Questions	Check	Prior Authorization Request Only If Situational, <i>Payer Situation</i>
This Segment is always sent.	X	

	Prior Authorization Segment Segment Identification (111-AM) = "12"			Prior Authorization Request Only
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
498-PA	REQUEST TYPE		M	
498-PB	REQUEST PERIOD DATE-BEGIN		M	
498-PC	REQUEST PERIOD DATE-END		M	
498-PD	BASIS OF REQUEST		M	

Prescriber Segment Questions	Check	Prior Authorization Request Only If Situational, <i>Payer Situation</i>
This Segment is always sent.	X	
This Segment is situational.		

	Prescriber Segment Segment Identification (111-AM) = "Ø3"			Prior Authorization Request Only
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
466-EZ	PRESCRIBER ID QUALIFIER	Ø1 = National Provider Identifier (NPI)	RW	Imp Guide: Required if Prescriber ID (411-DB) is used.

Prescriber Segment Segment Identification (111-AM) = "Ø3"				Prior Authorization Request Only
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
411-DB	PRESCRIBER ID		RW	<p>Payer Requirement: Same as Imp Guide.</p> <p>Imp Guide: Required if this field could result in different coverage or patient financial responsibility.</p> <p>Required if necessary for state/federal/ regulatory agency programs.</p> <p>Payer Requirement: Required. Enter the prescriber's NPI.</p>

Clinical Segment Questions	Check	Prior Authorization Request Only If Situational, Payer Situation
This Segment is always sent.	X	
This Segment is situational.		

Clinical Segment Segment Identification (111-AM) = "13"				Prior Authorization Request Only
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
491-VE	DIAGNOSIS CODE COUNT	Maximum count of 2.	RW	<p>Imp Guide: Required if Diagnosis Code Qualifier (492-WE) and Diagnosis Code (424-DO) are used.</p> <p>Payer Requirement: Only the first two diagnosis code fields submitted will be processed.</p>
492-WE	DIAGNOSIS CODE QUALIFIER	<p>Ø1 = <i>International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)</i></p> <p>Ø2 = <i>International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM)</i></p>	RW	<p>Imp Guide: Required if Diagnosis Code (424-DO) is used.</p> <p>Payer Requirement: Same as Imp Guide.</p>
424-DO	DIAGNOSIS CODE		RW	<p>Imp Guide: The value for this field is obtained from the prescriber or authorized representative.</p> <p>Required if this field could result in different coverage, pricing, patient financial responsibility, and/or drug utilization review outcome.</p>

	Clinical Segment Segment Identification (111-AM) = "13"			Prior Authorization Request Only
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
				<p>Required if this field affects payment for professional pharmacy service.</p> <p>Required if this information can be used in place of prior authorization.</p> <p>Required if necessary for state/federal/regulatory agency programs.</p> <p>Payer Requirement: Required. Enter the primary diagnosis code most relevant to the drug requested for prior authorization. A secondary diagnosis code may also be submitted.</p>

P4 PRIOR AUTHORIZATION REQUEST ONLY RESPONSES

Prior Authorization Request Only Accepted/Captured Response

Response Transaction Header Segment Questions	Check	Prior Authorization Request Only Accepted/Captured If Situational, <i>Payer Situation</i>
This Segment is always sent.	X	

	Response Transaction Header Segment			Prior Authorization Request Only Accepted/Captured
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
102-A2	VERSION/RELEASE NUMBER	DØ	M	
103-A3	TRANSACTION CODE	P4	M	
109-A9	TRANSACTION COUNT	Maximum count of 1.	M	
501-F1	HEADER RESPONSE STATUS	A = Accepted	M	
202-B2	SERVICE PROVIDER ID QUALIFIER		M	
201-B1	SERVICE PROVIDER ID		M	
401-D1	DATE OF SERVICE		M	

Response Status Segment Questions	Check	Prior Authorization Request Only Accepted/Captured If Situational, <i>Payer Situation</i>
This Segment is always sent.	X	

	Response Status Segment Segment Identification (111-AM) = "21"			Prior Authorization Request Only Accepted/Captured
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
112-AN	TRANSACTION RESPONSE STATUS	C=Captured	M	
503-F3	AUTHORIZATION NUMBER	The 10-digit PA number assigned by ForwardHealth.	R	

Response Claim Segment Questions	Check	Prior Authorization Request Only Accepted/Captured If Situational, <i>Payer Situation</i>
This Segment is always sent.	X	

	Response Claim Segment Segment Identification (111-AM) = "22"			Prior Authorization Request Only Accepted/Captured
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER	1 = Rx Billing	M	
402-D2	PRESCRIPTION/SERVICE REFERENCE NUMBER		M	

Prior Authorization Request Only Accepted/Rejected Response

Response Transaction Header Segment Questions	Check	Prior Authorization Request Only Accepted/Rejected If Situational, <i>Payer Situation</i>
This Segment is always sent.	X	

	Response Transaction Header Segment			Prior Authorization Request Only Accepted/Rejected
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
102-A2	VERSION/RELEASE NUMBER	D0	M	
103-A3	TRANSACTION CODE	P4	M	
109-A9	TRANSACTION COUNT	Maximum count of 1.	M	
501-F1	HEADER RESPONSE STATUS	A = Accepted	M	
202-B2	SERVICE PROVIDER ID QUALIFIER		M	
201-B1	SERVICE PROVIDER ID		M	
401-D1	DATE OF SERVICE		M	

Response Status Segment Questions	Check	Prior Authorization Request Only Accepted/Rejected If Situational, <i>Payer Situation</i>
This Segment is always sent.	X	

	Response Status Segment Identification (111-AM) = "21"			Prior Authorization Request Only Accepted/Rejected
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
112-AN	TRANSACTION RESPONSE STATUS	R = Rejected	M	
510-FA	REJECT COUNT	Maximum count of 5.	R	
511-FB	REJECT CODE		R	
546-4F	REJECT FIELD OCCURRENCE INDICATOR		RW	<p>Imp Guide: Required if a repeating field is in error, to identify repeating field occurrence.</p> <p>This field must be sent when relaying error information about a repeating field or set.</p> <p><i>Note:</i> if the Reject Code is not denoting a repeating field or set, the Reject Field Occurrence Indicator must not be sent.</p> <p>Payer Situation: Same as Imp Guide.</p>

Response Claim Segment Questions	Check	Prior Authorization Request Only Accepted/Rejected If Situational, <i>Payer Situation</i>
This Segment is always sent.	X	

Field #	Response Claim Segment Segment Identification (111-AM) = "22"	Value	Payer Usage	Prior Authorization Request Only Accepted/Rejected <i>Payer Situation</i>
455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER	1 = Rx Billing	M	
4Ø2-D2	PRESCRIPTION/SERVICE REFERENCE NUMBER		M	

Prior Authorization Request Only Rejected/Rejected Response

Response Transaction Header Segment Questions	Check	Prior Authorization Request Only Rejected/Rejected If Situational, <i>Payer Situation</i>
This Segment is always sent.	X	

	Response Transaction Header Segment			Prior Authorization Request Only Rejected/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
102-A2	VERSION/RELEASE NUMBER	DØ	M	
103-A3	TRANSACTION CODE	P4	M	
109-A9	TRANSACTION COUNT	Maximum count of 1.	M	
501-F1	HEADER RESPONSE STATUS	R = Rejected	M	
202-B2	SERVICE PROVIDER ID QUALIFIER		M	
201-B1	SERVICE PROVIDER ID		M	
401-D1	DATE OF SERVICE		M	

Response Status Segment Questions	Check	Prior Authorization Request Only Rejected/Rejected If Situational, <i>Payer Situation</i>
This Segment is always sent.	X	

	Response Status Segment Identification (111-AM) = "21"			Prior Authorization Request Only Rejected/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
112-AN	TRANSACTION RESPONSE STATUS	R = Rejected	M	
510-FA	REJECT COUNT	Maximum count of 5.	R	
511-FB	REJECT CODE		R	
546-4F	REJECT FIELD OCCURRENCE INDICATOR		RW	<p>Imp Guide: Required if a repeating field is in error, to identify repeating field occurrence.</p> <p>This field must be sent when relaying error information about a repeating field or set.</p> <p><i>Note:</i> if the Reject Code is not denoting a repeating field or set, the Reject Field Occurrence Indicator must not be sent.</p> <p>Payer Situation: Same as Imp Guide.</p>

APPENDIX A. REVISIONS TO FORWARDHEALTH PAYER SHEET, NCPDP VERSION D.Ø

Payer Sheet Publication Date June 2Ø11

Initial publication of the ForwardHealth Payer Sheet: NCPDP Version D. Ø.

Payer Sheet Publication Date October 2Ø11

TABLE OF CONTENTS

Revised Table of Contents for new pagination.

GENERAL INFORMATION

Revised "Payer Sheet Publication Date" to October, 2Ø11. Revised "Effective as of" date to October 15, 2Ø11.

B1 CLAIM BILLING REQUEST

Revised "Value" column of field 1Ø4-A4 (Processor Control Number) to clarify use of the value "WIPARTD".

Revised "Value" column of field 3Ø8-C8 (Other Coverage Code) to include all values that are accepted by ForwardHealth.

Revised "Value" column of field 429-DT (Special Packaging Indicator) to include all values accepted by ForwardHealth. Updated "Payer Requirement" to clarify use of values "4" and "5".

B1 CLAIM BILLING ACCEPTED/PAID (OR DUPLICATE OF PAID) RESPONSE

Added field 3Ø1-C1 (Group ID) and corresponding "Payer Requirement".

Revised "Payer Requirement" of field 526-FQ (Additional Message Information) to clarify information returned on a duplicate of paid response.

Revised "Value" column of field 544-FY (DUR Free Text Message) for clarification about the message text returned.

B1 CLAIM BILLING ACCEPTED/REJECTED RESPONSE

Revised "Payer Requirement" of field 5Ø4-F4 (Message) to correct typo of Group ID field 3Ø1-C1.

Revised "Value" column and "Payer Requirement" of field 3Ø1-C1 (Group ID) to clarify the information returned in this field.

Revised "Value" column of field 132-UH (Additional Message Information Qualifier) to remove values.

Revised "Value" column of field 526-FQ (Additional Message Information) to remove incorrect information about duplicate claim responses.

Revised "Payer Requirement" column of field 526-FQ (Additional Message Information) to include information about preferred products.

Revised "Value" column of field 4Ø2-D2 (Prescription/Service Reference Number) to remove the value.

Revised "Value" column of field 544-FY (DUR Free Text Message) for clarification about the message text returned.

B2 CLAIM REVERSAL REQUEST

Revised "Value" column of field 1Ø4-A4 (Processor Control Number) to remove incorrect information about value "WIPARTD".

B2 CLAIM REVERSAL ACCEPTED/APPROVED RESPONSE

Removed unused fields 130-UF (Additional Message Information Count), 132-UH (Additional Message Information Qualifier), 526-FQ (Additional Message Information), and 131-UG (Additional Message Information Continuity).

B2 CLAIM REVERSAL ACCEPTED/REJECTED RESPONSE

Revised "Payer Situation" of field 504-F4 (Message) to include all possible messages.

Removed unused fields 130-UF (Additional Message Information Count), 132-UH (Additional Message Information Qualifier), 526-FQ (Additional Message Information), and 131-UG (Additional Message Information Continuity).

Payer Sheet Publication Date March 2012

TABLE OF CONTENTS

Revised Table of Contents for new pagination.

GENERAL INFORMATION

Revised "Payer Sheet Publication Date" to March 2012. Revised "Effective as of" date to March 9, 2012. Added "NCPDP Emergency Telecommunication External Code List Value Addendum: January 2012". Revised "Other versions supported:" to None.

B1 CLAIM BILLING ACCEPTED/PAID (OR DUPLICATE OF PAID) RESPONSE

Added field 558-AW (Flat Sales Tax Amount Paid) and corresponding "Payer Requirement".

Added field 559-AX (Percentage Sales Tax Amount Paid) and corresponding "Payer Requirement".

Added field 563-J2 (Other Amount Paid Count) and corresponding "Payer Requirement".

Added field 564-J3 (Other Amount Paid Qualifier) and corresponding "Payer Requirement".

Added field 565-J4 (Other Amount Paid) and corresponding "Payer Requirement".

B2 CLAIM REVERSAL ACCEPTED/REJECTED RESPONSE

Revised "Payer Requirement" column of field 504-F4 (Message) to include new message, "REVERSAL NOT ALLOWED FOR CLAIM STATUS".

Payer Sheet Publication Date November 2012

TABLE OF CONTENTS

Revised Table of Contents for new pagination.

GENERAL INFORMATION

Revised "Payer Sheet Publication Date" to November, 2012.

Revised "Effective as of" date to November 1, 2012

Revised "NCPDP External Code List Version Date" to: October 2011

Revised "NCPDP Emergency Telecommunication External Code List Value Addendum:" to July 2012

PURPOSE OF PAYER SHEETS

Add "and AIDS/HIV Drug Assistance Program" to list of ForwardHealth Programs

B1 CLAIM BILLING REQUEST

Revised "Value" column of field 104-A4 (Processing Control Number) to add "and AIDS/HIV Drug Assistance Program members that are also enrolled in a Medicare Part D Prescription Plan (PDP) to ensure coordination with the TrOOP facilitator".

Revised "Value" column of field 301-C1 (Group ID) to add the value "ADAP".

Revised "Payer Requirement" of field 301-C1 (Group ID) to add "or ADAP to indicate AIDS/HIV Drug Assistance Program".

Revised "Value" column of field 406-D6 (Compound Code) to add the value "or ADAP".

Revised "Payer Requirement" of field 420 -DK (Submission Clarification Code) to add "or ADAP".

Revised "Payer Requirement" of field 461-EU (Pro Authorization Type Code) to add "or ADAP".

Revised "DUR/PPS Segment Questions" to add "This segment is used to bill pharmaceutical care services with dates of service (DOS) before September 1st, 2012".

Revised "Payer Requirement" of field 439-E4 (Reason for Service Code) to add "Required to bill Pharmaceutical Care services with a DOS before September 1st, 2012".

Revised "Payer Requirement" of field 440-E5 (Professional Service Code) to add "Required to bill Pharmaceutical Care services with a DOS before September 1st, 2012".

Revised "Payer Requirement" of field 441-E6 (Result of Service Code) to add "Required to bill Pharmaceutical Care services with a DOS before September 1st, 2012".

Revised "Payer Requirement" of field 474-8E (DUR/PPS Level of Effort) to add "Required to bill Pharmaceutical Care services with a DOS before September 1st, 2012".

Revised "Payer Requirement" of field 474-8E (DUR/PPS Level of Effort) to add the value "or ADAP".

Revised "Compound Segment Questions" to add "or ADAP".

Revised "Clinical Segment Questions" to add "This segment is required to bill pharmaceutical care services with a DOS before September 1st, 2012".

Revised "Clinical Segment Questions" to add "and ADAP".

Revised "Payer Requirement" of field 424-DO (Diagnosis Code) to add "Required to bill Pharmaceutical Care services with a DOS before September 1st, 2012".

Revised "Payer Requirement" of field 424-DO (Diagnosis Code) to add "and ADAP"

B1 CLAIM BILLING ACCEPTED/PAID (OR DUPLICATE OF PAID) RESPONSE

Revised "Value" column of field 301-C1 (Group ID) to add the value "WISC_ADAP = AIDS/HIV Drug Assistance Program".

B1 CLAIM BILLING ACCEPTED/REJECTED RESPONSE

Revised "Value" column of field 301-C1 (Group ID) to add the value "WISC_ADAP = AIDS/HIV Drug Assistance Program".

B2 CLAIM REVERSAL REQUEST

Revised "Value" column of field 104-A4 (Processing Control Number) to add "and AIDS/HIV Drug Assistance Program (ADAP) members that are also enrolled in a Medicare Part D Prescription Plan (PDP) to ensure coordination with the TrOOP facilitator".

Revised "Value" column of field 301-C1 (Group ID) to add the value "ADAP".

Revised "Payer Requirement" of field 301-C1 (Group ID) to add "or ADAP to indicate AIDS/HIV Drug Assistance Program".

P4 PRIOR AUTHORIZATION REQUEST ONLY

Revised "Value" column of field 301-C1 (Group ID) to add the value "ADAP".

Revised "Payer Requirement" of field 301-C1 (Group ID) to add "or ADAP to indicate AIDS/HIV Drug Assistance Program".

Payer Sheet Publication Date November 2Ø13

TABLE OF CONTENTS

Revised Table of Contents for new pagination.

GENERAL INFORMATION

Revised "Payer Sheet Publication Date" to November 2Ø13.

Revised "Effective as of" date to November 8, 2Ø13.

Revised "NCPDP External Code List Version Date" to October 2Ø12.

Revised "NCPDP Emergency Telecommunication External Code List Value Addendum" to October 2Ø13.

B1 CLAIM BILLING REQUEST

Revised "Value" column of field 1Ø1-A1 (BIN Number) to add "Ø16929".

Revised "Payer Requirement" column of field 1Ø1-A1 (BIN Number) to add "Use BIN Number 61Ø499 for all claims except ADAP claims. Use BIN Number Ø16929 for ADAP claims".

Revised "Value" column of field 4Ø8-D8 (Dispense As Written [DAW]/Product Selection Code) to remove "9 = Substitution Allowed By Prescriber, but Plan Requests Brand Patient's Plan Requested Brand Product To Be Dispensed".

B2 CLAIM REVERSAL REQUEST

Revised "Value" column of field 1Ø1-A1 (BIN Number) to add "Ø16929".

Revised "Payer Requirement" column of field 1Ø1-A1 (BIN Number) to add "Use BIN Number 61Ø499 for all claims except ADAP claims. Use BIN Number Ø16929 for ADAP claims"

Payer Sheet Publication Date December 2Ø13

TABLE OF CONTENTS

Revised Table of Contents for new pagination.

GENERAL INFORMATION

Revised "Payer Sheet Publication Date" to December 2Ø13.

Revised "Effective as of" date to December 31, 2Ø13.

B1 CLAIM BILLING REQUEST

Revised "Payer Requirement" column of field 411-DB (Prescriber ID) to read "Required. Providers are required to use the prescriber's NPI".

Payer Sheet Publication Date October 2Ø14

TABLE OF CONTENTS

Revised Table of Contents for new pagination.

GENERAL INFORMATION

Revised "Payer Sheet Publication Date" to October 2Ø14.

Revised "Effective as of" date to October 12, 2Ø14.

Revised "NCPDP External Code List Version Date" to October 2Ø14.

Payer Sheet Publication Date September 2Ø15

TABLE OF CONTENTS

Revised Table of Contents for new pagination.

GENERAL INFORMATION

Revised "Payer Sheet Publication Date" to September 2Ø15.

Revised "Effective as of" date to September 1, 2Ø15.

NCPDP Emergency Telecommunication External Code List Value Addendum: July 2Ø15

B1 CLAIM BILLING REQUEST

Revised "Value" column of field 492-WE (Diagnosis Code Qualifier) to add "Ø2 = *International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM)*".

P4 Prior Authorization Request Only

Revised "Value" column of field 492-WE (Diagnosis Code Qualifier) to add "Ø2 = *International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM)*".

Payer Sheet Publication Date September 2Ø15

TABLE OF CONTENTS

Revised Table of Contents for new pagination.

GENERAL INFORMATION

Revised "Payer Sheet Publication Date" to September 2Ø15.

Payer Sheet Publication Date April 2Ø16

TABLE OF CONTENTS

Revised Table of Contents for new pagination.

GENERAL INFORMATION

Revised "Payer Sheet Publication Date" to April 2Ø16.

Revised "Effective as of" date to April 1, 2Ø16.

NCPDP Emergency Telecommunication External Code List Value Addendum: January 2Ø16

Payer Sheet Publication Date June 2Ø16

TABLE OF CONTENTS

Revised Table of Contents for new pagination.

B1 CLAIM BILLING ACCEPTED/REJECTED RESPONSE

Revised "Payer Sheet Publication Date" to June 2Ø16.

Revised "Effective as of" date to April 11, 2Ø16.

Revised "Value" column of field 544-FY (DUR Free Text Message) for clarification about the message text returned. ER = (XX days of RX remaining) changed to ER = (May Refill on MM/DD/YYYY).

Payer Sheet Publication Date October 2Ø16

TABLE OF CONTENTS

Revised Table of Contents for new pagination.

GENERAL INFORMATION

Revised "Payer Sheet Publication Date" to October 2Ø16.

Revised "Effective as of" date to October 15, 2Ø16.

Revised NCPDP External Code List Version Date: October 2Ø15.

B1 CLAIM BILLING REQUEST

Revised "Value" column for field 1Ø9-A9 (Transaction Count). Maximum count of 4 has been changed to Maximum count of 1.

Payer Sheet Publication Date April 2Ø17

TABLE OF CONTENTS

Revised Table of Contents for new pagination.

GENERAL INFORMATION

Revised "Payer Sheet Publication Date" to April 2Ø17.
Revised "Effective as of" date to April 1, 2Ø17.

B1 CLAIM BILLING REQUEST

Revised "Value" column for field 42Ø-DK (Submission Clarification Code). Added values 2, 20, and 99 to the list of values accepted by ForwardHealth. Added definition for Payer Requirements in the Claim Billing column for values 2, 20, and 99.

Payer Sheet Publication Date October 2Ø17

TABLE OF CONTENTS

Revised Table of Contents for new pagination.

GENERAL INFORMATION

Revised "Payer Sheet Publication Date" to October 2Ø17.
Revised "Effective as of" date to October 15, 2Ø17.
Revised "NCPDP Emergency Telecommunication External Code List Value Addendum" date to April 2Ø17.

Payer Sheet Publication Date February 2Ø18

GENERAL INFORMATION

Revised "Payer Sheet Publication Date" to February 2Ø18.
Revised "Effective as of" date to February 1, 2Ø18.

B1 CLAIM BILLING REQUEST

Revised "Value" column for field 4Ø8-D8 (Dispense as Written [DAW]/Product Selection Code). Deleted values 5 and 8 to the list of values accepted by ForwardHealth.