

## Needed to see doctor but could not

Health Priority A: Access to Primary and Preventive Health Services

Objective A3: Reduce the proportion of the population that reports difficulties, delays, or the inability to receive ongoing primary and preventive health care (e.g., check-ups and management of acute and/or chronic illnesses).

2010 Target: No target established

Indicator: Needed to see doctor but could not

### Percent of Wisconsin Household Residents Who Needed Medical Care during the Past 12 Months but Did Not Receive It

Year (N)	Total		Males		Females	
	Percent	+/-	Percent	+/-	Percent	+/-
2000	3%	<1%	2%	<1%	3%	1%
(N)	(6,894)		(3,305)		(3,589)	
2001	3%	<1%	2%	<1%	4%	1%
(N)	(9,549)		(4,641)		(4,908)	
2002	2%	<1%	2%	<1%	2%	<1%
(N)	(7,995)		(3,871)		(4,124)	
2003	1%	<1%	1%	<1%	2%	<1%
(N)	(6,398)		(3,082)		(3,316)	
2004	2%	<1%	2%	<1%	2%	<1%
(N)	(6,330)		(3,094)		(3,236)	
2005	2%	<1%	2%	<1%	2%	<1%
(N)	(6,272)		(3,007)		(3,265)	
2006	2%	<1%	2%	<1%	3%	1%
(N)	(6,523)		(3,095)		(3,428)	
2007	2%	<1%	1%	<1%	2%	<1%
(N)	(6,857)		(3,306)		(3,551)	
2008	2%	<1%	2%	<1%	3%	<1%
(N)	(6,243)		(3,000)		(3,243)	
2009	2%	<1%	3%	1%	2%	1%
(N)	(6,066)		(2,904)		(3,162)	

Source: Wisconsin Family Health Survey, Office of Health Informatics, Division of Public Health, Department of Health Services.

Note: Results from 2008 and 2009 are not directly comparable to results from earlier years due to changes in both of these years in the method of weighting data. See data documentation for more information.

N Number in sample. See data documentation.

+/- 95% confidence interval. See data documentation.

**Continued on next page**

Prepared for Tracking the State Health Plan, 2010—State-Level Data

<http://dhs.wisconsin.gov/statehealthplan/track2010> (January 2011)

Office of Health Informatics

Division of Public Health

Wisconsin Department of Health Services

## Needed to see doctor but could not, continued

### Percent of Wisconsin Household Residents Who Needed Medical Care during the Past 12 Months but Did Not Receive It, By Age

Year (N)	Total		Ages 0-17		Ages 18-44		Ages 45-64		Ages 65+	
	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-
2000	3%	<1%	2%	1%	3%	1%	3%	1%	1%	1%
(N)	(6,894)		(1,902)		(2,648)		(1,567)		(777)	
2001	3%	<1%	2%	1%	4%	1%	3%	1%	1%	1%
(N)	(9,549)		(2,665)		(3,537)		(2,267)		(1,080)	
2002	2%	<1%	1%	<1%	3%	1%	3%	1%	1%	1%
(N)	(7,995)		(2,124)		(2,890)		(1,960)		(1,021)	
2003	1%	<1%	<1%	<1%	2%	1%	2%	1%	1%	1%
(N)	(6,398)		(1,750)		(2,256)		(1,656)		(736)	
2004	2%	<1%	1%	<1%	3%	1%	2%	1%	<1%	<1%
(N)	(6,330)		(1,606)		(2,075)		(1,782)		(867)	
2005	2%	<1%	1%	<1%	4%	1%	2%	1%	1%	1%
(N)	(6,272)		(1,636)		(2,035)		(1,695)		(904)	
2006	2%	<1%	1%	<1%	3%	1%	3%	1%	1%	1%
(N)	(6,523)		(1,823)		(1,978)		(1,860)		(862)	
2007	2%	<1%	1%	<1%	3%	1%	2%	1%	2%	1%
(N)	(6,857)		(1,691)		(1,972)		(2,165)		(1,029)	
2008	2%	<1%	1%	1%	3%	1%	3%	1%	2%	1%
(N)	(6,243)		(1,465)		(1,712)		(2,001)		(1,065)	
2009	2%	<1%	1%	<1%	3%	1%	3%	1%	1%	1%
(N)	(6,066)		(1,375)		(1,588)		(2,098)		(1,005)	

Source: Wisconsin Family Health Survey, Office of Health Informatics, Division of Public Health, Department of Health Services.

Note: Results from 2008 and 2009 are not directly comparable to results from earlier years due to changes in both of these years in the method of weighting data. See data documentation for more information.

N        Number in sample. See data documentation.  
+/-      95% confidence interval. See data documentation.

**Continued on next page**

## Needed to see doctor but could not, continued

### Percent of Wisconsin Household Residents Who Needed Medical Care during the Past 12 Months but Did Not Receive It, by Race/Ethnicity

Year (N)	Total		African American*		American Indian*		Asian*	
	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-
2000	3%	<1%	4%	1%	1%	2%	--	--
(N)	(6,894)		(695)		(100)		(81)	
2001	3%	<1%	3%	1%	1%	2%	4%	3%
(N)	(9,549)		(867)		(121)		(144)	
2002	2%	<1%	4%	2%	--	--	--	--
(N)	(7,995)		(550)		(89)		(84)	
2003	1%	<1%	2%	1%	--	--	--	--
(N)	(6,398)		(438)		(82)		(89)	
2004	2%	<1%	5%	2%	--	--	--	--
(N)	(6,330)		(557)		(97)		(53)	
2005	2%	<1%	5%	2%	5%	4%	--	--
(N)	(6,272)		(526)		(123)		(66)	
2006	2%	<1%	4%	2%	2%	2%	--	--
(N)	(6,523)		(571)		(187)		(68)	
2007	2%	<1%	4%	2%	2%	2%	--	--
(N)	(6,857)		(502)		(172)		(57)	
2008	2%	<1%	6%	2%	1%	2%	--	--
(N)	(6,243)		(439)		(170)		(65)	
2009	2%	<1%	2%	1%	--	--	--	--
(N)	(6,066)		(434)		(74)		(78)	

Source: Wisconsin Family Health Survey, Office of Health Informatics, Division of Public Health, Department of Health Services.

Note: Results from 2008 and 2009 are not directly comparable to results from earlier years due to changes in both of these years in the method of weighting data. See data documentation for more information.

N        Number in sample. See data documentation.  
 +/-     95% confidence interval. See data documentation.  
 \*        Non-Hispanic  
 --       No percentage was calculated due to small number in sample.

**Continued on next page**

## Needed to see doctor but could not, continued

### Percent of Wisconsin Household Residents Who Needed Medical Care during the Past 12 Months but Did Not Receive It, by Race/Ethnicity (continued)

Year (N)	Hispanic		White*		Multiple Races*	
	Percent	+/-	Percent	+/-	Percent	+/-
2000	10%	5%	2%	<1%	--	--
(N)	(158)		(5,668)		(79)	
2001	11%	4%	3%	<1%	3%	3%
(N)	(227)		(7,884)		(149)	
2002	2%	2%	2%	<1%	--	--
(N)	(262)		(6,768)		(95)	
2003	3%	2%	1%	<1%	--	--
(N)	(197)		(5,383)		(99)	
2004	2%	2%	2%	<1%	--	--
(N)	(186)		(5,279)		(88)	
2005	1%	1%	2%	<1%	--	--
(N)	(193)		(5,196)		(99)	
2006	1%	1%	2%	<1%	--	--
(N)	(267)		(5,250)		(94)	
2007	2%	2%	2%	<1%	6%	5%
(N)	(221)		(5,699)		(107)	
2008	1%	1%	2%	<1%	4%	4%
(N)	(180)		(5,173)		(116)	
2009	1%	1%	2%	<1%	--	--
(N)	(210)		(5,068)		(92)	

Source: Wisconsin Family Health Survey, Office of Health Informatics, Division of Public Health, Department of Health Services.

Note: Results from 2008 and 2009 are not directly comparable to results from earlier years due to changes in both of these years in the method of weighting data. See data documentation for more information.

N        Number in sample. See data documentation.  
 +/-     95% confidence interval. See data documentation.  
 \*        Non-Hispanic  
 --       No percentage was calculated due to small number in sample.

**Continued on next page**

## Needed to see doctor but could not, continued

### Percent of Wisconsin Household Residents Who Needed Medical Care during the Past 12 Months but Did Not Receive It, By Race/Ethnicity

Years (N)	Total		African American*		American Indian*		Asian*	
	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-
2000- 2001 (N)	3%	<1%	4%	1%	1%	1%	2%	2%
	(16,443)		(1,562)		(221)		(225)	
2001- 2002 (N)	2%	<1%	4%	1%	2%	2%	3%	2%
	(17,544)		(1,417)		(210)		(228)	
2002- 2003 (N)	2%	<1%	3%	1%	3%	3%	1%	2%
	(14,393)		(988)		(171)		(173)	
2003- 2004 (N)	2%	<1%	4%	1%	3%	2%	<1%	1%
	(12,728)		(995)		(179)		(142)	
2004- 2005 (N)	2%	<1%	5%	1%	4%	3%	<1%	1%
	(12,602)		(1,083)		(220)		(119)	
2005- 2006 (N)	2%	<1%	4%	1%	3%	2%	2%	2%
	(12,795)		(1,097)		(310)		(134)	
2006- 2007 (N)	2%	<1%	4%	1%	2%	1%	2%	2%
	(13,380)		(1,073)		(359)		(125)	
2007- 2008 (N)	2%	<1%	5%	1%	2%	1%	<1%	2%
	(13,100)		(941)		(342)		(122)	
2008- 2009 (N)	2%	<1%	4%	1%	5%	3%	2%	2%
	(12,309)		(873)		(244)		(143)	

Source: Wisconsin Family Health Survey, Office of Health Informatics, Division of Public Health, Department of Health Services.

Note: Results from 2008 and 2009 are not directly comparable to results from earlier years due to changes in both of these years in the method of weighting data. See data documentation for more information.

N Number in sample. See data documentation.  
 +/- 95% confidence interval. See data documentation.  
 \* Non-Hispanic

**Continued on next page**

## Needed to see doctor but could not, continued

### Percent of Wisconsin Household Residents Who Needed Medical Care during the Past 12 Months but Did Not Receive It, by Race/Ethnicity (continued)

Years (N)	Hispanic		White*		Multiple Races*	
	Percent	+/-	Percent	+/-	Percent	+/-
2000- 2001 (N)	10%	3%	2%	<1%	4%	3%
	(385)		(13,552)		(228)	
2001- 2002 (N)	6%	2%	2%	<1%	5%	3%
	(489)		(14,652)		(244)	
2002- 2003 (N)	3%	1%	1%	<1%	6%	3%
	(459)		(12,151)		(194)	
2003- 2004 (N)	3%	2%	1%	<1%	3%	3%
	(383)		(10,662)		(187)	
2004- 2005 (N)	2%	1%	2%	<1%	7%	4%
	(379)		(10,475)		(187)	
2005- 2006 (N)	1%	1%	2%	<1%	4%	3%
	(460)		(10,446)		(193)	
2006- 2007 (N)	2%	1%	2%	<1%	3%	2%
	(488)		(10,949)		(201)	
2007- 2008 (N)	2%	1%	2%	<1%	5%	3%
	(401)		(10,872)		(223)	
2008- 2009 (N)	1%	1%	2%	<1%	6%	3%
	(390)		(10,241)		(208)	

Source: Wisconsin Family Health Survey, Office of Health Informatics, Division of Public Health, Department of Health Services.

Note: Results from 2008 and 2009 are not directly comparable to results from earlier years due to changes in both of these years in the method of weighting data. See data documentation for more information.

N Number in sample. See data documentation.  
 +/- 95% confidence interval. See data documentation.  
 \* Non-Hispanic