

## Dental visit in past year, people uninsured all year

Health Priority A: Access to Primary and Preventive Health Services

Objective A4b: By 2010, 46% or more of Wisconsin's residents who were uninsured throughout the previous year will have received oral health services from a dental provider in the past year.

2010 Target: Greater than or equal to 46%

Indicator: Dental visit in past year, people uninsured all year

### Percent of Wisconsin Household Residents Age 1 and Older, Uninsured All of the Past Year, Who Had a Dental Care Visit during the Year

Year (N)	Total (Age 1+)		Males		Females	
	Percent	+/-	Percent	+/-	Percent	+/-
2000	36%	5%	34%	7%	39%	8%
(N)	(315)		(168)		(147)	
2001	44%	5%	40%	6%	49%	7%
(N)	(427)		(247)		(180)	
2002	44%	6%	37%	7%	53%	9%
(N)	(300)		(170)		(130)	
2003	42%	6%	44%	8%	38%	9%
(N)	(250)		(142)		(108)	
2004	36%	5%	32%	7%	42%	8%
(N)	(319)		(168)		(151)	
2005	34%	5%	32%	7%	37%	8%
(N)	(302)		(176)		(126)	
2006	35%	5%	33%	7%	37%	7%
(N)	(339)		(175)		(164)	
2007	41%	5%	36%	7%	47%	8%
(N)	(315)		(174)		(141)	
2008	32%	5%	29%	7%	35%	8%
(N)	(290)		(158)		(132)	
2009	36%	6%	36%	7%	35%	9%
(N)	(270)		(159)		(111)	

Source: Wisconsin Family Health Survey, Office of Health Informatics, Division of Public Health, Department of Health Services.

Note: Results from 2008 and 2009 are not directly comparable to results from earlier years due to changes in both of these years in the method of weighting data. See data documentation for more information.

N Number in sample. See data documentation.

+/- 95% confidence interval. See data documentation.

**Continued on next page**

## Dental visit in past year, people uninsured all year, continued

### Percent of Wisconsin Household Residents Age 1 and Older, Uninsured All of the Past Year, Who Had a Dental Care Visit during the Year, By Age

Years (N)	Total (Age 1+)		Ages 1-17		Ages 18-44		Ages 45-64		Ages 65+	
	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-
2000- 2002 (N)	41%	3%	50%	8%	42%	4%	34%	6%	--	--
	(1,042)		(170)		(575)		(274)		(23)	
2001- 2003 (N)	43%	3%	56%	8%	41%	4%	40%	6%	--	--
	(977)		(147)		(563)		(249)		(18)	
2002- 2004 (N)	40%	3%	47%	9%	40%	4%	38%	6%	--	--
	(869)		(117)		(516)		(225)		(11)	
2003- 2005 (N)	37%	3%	40%	9%	35%	4%	42%	6%	--	--
	(871)		(120)		(518)		(224)		(9)	
2004- 2006 (N)	35%	3%	36%	8%	33%	4%	41%	6%	--	--
	(960)		(157)		(514)		(274)		(15)	
2005- 2007 (N)	37%	3%	45%	8%	34%	4%	41%	6%	--	--
	(956)		(156)		(483)		(306)		(11)	
2006- 2008 (N)	36%	3%	46%	8%	33%	4%	38%	5%	--	--
	(944)		(142)		(469)		(321)		(12)	
2007- 2009 (N)	36%	3%	52%	10%	32%	4%	40%	5%	--	--
	(875)		(103)		(450)		(313)		(9)	

Source: Wisconsin Family Health Survey, Office of Health Informatics, Division of Public Health, Department of Health Services.

Note: Results from 2008 and 2009 are not directly comparable to results from earlier years due to changes in both of these years in the method of weighting data. See data documentation for more information.

N        Number in sample. See data documentation.  
 +/-     95% confidence interval. See data documentation.  
 --      No percentage was calculated due to small number in sample.

Continued on next page

## Dental visit in past year, people uninsured all year, continued

### Percent of Wisconsin Household Residents Age 1 and Older, Uninsured All of the Past Year, Who Had a Dental Care Visit during the Year, By Race/Ethnicity

Years (N)	Total (Age 1+)		African American*		Hispanic		White*	
	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-
2000-2003 (N)	41%	3%	38%	7%	47%	10%	42%	3%
	(1,292)		(197)		(103)		(879)	
2001-2004 (N)	41%	3%	38%	7%	39%	8%	42%	3%
	(1,296)		(195)		(127)		(869)	
2002-2005 (N)	38%	3%	36%	8%	39%	8%	39%	3%
	(1,171)		(150)		(143)		(785)	
2003-2006 (N)	36%	3%	34%	8%	34%	7%	37%	3%
	(1,210)		(153)		(167)		(795)	
2004-2007 (N)	36%	3%	35%	7%	32%	7%	37%	3%
	(1,275)		(172)		(174)		(828)	
2005-2008 (N)	35%	3%	36%	8%	35%	7%	35%	3%
	(1,246)		(151)		(160)		(828)	
2006-2009 (N)	36%	3%	39%	8%	42%	8%	33%	3%
	(1,214)		(155)		(163)		(792)	

Source: Wisconsin Family Health Survey, Office of Health Informatics, Division of Public Health, Department of Health Services.

Note: Results from 2008 and 2009 are not directly comparable to results from earlier years due to changes in both of these years in the method of weighting data. See data documentation for more information.

N Number in sample. See data documentation.  
 +/- 95% confidence interval. See data documentation.  
 \* Non-Hispanic