

Tobacco use, middle school students

Health Priority K: Tobacco Use and Exposure

Objective K1a: By 2010, reduce the percent of Wisconsin middle school youth who use tobacco from 16 percent in 2000 to 12 percent.

2010 Target: 12%

Indicator: Tobacco use, middle school students

Percent of Wisconsin Middle School Students Who Use Any Form of Tobacco

Year (N)	Total		Males		Females	
	Percent	+/-	Percent	+/-	Percent	+/-
2000	16%	2%	18%	3%	14%	3%
(N)	1,440		704		730	
2001	13%	2%	13%	2%	13%	2%
(N)	1,591		816		771	
2002	13%	2%	15%	3%	12%	3%
(N)	1,298		669		620	
2003	13%	2%	15%	2%	11%	2%
(N)	1,864		946		907	
2004	13%	2%	15%	2%	11%	2%
(N)	1,682		879		799	
2006	9%	1%	10%	2%	8%	2%
(N)	1,892		927		962	
2008	7%	1%	8%	2%	5%	2%
(N)	1,571		824		744	
2010	7%	2%	8%	3%	6%	2%
(N)	1,896		968		926	

Source: Wisconsin Youth Tobacco Survey, Division of Public Health, Department of Health Services.

N Number in sample. See data documentation.

+/- Confidence interval. See data documentation.

Continued on next page

Prepared for Tracking the State Health Plan, 2010—State-Level Data

<http://dhs.wisconsin.gov/statehealthplan/track2010/> (January 2011)

Office of Health Informatics

Division of Public Health

Wisconsin Department of Health Services

Tobacco use, middle school students, continued

Percent of Wisconsin Middle School Students Who Use Any Form of Tobacco, by Race/Ethnicity

Years (N)	Total		Afr. Am.*		Am. Ind.*		Asian*		Hispanic		White*	
	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-
2000-2003	12%	1%	15%	3%	21%	7%	13%	4%	21%	6%	10%	2%
(N)	6,193		580		183		272		233		4,840	
2001-2004	13%	1%	18%	3%	26%	6%	15%	4%	22%	6%	11%	1%
(N)	6,453		691		218		288		222		4,927	
2002, 2004, 2006	12%	1%	17%	3%	26%	6%	13%	4%	20%	5%	10%	1%
(N)	6,736		739		229		291		285		5,103	
2004, 2006, 2008	9%	1%	14%	3%	24%	7%	12%	5%	13%	4%	8%	1%
(N)	5,097		441		150		190		260		4,056	
2006, 2008, 2010	7%	1%	9%	3%	15%	6%	7%	3%	12%	3%	7%	1%
(N)	5,311		423		137		230		362		4,159	

Source: Wisconsin Youth Tobacco Survey, Division of Public Health, Department of Health Services.

N Number in sample. See data documentation.

+/- Confidence interval. See data documentation.

* Non-Hispanic

Continued on next page

Tobacco use, middle school students, continued

Percent of Wisconsin Middle School Students Who Currently Smoke Cigarettes

Year (N)	Total		Males		Females	
	Percent	+/-	Percent	+/-	Percent	+/-
2000	12%	2%	12%	3%	13%	3%
(N)	1,440		704		730	
2001	9%	2%	8%	2%	10%	2%
(N)	1,591		816		771	
2002	9%	2%	9%	2%	9%	3%
(N)	1,298		669		620	
2003	7%	1%	7%	2%	7%	2%
(N)	1,864		946		907	
2004	8%	1%	8%	2%	7%	2%
(N)	1,682		844		782	
2006	6%	1%	6%	2%	5%	1%
(N)	1,892		927		962	
2008	4%	1%	4%	1%	4%	1%
(N)	1,536		800		734	
2010	4%	1%	4%	2%	4%	1%
(N)	1,864		948		916	

Source: Wisconsin Youth Tobacco Survey, Division of Public Health, Department of Health Services.

N Number in sample. See data documentation.

+/- Confidence interval. See data documentation.

Continued on next page

Tobacco use, middle school students, continued

Percent of Wisconsin Middle-School Students Who Currently Smoke Cigarettes, by Race/Ethnicity

Years (N)	Total		Afr. Am.*		Am. Ind.*		Asian*		Hispanic		White*	
	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-
2000-2003 (N)	9%	1%	9%	3%	17%	6%	10%	4%	19%	6%	9%	1%
	6,193		580		183		272		233		4,840	
2001-2004 (N)	8%	1%	8%	2%	19%	6%	8%	3%	15%	5%	7%	1%
	6,453		691		218		288		222		4,927	
2002, 2004, 2006 (N)	7%	1%	7%	2%	18%	5%	6%	3%	13%	4%	7%	1%
	6,736		695		215		274		267		5,003	
2004, 2006, 2008 (N)	6%	1%	7%	2%	17%	6%	5%	3%	8%	3%	5%	1%
	5,002		412		142		179		250		3,975	
2006, 2008, 2010 (N)	5%	1%	4%	2%	11%	5%	3%	2%	7%	3%	4%	1%
	5,192		399		134		223		349		4,087	

Source: Wisconsin Youth Tobacco Survey, Division of Public Health, Department of Health Services.

N Number in sample. See data documentation.

+/- Confidence interval. See data documentation.

* Non-Hispanic