

## Tobacco use, high school students

Health Priority K: Tobacco Use and Exposure

Objective K1b: By 2010, reduce the percent of Wisconsin high school youth who use tobacco from 39 percent in 2000 to 29 percent.

2010 Target: 29%

Indicator: Tobacco use, high school students

### Percent of Wisconsin High School Students Who Use Any Form of Tobacco

Year (N)	Total		Males		Females	
	Percent	+/-	Percent	+/-	Percent	+/-
2000	39%	3%	42%	4%	36%	4%
(N)	1,307		619		682	
2002	33%	3%	38%	4%	27%	4%
(N)	1,362		643		716	
2004	28%	2%	29%	4%	26%	3%
(N)	1,443		696		742	
2006	27%	2%	33%	3%	21%	3%
(N)	1,737		876		855	
2008	28%	2%	33%	3%	23%	3%
(N)	1,913		969		939	
2010	26%	2%	29%	3%	23%	3%
(N)	1,757		863		893	

Source: Wisconsin Youth Tobacco Survey, Division of Public Health, Department of Health Services.

N        Number in sample. See data documentation.

+/-      Confidence interval. See data documentation.

**Continued on next page**

## Tobacco use, high school students, continued

### Percent of Wisconsin High School Students Who Use Any Form of Tobacco, by Race/Ethnicity

Years (N)	Total		African American*		Asian*		Hispanic		White*	
	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-
2000, 2002	35%	2%	17%	6%	27%	9%	**		37%	2%
(N)	2,669		198		100		**		2,214	
2002, 2004	30%	2%	20%	6%	23%	8%	33%	9%	31%	2%
(N)	2,805		222		116		111		2,297	
2004, 2006	27%	2%	19%	6%	24%	8%	29%	9%	28%	
(N)	3,180		278		141		170		2,502	2%
2006, 2008	28%	1%	19%	4%	26%	7%	21%	6%	29%	2%
(N)	3,611		411		137		205		2,802	
2008, 2010	27%	1%	20%	4%	22%	7%	20%	5%	28%	2%
(N)	3,636		419		137		213		2,806	

Source: Wisconsin Youth Tobacco Survey, Division of Public Health, Department of Health Services.

N Number in sample. See data documentation.

+/- Confidence interval. See data documentation.

\* Non-Hispanic

\*\* Fewer than 100 cases for time period.

Note: Groups with <100 cases in all time periods are excluded from the table.

**Continued on next page**

## Tobacco use, high school students, continued

### Percent of Wisconsin High School Students Who Currently Smoke Cigarettes

Year (N)	Total		Males		Females	
	Percent	+/-	Percent	+/-	Percent	+/-
2000	33%	3%	31%	4%	35%	4%
(N)	1,307		619		682	
2002	27%	3%	29%	4%	25%	3%
(N)	1,362		643		716	
2004	21%	2%	20%	3%	22%	3%
(N)	1,443		675		729	
2006	20%	2%	21%	3%	19%	3%
(N)	1,737		876		855	
2008	21%	2%	22%	3%	18%	2%
(N)	1,872		945		922	
2010	18%	2%	17%	3%	18%	4%
(N)	1,716		832		883	

Source: Wisconsin Youth Tobacco Survey, Division of Public Health, Department of Health Services.

N Number in sample. See data documentation.

+/- Confidence interval. See data documentation.

### Percent of Wisconsin High School Students Who Currently Smoke Cigarettes, by Race/Ethnicity

Years (N)	Total		African American*		Asian*		Hispanic		White*	
	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-
2000, 2002	30%	2%	14%	6%	25%	9%	**		31%	2%
(N)	2,669		198		100		**		2,214	
2002, 2004	24%	2%	13%	5%	19%	8%	22%	8%	25%	2%
(N)	2,805		222		116		111		2,297	
2004, 2006	20%	1%	13%	4%	20%	7%	17%	6%	21%	2%
(N)	3,180		271		137		155		2,454	
2006, 2008	20%	1%	14%	3%	21%	7%	16%	5%	21%	1%
(N)	3,567		396		134		195		2,749	
2008, 2010	19%	1%	13%	3%	15%	6%	17%	5%	20%	1%
(N)	3,556		402		128		207		2,762	

Source: Wisconsin Youth Tobacco Survey, Division of Public Health, Department of Health Services.

N Number in sample. See data documentation.

+/- Confidence interval. See data documentation.

\* Non-Hispanic

\*\* Fewer than 100 cases for time period.

Note: Groups with <100 cases in all time periods are excluded from the table.

Prepared for Tracking the State Health Plan, 2010—State-Level Data

<http://dhs.wisconsin.gov/statehealthplan/track2010/> (January 2011)

Office of Health Informatics

Division of Public Health

Wisconsin Department of Health Services