

## Workplace smoking policies

Health Priority K: Tobacco Use and Exposure

Objective K3b: By 2010, reduce the percent of adults who reported that smoking is allowed in some or all work areas as their place of work's official smoking policy from 26 percent in 2000 to 19 percent.

2010 Target: 19%

Indicator: Workplace smoking policies

### Percent of Wisconsin Adults Aged 18+ Who Have a Workplace Smoking Policy

Year (N)	Smoking Not Allowed Anywhere		Allowed in Some or All Areas		No Official Policy	
	Percent	+/-	Percent	+/-	Percent	+/-
2000	74%	2%	20%	2%	6%	1%
(N)	1,522		1,522		1,522	
2001	80%	2%	19%	2%	<1%	n/a
(N)	2,067		2,067		2,067	
2002	80%	2%	19%	2%	<1%	n/a
(N)	2,094		2,094		2,094	
2004	84%	2%	11%	2%	5%	1%
(N)	2,284		2,284		2,284	
2005	82%	2%	11%	2%	6%	2%
(N)	2,396		2,396		2,396	
2006	85%	2%	9%	2%	6%	2%
(N)	2,319		2,319		2,319	
2007	84%	2%	11%	2%	5%	2%
(N)	3,348		3,348		3,348	
2008	85%	2%	9%	2%	6%	1%
(N)	3,197		3,197		3,197	
2009	88%	2%	8%	2%	4%	1%
(N)	1,855		1,855		1,855	
2010	91%	2%	5%	2%	4%	1%
(N)	1,882		1,882		1,882	

Source: Wisconsin Behavioral Risk Factor Survey, Office of Health Informatics, Division of Public Health, Department of Health Services.

N Number in sample. See data documentation.

+/- Confidence interval. See data documentation.

n/a Not applicable

**Continued on next page**

Prepared for Tracking the State Health Plan, 2010—State-Level Data

<http://dhs.wisconsin.gov/statehealthplan/track2010> (July 2011)

Office of Health Informatics

Division of Public Health

Wisconsin Department of Health Services

## Workplace smoking policies, continued

Percent of Wisconsin Adults Aged 18+ Who Have a Workplace Smoking Policy, by Sex

Year (N)	Males						Females					
	Smoking Not Allowed Anywhere		Allowed in Some or All Areas		No Official Policy		Smoking Not Allowed Anywhere		Allowed in Some or All Areas		No Official Policy	
	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-
2000	64%	4%	27%	3%	8%	2%	83%	3%	14%	2%	4%	1%
(N)	673		673		673		849		849		849	
2001	74%	3%	26%	3%	<1%	n/a	85%	2%	14%	2%	<1%	n/a
(N)	892		892		892		1,175		1,175		1,175	
2002	72%	3%	27%	3%	1%	1%	87%	2%	12%	2%	<1%	n/a
(N)	799		799		799		1,295		1,295		1,295	
2004	77%	4%	16%	3%	7%	2%	90%	2%	7%		3%	1%
(N)	845		845		845		1,439		1,439		1,439	
2005	73%	4%	17%	4%	10%	3%	90%	2%	6%	2%	4%	2%
(N)	935		935		935		1,461		1,461		1,461	
2006	80%	3%	12%	3%	8%	3%	89%	2%	7%	2%	4%	2%
(N)	868		868		868		1,451		1,451		1,451	
2007	78%	3%	15%	4%	7%	2%	88%	3%	8%	2%	4%	1%
(N)	1,242		1,242		1,242		2,106		2,106		2,106	
2008	80%	4%	12%	3%	8%	2%	90%	2%	6%	2%	4%	1%
(N)	1,210		1,210		1,210		1,987		1,987		1,987	
2009	83%	4%	12%	4%	4%	2%	92%	2%	5%	2%	3%	2%
(N)	712		712		712		1,143		1,143		1,143	
2010	88%	4%	6%	3%	5%	2%	94%	2%	3%	1%	3%	1%
(N)	697		697		697		1,185		1,185		1,185	

Source: Wisconsin Behavioral Risk Factor Survey, Office of Health Informatics, Division of Public Health, Department of Health Services.

N        Number in sample. See data documentation.  
 +/-     Confidence interval. See data documentation.  
 n/a     Not applicable

**Continued on next page**

## Workplace smoking policies, continued

Percent of Wisconsin Adults Aged 18+ Who Have a Workplace Smoking Policy, by Race/Ethnicity

Years (N)	Total						African American					
	Smoking Not Allowed Anywhere		Allowed in Some or All Areas		No Official Policy		Smoking Not Allowed Anywhere		Allowed in Some or All Areas		No Official Policy	
	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-
2000-2001	77%	1%	20%	1%	3%	1%	62%	6%	35%	6%	3%	2%
(N)	3,575		3,575		3,575		251		251		251	
2001-2002	80%	1%	19%	1%	<1%	n/a	73%	5%	26%	5%	<1%	2%
(N)	4,167		4,167		4,167		293		293		293	
2002, 2004	82%	1%	15%	1%	3%	1%	79%	7%	18%	7%	2%	2%
(N)	4,385		4,385		4,385		347		347		347	
2004-2005	83%	1%	11%	1%	6%	1%	79%	9%	13%	6%	8%	8%
(N)	4,680		4,680		4,680		363		363		363	
2005-2006	83%	1%	11%	1%	6%	1%	78%	10%	14%	6%	8%	8%
(N)	4,715		4,715		4,715		340		340		340	
2006-2007	84%	1%	10%	1%	6%	1%	77%	9%	20%	9%	3%	2%
(N)	5,672		5,672		5,672		397		397		397	
2007-2008	84%	1%	10%	1%	6%	1%	80%	8%	17%	8%	3%	1%
(N)	6,545		6,545		6,545		444		444		444	
2008-2009	86%	2%	9%	2%	5%	1%	87%	6%	10%	5%	3%	3%
(N)	5,041		5,041		5,041		296		296		296	
2009-2010	90%	1%	7%	1%	4%	1%	89%	6%	8%	5%	4%	4%
(N)	3,723		3,723		3,723		225		225		225	

Source: Wisconsin Behavioral Risk Factor Survey, Office of Health Informatics, Division of Public Health, Department of Health Services.

N Number in sample. See data documentation.

+/- Confidence interval. See data documentation.

n/a Not applicable

Continued on next page

Prepared for Tracking the State Health Plan, 2010—State-Level Data

<http://dhs.wisconsin.gov/statehealthplan/track2010> (July 2011)

Office of Health Informatics

Division of Public Health

Wisconsin Department of Health Services

## Workplace smoking policies, continued

### Percent of Wisconsin Adults Aged 18+ Who Have a Workplace Smoking Policy, by Race/Ethnicity (continued)

Years (N)	American Indian						Hispanic					
	Smoking Not Allowed Anywhere		Allowed in Some or All Areas		No Official Policy		Smoking Not Allowed Anywhere		Allowed in Some or All Areas		No Official Policy	
	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-
2000-2001	**		**		**		75%	5%	23%	5%	2%	2%
(N)							282		282		282	
2001-2002	**		**		**		79%	5%	21%	5%	<1%	2%
(N)							295		295		295	
2002, 2004	**		**		**		**		**		**	
(N)												
2004-2005	**		**		**		**		**		**	
(N)												
2005-2006	**		**		**		**		**		**	
(N)												
2006-2007	**		**		**		**		**		**	
(N)												
2007-2008	85%	10%	9%	9%	6%	6%	**		**		**	
(N)	100		100		100							
2008-2009	**		**		**		**		**		**	
(N)												
2009-2010	**		**		**		**		**		**	
(N)												

Source: Wisconsin Behavioral Risk Factor Survey, Office of Health Informatics, Division of Public Health, Department of Health Services.

N Number in sample. See data documentation.

+/- Confidence interval. See data documentation.

n/a Not applicable

\*\* Fewer than 100 cases.

**Continued on next page**

Prepared for Tracking the State Health Plan, 2010—State-Level Data

<http://dhs.wisconsin.gov/statehealthplan/track2010> (July 2011)

Office of Health Informatics

Division of Public Health

Wisconsin Department of Health Services

## Workplace smoking policies, continued

**Percent of Wisconsin Adults Aged 18+ Who Have a Workplace Smoking Policy, by Race/Ethnicity (continued)**

Years (N)	White					
	Smoking Not Allowed Anywhere		Allowed in Some or All Areas		No Official Policy	
	Percent	+/-	Percent	+/-	Percent	+/-
2000-2001	78%	2%	19%	1%	3%	1%
(N)	2,899		2,899		2,899	
2001-2002	81%	1%	18%	1%	<1%	n/a
(N)	3,418		3,418		3,418	
2002, 2004	83%	1%	14%	1%	3%	1%
(N)	3,792		3,792		3,792	
2004-2005	84%	2%	11%	2%	5%	1%
(N)	4,085		4,085		4,085	
2005-2006	84%	2%	10%	1%	6%	1%
(N)	4,164		4,164		4,164	
2006-2007	85%	2%	10%	1%	5%	1%
(N)	4,992		4,992		4,992	
2007-2008	85%	1%	10%	1%	5%	1%
(N)	5,756		5,756		5,756	
2008-2009	87%	2%	8%	1%	5%	1%
(N)	4,488		4,488		4,488	
2009-2010	90%	2%	6%	1%	4%	1%
(N)	3,296		3,296		3,296	

Source: Wisconsin Behavioral Risk Factor Survey, Office of Health Informatics, Division of Public Health, Department of Health Services.

N        Number in sample. See data documentation.  
 +/-      Confidence interval. See data documentation.  
 n/a      Not applicable