

Wisconsin sexually transmitted disease surveillance report, 2012

Taylor County

| | Chlamydia* | | | Gonorrhea* | | | Syphilis* | | | Total* | | |
|----------------------------|------------|---------|--------|------------|---------|--------|-----------|---------|--------|--------|---------|--------|
| | Cases | Percent | Rate** | Cases | Percent | Rate** | Cases | Percent | Rate** | Cases | Percent | Rate** |
| Total | | | | | | | | | | | | |
| Total | 30 | 100.0% | 156 | 0 | - | 0 | 0 | - | 0 | 30 | 100.0% | 156 |
| Sex | | | | | | | | | | | | |
| Male | 5 | 16.7% | 51 | - | - | - | - | - | - | 5 | 16.7% | 51 |
| Female | 25 | 83.3% | 264 | - | - | - | - | - | - | 25 | 83.3% | 264 |
| Unknown | 0 | 0.0% | - | - | - | - | - | - | - | 0 | 0.0% | - |
| Race | | | | | | | | | | | | |
| White | 28 | 93.3% | 147 | - | - | - | - | - | - | 28 | 93.3% | 147 |
| African American | 0 | 0.0% | 0 | - | - | - | - | - | - | 0 | 0.0% | 0 |
| American Indian | 0 | 0.0% | 0 | - | - | - | - | - | - | 0 | 0.0% | 0 |
| Asian/Pacific Islander | 0 | 0.0% | 0 | - | - | - | - | - | - | 0 | 0.0% | 0 |
| Other | 0 | 0.0% | - | - | - | - | - | - | - | 0 | 0.0% | - |
| Unknown | 2 | 6.7% | - | - | - | - | - | - | - | 2 | 6.7% | - |
| Hispanic ethnicity | | | | | | | | | | | | |
| Hispanic | 0 | 0.0% | 0 | - | - | - | - | - | - | 0 | 0.0% | 0 |
| Not Hispanic | 29 | 96.7% | 153 | - | - | - | - | - | - | 29 | 96.7% | 153 |
| Unknown | 1 | 3.3% | - | - | - | - | - | - | - | 1 | 3.3% | - |
| Age | | | | | | | | | | | | |
| 0-4 | 0 | 0.0% | 0 | - | - | - | - | - | - | 0 | 0.0% | 0 |
| 5-9 | 0 | 0.0% | 0 | - | - | - | - | - | - | 0 | 0.0% | 0 |
| 10-14 | 0 | 0.0% | 0 | - | - | - | - | - | - | 0 | 0.0% | 0 |
| 15-19 | 8 | 26.7% | 624 | - | - | - | - | - | - | 8 | 26.7% | 624 |
| 20-24 | 16 | 53.3% | 1,369 | - | - | - | - | - | - | 16 | 53.3% | 1,369 |
| 25-29 | 4 | 13.3% | 406 | - | - | - | - | - | - | 4 | 13.3% | 406 |
| 30-34 | 1 | 3.3% | 107 | - | - | - | - | - | - | 1 | 3.3% | 107 |
| 35-39 | 0 | 0.0% | 0 | - | - | - | - | - | - | 0 | 0.0% | 0 |
| 40-44 | 0 | 0.0% | 0 | - | - | - | - | - | - | 0 | 0.0% | 0 |
| 45-49 | 0 | 0.0% | 0 | - | - | - | - | - | - | 0 | 0.0% | 0 |
| 50+ | 1 | 3.3% | 14 | - | - | - | - | - | - | 1 | 3.3% | 14 |
| Unknown | 0 | 0.0% | - | - | - | - | - | - | - | 0 | 0.0% | - |
| Region of residence | | | | | | | | | | | | |
| Northeastern | 0 | 0.0% | - | - | - | - | - | - | - | 0 | 0.0% | - |
| Northern | 30 | 100.0% | 156 | - | - | - | - | - | - | 30 | 100.0% | 156 |
| Southeastern | 0 | 0.0% | - | - | - | - | - | - | - | 0 | 0.0% | - |
| Southern | 0 | 0.0% | - | - | - | - | - | - | - | 0 | 0.0% | - |
| Western | 0 | 0.0% | - | - | - | - | - | - | - | 0 | 0.0% | - |
| Unknown | 0 | 0.0% | - | - | - | - | - | - | - | 0 | 0.0% | - |

* Demographic breakdown not available for diseases with less than 5 cases reported.

** Cases per 100,000 population



DEPARTMENT OF HEALTH SERVICES
 Division of Public Health
 Bureau of Communicable Diseases and
 Emergency Preparedness
 STD Control Section
 P-00415B (2012)