

Wisconsin sexually transmitted disease surveillance report, 2011

2011 Waupaca County

| | Chlamydia* | | | Gonorrhea* | | | Syphilis* | | | Total* | | |
|----------------------------|------------|---------|--------|------------|---------|--------|-----------|---------|--------|--------|---------|--------|
| | Cases | Percent | Rate** | Cases | Percent | Rate** | Cases | Percent | Rate** | Cases | Percent | Rate** |
| Total | | | | | | | | | | | | |
| Total | 130 | 100.0% | 252 | 8 | 100.0% | 15 | 0 | - | 0 | 138 | 100.0% | 267 |
| Sex | | | | | | | | | | | | |
| Male | 40 | 30.8% | 154 | 3 | 37.5% | 12 | - | - | - | 43 | 31.2% | 166 |
| Female | 90 | 69.2% | 349 | 5 | 62.5% | 19 | - | - | - | 95 | 68.8% | 369 |
| Unknown | 0 | 0.0% | - | 0 | 0.0% | - | - | - | - | 0 | 0.0% | - |
| Race | | | | | | | | | | | | |
| White | 120 | 92.3% | 236 | 7 | 87.5% | 14 | - | - | - | 127 | 92.0% | 249 |
| African American | 2 | 1.5% | 697 | 0 | 0.0% | 0 | - | - | - | 2 | 1.4% | 697 |
| American Indian | 1 | 0.8% | 364 | 0 | 0.0% | 0 | - | - | - | 1 | 0.7% | 364 |
| Asian/Pacific Islander | 2 | 1.5% | 1,235 | 0 | 0.0% | 0 | - | - | - | 2 | 1.4% | 1,235 |
| Other | 1 | 0.8% | - | 0 | 0.0% | - | - | - | - | 1 | 0.7% | - |
| Unknown | 4 | 3.1% | - | 1 | 12.5% | - | - | - | - | 5 | 3.6% | - |
| Hispanic ethnicity | | | | | | | | | | | | |
| Hispanic | 9 | 6.9% | 855 | 1 | 12.5% | 95 | - | - | - | 10 | 7.2% | 950 |
| Not Hispanic | 105 | 80.8% | 207 | 6 | 75.0% | 12 | - | - | - | 111 | 80.4% | 219 |
| Unknown | 16 | 12.3% | - | 1 | 12.5% | - | - | - | - | 17 | 12.3% | - |
| Age | | | | | | | | | | | | |
| 0-4 | 0 | 0.0% | 0 | 0 | 0.0% | 0 | - | - | - | 0 | 0.0% | 0 |
| 5-9 | 0 | 0.0% | 0 | 0 | 0.0% | 0 | - | - | - | 0 | 0.0% | 0 |
| 10-14 | 0 | 0.0% | 0 | 0 | 0.0% | 0 | - | - | - | 0 | 0.0% | 0 |
| 15-19 | 41 | 31.5% | 1,146 | 2 | 25.0% | 56 | - | - | - | 43 | 31.2% | 1,201 |
| 20-24 | 50 | 38.5% | 1,810 | 3 | 37.5% | 109 | - | - | - | 53 | 38.4% | 1,918 |
| 25-29 | 21 | 16.2% | 809 | 2 | 25.0% | 77 | - | - | - | 23 | 16.7% | 886 |
| 30-34 | 10 | 7.7% | 404 | 1 | 12.5% | 40 | - | - | - | 11 | 8.0% | 444 |
| 35-39 | 4 | 3.1% | 133 | 0 | 0.0% | 0 | - | - | - | 4 | 2.9% | 133 |
| 40-44 | 4 | 3.1% | 113 | 0 | 0.0% | 0 | - | - | - | 4 | 2.9% | 113 |
| 45-49 | 0 | 0.0% | 0 | 0 | 0.0% | 0 | - | - | - | 0 | 0.0% | 0 |
| 50+ | 0 | 0.0% | 0 | 0 | 0.0% | 0 | - | - | - | 0 | 0.0% | 0 |
| Unknown | 0 | 0.0% | - | 0 | 0.0% | - | - | - | - | 0 | 0.0% | - |
| Region of residence | | | | | | | | | | | | |
| Northeastern | 130 | 100.0% | 252 | 8 | 100.0% | 15 | - | - | - | 138 | 100.0% | 267 |
| Northern | 0 | 0.0% | - | 0 | 0.0% | - | - | - | - | 0 | 0.0% | - |
| Southeastern | 0 | 0.0% | - | 0 | 0.0% | - | - | - | - | 0 | 0.0% | - |
| Southern | 0 | 0.0% | - | 0 | 0.0% | - | - | - | - | 0 | 0.0% | - |
| Western | 0 | 0.0% | - | 0 | 0.0% | - | - | - | - | 0 | 0.0% | - |
| Unknown | 0 | 0.0% | - | 0 | 0.0% | - | - | - | - | 0 | 0.0% | - |

* Demographic breakdown not available for diseases with less than 5 cases reported.

** Cases per 100,000 population



WI DEPARTMENT OF HEALTH SERVICES
 Division of Public Health
 Bureau of Communicable Diseases and Emergency Response
 STD Control Section
 P-00415B (2011)