

Wisconsin sexually transmitted disease surveillance report, 2013

Marinette County

| | Chlamydia* | | | Gonorrhea* | | | Syphilis* | | | Total* | | |
|----------------------------|------------|---------|--------|------------|---------|--------|-----------|---------|--------|--------|---------|--------|
| | Cases | Percent | Rate** | Cases | Percent | Rate** | Cases | Percent | Rate** | Cases | Percent | Rate** |
| Total | | | | | | | | | | | | |
| Total | 76 | 100.0% | 180 | 6 | 100.0% | 14 | 1 | 100.0% | 2 | 83 | 100.0% | 196 |
| Sex | | | | | | | | | | | | |
| Male | 19 | 25.0% | 91 | 0 | 0.0% | 0 | - | - | - | 20 | 24.1% | 96 |
| Female | 57 | 75.0% | 266 | 6 | 100.0% | 28 | - | - | - | 63 | 75.9% | 294 |
| Unknown | 0 | 0.0% | - | 0 | 0.0% | - | - | - | - | 0 | 0.0% | - |
| Race | | | | | | | | | | | | |
| White | 61 | 80.3% | 147 | 6 | 100.0% | 14 | - | - | - | 68 | 81.9% | 164 |
| African American | 1 | 1.3% | 478 | 0 | 0.0% | 0 | - | - | - | 1 | 1.2% | 478 |
| American Indian | 2 | 2.6% | 697 | 0 | 0.0% | 0 | - | - | - | 2 | 2.4% | 697 |
| Asian/Pacific Islander | 1 | 1.3% | 463 | 0 | 0.0% | 0 | - | - | - | 1 | 1.2% | 463 |
| Other | 0 | 0.0% | - | 0 | 0.0% | - | - | - | - | 0 | 0.0% | - |
| Unknown | 11 | 14.5% | - | 0 | 0.0% | - | - | - | - | 11 | 13.3% | - |
| Hispanic ethnicity | | | | | | | | | | | | |
| Hispanic | 2 | 2.6% | 469 | 0 | 0.0% | 0 | - | - | - | 2 | 2.4% | 469 |
| Not Hispanic | 66 | 86.8% | 158 | 6 | 100.0% | 14 | - | - | - | 73 | 88.0% | 174 |
| Unknown | 8 | 10.5% | - | 0 | 0.0% | - | - | - | - | 8 | 9.6% | - |
| Age | | | | | | | | | | | | |
| 0-4 | 0 | 0.0% | 0 | 0 | 0.0% | 0 | - | - | - | 0 | 0.0% | 0 |
| 5-9 | 0 | 0.0% | 0 | 0 | 0.0% | 0 | - | - | - | 0 | 0.0% | 0 |
| 10-14 | 0 | 0.0% | 0 | 0 | 0.0% | 0 | - | - | - | 0 | 0.0% | 0 |
| 15-19 | 19 | 25.0% | 674 | 1 | 16.7% | 35 | - | - | - | 20 | 24.1% | 709 |
| 20-24 | 35 | 46.1% | 1,320 | 3 | 50.0% | 113 | - | - | - | 38 | 45.8% | 1,433 |
| 25-29 | 15 | 19.7% | 613 | 0 | 0.0% | 0 | - | - | - | 15 | 18.1% | 613 |
| 30-34 | 4 | 5.3% | 196 | 0 | 0.0% | 0 | - | - | - | 4 | 4.8% | 196 |
| 35-39 | 2 | 2.6% | 90 | 0 | 0.0% | 0 | - | - | - | 2 | 2.4% | 90 |
| 40-44 | 1 | 1.3% | 36 | 1 | 16.7% | 36 | - | - | - | 2 | 2.4% | 71 |
| 45-49 | 0 | 0.0% | 0 | 0 | 0.0% | 0 | - | - | - | 1 | 1.2% | 29 |
| 50+ | 0 | 0.0% | 0 | 1 | 16.7% | 6 | - | - | - | 1 | 1.2% | 6 |
| Unknown | 0 | 0.0% | - | 0 | 0.0% | - | - | - | - | 0 | 0.0% | - |
| Region of residence | | | | | | | | | | | | |
| Northeastern | 76 | 100.0% | 180 | 6 | 100.0% | 14 | - | - | - | 83 | 100.0% | 196 |
| Northern | 0 | 0.0% | - | 0 | 0.0% | - | - | - | - | 0 | 0.0% | - |
| Southeastern | 0 | 0.0% | - | 0 | 0.0% | - | - | - | - | 0 | 0.0% | - |
| Southern | 0 | 0.0% | - | 0 | 0.0% | - | - | - | - | 0 | 0.0% | - |
| Western | 0 | 0.0% | - | 0 | 0.0% | - | - | - | - | 0 | 0.0% | - |
| Unknown | 0 | 0.0% | - | 0 | 0.0% | - | - | - | - | 0 | 0.0% | - |

* Demographic breakdown not available for diseases with less than 5 cases reported.

** Cases per 100,000 population



DEPARTMENT OF HEALTH SERVICES
 Division of Public Health
 Bureau of Communicable Diseases and
 Emergency Preparedness
 STD Control Section
 P-00415B (07/2014)