

Wisconsin sexually transmitted disease surveillance report, 2013

Vernon County

| | Chlamydia* | | | Gonorrhea* | | | Syphilis* | | | Total* | | |
|----------------------------|------------|---------|--------|------------|---------|--------|-----------|---------|--------|--------|---------|--------|
| | Cases | Percent | Rate** | Cases | Percent | Rate** | Cases | Percent | Rate** | Cases | Percent | Rate** |
| Total | | | | | | | | | | | | |
| Total | 12 | 100.0% | 41 | 0 | - | 0 | 0 | - | 0 | 12 | 100.0% | 41 |
| Sex | | | | | | | | | | | | |
| Male | 3 | 25.0% | 21 | - | - | - | - | - | - | 3 | 25.0% | 21 |
| Female | 9 | 75.0% | 62 | - | - | - | - | - | - | 9 | 75.0% | 62 |
| Unknown | 0 | 0.0% | - | - | - | - | - | - | - | 0 | 0.0% | - |
| Race | | | | | | | | | | | | |
| White | 11 | 91.7% | 38 | - | - | - | - | - | - | 11 | 91.7% | 38 |
| African American | 0 | 0.0% | 0 | - | - | - | - | - | - | 0 | 0.0% | 0 |
| American Indian | 0 | 0.0% | 0 | - | - | - | - | - | - | 0 | 0.0% | 0 |
| Asian/Pacific Islander | 0 | 0.0% | 0 | - | - | - | - | - | - | 0 | 0.0% | 0 |
| Other | 0 | 0.0% | - | - | - | - | - | - | - | 0 | 0.0% | - |
| Unknown | 1 | 8.3% | - | - | - | - | - | - | - | 1 | 8.3% | - |
| Hispanic ethnicity | | | | | | | | | | | | |
| Hispanic | 0 | 0.0% | 0 | - | - | - | - | - | - | 0 | 0.0% | 0 |
| Not Hispanic | 10 | 83.3% | 35 | - | - | - | - | - | - | 10 | 83.3% | 35 |
| Unknown | 2 | 16.7% | - | - | - | - | - | - | - | 2 | 16.7% | - |
| Age | | | | | | | | | | | | |
| 0-4 | 0 | 0.0% | 0 | - | - | - | - | - | - | 0 | 0.0% | 0 |
| 5-9 | 0 | 0.0% | 0 | - | - | - | - | - | - | 0 | 0.0% | 0 |
| 10-14 | 0 | 0.0% | 0 | - | - | - | - | - | - | 0 | 0.0% | 0 |
| 15-19 | 4 | 33.3% | 205 | - | - | - | - | - | - | 4 | 33.3% | 205 |
| 20-24 | 5 | 41.7% | 301 | - | - | - | - | - | - | 5 | 41.7% | 301 |
| 25-29 | 3 | 25.0% | 146 | - | - | - | - | - | - | 3 | 25.0% | 146 |
| 30-34 | 0 | 0.0% | 0 | - | - | - | - | - | - | 0 | 0.0% | 0 |
| 35-39 | 0 | 0.0% | 0 | - | - | - | - | - | - | 0 | 0.0% | 0 |
| 40-44 | 0 | 0.0% | 0 | - | - | - | - | - | - | 0 | 0.0% | 0 |
| 45-49 | 0 | 0.0% | 0 | - | - | - | - | - | - | 0 | 0.0% | 0 |
| 50+ | 0 | 0.0% | 0 | - | - | - | - | - | - | 0 | 0.0% | 0 |
| Unknown | 0 | 0.0% | - | - | - | - | - | - | - | 0 | 0.0% | - |
| Region of residence | | | | | | | | | | | | |
| Northeastern | 0 | 0.0% | - | - | - | - | - | - | - | 0 | 0.0% | - |
| Northern | 0 | 0.0% | - | - | - | - | - | - | - | 0 | 0.0% | - |
| Southeastern | 0 | 0.0% | - | - | - | - | - | - | - | 0 | 0.0% | - |
| Southern | 12 | 100.0% | 41 | - | - | - | - | - | - | 12 | 100.0% | 41 |
| Western | 0 | 0.0% | - | - | - | - | - | - | - | 0 | 0.0% | - |
| Unknown | 0 | 0.0% | - | - | - | - | - | - | - | 0 | 0.0% | - |

* Demographic breakdown not available for diseases with less than 5 cases reported.

** Cases per 100,000 population



DEPARTMENT OF HEALTH SERVICES
Division of Public Health
Bureau of Communicable Diseases and
Emergency Preparedness
STD Control Section
P-00415B (07/14)