

2012 Medicaid Prenatal Care Coordination Data Tool to Get Your Local Results

Parameter settings: date range, state funding code of Medicaid/PNCC, allow default on all else.

Tobacco Exposure:

Category	Report	Table	Row	Column	Fill in your Result in percent
Prior to pregnancy	Prenatal Assessment	6a	Yes	Initial	
During pregnancy	Prenatal Assessment	6b	Yes	Initial	
Decrease/quit	Prenatal assessment	6c	Decreased Quit	Initial + Initial (add percentages)	
Household	Prenatal Assessment	6e	Yes	Initial	
Infants born <2499gm of women who smoked	Postpartum Assessment	7a		add the preterm and term together and divide by total women with a Prenatal Assessment	

Alcohol Use:

Category	Report	Table	Row	Column	Fill in your Result in percent
Prior to pregnancy	Prenatal Assessment	7a	Yes	Initial	
During pregnancy	Prenatal Assessment	7b	Yes	Initial	

Breastfeeding:

Category	Report	Table	Row	Column	Fill in your Result in percent
Plans to breastfeed	Prenatal Assessment	5d	Yes	Initial	
Not planning to breastfeed	Prenatal Assessment	5d	No	Initial	
Breastfeeding	Postpartum	3h	Yes	Initial	

Perinatal Depression:

Category	Report	Table	Row	Column	Fill in your Result in percent
Prenatal screening completed	Prenatal Assessment	9a	Yes	Initial	
Postpartum screening completed	Postpartum assessment	4e	Yes	Initial	
Number referred for follow up	Prenatal assessment	9e	add 1 st , 2 nd , 3 rd trimesters + referral declined + already receiving services	Initial	
	Postpartum assessment	4h	yes + referral declined + already receiving services	Initial	
	Prenatal assessment Postpartum assessment	9d 4g	Add total number from both reports and divide by total number from prenatal assessment 9d (1 st , 2 nd , 3 rd trimester) with postpartum assessment 4g "yes"		

Safe Infant Sleep Practices:

Category	Report	Table	Row	Column	Fill in your Result in percent
Knowledge of safe infant sleep	Health teaching and topics		Infant safe sleep practices	AK	
Concerns with sleep environment postpartum	Postpartum assessment	5o	Yes	Initial	

Family Planning Supplies and Services:

Category	Report	Table	Row	Column	Fill in your Result in percent
Prior to delivery	Prenatal assessment or Postpartum assessment	12a or 3f	Yes or Yes (select the report that best represents the total number of women served by your agency)	Follow up or Initial	
Condoms/EC	Prenatal assessment or Postpartum assessment	12b or 3f	select either condoms or EC (choose which best reflects your agency)	Follow up or Initial	

Medical Prenatal Care:

Category	Report	Table	Row	Column	Fill in your Result in percent
Primary provider	Prenatal Assessment	2c	Yes	Initial	
1 st trimester initiated	Prenatal Assessment	2g	Yes	Initial	
2 nd trimester initiated	Prenatal Assessment	2g	Yes	Initial	
3 rd trimester initiated	Prenatal Assessment	2g	Yes	Initial	

Involved Father:

Category	Report	Table	Row	Column	Fill in your Result in percent
Involved prenatally	Prenatal Assessment	8d	Yes	Initial	
Involved postpartum	Postpartum assessment	5q	Yes	Initial	

Demographic Information:

Category	Report	Table	Row	Column	Fill in your Result in percent
Less than 18	Prenatal Assessment	1a	add ages <12-17 and divide by total	Initial	
18-39	Prenatal Assessment	1a	add ages 18-39 and divide by total	Initial	
White	Prenatal Assessment	1b		Initial	
Black	Prenatal Assessment	1b		Initial	
American Indian/ Alaskan	Prenatal Assessment	1b		Initial	
Asian	Prenatal Assessment	1b		Initial	
Multi-race	Prenatal Assessment	1b		Initial	
Hispanic/Latino	Prenatal Assessment	1c		Initial	

Missing Data:

Please identify agency's potentially missing and blank data for the variables identified on the regional data sheets. This table is identifying where the specific region has ten percent or greater missing data. Missing/blank data is identified on each table; use initial column to complete the table.



Wisconsin Department of Health Services
Division of Public Health
P-00549i (07/2013)