

WISCONSIN 2008 BLOOD LEAD TESTING DATA FOR CHILDREN LESS THAN 6 YEARS OF AGE

Source: Wisconsin Blood Lead Testing Data (all data current as of August 31, 2010)

Tested: Number of unduplicated children receiving a blood lead test during 2008, using the date, place and result for each child's first test during 2007, or their first test ≥ 10 mcg/dL if poisoned. If a child had a venous test within 3 mo. of a capillary test, the venous result was used.

Poisoned: A capillary or venous BLL ≥ 10 mcg/dL; if the test was a capillary sample followed within 3 mo. by a venous test, the venous result was used.

Case: One venous BLL ≥ 20 mcg/dL or 2 venous BLLs ≥ 15 mcg/dL drawn at least 90 days apart; includes new cases and those initially identified in a previous calendar year.

Prevalence: Number of poisoned children divided by the number of children tested; indicates the total identified burden of lead poisoning in a community.

Age of Child	Local Health Department	Total Tested	Total Poisoned	Total Cases	Overall Prevalence				
ONE-YEAR-OLDS (12 through 23 months)									
1 yr	ADAMS COUNTY PUBLIC HEALTH DEPT	68	2	0	2.94				
1 yr	APPLETON CITY HEALTH DEPT	672	3	2	0.45				
1 yr	ASHLAND COUNTY HEALTH DEPT	146	0	0	0.00				
1 yr	BARRON COUNTY HEALTH DEPT	309	2	1	0.65				
1 yr	BAYFIELD COUNTY HEALTH DEPT	79	0	0	0.00				
1 yr	BROWN COUNTY HEALTH DEPT	1356	12	1	0.88				
1 yr	BUFFALO COUNTY HEALTH & HUMAN SERVICES	106	3	0	2.83				
1 yr	BURNETT COUNTY HEALTH DEPT	103	0	0	0.00				
1 yr	CALUMET COUNTY HEALTH DEPT	118	0	0	0.00				
1 yr	CENTRAL RACINE COUNTY HEALTH DEPT	589	2	0	0.34				
1 yr	CHIPPEWA COUNTY DEPT OF PUBLIC HEALTH	420	1	0	0.24				
1 yr	CLARK COUNTY HEALTH DEPT	213	0	0	0.00				
1 yr	COLUMBIA COUNTY HEALTH DEPT	331	7	2	2.11				
1 yr	CRAWFORD COUNTY PUBLIC HEALTH DEPT	123	1	0	0.81				
1 yr	CUDAHY HEALTH DEPT	174	1	0	0.57				
1 yr	DE PERE DEPT OF PUBLIC HEALTH	152	2	0	1.32				
1 yr	DODGE COUNTY HEALTH DEPT	417	5	1	1.20				
1 yr	DOOR COUNTY HEALTH DEPT	95	2	0	2.11				
1 yr	DOUGLAS COUNTY HEALTH DEPT	363	2	1	0.55				
1 yr	DUNN COUNTY HEALTH DEPT	228	1	0	0.44				
1 yr	EAU CLAIRE CITY/COUNTY HEALTH DEPT	726	5	1	0.69				
1 yr	FLORENCE COUNTY HEALTH DEPT	17	0	0	0.00				
1 yr	FOND DU LAC COUNTY HEALTH DEPT	681	12	1	1.76				
1 yr	FOREST COUNTY HEALTH DEPT	52	1	0	1.92				
1 yr	FRANKLIN HEALTH DEPT	248	0	0	0.00				

WISCONSIN 2008 BLOOD LEAD TESTING DATA FOR CHILDREN LESS THAN 6 YEARS OF AGE

Source: Wisconsin Blood Lead Testing Data (all data current as of August 31, 2010)

Tested: Number of unduplicated children receiving a blood lead test during 2008, using the date, place and result for each child's first test during 2007, or their first test ≥ 10 mcg/dL if poisoned. If a child had a venous test within 3 mo. of a capillary test, the venous result was used.

Poisoned: A capillary or venous BLL ≥ 10 mcg/dL; if the test was a capillary sample followed within 3 mo. by a venous test, the venous result was used.

Case: One venous BLL ≥ 20 mcg/dL or 2 venous BLLs ≥ 15 mcg/dL drawn at least 90 days apart; includes new cases and those initially identified in a previous calendar year.

Prevalence: Number of poisoned children divided by the number of children tested; indicates the total identified burden of lead poisoning in a community.

Age of Child	Local Health Department	Total Tested	Total Poisoned	Total Cases	Overall Prevalence				
1 yr	GRANT COUNTY HEALTH DEPT	259	5	0	1.93				
1 yr	GREEN COUNTY HEALTH DEPT	300	3	0	1.00				
1 yr	GREEN LAKE COUNTY NURSING SERVICE	104	1	0	0.96				
1 yr	GREENDALE HEALTH DEPT	82	0	0	0.00				
1 yr	GREENFIELD HEALTH DEPT	276	0	0	0.00				
1 yr	HALES CORNERS HEALTH DEPT	51	0	0	0.00				
1 yr	IOWA COUNTY HEALTH DEPT	129	1	0	0.78				
1 yr	IRON COUNTY HEALTH DEPT	26	1	0	3.85				
1 yr	JACKSON COUNTY HEALTH AND HUMAN SERVICES	120	1	0	0.83				
1 yr	JEFFERSON COUNTY HEALTH DEPT	352	2	0	0.57				
1 yr	JUNEAU COUNTY PUBLIC HEALTH SERVICE	219	3	2	1.37				
1 yr	KENOSHA COUNTY HEALTH DEPT	1297	18	1	1.39				
1 yr	KEWAUNEE COUNTY HEALTH DEPT	48	0	0	0.00				
1 yr	LA CROSSE COUNTY HEALTH DEPT	723	12	1	1.66				
1 yr	LAFAYETTE COUNTY HEALTH DEPT	85	0	0	0.00				
1 yr	LANGLADE COUNTY HEALTH DEPT	117	0	0	0.00				
1 yr	LINCOLN COUNTY HEALTH DEPT	180	1	0	0.56				
1 yr	MADISON/DANE COUNTY DEPT OF PUBLIC HEALTH	2272	3	0	0.13				
1 yr	MANITOWOC COUNTY HEALTH DEPT	597	7	0	1.17				
1 yr	MARATHON COUNTY HEALTH DEPT	982	2	0	0.20				
1 yr	MARINETTE COUNTY HEALTH DEPT	328	2	0	0.61				
1 yr	MARQUETTE COUNTY HEALTH DEPT	78	0	0	0.00				
1 yr	MENASHA CITY HEALTH DEPT	181	0	0	0.00				
1 yr	MILWAUKEE CITY HEALTH DEPT	7663	319	59	4.16				
1 yr	MONROE COUNTY HEALTH DEPT	429	5	0	1.17				
1 yr	NORTH SHORE HEALTH DEPT	536	3	1	0.56				

WISCONSIN 2008 BLOOD LEAD TESTING DATA FOR CHILDREN LESS THAN 6 YEARS OF AGE

Source: Wisconsin Blood Lead Testing Data (all data current as of August 31, 2010)

Tested: Number of unduplicated children receiving a blood lead test during 2008, using the date, place and result for each child's first test during 2007, or their first test ≥ 10 mcg/dL if poisoned. If a child had a venous test within 3 mo. of a capillary test, the venous result was used.

Poisoned: A capillary or venous BLL ≥ 10 mcg/dL; if the test was a capillary sample followed within 3 mo. by a venous test, the venous result was used.

Case: One venous BLL ≥ 20 mcg/dL or 2 venous BLLs ≥ 15 mcg/dL drawn at least 90 days apart; includes new cases and those initially identified in a previous calendar year.

Prevalence: Number of poisoned children divided by the number of children tested; indicates the total identified burden of lead poisoning in a community.

Age of Child	Local Health Department	Total Tested	Total Poisoned	Total Cases	Overall Prevalence				
1 yr	OAK CREEK HEALTH DEPT	282	0	0	0.00				
1 yr	OCONTO COUNTY DEPT OF HUMAN SERVICES	124	2	0	1.61				
1 yr	ONEIDA COUNTY HEALTH DEPT	173	1	0	0.58				
1 yr	OUTAGAMIE COUNTY PUBLIC HEALTH DIVISION	416	0	0	0.00				
1 yr	OZAUKEE COUNTY PUBLIC HEALTH DEPT	346	2	0	0.58				
1 yr	PEPIN COUNTY HEALTH DEPT	53	1	0	1.89				
1 yr	PIERCE COUNTY HEALTH DEPT	290	3	0	1.03				
1 yr	POLK COUNTY HEALTH DEPT	325	1	0	0.31				
1 yr	PORTAGE COUNTY HEALTH AND HUMAN SERVICES	297	5	2	1.68				
1 yr	PRICE COUNTY HEALTH DEPT	86	0	0	0.00				
1 yr	RACINE CITY HEALTH DEPT	1283	34	7	2.65				
1 yr	RICHLAND COUNTY HEALTH DEPT	111	3	0	2.70				
1 yr	ROCK COUNTY PUBLIC HEALTH DEPT	994	15	3	1.51				
1 yr	RUSK COUNTY HEALTH DEPT	99	0	0	0.00				
1 yr	SAUK COUNTY PUBLIC HEALTH DEPT	351	4	0	1.14				
1 yr	SAWYER COUNTY HEALTH DEPT	169	1	0	0.59				
1 yr	SHAWANO-MENOMINEE COUNTIES HEALTH DEPT	368	1	0	0.27				
1 yr	SHEBOYGAN COUNTY HUMAN SERVICES	762	16	3	2.10				
1 yr	SOUTH MILWAUKEE HEALTH DEPT	181	0	0	0.00				
1 yr	ST CROIX COUNTY HEALTH & HUMAN SERVICES	411	1	0	0.24				
1 yr	ST FRANCIS HEALTH DEPT	63	0	0	0.00				
1 yr	TAYLOR COUNTY HEALTH DEPT	120	0	0	0.00				
1 yr	TREMPEALEAU COUNTY HEALTH DEPT	275	2	0	0.73				
1 yr	VERNON COUNTY HEALTH DEPT	221	3	0	1.36				
1 yr	VILAS COUNTY HEALTH DEPT	154	0	0	0.00				
1 yr	WALWORTH COUNTY HUMAN SERVICES DEPT	551	8	2	1.45				

WISCONSIN 2008 BLOOD LEAD TESTING DATA FOR CHILDREN LESS THAN 6 YEARS OF AGE

Source: Wisconsin Blood Lead Testing Data (all data current as of August 31, 2010)

Tested: Number of unduplicated children receiving a blood lead test during 2008, using the date, place and result for each child's first test during 2007, or their first test ≥ 10 mcg/dL if poisoned. If a child had a venous test within 3 mo. of a capillary test, the venous result was used.

Poisoned: A capillary or venous BLL ≥ 10 mcg/dL; if the test was a capillary sample followed within 3 mo. by a venous test, the venous result was used.

Case: One venous BLL ≥ 20 mcg/dL or 2 venous BLLs ≥ 15 mcg/dL drawn at least 90 days apart; includes new cases and those initially identified in a previous calendar year.

Prevalence: Number of poisoned children divided by the number of children tested; indicates the total identified burden of lead poisoning in a community.

Age of Child	Local Health Department	Total Tested	Total Poisoned	Total Cases	Overall Prevalence				
1 yr	WASHBURN COUNTY HEALTH DEPT	159	0	0	0.00				
1 yr	WASHINGTON COUNTY COMMUNITY HEALTH DEPT	560	3	0	0.54				
1 yr	WATERTOWN DEPT OF PUBLIC HEALTH	187	3	1	1.60				
1 yr	WAUKESHA COUNTY PUBLIC HEALTH DIVISION	2285	10	3	0.44				
1 yr	WAUPACA COUNTY HUMAN SERVICES DEPT	242	3	1	1.24				
1 yr	WAUSHARA COUNTY HEALTH DEPT	149	0	0	0.00				
1 yr	WAUWATOSA HEALTH DEPT	385	3	0	0.78				
1 yr	WEST ALLIS HEALTH DEPT	697	10	0	1.43				
1 yr	WESTERN RACINE COUNTY HEALTH DEPT	202	1	0	0.50				
1 yr	WINNEBAGO COUNTY HEALTH DEPT	867	9	1	1.04				
1 yr	WOOD COUNTY HEALTH DEPT	435	3	0	0.69				
1 yr	STATEWIDE	39893	601	97	1.51				

WISCONSIN 2008 BLOOD LEAD TESTING DATA FOR CHILDREN LESS THAN 6 YEARS OF AGE

Source: Wisconsin Blood Lead Testing Data (all data current as of August 31, 2010)

Tested: Number of unduplicated children receiving a blood lead test during 2008, using the date, place and result for each child's first test during 2007, or their first test ≥ 10 mcg/dL if poisoned. If a child had a venous test within 3 mo. of a capillary test, the venous result was used.

Poisoned: A capillary or venous BLL ≥ 10 mcg/dL; if the test was a capillary sample followed within 3 mo. by a venous test, the venous result was used.

Case: One venous BLL ≥ 20 mcg/dL or 2 venous BLLs ≥ 15 mcg/dL drawn at least 90 days apart; includes new cases and those initially identified in a previous calendar year.

Prevalence: Number of poisoned children divided by the number of children tested; indicates the total identified burden of lead poisoning in a community.

Age of Child	Local Health Department	Total Tested	Total Poisoned	Total Cases	Overall Prevalence				
TWO-YEAR-OLDS (24 through 35 months)									
2 yr	ADAMS COUNTY PUBLIC HEALTH DEPT	42	0	0	0.00				
2 yr	APPLETON CITY HEALTH DEPT	276	1	0	0.36				
2 yr	ASHLAND COUNTY HEALTH DEPT	85	1	1	1.18				
2 yr	BARRON COUNTY HEALTH DEPT	97	1	1	1.03				
2 yr	BAYFIELD COUNTY HEALTH DEPT	52	1	0	1.92				
2 yr	BROWN COUNTY HEALTH DEPT	950	11	3	1.16				
2 yr	BUFFALO COUNTY HEALTH & HUMAN SERVICES	51	2	1	3.92				
2 yr	BURNETT COUNTY HEALTH DEPT	49	0	0	0.00				
2 yr	CALUMET COUNTY HEALTH DEPT	27	0	0	0.00				
2 yr	CENTRAL RACINE COUNTY HEALTH DEPT	226	2	1	0.88				
2 yr	CHIPPEWA COUNTY DEPT OF PUBLIC HEALTH	225	3	0	1.33				
2 yr	CLARK COUNTY HEALTH DEPT	122	2	0	1.64				
2 yr	COLUMBIA COUNTY HEALTH DEPT	141	0	0	0.00				
2 yr	CRAWFORD COUNTY PUBLIC HEALTH DEPT	68	0	0	0.00				
2 yr	CUDAHY HEALTH DEPT	70	1	0	1.43				
2 yr	DE PERE DEPT OF PUBLIC HEALTH	144	0	0	0.00				
2 yr	DODGE COUNTY HEALTH DEPT	219	1	1	0.46				
2 yr	DOOR COUNTY HEALTH DEPT	84	0	0	0.00				
2 yr	DOUGLAS COUNTY HEALTH DEPT	265	4	1	1.51				
2 yr	DUNN COUNTY HEALTH DEPT	117	0	0	0.00				
2 yr	EAU CLAIRE CITY/COUNTY HEALTH DEPT	392	1	0	0.26				
2 yr	FLORENCE COUNTY HEALTH DEPT	11	0	0	0.00				
2 yr	FOND DU LAC COUNTY HEALTH DEPT	244	4	2	1.64				
2 yr	FOREST COUNTY HEALTH DEPT	48	0	0	0.00				
2 yr	FRANKLIN HEALTH DEPT	94	0	0	0.00				

WISCONSIN 2008 BLOOD LEAD TESTING DATA FOR CHILDREN LESS THAN 6 YEARS OF AGE

Source: Wisconsin Blood Lead Testing Data (all data current as of August 31, 2010)

Tested: Number of unduplicated children receiving a blood lead test during 2008, using the date, place and result for each child's first test during 2007, or their first test ≥ 10 mcg/dL if poisoned. If a child had a venous test within 3 mo. of a capillary test, the venous result was used.

Poisoned: A capillary or venous BLL ≥ 10 mcg/dL; if the test was a capillary sample followed within 3 mo. by a venous test, the venous result was used.

Case: One venous BLL ≥ 20 mcg/dL or 2 venous BLLs ≥ 15 mcg/dL drawn at least 90 days apart; includes new cases and those initially identified in a previous calendar year.

Prevalence: Number of poisoned children divided by the number of children tested; indicates the total identified burden of lead poisoning in a community.

Age of Child	Local Health Department	Total Tested	Total Poisoned	Total Cases	Overall Prevalence				
2 yr	GRANT COUNTY HEALTH DEPT	209	6	1	2.87				
2 yr	GREEN COUNTY HEALTH DEPT	104	1	1	0.96				
2 yr	GREEN LAKE COUNTY NURSING SERVICE	57	4	1	7.02				
2 yr	GREENDALE HEALTH DEPT	39	0	0	0.00				
2 yr	GREENFIELD HEALTH DEPT	116	1	0	0.86				
2 yr	HALES CORNERS HEALTH DEPT	16	0	0	0.00				
2 yr	IOWA COUNTY HEALTH DEPT	50	2	0	4.00				
2 yr	IRON COUNTY HEALTH DEPT	17	1	0	5.88				
2 yr	JACKSON COUNTY HEALTH AND HUMAN SERVICES	81	0	0	0.00				
2 yr	JEFFERSON COUNTY HEALTH DEPT	166	0	0	0.00				
2 yr	JUNEAU COUNTY PUBLIC HEALTH SERVICE	136	3	1	2.21				
2 yr	KENOSHA COUNTY HEALTH DEPT	518	4	2	0.77				
2 yr	KEWAUNEE COUNTY HEALTH DEPT	49	0	0	0.00				
2 yr	LA CROSSE COUNTY HEALTH DEPT	385	1	1	0.26				
2 yr	LAFAYETTE COUNTY HEALTH DEPT	34	1	0	2.94				
2 yr	LANGLADE COUNTY HEALTH DEPT	54	1	0	1.85				
2 yr	LINCOLN COUNTY HEALTH DEPT	99	0	0	0.00				
2 yr	MADISON/DANE COUNTY DEPT OF PUBLIC HEALTH	773	1	0	0.13				
2 yr	MANITOWOC COUNTY HEALTH DEPT	279	7	2	2.51				
2 yr	MARATHON COUNTY HEALTH DEPT	459	5	0	1.09				
2 yr	MARINETTE COUNTY HEALTH DEPT	148	3	2	2.03				
2 yr	MARQUETTE COUNTY HEALTH DEPT	56	0	0	0.00				
2 yr	MENASHA CITY HEALTH DEPT	64	0	0	0.00				
2 yr	MILWAUKEE CITY HEALTH DEPT	4740	330	70	6.96				
2 yr	MONROE COUNTY HEALTH DEPT	216	2	1	0.93				
2 yr	NORTH SHORE HEALTH DEPT	151	2	1	1.32				

WISCONSIN 2008 BLOOD LEAD TESTING DATA FOR CHILDREN LESS THAN 6 YEARS OF AGE

Source: Wisconsin Blood Lead Testing Data (all data current as of August 31, 2010)

Tested: Number of unduplicated children receiving a blood lead test during 2008, using the date, place and result for each child's first test during 2007, or their first test ≥ 10 mcg/dL if poisoned. If a child had a venous test within 3 mo. of a capillary test, the venous result was used.

Poisoned: A capillary or venous BLL ≥ 10 mcg/dL; if the test was a capillary sample followed within 3 mo. by a venous test, the venous result was used.

Case: One venous BLL ≥ 20 mcg/dL or 2 venous BLLs ≥ 15 mcg/dL drawn at least 90 days apart; includes new cases and those initially identified in a previous calendar year.

Prevalence: Number of poisoned children divided by the number of children tested; indicates the total identified burden of lead poisoning in a community.

Age of Child	Local Health Department	Total Tested	Total Poisoned	Total Cases	Overall Prevalence				
2 yr	OAK CREEK HEALTH DEPT	95	0	0	0.00				
2 yr	OCONTO COUNTY DEPT OF HUMAN SERVICES	85	0	0	0.00				
2 yr	ONEIDA COUNTY HEALTH DEPT	119	1	0	0.84				
2 yr	OUTAGAMIE COUNTY PUBLIC HEALTH DIVISION	160	0	0	0.00				
2 yr	OZAUKEE COUNTY PUBLIC HEALTH DEPT	93	1	0	1.08				
2 yr	PEPIN COUNTY HEALTH DEPT	23	1	0	4.35				
2 yr	PIERCE COUNTY HEALTH DEPT	106	1	0	0.94				
2 yr	POLK COUNTY HEALTH DEPT	133	0	0	0.00				
2 yr	PORTAGE COUNTY HEALTH AND HUMAN SERVICES	454	4	3	0.88				
2 yr	PRICE COUNTY HEALTH DEPT	35	1	0	2.86				
2 yr	RACINE CITY HEALTH DEPT	607	18	2	2.97				
2 yr	RICHLAND COUNTY HEALTH DEPT	56	3	0	5.36				
2 yr	ROCK COUNTY PUBLIC HEALTH DEPT	659	17	3	2.58				
2 yr	RUSK COUNTY HEALTH DEPT	27	1	0	3.70				
2 yr	SAUK COUNTY PUBLIC HEALTH DEPT	179	2	0	1.12				
2 yr	SAWYER COUNTY HEALTH DEPT	89	0	0	0.00				
2 yr	SHAWANO-MENOMINEE COUNTIES HEALTH DEPT	237	2	0	0.84				
2 yr	SHEBOYGAN COUNTY HUMAN SERVICES	427	10	0	2.34				
2 yr	SOUTH MILWAUKEE HEALTH DEPT	65	0	0	0.00				
2 yr	ST CROIX COUNTY HEALTH & HUMAN SERVICES	169	0	0	0.00				
2 yr	ST FRANCIS HEALTH DEPT	17	0	0	0.00				
2 yr	TAYLOR COUNTY HEALTH DEPT	53	0	0	0.00				
2 yr	TREMPEALEAU COUNTY HEALTH DEPT	134	2	0	1.49				
2 yr	VERNON COUNTY HEALTH DEPT	123	1	0	0.81				
2 yr	VILAS COUNTY HEALTH DEPT	97	0	0	0.00				
2 yr	WALWORTH COUNTY HUMAN SERVICES DEPT	334	3	1	0.90				

WISCONSIN 2008 BLOOD LEAD TESTING DATA FOR CHILDREN LESS THAN 6 YEARS OF AGE

Source: Wisconsin Blood Lead Testing Data (all data current as of August 31, 2010)

Tested: Number of unduplicated children receiving a blood lead test during 2008, using the date, place and result for each child's first test during 2007, or their first test ≥ 10 mcg/dL if poisoned. If a child had a venous test within 3 mo. of a capillary test, the venous result was used.

Poisoned: A capillary or venous BLL ≥ 10 mcg/dL; if the test was a capillary sample followed within 3 mo. by a venous test, the venous result was used.

Case: One venous BLL ≥ 20 mcg/dL or 2 venous BLLs ≥ 15 mcg/dL drawn at least 90 days apart; includes new cases and those initially identified in a previous calendar year.

Prevalence: Number of poisoned children divided by the number of children tested; indicates the total identified burden of lead poisoning in a community.

Age of Child	Local Health Department	Total Tested	Total Poisoned	Total Cases	Overall Prevalence				
2 yr	WASHBURN COUNTY HEALTH DEPT	79	1	0	1.27				
2 yr	WASHINGTON COUNTY COMMUNITY HEALTH DEPT	140	1	0	0.71				
2 yr	WATERTOWN DEPT OF PUBLIC HEALTH	97	2	1	2.06				
2 yr	WAUKESHA COUNTY PUBLIC HEALTH DIVISION	679	7	1	1.03				
2 yr	WAUPACA COUNTY HUMAN SERVICES DEPT	96	3	0	3.13				
2 yr	WAUSHARA COUNTY HEALTH DEPT	81	0	0	0.00				
2 yr	WAUWATOSA HEALTH DEPT	154	0	0	0.00				
2 yr	WEST ALLIS HEALTH DEPT	299	5	1	1.67				
2 yr	WESTERN RACINE COUNTY HEALTH DEPT	69	0	0	0.00				
2 yr	WINNEBAGO COUNTY HEALTH DEPT	269	5	0	1.86				
2 yr	WOOD COUNTY HEALTH DEPT	321	0	0	0.00				
2 yr	STATEWIDE	19975	502	106	2.51				

WISCONSIN 2008 BLOOD LEAD TESTING DATA FOR CHILDREN LESS THAN 6 YEARS OF AGE

Source: Wisconsin Blood Lead Testing Data (all data current as of August 31, 2010)

Tested: Number of unduplicated children receiving a blood lead test during 2008, using the date, place and result for each child's first test during 2007, or their first test ≥ 10 mcg/dL if poisoned. If a child had a venous test within 3 mo. of a capillary test, the venous result was used.

Poisoned: A capillary or venous BLL ≥ 10 mcg/dL; if the test was a capillary sample followed within 3 mo. by a venous test, the venous result was used.

Case: One venous BLL ≥ 20 mcg/dL or 2 venous BLLs ≥ 15 mcg/dL drawn at least 90 days apart; includes new cases and those initially identified in a previous calendar year.

Prevalence: Number of poisoned children divided by the number of children tested; indicates the total identified burden of lead poisoning in a community.

Age of Child	Local Health Department	Total Tested	Total Poisoned	Total Cases	Overall Prevalence				
ZERO-THROUGH-FIVE-YEAR-OLDS (less than 72 months)									
_0_5	ADAMS COUNTY PUBLIC HEALTH DEPT	192	2	0	1.04				
_0_5	APPLETON CITY HEALTH DEPT	1311	4	2	0.31				
_0_5	ASHLAND COUNTY HEALTH DEPT	351	1	1	0.28				
_0_5	BARRON COUNTY HEALTH DEPT	518	4	2	0.77				
_0_5	BAYFIELD COUNTY HEALTH DEPT	192	1	0	0.52				
_0_5	BROWN COUNTY HEALTH DEPT	4319	33	4	0.76				
_0_5	BUFFALO COUNTY HEALTH & HUMAN SERVICES	214	8	2	3.74				
_0_5	BURNETT COUNTY HEALTH DEPT	224	0	0	0.00				
_0_5	CALUMET COUNTY HEALTH DEPT	188	0	0	0.00				
_0_5	CENTRAL RACINE COUNTY HEALTH DEPT	1264	5	1	0.40				
_0_5	CHIPPEWA COUNTY DEPT OF PUBLIC HEALTH	889	8	1	0.90				
_0_5	CLARK COUNTY HEALTH DEPT	444	2	0	0.45				
_0_5	COLUMBIA COUNTY HEALTH DEPT	811	10	3	1.23				
_0_5	CRAWFORD COUNTY PUBLIC HEALTH DEPT	266	1	0	0.38				
_0_5	CUDAHY HEALTH DEPT	404	4	1	0.99				
_0_5	DE PERE DEPT OF PUBLIC HEALTH	576	3	0	0.52				
_0_5	DODGE COUNTY HEALTH DEPT	872	6	2	0.69				
_0_5	DOOR COUNTY HEALTH DEPT	357	2	0	0.56				
_0_5	DOUGLAS COUNTY HEALTH DEPT	839	7	2	0.83				
_0_5	DUNN COUNTY HEALTH DEPT	482	1	0	0.21				
_0_5	EAU CLAIRE CITY/COUNTY HEALTH DEPT	1478	8	2	0.54				
_0_5	FLORENCE COUNTY HEALTH DEPT	39	0	0	0.00				
_0_5	FOND DU LAC COUNTY HEALTH DEPT	1206	18	3	1.49				
_0_5	FOREST COUNTY HEALTH DEPT	149	1	0	0.67				
_0_5	FRANKLIN HEALTH DEPT	502	0	0	0.00				

WISCONSIN 2008 BLOOD LEAD TESTING DATA FOR CHILDREN LESS THAN 6 YEARS OF AGE

Source: Wisconsin Blood Lead Testing Data (all data current as of August 31, 2010)

Tested: Number of unduplicated children receiving a blood lead test during 2008, using the date, place and result for each child's first test during 2007, or their first test ≥ 10 mcg/dL if poisoned. If a child had a venous test within 3 mo. of a capillary test, the venous result was used.

Poisoned: A capillary or venous BLL ≥ 10 mcg/dL; if the test was a capillary sample followed within 3 mo. by a venous test, the venous result was used.

Case: One venous BLL ≥ 20 mcg/dL or 2 venous BLLs ≥ 15 mcg/dL drawn at least 90 days apart; includes new cases and those initially identified in a previous calendar year.

Prevalence: Number of poisoned children divided by the number of children tested; indicates the total identified burden of lead poisoning in a community.

Age of Child	Local Health Department	Total Tested	Total Poisoned	Total Cases	Overall Prevalence				
_0_5	GRANT COUNTY HEALTH DEPT	796	18	1	2.26				
_0_5	GREEN COUNTY HEALTH DEPT	474	5	1	1.05				
_0_5	GREEN LAKE COUNTY NURSING SERVICE	290	7	1	2.41				
_0_5	GREENDALE HEALTH DEPT	192	0	0	0.00				
_0_5	GREENFIELD HEALTH DEPT	583	4	0	0.69				
_0_5	HALES CORNERS HEALTH DEPT	93	0	0	0.00				
_0_5	IOWA COUNTY HEALTH DEPT	284	4	0	1.41				
_0_5	IRON COUNTY HEALTH DEPT	92	2	0	2.17				
_0_5	JACKSON COUNTY HEALTH AND HUMAN SERVICES	347	4	1	1.15				
_0_5	JEFFERSON COUNTY HEALTH DEPT	709	5	0	0.71				
_0_5	JUNEAU COUNTY PUBLIC HEALTH SERVICE	608	6	3	0.99				
_0_5	KENOSHA COUNTY HEALTH DEPT	2781	36	6	1.29				
_0_5	KEWAUNEE COUNTY HEALTH DEPT	198	0	0	0.00				
_0_5	LA CROSSE COUNTY HEALTH DEPT	1645	18	4	1.09				
_0_5	LAFAYETTE COUNTY HEALTH DEPT	156	1	0	0.64				
_0_5	LANGLADE COUNTY HEALTH DEPT	246	1	0	0.41				
_0_5	LINCOLN COUNTY HEALTH DEPT	427	1	0	0.23				
_0_5	MADISON/DANE COUNTY DEPT OF PUBLIC HEALTH	4494	8	1	0.18				
_0_5	MANITOWOC COUNTY HEALTH DEPT	1199	21	2	1.75				
_0_5	MARATHON COUNTY HEALTH DEPT	1757	14	0	0.80				
_0_5	MARINETTE COUNTY HEALTH DEPT	686	5	2	0.73				
_0_5	MARQUETTE COUNTY HEALTH DEPT	253	0	0	0.00				
_0_5	MENASHA CITY HEALTH DEPT	323	0	0	0.00				
_0_5	MILWAUKEE CITY HEALTH DEPT	25018	1021	196	4.08				
_0_5	MONROE COUNTY HEALTH DEPT	960	8	1	0.83				
_0_5	NORTH SHORE HEALTH DEPT	934	9	2	0.96				

WISCONSIN 2008 BLOOD LEAD TESTING DATA FOR CHILDREN LESS THAN 6 YEARS OF AGE

Source: Wisconsin Blood Lead Testing Data (all data current as of August 31, 2010)

Tested: Number of unduplicated children receiving a blood lead test during 2008, using the date, place and result for each child's first test during 2007, or their first test ≥ 10 mcg/dL if poisoned. If a child had a venous test within 3 mo. of a capillary test, the venous result was used.

Poisoned: A capillary or venous BLL ≥ 10 mcg/dL; if the test was a capillary sample followed within 3 mo. by a venous test, the venous result was used.

Case: One venous BLL ≥ 20 mcg/dL or 2 venous BLLs ≥ 15 mcg/dL drawn at least 90 days apart; includes new cases and those initially identified in a previous calendar year.

Prevalence: Number of poisoned children divided by the number of children tested; indicates the total identified burden of lead poisoning in a community.

Age of Child	Local Health Department	Total Tested	Total Poisoned	Total Cases	Overall Prevalence				
_0_5	OAK CREEK HEALTH DEPT	582	1	1	0.17				
_0_5	OCONTO COUNTY DEPT OF HUMAN SERVICES	376	2	0	0.53				
_0_5	ONEIDA COUNTY HEALTH DEPT	416	2	0	0.48				
_0_5	OUTAGAMIE COUNTY PUBLIC HEALTH DIVISION	841	1	0	0.12				
_0_5	OZAUKEE COUNTY PUBLIC HEALTH DEPT	606	6	0	0.99				
_0_5	PEPIN COUNTY HEALTH DEPT	122	2	0	1.64				
_0_5	PIERCE COUNTY HEALTH DEPT	603	6	1	1.00				
_0_5	POLK COUNTY HEALTH DEPT	605	1	0	0.17				
_0_5	PORTAGE COUNTY HEALTH AND HUMAN SERVICES	1502	12	5	0.80				
_0_5	PRICE COUNTY HEALTH DEPT	177	1	0	0.56				
_0_5	RACINE CITY HEALTH DEPT	3488	76	12	2.18				
_0_5	RICHLAND COUNTY HEALTH DEPT	248	9	0	3.63				
_0_5	ROCK COUNTY PUBLIC HEALTH DEPT	2310	43	10	1.86				
_0_5	RUSK COUNTY HEALTH DEPT	219	3	0	1.37				
_0_5	SAUK COUNTY PUBLIC HEALTH DEPT	866	10	0	1.15				
_0_5	SAWYER COUNTY HEALTH DEPT	360	1	0	0.28				
_0_5	SHAWANO-MENOMINEE COUNTIES HEALTH DEPT	817	4	0	0.49				
_0_5	SHEBOYGAN COUNTY HUMAN SERVICES	1888	37	5	1.96				
_0_5	SOUTH MILWAUKEE HEALTH DEPT	390	1	0	0.26				
_0_5	ST CROIX COUNTY HEALTH & HUMAN SERVICES	849	2	0	0.24				
_0_5	ST FRANCIS HEALTH DEPT	126	0	0	0.00				
_0_5	TAYLOR COUNTY HEALTH DEPT	237	0	0	0.00				
_0_5	TREMPEALEAU COUNTY HEALTH DEPT	632	4	0	0.63				
_0_5	VERNON COUNTY HEALTH DEPT	590	6	0	1.02				
_0_5	VILAS COUNTY HEALTH DEPT	313	0	0	0.00				
_0_5	WALWORTH COUNTY HUMAN SERVICES DEPT	1263	15	3	1.19				

WISCONSIN 2008 BLOOD LEAD TESTING DATA FOR CHILDREN LESS THAN 6 YEARS OF AGE

Source: Wisconsin Blood Lead Testing Data (all data current as of August 31, 2010)

Tested: Number of unduplicated children receiving a blood lead test during 2008, using the date, place and result for each child's first test during 2007, or their first test ≥ 10 mcg/dL if poisoned. If a child had a venous test within 3 mo. of a capillary test, the venous result was used.

Poisoned: A capillary or venous BLL ≥ 10 mcg/dL; if the test was a capillary sample followed within 3 mo. by a venous test, the venous result was used.

Case: One venous BLL ≥ 20 mcg/dL or 2 venous BLLs ≥ 15 mcg/dL drawn at least 90 days apart; includes new cases and those initially identified in a previous calendar year.

Prevalence: Number of poisoned children divided by the number of children tested; indicates the total identified burden of lead poisoning in a community.

Age of Child	Local Health Department	Total Tested	Total Poisoned	Total Cases	Overall Prevalence				
_0_5	WASHBURN COUNTY HEALTH DEPT	328	1	0	0.30				
_0_5	WASHINGTON COUNTY COMMUNITY HEALTH DEPT	1047	5	0	0.48				
_0_5	WATERTOWN DEPT OF PUBLIC HEALTH	397	7	2	1.76				
_0_5	WAUKESHA COUNTY PUBLIC HEALTH DIVISION	4431	23	5	0.52				
_0_5	WAUPACA COUNTY HUMAN SERVICES DEPT	559	6	1	1.07				
_0_5	WAUSHARA COUNTY HEALTH DEPT	398	0	0	0.00				
_0_5	WAUWATOSA HEALTH DEPT	857	3	0	0.35				
_0_5	WEST ALLIS HEALTH DEPT	1569	24	3	1.53				
_0_5	WESTERN RACINE COUNTY HEALTH DEPT	433	1	0	0.23				
_0_5	WINNEBAGO COUNTY HEALTH DEPT	1434	17	2	1.19				
_0_5	WOOD COUNTY HEALTH DEPT	1124	6	1	0.53				
_0_5	STATEWIDE	96635	1665	298	1.72				

WISCONSIN 2008 BLOOD LEAD TESTING DATA FOR CHILDREN LESS THAN 6 YEARS OF AGE

Source: Wisconsin Blood Lead Testing Data (all data current as of August 31, 2010)

Tested: Number of unduplicated children receiving a blood lead test during 2008, using the date, place and result for each child's first test during 2007, or their first test ≥ 10 mcg/dL if poisoned. If a child had a venous test within 3 mo. of a capillary test, the venous result was used.

Poisoned: A capillary or venous BLL ≥ 10 mcg/dL; if the test was a capillary sample followed within 3 mo. by a venous test, the venous result was used.

Case: One venous BLL ≥ 20 mcg/dL or 2 venous BLLs ≥ 15 mcg/dL drawn at least 90 days apart; includes new cases and those initially identified in a previous calendar year.

Prevalence: Number of poisoned children divided by the number of children tested; indicates the total identified burden of lead poisoning in a community.

Age of Child	Local Health Department	Total Tested	Total Poisoned	Total Cases	Overall Prevalence				
THREE TO FIVE-YEAR-OLDS WITH NO PRIOR TEST (36 through 71 months)									
_3_5	ADAMS COUNTY PUBLIC HEALTH DEPT	8	0	0	0.00				
_3_5	APPLETON CITY HEALTH DEPT	64	0	0	0.00				
_3_5	ASHLAND COUNTY HEALTH DEPT	39	0	0	0.00				
_3_5	BARRON COUNTY HEALTH DEPT	47	1	0	2.13				
_3_5	BAYFIELD COUNTY HEALTH DEPT	19	0	0	0.00				
_3_5	BROWN COUNTY HEALTH DEPT	147	0	0	0.00				
_3_5	BUFFALO COUNTY HEALTH & HUMAN SERVICES	15	0	0	0.00				
_3_5	BURNETT COUNTY HEALTH DEPT	22	0	0	0.00				
_3_5	CALUMET COUNTY HEALTH DEPT	13	0	0	0.00				
_3_5	CENTRAL RACINE COUNTY HEALTH DEPT	117	0	0	0.00				
_3_5	CHIPPEWA COUNTY DEPT OF PUBLIC HEALTH	34	0	0	0.00				
_3_5	CLARK COUNTY HEALTH DEPT	31	0	0	0.00				
_3_5	COLUMBIA COUNTY HEALTH DEPT	59	0	0	0.00				
_3_5	CRAWFORD COUNTY PUBLIC HEALTH DEPT	15	0	0	0.00				
_3_5	CUDAHY HEALTH DEPT	31	0	0	0.00				
_3_5	DE PERE DEPT OF PUBLIC HEALTH	20	0	0	0.00				
_3_5	DODGE COUNTY HEALTH DEPT	50	0	0	0.00				
_3_5	DOOR COUNTY HEALTH DEPT	27	0	0	0.00				
_3_5	DOUGLAS COUNTY HEALTH DEPT	46	0	0	0.00				
_3_5	DUNN COUNTY HEALTH DEPT	30	0	0	0.00				
_3_5	EAU CLAIRE CITY/COUNTY HEALTH DEPT	71	1	0	1.41				
_3_5	FLORENCE COUNTY HEALTH DEPT	2	0	0	0.00				
_3_5	FOND DU LAC COUNTY HEALTH DEPT	55	0	0	0.00				
_3_5	FOREST COUNTY HEALTH DEPT	4	0	0	0.00				
_3_5	FRANKLIN HEALTH DEPT	32	0	0	0.00				

WISCONSIN 2008 BLOOD LEAD TESTING DATA FOR CHILDREN LESS THAN 6 YEARS OF AGE

Source: Wisconsin Blood Lead Testing Data (all data current as of August 31, 2010)

Tested: Number of unduplicated children receiving a blood lead test during 2008, using the date, place and result for each child's first test during 2007, or their first test ≥ 10 mcg/dL if poisoned. If a child had a venous test within 3 mo. of a capillary test, the venous result was used.

Poisoned: A capillary or venous BLL ≥ 10 mcg/dL; if the test was a capillary sample followed within 3 mo. by a venous test, the venous result was used.

Case: One venous BLL ≥ 20 mcg/dL or 2 venous BLLs ≥ 15 mcg/dL drawn at least 90 days apart; includes new cases and those initially identified in a previous calendar year.

Prevalence: Number of poisoned children divided by the number of children tested; indicates the total identified burden of lead poisoning in a community.

Age of Child	Local Health Department	Total Tested	Total Poisoned	Total Cases	Overall Prevalence				
_3_5	GRANT COUNTY HEALTH DEPT	55	0	0	0.00				
_3_5	GREEN COUNTY HEALTH DEPT	10	0	0	0.00				
_3_5	GREEN LAKE COUNTY NURSING SERVICE	15	0	0	0.00				
_3_5	GREENDALE HEALTH DEPT	9	0	0	0.00				
_3_5	GREENFIELD HEALTH DEPT	50	1	0	2.00				
_3_5	HALES CORNERS HEALTH DEPT	7	0	0	0.00				
_3_5	IOWA COUNTY HEALTH DEPT	32	0	0	0.00				
_3_5	IRON COUNTY HEALTH DEPT	17	0	0	0.00				
_3_5	JACKSON COUNTY HEALTH AND HUMAN SERVICES	21	0	0	0.00				
_3_5	JEFFERSON COUNTY HEALTH DEPT	43	0	0	0.00				
_3_5	JUNEAU COUNTY PUBLIC HEALTH SERVICE	36	0	0	0.00				
_3_5	KENOSHA COUNTY HEALTH DEPT	359	7	1	1.95				
_3_5	KEWAUNEE COUNTY HEALTH DEPT	12	0	0	0.00				
_3_5	LA CROSSE COUNTY HEALTH DEPT	96	0	0	0.00				
_3_5	LAFAYETTE COUNTY HEALTH DEPT	10	0	0	0.00				
_3_5	LANGLADE COUNTY HEALTH DEPT	9	0	0	0.00				
_3_5	LINCOLN COUNTY HEALTH DEPT	21	0	0	0.00				
_3_5	MADISON/DANE COUNTY DEPT OF PUBLIC HEALTH	280	1	0	0.36				
_3_5	MANITOWOC COUNTY HEALTH DEPT	38	1	0	2.63				
_3_5	MARATHON COUNTY HEALTH DEPT	63	1	0	1.59				
_3_5	MARINETTE COUNTY HEALTH DEPT	49	0	0	0.00				
_3_5	MARQUETTE COUNTY HEALTH DEPT	22	0	0	0.00				
_3_5	MENASHA CITY HEALTH DEPT	21	0	0	0.00				
_3_5	MILWAUKEE CITY HEALTH DEPT	1609	48	3	2.98				
_3_5	MONROE COUNTY HEALTH DEPT	58	1	0	1.72				
_3_5	NORTH SHORE HEALTH DEPT	69	2	0	2.90				

WISCONSIN 2008 BLOOD LEAD TESTING DATA FOR CHILDREN LESS THAN 6 YEARS OF AGE

Source: Wisconsin Blood Lead Testing Data (all data current as of August 31, 2010)

Tested: Number of unduplicated children receiving a blood lead test during 2008, using the date, place and result for each child's first test during 2007, or their first test ≥ 10 mcg/dL if poisoned. If a child had a venous test within 3 mo. of a capillary test, the venous result was used.

Poisoned: A capillary or venous BLL ≥ 10 mcg/dL; if the test was a capillary sample followed within 3 mo. by a venous test, the venous result was used.

Case: One venous BLL ≥ 20 mcg/dL or 2 venous BLLs ≥ 15 mcg/dL drawn at least 90 days apart; includes new cases and those initially identified in a previous calendar year.

Prevalence: Number of poisoned children divided by the number of children tested; indicates the total identified burden of lead poisoning in a community.

Age of Child	Local Health Department	Total Tested	Total Poisoned	Total Cases	Overall Prevalence				
_3_5	OAK CREEK HEALTH DEPT	38	0	0	0.00				
_3_5	OCONTO COUNTY DEPT OF HUMAN SERVICES	22	0	0	0.00				
_3_5	ONEIDA COUNTY HEALTH DEPT	26	0	0	0.00				
_3_5	OUTAGAMIE COUNTY PUBLIC HEALTH DIVISION	59	1	0	1.69				
_3_5	OZAUKEE COUNTY PUBLIC HEALTH DEPT	46	1	0	2.17				
_3_5	PEPIN COUNTY HEALTH DEPT	10	0	0	0.00				
_3_5	PIERCE COUNTY HEALTH DEPT	61	1	0	1.64				
_3_5	POLK COUNTY HEALTH DEPT	56	0	0	0.00				
_3_5	PORTAGE COUNTY HEALTH AND HUMAN SERVICES	68	0	0	0.00				
_3_5	PRICE COUNTY HEALTH DEPT	8	0	0	0.00				
_3_5	RACINE CITY HEALTH DEPT	202	4	0	1.98				
_3_5	RICHLAND COUNTY HEALTH DEPT	23	0	0	0.00				
_3_5	ROCK COUNTY PUBLIC HEALTH DEPT	142	1	1	0.70				
_3_5	RUSK COUNTY HEALTH DEPT	19	1	0	5.26				
_3_5	SAUK COUNTY PUBLIC HEALTH DEPT	56	0	0	0.00				
_3_5	SAWYER COUNTY HEALTH DEPT	17	0	0	0.00				
_3_5	SHAWANO-MENOMINEE COUNTIES HEALTH DEPT	26	1	0	3.85				
_3_5	SHEBOYGAN COUNTY HUMAN SERVICES	96	1	0	1.04				
_3_5	SOUTH MILWAUKEE HEALTH DEPT	24	0	0	0.00				
_3_5	ST CROIX COUNTY HEALTH & HUMAN SERVICES	76	0	0	0.00				
_3_5	ST FRANCIS HEALTH DEPT	14	0	0	0.00				
_3_5	TAYLOR COUNTY HEALTH DEPT	10	0	0	0.00				
_3_5	TREMPEALEAU COUNTY HEALTH DEPT	49	0	0	0.00				
_3_5	VERNON COUNTY HEALTH DEPT	45	0	0	0.00				
_3_5	VILAS COUNTY HEALTH DEPT	9	0	0	0.00				
_3_5	WALWORTH COUNTY HUMAN SERVICES DEPT	93	0	0	0.00				

WISCONSIN 2008 BLOOD LEAD TESTING DATA FOR CHILDREN LESS THAN 6 YEARS OF AGE

Source: Wisconsin Blood Lead Testing Data (all data current as of August 31, 2010)

Tested: Number of unduplicated children receiving a blood lead test during 2008, using the date, place and result for each child's first test during 2007, or their first test ≥ 10 mcg/dL if poisoned. If a child had a venous test within 3 mo. of a capillary test, the venous result was used.

Poisoned: A capillary or venous BLL ≥ 10 mcg/dL; if the test was a capillary sample followed within 3 mo. by a venous test, the venous result was used.

Case: One venous BLL ≥ 20 mcg/dL or 2 venous BLLs ≥ 15 mcg/dL drawn at least 90 days apart; includes new cases and those initially identified in a previous calendar year.

Prevalence: Number of poisoned children divided by the number of children tested; indicates the total identified burden of lead poisoning in a community.

Age of Child	Local Health Department	Total Tested	Total Poisoned	Total Cases	Overall Prevalence				
_3_5	WASHBURN COUNTY HEALTH DEPT	14	0	0	0.00				
_3_5	WASHINGTON COUNTY COMMUNITY HEALTH DEPT	101	1	0	0.99				
_3_5	WATERTOWN DEPT OF PUBLIC HEALTH	29	1	0	3.45				
_3_5	WAUKESHA COUNTY PUBLIC HEALTH DIVISION	295	1	0	0.34				
_3_5	WAUPACA COUNTY HUMAN SERVICES DEPT	29	0	0	0.00				
_3_5	WAUSHARA COUNTY HEALTH DEPT	24	0	0	0.00				
_3_5	WAUWATOSA HEALTH DEPT	39	0	0	0.00				
_3_5	WEST ALLIS HEALTH DEPT	143	5	0	3.50				
_3_5	WESTERN RACINE COUNTY HEALTH DEPT	27	0	0	0.00				
_3_5	WINNEBAGO COUNTY HEALTH DEPT	80	0	0	0.00				
_3_5	WOOD COUNTY HEALTH DEPT	59	1	1	1.69				
_3_5	STATEWIDE	6144	84	6	1.37				