

Sexually Transmitted Infections in Wisconsin, 2021

People 15-19 years of age



Wisconsin Sexually Transmitted Infections (STI) Surveillance Report - 2021

Despite the interruption of delivery of STI testing services due to the Covid – 19 pandemic, overall STI cases reported among adolescents increased 5% in 2021. The most significant increase observed in 2021 was a 100% increase in syphilis cases reported. In 2021, gonorrhea cases increased by 21% and chlamydia cases increased by 1%.

TABLE 1.

STIs in Wisconsin continue to rise.


Number of STI cases and case rates per 100,000 in people 15-19 years of age Wisconsin, 2017-2021

	20	17	2018		20	19	20	20	2021	
Disease	Cases	Rate								
Chlamydia	7,303	1,836	7,482	1,881	8,197	2,061	7,015	1,852	7,073	1,866
Gonorrhea	1,806	454	1,679	422	1,761	443	1,767	467	2,140	565
Syphilis	36	9	38	10	34	9	32	8	61	16

FIGURE 1.

Syphilis rate doubled among adolescents in 2021.

Trends in chlamydia, gonorrhea, and syphilis rates (per 100,000 people) among adolescents, Wisconsin, 2017 – 2021



Wisconsin Sexually Transmitted Infection (STI) Surveillance Report - 2021 Reported Cases and Rates (per 100,000 people) by Gender, Race, Ethnicity, and Age Persons 15-19 years of age

		Chlamydia	1	(Gonorrhea	1		Syphilis			Total		
	Cases	Percent	Rates	Cases	Percent	Rates	Cases	Percent	Rates	Cases	Percent	Rates	
Total	7,073	100%	1,866	2,140	100%	565	61	100%	28	9,274	100%	2,447	
Gender													
Male	1,801	25.5%	931	885	41.4%	458	30	49.2%	16	2,716	29.3%	1,404	
Female	5,260	74.4%	2,834	1,246	58.2%	671	30	49.2%	16	6,536	70.5%	3,521	
Transgender Male	2	0.0%	-	3	0.1%	-	1	1.6%	-	6	0.1%	-	
Transgender Female	0	0.0%	-	2	0.1%	-	0	0.0%	-	2	0.0%	-	
Other/Unknown	10	0.1%	-	4	0.2%	=	0	0.0%	-	14	0.2%	-	
Race/Ethnicity													
White	2,409	34.1%	858	328	15.3%	117	12	19.7%	4	2,749	29.6%	979	
Black	2,858	40.4%	8,021	1,407	65.7%	3,949	36	59.0%	101	4,301	46.4%	12,071	
Native American	78	1.1%	1,773	13	0.6%	296	0	0.0%	0	91	1.0%	2,069	
Asian	94	1.3%	630	14	0.7%	94	2	3.3%	*	110	1.2%	738	
Hispanic	777	11.0%	1,800	173	8.1%	401	8	13.1%	19^	958	10.3%	2,219	
Other/Unknown	857	12.1%	-	205	9.6%	-	3	4.9%	*	1,065	11.5%	-	
Region of residence													
Northeastern	1,031	14.6%	1,305	199	9.3%	252	10	16.4%	13^	1,240	13.4%	1,570	
Northern	283	4.0%	959	16	0.7%	54	0	0.0%	0	299	3.2%	1,014	
Southeastern	3,815	53.9%	2,645	1,536	71.8%	1,065	42	68.9%	29	5,393	58.2%	3,739	
Southern	1,299	18.4%	1,819	326	15.2%	456	8	13.1%	11^	1,633	17.6%	2,287	
Western	623	8.8%	1,135	63	2.9%	115	0	0.0%	0	686	7.4%	1,250	
Institution**	22	0.3%	-	0	0.0%	-	1	1.6%	-	23	0.2%	=	

^{*}Rates based on five case counts or less are not shown. ^Rate is unreliable due to a count <12.

^{**}Institutions' cases include cases from Federal/State facilities.

		Chlamydia	Э		Gonorrhea		<u> </u>	Syphilis			Total		
	Cases	Percent	Rates	Cases	Percent	Rates	Cases	Percent	Rates	Cases	Percent	Rates	
Total Case	7,073	100%	1,852	2,140	100%	565	61	100%	16	9,275	100%	2,447	
Northeastern													
Brown	277	3.9%	1,629	60	2.8%	353	2	3.3%	*	339	3.7%	1,994	
Calumet	29	0.4%	773	2	0.1%	*	0	0.0%	0	31	0.3%	826	
Door	7	0.1%	552^	1	0.0%	*	0	0.0%	0	8	0.1%	631^	
Fond Du Lac	65	0.9%	989	12	0.6%	183	1	1.6%	*	78	0.8%	1,187	
Green Lake	7	0.1%	565^	2	0.1%	*	0	0.0%	0	9	0.1%	727^	
Kewaunee	8	0.1%	597^	1	0.0%	*	0	0.0%	0	9	0.1%	672^	
Manitowoc	62	0.9%	1,311	8	0.4%	169^	0	0.0%	0	70	0.8%	1,480	
Marinette	34	0.5%	1,441	2	0.1%	*	0	0.0%	0	36	0.4%	1,525	
Marquette	5	0.1%	*	0	0.0%	0	0	0.0%	0	5	0.1%	*	
Menominee	9	0.1%	2,951^	2	0.1%	*	0	0.0%	0	11	0.1%	3,607^	
Oconto	23	0.3%	1,031	1	0.0%	*	0	0.0%	0	24	0.3%	1,076	
Outagamie	150	2.1%	1,238	27	1.3%	223	3	4.9%	*	180	1.9%	1,486	
Shawano	27	0.4%	1,077	1	0.0%	*	0	0.0%	0	28	0.3%	1,116	
Sheboygan	87	1.2%	1,198	20	0.9%	275	3	4.9%	*	110	1.2%	1,515	
Waupaca	38	0.5%	1,297	4	0.2%	*	0	0.0%	0	42	0.5%	1,434	
Waushara	6	0.1%	451^	1	0.0%	*	0	0.0%	0	7	0.1%	527^	
Winnebago	197	2.8%	1,741	55	2.6%	486	1	1.6%	*	253	2.7%	2,236	
Region total	1,031	14.6%	1,305	199	9.3%	252	10	16.4%	13	1,240	13.4%	1,570	

^{*}Rates based on five case counts or less are not shown. ^Rate is unreliable due to a count <12.

		Chlamydia	1		Gonorrhea			Syphilis			Total		
	Cases	Percent	Rates	Cases	Percent	Rates	Cases	Percent	Rates	Cases	Percent	Rates	
Northern													
Ashland	10	0.1%	1,000	0	0.0%	0	0	0.0%	0	10	0.1%	1,000	
Bayfield	6	0.1%	893^	0	0.0%	0	0	0.0%	0	6	0.1%	893^	
Florence	0	0.0%	0	0	0.0%	0	0	0.0%	0	0	0.0%	0	
Forest	0	0.0%	0	0	0.0%	0	0	0.0%	0	0	0.0%	0	
Iron	11	0.2%	4,135^	0	0.0%	0	0	0.0%	0	11	0.1%	4,135^	
Langlade	11	0.2%	1,012^	0	0.0%	0	0	0.0%	0	11	0.1%	1,012^	
Lincoln	22	0.3%	1,346	0	0.0%	0	0	0.0%	0	22	0.2%	1,346	
Marathon	82	1.2%	959	5	0.2%	*	0	0.0%	0	87	0.9%	1,018	
Oneida	10	0.1%	599^	1	0.0%	*	0	0.0%	0	11	0.1%	659^	
Portage	66	0.9%	1,150	6	0.3%	105^	0	0.0%	0	72	0.8%	1,254	
Price	7	0.1%	1,040^	0	0.0%	0	0	0.0%	0	7	0.1%	1,040^	
Sawyer	9	0.1%	1,060^	0	0.0%	0	0	0.0%	0	9	0.1%	1,060^	
Taylor	3	0.0%	*	0	0.0%	0	0	0.0%	0	3	0.0%	*	
Vilas	2	0.0%	*	0	0.0%	0	0	0.0%	0	2	0.0%	*	
Wood	44	0.6%	1,037	4	0.2%	*	0	0.0%	0	48	0.5%	1,131	
Region total	283	4.0%	959	16	0.7%	54	0	0.0%	0	299	3.2%	1,014	
Southeastern													
Kenosha	170	2.4%	1,421	64	3.0%	535	3	4.9%	*	237	2.6%	1,981	
Milwaukee	2,949	41.7%	4,515	1,319	61.6%	2,020	38	62.3%	58	4,306	46.4%	6,593	
Ozaukee	29	0.4%	487	4	0.2%	*	0	0.0%	0	33	0.4%	554	
Racine	353	5.0%	2,877	117	5.5%	954	0	0.0%	0	470	5.1%	3,831	
Walworth	91	1.3%	1,354	9	0.4%	134^	0	0.0%	0	100	1.1%	1,488	
Washington	56	0.8%	644	6	0.3%	69^	1	1.6%	*	63	0.7%	725	
Waukesha	167	2.4%	618	17	0.8%	63	0	0.0%	0	184	2.0%	681	
Region total	3,815	53.9%	2,766	1,536	71.8%	1,114	42	68.9%	30	5,393	58.1%	3,910	

^{*}Rates based on five case counts or less are not shown. ^Rate is unreliable due to a count <12.

	(Chlamydia		(Gonorrhea			Syphilis			Total	
	Cases	Percent	Rates	Cases	Percent	Rates	Cases	Percent	Rate	Cases	Percent	Rate*
Southern												
Adams	8	0.1%	964^	3	0.1%	*	0	0.0%	0	11	0.1%	1,325^
Columbia	29	0.4%	824	5	0.2%	*	1	1.6%	*	35	0.4%	995
Crawford	9	0.1%	969^	0	0.0%	0	0	0.0%	0	9	0.1%	969^
Dane	707	10.0%	2,215	220	10.3%	689	4	6.6%	*	931	10.0%	2,916
Dodge	52	0.7%	985	4	0.2%	*	1	1.6%	*	57	0.6%	1,080
Grant	27	0.4%	584	0	0.0%	0	0	0.0%	0	27	0.3%	584
Green	19	0.3%	821	1	0.0%	*	0	0.0%	0	20	0.2%	864
Iowa	9	0.1%	617^	0	0.0%	0	0	0.0%	0	9	0.1%	617^
Jefferson	50	0.7%	795	8	0.4%	127^	0	0.0%	0	58	0.6%	923
Juneau	35	0.5%	2,417	1	0.0%	*	1	1.6%	*	37	0.4%	2,555
Lafayette	8	0.1%	677^	0	0.0%	0	0	0.0%	0	8	0.1%	677^
Richland	19	0.3%	1,597	2	0.1%	*	1	1.6%	*	22	0.2%	1,849
Rock	242	3.4%	2,246	71	3.3%	659	0	0.0%	0	313	3.4%	2,905
Sauk	70	1.0%	1,844	10	0.5%	263	0	0.0%	0	80	0.9%	2,107
Vernon	15	0.2%	696	1	0.0%	*	0	0.0%	0	16	0.2%	742
Region total	1,299	18.4%	1,672	326	15.2%	420	8	13.1%	10^	1,633	17.6%	2,102

^{*}Rates based on five case counts or less are not shown. ^Rate is unreliable due to a count <12.

	Cr	nlamydia			Gonorrhea			Syphilis			Total	
Western	Cases	Percent	Rates	Cases	Percent	Rates	Cases	Percent	Rates	Cases	Percent	Rates
Barron	31	0.4%	1,196	1	0.0%	*	0	0.0%	0	32	0.3%	1,234
Buffalo	12	0.2%	1,604	0	0.0%	0	0	0.0%	0	12	0.1%	1,604
Burnett	13	0.2%	1,738	0	0.0%	0	0	0.0%	0	13	0.1%	1,738
Chippewa	43	0.6%	1,105	0	0.0%	0	0	0.0%	0	43	0.5%	1,105
Clark	9	0.1%	353^	2	0.1%	*	0	0.0%	0	11	0.1%	432^
Douglas	37	0.5%	1,452	4	0.2%	*	0	0.0%	0	41	0.4%	1,609
Dunn	28	0.4%	719	5	0.2%	*	0	0.0%	0	33	0.4%	848
Eau Claire	91	1.3%	1,116	13	0.6%	159	0	0.0%	0	104	1.1%	1,276
Jackson	6	0.1%	493^	0	0.0%	0	0	0.0%	0	6	0.1%	493^
La Crosse	178	2.5%	1,985	19	0.9%	212	0	0.0%	0	197	2.1%	2,197
Monroe	48	0.7%	1,575	4	0.2%	*	0	0.0%	0	52	0.6%	1,707
Pepin	0	0.0%	0	0	0.0%	0	0	0.0%	0	0	0.0%	0
Pierce	27	0.4%	753	3	0.1%	*	0	0.0%	0	30	0.3%	837
Polk	29	0.4%	1,061	2	0.1%	*	0	0.0%	0	31	0.3%	1,134
Rusk	14	0.2%	1,659	3	0.1%	*	0	0.0%	0	17	0.2%	2,014
Saint Croix	34	0.5%	539	3	0.1%	*	0	0.0%	0	37	0.4%	587
Trempealeau	12	0.2%	650	0	0.0%	0	0	0.0%	0	12	0.1%	650
Washburn	11	0.2%	1,368^	4	0.2%	*	0	0.0%	0	15	0.2%	1,866
Region total	623	8.8%	1,135	63	2.9%	115	0	0.0%	**	686	7.4%	1,250
All Regions	7,051	99.7%	1,860	2,140	100.0%	565	60	100.0%	16	9,251	100%	9,844.34
Institutions**	22	0.3%	-	0	0.0%	-	1	1.6%	-	23	0.2%	-
All Regions plus institutions	7,073	100%	-	2,140	100%	-	61	100%	-	9,274	100%	-

^{**}Rates based on five case counts or less are not shown. ^Rate is unreliable due to a count <12.

Wisconsin Syphilis Surveillance Report - Reported Cases and Rates (per 100,000 people) by Stage of Infection, Gender, Race, Ethnicity, and Age Persons 15-19 years of age - 2021

		Primary		;	Secondary	′	Early	non-primar secondary	-		Early Total			
	Case s	Percen t	Rates	Case s	Percen t	Rates	Case s	Percent	Rates	Case s	Percen t	Rates *		
Total	16	100%	4	11	100%	3^	18	100%	5	45	100%	12		
Gender														
Male	11	68.8%	6^	3	27.3%	*	10	55.6%	5^	24	53.3%	12		
Female	5	31.3%	*	7	63.6%	4^	8	0.44	4^	20	44.4%	11		
Transgender Female	0	0.0%	-	1	9.1%	-	0	0.0%	-	1	2.2%	*		
Transgender Male	0	0.0%	-	0	0.0%	-	0	0.00	-	0	0.0%	-		
Unknown	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Race/Ethnicity														
White	3	18.8%	*	1	9.1%	*	4	22.2%	*	8	17.8%	3^		
Black	10	62.5%	28^	9	81.8%	25^	10	55.6%	28^	29	64.4%	81		
Native American	0	0.0%	0	0	0.0%	0	0	0.0%	0	0	0.0%	0		
Asian	1	6.3%	*	0	0.0%	0	0	0.0%	0	1	2.2%	*		
Hispanic	2	12.5%	*	0	0.0%	0	4	22.2%	*	6	13.3%	14^		
Other/Unknown	0	0.0%	-	1	9.1%	-	0	0%	0	1	4.4%	*		
Region of residence														
Northeastern	5	31.3%	*	0	0.0%	0	2	11.1%	*	7	15.6%	9^		
Northern	0	0.0%	0	0	0.0%	0	0	0.0%	0	0	0.0%	0		
Southeastern	9	56.3%	6^	10	91%	7^	12	67%	8	31	68.9%	21		
Southern	2	12.5%	*	1	9.1%	*	4	22.2%	*	7	15.6%	10^		
Western	0	0.0%	0	0	0.0%	0	0	0.0%	0	0	0.0%	0		

^{*}Rates based on five case counts or less are not shown. ^Rate is unreliable due to a count <12.

Wisconsin Syphilis Surveillance Report - Reported Cases and Rates (per 100,000 people) by Stage of Infection, Gender, Race, Ethnicity, and Age Persons 15-19 years of age - 2021

		Early Total		L	ate Laten	t	(Congenita	l	All Stages Total		
	Cases	Percent	Rates	Cases	Percent	Rates	Cases	Percent	Rates	Cases	Percent	Rates
Total	45	100%	12	16	100%	4	0	0%	0	61	100%	16
Gender												
Male	24	53.3%	12	6	37.5%	3^	0	0.0%	0	30	49.2%	16
Female	20	44.4%	11	10	62.5%	5^	0	0.0%	0	30	49.2%	16
Transgender Female	1	2.2%	-	0	6.3%	-	0	0.0%	-	1	3.3%	-
Transgender Male	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-
Unknown	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	=
Race/Ethnicity												
White	8	17.8%	3^	5	31.3%	*	0	0.0%	0	13	21.3%	5
Black	29	64.4%	81	7	43.8%	20^	0	0.0%	0	36	59.0%	101
Native American	0	0.0%	0	0	0.0%	0	0	0.0%	0	0	0.0%	0
Asian	1	2.2%	*	2	12.5%	*	0	0.0%	0	3	4.9%	*
Hispanic	6	13.3%	14^	2	12.5%	*	0	0.0%	0	8		19^
Other/Unknown	1	2.2%	-	0	0.0%	-	0	0.0%		1	1.6%	-
Region of residence												
Northeastern	7	15.6%	9^	3	18.8%	*	0	0.0%	0	10	16.4%	13^
Northern	0	0.0%	0	0	0.0%	0	0	0.0%	0	0	0.0%	0
Southeastern	31	68.9%	21	11	68.8%	8^	0	0.0%	0	42	68.9%	29
Southern	7	15.6%	10^	1	6.3%	*	0	0.0%	0	8	13.1%	11^
Western	0	0.0%	0	0	0.0%	0	0	0.0%	0	0	0.0%	0
Institution**	0	0.0%	-	1	6.3%	-	0	0.0%	0	1	1.6%	-

^{*}Rates based on five case counts or less are not shown. ^Rate is unreliable due to a count <12.

^{**}Institutions' cases include cases from Federal/State institutions.

Technical Notes

- 1. This report is compiled by the Wisconsin STI Unit and are based on STI case surveillance data collected by the Wisconsin Division of Public Health (DPH). In Wisconsin, state statutes require both laboratories and health care providers to report cases of chlamydia, gonorrhea, syphilis, chancroid, and pelvic inflammatory disease to local health departments. STI case surveillance data is automatically sent to the Wisconsin STI Unit via WEDSS (Wisconsin Electronic Disease Surveillance System).
- 2. This report includes cases diagnosed within the specified period. Additional cases diagnosed within the specified period may continue to be reported. Thus, this report should be considered provisional, and it supersedes all previous reports.
- 3. Reporting of STI cases can be incomplete. Reporting rates can vary by disease, geographic region, and demographic groups. At any time, reported STI cases represent only part of the total number of diagnosed cases, therefore STI surveillance data likely underestimates total STI morbidity.
- 4. Rate is calculated based on the population data available on the WISH (Wisconsin Interactive Statistics on Health) system website. In these reports, rates presented are cases per 100,000 population (2020). Rates are not calculated for categories with small numbers of cases. See each report for the rate calculation threshold.
- 5. In this report, cases are allocated to the derived county at the time of diagnosis. Cases from federal, state, or certain private institutions are included, and geographic region for these cases are assigned as institution.
- 6. Cases residing outside Wisconsin are not included in this report.
- 6. All races are non-Hispanic ethnicity. Under the category race, Asian includes Asian Pacific Islander and American Indian Alaska Native is named as Native American.
- 7. Rates based on five case counts or less are not shown and rates based on case counts less than 12 are marked as statistically unreliable.

For more information, contact: Wisconsin STI Unit

1 West Wilson Street

PO Box 2659

Madison, WI 53701-2659 Telephone: 608-266-8479