Sexually Transmitted Infections Wisconsin, 2020






DEPARTMENT OF HEALTH SERVICES Division of Public Health Bureau of Communicable Diseases STI Unit P-00415 (09/21)

Sexually Transmitted Infections Surveillance Report Data Tables, Wisconsin 2020

Table 1. Number of Cases and Rate of Chlamydia, Gonorrhea, Syphilis Wisconsin, 2016-2020

	20	16	20	17	20	18	20	19	2020		
Disease	Cases	Rate*									
Chlamydia	26,432	470	27,287	485	27,580	490	29,772	529	26,219	449	
Gonorrhea	6,467	115	7,610	135	7,827	139	9,054	161	10,239	175	
Syphilis	419	7	547	10	511	9	585	10	810	14	

^{*}Rate per 100,000 people



Because of the Covid-19 pandemic, STI testing services were running at a minimum level in both STI and non STI clinics and local health departments. In spite of the disruption in STI testing services, Gonorrhea cases increased from 9,054 in 2019 to 10,239 in 2020 (13.08% increase). Likewise Syphilis cases increased from 585 cases in 2019 to 810 cases in 2020 (38.46% increase).

1	Wiscon	sin Sexu	ially T	'rar	ısmit	ted Dise	ease Su	ır	veillan	ce Rep	ort, 20	20			
		Chlamydia				Sonorrhea				Syphilis				Total	
	Cases	Percent	Rate*	•	Cases	Percent	Rate*		Cases	Percent	Rate*	Ca	ases	Percent	Rate*
Total	26,219	100%	449	1	10,239	100%	175		810	100%	14	37	,268	100%	638
Gender															
Male	8,315	31.7%	286	5	5,323	52.0%	183		630	77.8%	22	14	,268	38.3%	491
Female	17,830	68.0%	608	4	4,866	47.5%	166		177	21.9%	6	22	,873	61.4%	780
Transgender Female	7	0.0%	-	7		0.1%	-		2	0.2%	-	16		0.0%	1
Transgender Male	8	0.0%	-	5	5	0.0%	-		1	0.1%	-	14		0.0%	ī
Unknown	59	0.2%	-	(4)	38	0.4%	-		0	0.0%	-	97		0.3%	1
Race/Ethnicity															
White	9,419	35.9%	197	2	2,359	23.0%	49		298	36.8%	6	12	,076	32.4%	253
Black	8,259	31.5%	2,029	5	5,094	49.8%	1,251		307	37.9%	71	13	,660	36.7%	3,356
Native American	247	0.9%	423	7	75	0.7%	129		13	1.6%	17	33.	5	0.9%	574
Asian	346	1.3%	189	8	31	0.8%	44		15	1.9%	8	44	2	1.2%	241
Hispanic	2,711	10.3%	654	7	787	7.7%	190		120	14.8%	29	3,6	518	9.7%	873
Other/Unknown	5,237	20.0%	-	1	1,843	18.0%	-		57	7.0%	-	7,1	.37	19.2%	1
Age															
0-4	10	0.0%	3^	6	5	0.1%	2^		5	0.6%	**	21		0.1%	6
5-9	1	0.0%	**	1	1	0.0%	**		0	0.0%	0	2		0.0%	**
10-14	205	0.8%	56	6	50	0.6%	16		0	0.0%	0	26.	5	0.7%	72
15-19	7,015	26.8%	1,852	1	1,767	17.3%	467		32	4.0%	8	8,8	314	23.7%	2,327
20-24	9,876	37.7%	2,521	2	2,881	28.1%	735		117	14.4%	30	12	,874	34.5%	3,286
25-29	4,679	17.8%	1,229	2	2,235	21.8%	587		152	18.8%	40	7,0)66	19.0%	1,856
30-34	2,199	8.4%	606	1	1,414	13.8%	390		145	17.9%	40	3,7	758	10.1%	1,036
35-39	1,166	4.4%	311	8	336	8.2%	223		99	12.2%	26	2,1	.01	5.6%	561
40-44	521	2.0%	153	3	397	3.9%	117		86	10.6%	25	1,0	004	2.7%	295
45-49	232	0.9%	67	2	254	2.5%	74		56	6.9%	16	54:	2	1.5%	158
50+	315	1.2%	14	3	388	3.8%	17		118	14.6%	5	82	0	2.2%	37
Region of residence															
Northeastern	4,138	15.8%	328	9	993	9.7%	79		86	10.6%	7	5,2	217	14.0%	414
Northern	1,207	4.6%	246	2	276	2.7%	56		13	1.6%	3	1,4	196	4.0%	305
Southeastern	13,945	53.2%	681	6	5,539	63.9%	319		543	67.0%	27	21	,027	56.4%	1,026
Southern	4,667	17.8%	376	1	1,925	18.8%	155		138	17.0%	11	6,7	730	18.1%	542
Western	2,262	8.6%	283	5	506	4.9%	63		30	3.7%	4	2,7	798	7.5%	350

^{*} Cases per 100,000 population.

**Rates based on case counts five or less are not shown; ^Rate is unreliable due to a count <12.

Wisconsin Sexually Transmitted Disease Surveillance Report: 2020 Reported Cases by Region and County

				<u> </u>	01000	cuses by	8	 1114 00	<u> </u>		ì			
		Chlamydia	1			Gonorrhea	1		Syphilis		Total			
Region/County	Cases	Percent	Rate*		Cases	Percent	Rate*	Cases	Percent	Rate*	Cases	Percent	Rate*	
Northeastern														
Brown	1,118	4.3%	424		345	3.4%	131	29	3.6%	11	1,492	4.0%	565	
Calumet	106	0.4%	203		11	0.1%	21^	2	0.2%	**	119	0.3%	228	
Door	38	0.1%	134		5	0.0%	**	1	0.1%	**	44	0.1%	155	
Fond du lac	344	1.3%	331		93	0.9%	89	8	1.0%	8^	445	1.2%	428	
Green Lake	26	0.1%	136		5	0.0%	**	0	0.0%	0	31	0.1%	162	
Kewaunee	30	0.1%	145		7	0.1%	34^	0	0.0%	0	37	0.1%	179	
Manitowoc	226	0.9%	280		38	0.4%	47	2	0.2%	**	266	0.7%	330	
Marinette	109	0.4%	266		4	0.0%	**	2	0.2%	**	115	0.3%	280	
Marquette	22	0.1%	142		4	0.0%	**	0	0.0%	0	26	0.1%	168	
Menominee	30	0.1%	688		8	0.1%	183^	0	0.0%	0	38	0.1%	872	
Oconto	86	0.3%	223		10	0.1%	26^	0	0.0%	0	96	0.3%	249	
Outagamie	575	2.2%	307		157	1.5%	84	20	2.5%	11	752	2.0%	401	
Shawano	96	0.4%	231		14	0.1%	34	0	0.0%	0	110	0.3%	265	
Sheboygan	406	1.5%	349		73	0.7%	63	5	0.6%	**	484	1.3%	416	
Waupaca	130	0.5%	251		18	0.2%	35	3	0.4%	**	151	0.4%	291	
Waushara	38	0.1%	155		11	0.1%	45^	0	0.0%	0	49	0.1%	200	
Winnebago	758	2.9%	444		190	1.9%	111	14	1.7%	8	962	2.6%	563	
Region total	4,138	15.8%	328		993	9.7%	79	86	10.6%	7	5,217	14.0%	414	

^{*} Cases per 100,000 population

^{**}Rates based on case counts five or less are not shown; ^Rate is unreliable due to a count <12

	Wisconsin Sexually Transmitted Disease Surveillance Report: 2020														
Reported Cases by Region and County															
		Chlamyd	ia		Gone	orrhea		Syph	ilis			Total			
Northern	Cases	Percent	Rate*	Cases	Percent	Rate*	Cases	Percent	Rate*		Cases	Percent	Rate*		
Ashland	61	0.2%	386	5	0.0%	**	3	0.4%	**		69	0.2%	437		
Bayfield	24	0.1%	158	4	0.0%	**	0	0.0%	0		28	0.1%	184		
Florence	6	0.0%	136^	0	0.0%	0	0	0.0%	0		6	0.0%	136^		
Forest	18	0.1%	197	1	0.0%	**	1	0.1%	**		20	0.1%	219		
Iron	12	0.0%	206	0	0.0%	0	0	0.0%	0		12	0.0%	206		
Langlade	32	0.1%	162	3	0.0%	**	0	0.0%	0		35	0.1%	177		
Lincoln	53	0.2%	186	14	0.1%	49	1	0.1%	**		68	0.2%	239		
Marathon	382	1.5%	280	140	1.4%	103	2	0.2%	**		524	1.4%	384		
Oneida	60	0.2%	166	5	0.0%	**	2	0.2%	**		67	0.2%	186		
Portage	244	0.9%	342	34	0.3%	48	3	0.4%	**		281	0.8%	394		
Price	29	0.1%	208	3	0.0%	**	0	0.0%	0		32	0.1%	230		
Sawyer	27	0.1%	161	5	0.0%	**	0	0.0%	0		32	0.1%	191		
Taylor	31	0.1%	150	5	0.0%	**	0	0.0%	0		36	0.1%	174		
Vilas	28	0.1%	128	4	0.0%	**	0	0.0%	0		32	0.1%	146		
Wood	200	0.8%	268	53	0.5%	71	1	0.1%	**		254	0.7%	340		
Region total	1,207	4.6%	246	276	2.5%	56	13	1.5%	3		1,496	4.0%	305		

^{*} Cases per 100,000 population

^{**}Rates based on case counts five or less are not shown; ^Rate is unreliable due to a count <12

		Wiscon	sin Sex	ually Tra	nsmitted	d Disea	se	Surve	illance F	Report:	20)20		
				Reporte	d Cases	by Reg	ior	n and C	County					
	(Chlamydia			Gonorrhea	a			Syphilis				Total	
	Cases	Percent	Rate*	Cases	Percent	Rate*		Cases	Percent	Rate*		Cases	Percent	Rate*
Southeastern														
Kenosha	818	3.1%	481	311	3.0%	183		13	1.6%	8		1,142	3.1%	672
Milwaukee	10,671	40.7%	1,129	5,279	51.6%	558		456	56.3%	48		16,406	44.0%	1,735
Ozaukee	120	0.5%	133	29	0.3%	32		5	0.6%	**		154	0.4%	171
Racine	1,103	4.2%	562	607	5.9%	309		27	3.3%	14		1,737	4.7%	885
Walworth	279	1.1%	268	54	0.5%	52		6	0.7%	6^		339	0.9%	326
Washington	223	0.9%	162	57	0.6%	42		8	1.0%	6^		288	0.8%	210
Waukesha	731	2.8%	180	202	2.0%	50		22	2.7%	5		955	2.6%	235
Region total	13,945	53.2%	681	6,539	66.1%	319		537	66.5%	26		21,021	56.4%	1,026
Southern														
Adams	40	0.2%	195	8	0.1%	39^		1	0.1%	**		49	0.1%	239
Columbia	144	0.5%	251	34	0.3%	59		1	0.1%	**		179	0.5%	312
Crawford	23	0.1%	139	4	0.0%	**		1	0.1%	**		28	0.1%	170
Dane	2,584	9.9%	476	1,205	11.8%	222		103	12.7%	19		3,892	10.4%	717
Dodge	158	0.6%	177	36	0.4%	40		4	0.5%	**		198	0.5%	222
Grant	100	0.4%	191	9	0.1%	17^		4	0.5%	**		113	0.3%	216
Green	64	0.2%	173	19	0.2%	51		0	0.0%	0		83	0.2%	224
Iowa	39	0.1%	164	8	0.1%	34^		1	0.1%	**		48	0.1%	201
Jefferson	210	0.8%	248	44	0.4%	52		6	0.7%	7^		260	0.7%	307
Juneau	92	0.4%	340	10	0.1%	37^		2	0.2%	**		104	0.3%	384
Lafayette	39	0.1%	231	11	0.1%	65^		0	0.0%	0		50	0.1%	296
Richland	37	0.1%	208	5	0.0%	**		0	0.0%	0		42	0.1%	236
Rock	865	3.3%	536	481	4.7%	298		15	1.9%	9		1,361	3.7%	844
Sauk	200	0.8%	314	41	0.4%	64		6	0.7%	9^		247	0.7%	388
Vernon	72	0.3%	235	10	0.1%	33^		0	0.0%	0		82	0.2%	268
Region total	4,667	17.1%	376	1,925	17.4%	155		144	17.5%	12		6,736	18.1%	543

^{*} Cases per 100,000 population.

^{**}Rates based on case counts five or less are not shown; ^Rate is unreliable due to a count <12.

	Wi	sconsin	Sexually Sex	y Transı	mitted I)iseas <u>e</u>	Surveill	lance Re	eport: 2	202	.0				
	Reported Cases by Region and County														
		Chlamydia			Gonorrhea	1		Syphilis			Total				
	Cases	Percent	Rate*	Cases	Percent	Rate*	Cases	Percent	Rate*		Cases	Percent	Rate*		
Western															
Barron	104	0.4%	226	19	0.2%	41	3	0.4%	**		126	0.3%	273		
Buffalo	19	0.1%	141	3	0.0%	**	0	0.0%	0		22	0.1%	163		
Burnett	33	0.1%	213	7	0.1%	45^	3	0.4%	**		43	0.1%	278		
Chippewa	170	0.6%	262	37	0.4%	57	3	0.4%	**		210	0.6%	323		
Clark	55	0.2%	158	8	0.1%	23^	1	0.1%	**		64	0.2%	184		
Douglas	119	0.5%	271	46	0.4%	105	1	0.1%	**		166	0.4%	378		
Dunn	147	0.6%	327	29	0.3%	65	0	0.0%	0		176	0.5%	392		
Eau Claire	378	1.4%	364	95	0.9%	91	6	0.7%	6^		479	1.3%	461		
Jackson	56	0.2%	270	16	0.2%	77	1	0.1%	**		73	0.2%	351		
La Crosse	580	2.2%	486	153	1.5%	128	9	1.1%	8^		742	2.0%	622		
Monroe	117	2.2%	1,242	21	0.2%	45	0	0.0%	0		138	0.4%	295		
Pepin	15	0.4%	1,588	5	0.0%	**	0	0.0%	0		20	0.1%	271		
Pierce	95	0.1%	35	9	0.1%	21^	0	0.0%	0		104	0.3%	245		
Polk	81	0.4%	214	7	0.1%	16^	0	0.0%	0		88	0.2%	199		
Rusk	25	0.3%	553	3	0.0%	**	0	0.0%	0		28	0.1%	191		
Saint Croix	158	0.1%	28	27	0.3%	30	3	0.4%	**		188	0.5%	208		
Trempealeau	88	0.6%	529	18	0.2%	60	0	0.0%	0		106	0.3%	355		
Washburn	22	0.3%	553	3	0.0%	**	0	0.0%	0		25	0.1%	157		
Region total	2,262	8.8%	3	506	4.6%	63	30	3.7%	4		2,797	7.5%	350		
All Regions Total	26,219	100%	449	10,239	100%	175	810	100%	14		37,268	100%	638		

^{*} Cases per 100,000 population.

^{**}Rates based on case counts five or less are not shown; ^Rate is unreliable due to a count <12.

Syphilis by Disease Stage **Secondary Primary** Early latent **Early Total** Rate* Cases **Percent** Rate* Cases Rate* **Percent** Rate* Cases Percent Percent Cases **Total** 204 100.0% 3 100.0% 3 100.0% 4 579 100.0% 151 224 10 Gender Male 84.3% 184 80.8% 172 112 74.2% 4 82.1% 468 6 6 16 32 Female 15.7% 39 25.8% 40 17.9% 19.2% 111 4 Transgender Female 0.0% 0.0% 0.0% 0 0.0% 0 0 0 Transgender Male 0 0.0% 0 0.0% 0 0 0.0% 0.0% Unknown 0 0.0% 0 0.0% 0 0.0% 0 0.0% Race/Ethnicity White 29.9% 59 39.1% 82 36.6% 2 202 34.9% 4 61 1 90 22 12 22 Black 44.1% 49 32.5% 91 40.6% 230 39.7% 54 ** ** 0.9% ** 3 1.5% 2.6% 9 1.6% 12 Native American 4 2 2.0% ** 2 ** ** 5 4 1.3% 1.8% 10 1.7% Asian 4 32 13.9% Hispanic 15.7% 21 31 13.8% 84 8 5 7 14.5% 14 6.9% 16 14 6.3% 44 7.6% Other/Unknown 10.6% _ _ Age 0-4 0.0% 0 0.0% 0 0 0 0 0.0% 0 0 0.0% 0 5-9 0.0% 0.0% 0.0% 0.0% 0 0 0 0 0 0 0 0 10-14 0.0% 0.0% 0.0% 0 0 0 0 0 0.0% 0 0 0 15-19 2.9% 2^ 2.6% ** 4.5% 3 20 3.5% ** 6 4 10 20-24 33 16.2% 8 20 13.2% 5 34 15.2% 9 87 15.0% 22 25-29 36 9 28 18.5% 49 21.9% 13 17.6% 7 113 19.5% 30 30-34 38 18.6% 25 16.5% 38 17.0% 28 10 10 101 17.4% 7

Wisconsin Sexually Transmitted Disease Surveillance report, 2020

35-39

40-44

45-49

50+

10.3%

9.8%

8.3%

16.2%

6

6

5

18

18

12

26

11.9%

11.9%

7.9%

17.2%

5

5

3

31

21

17

24

13.8%

9.4%

7.6%

10.7%

8

6

5

1

70

59

46

83

12.1%

10.2%

14.3%

7.9%

19^

17^

**

**

21

20

17

33

^{*}Cases per 100,000 population.

^{**}Rates based on case counts five or less are not shown; 'Rate is unreliable due to a count <12.

Wisconsin Sexually Transmitted Disease Surveillance report, 2020																
Syphilis by Disease Stage																
	ŀ	Early laten	ıt		Ι	Late Later	ıt		(Congenita	l		All stages			
	Cases	Percent	Rate*		Cases	Percent	Rate*		Cases	Percent	Rate*		Cases	Percent	Rate*	
Total	579	100.0%	10		226	100.0%	4		5	100.0%	**		810	100.0%	14	
Gender																
Male	468	80.8%	16		159	70.4%	5		3	60.0%	**		630	77.8%	22	
Female	111	19.2%	4		64	28.3%	2		2	40.0%	**		177	21.9%	6	
Transgender Female	0	0.0%	-		2	0.9%	-		0	0.0%	-		2	0.2%	**	
Transgender Male	0	0.0%	-		1	0.4%	-		0	0.0%	-		1	0.1%	**	
Unknown	0	0.0%	-		0	0.0%	-		0	0.0%	-		0	0.0%	-	
Race/Ethnicity																
White	202	34.9%	4		93	41.2%	2		3	60.0%	**		298	36.8%	6	
Black	230	39.7%	54		76	33.6%	19		2	40.0%	**		308	38.0%	76	
Native American	9	1.6%	12^		4	1.8%	**		0	0.0%	0		13	1.6%	22	
Asian	10	1.7%	5^		4	1.8%	**		0	0.0%	0		14	1.7%	8	
Hispanic	84	14.5%	20		35	15.5%	8		0	0.0%	0		119	14.7%	29	
Other/Unknown	44	7.6%	-		14	6.2%	-		0	0.0%	-		58	7.2%	-	
Age																
0-4	0	0.0%	0		0	0.0%	0		5	100.0%	**		5	0.6%	**	
5-9	0	0.0%	0		0	0.0%	0		0	0.0%	0		0	0.0%	0	
10-14	0	0.0%	0		0	0.0%	0		0	0.0%	0		0	0.0%	0	
15-19	20	3.5%	5		12	5.3%	3		0	0.0%	0		32	4.0%	8	
20-24	87	15.0%	22		30	13.3%	8		0	0.0%	0		117	14.4%	30	
25-29	113	19.5%	30		39	17.3%	10		0	0.0%	0		152	18.8%	40	
30-34	101	17.4%	28		44	19.5%	12		0	0.0%	0		145	17.9%	40	
35-39	70	12.1%	19		29	12.8%	8		0	0.0%	0		99	12.2%	26	
40-44	59	10.2%	17		27	11.9%	8		0	0.0%	0		86	10.6%	25	
45-49	46	7.9%	13		10	4.4%	3^		0	0.0%	0		56	6.9%	16	
50+	83	14.3%	4		35	15.5%	2		0	0.0%	0		118	14.6%	5	

^{*}Cases per 100,000 population.

^{**}Rates based on case counts five or less are not shown; ^Rate is unreliable due to a count <12.

Technical Notes

- 1. These reports are compiled by the Wisconsin STI Unit and are based on STI case surveillance data collected by the Wisconsin Division of Public Health (DPH). In Wisconsin, state statutes require both laboratories and health care providers to report cases of chlamydia, gonorrhea, syphilis, chancroid, and pelvic inflammatory disease to local health departments. STI case surveillance data is automatically sent to the Wisconsin STI Unit via WEDSS (Wisconsin Electronic Disease Surveillance System).
- 2. These reports include cases diagnosed within the specified period. Additional cases diagnosed within the specified period may continue to be reported. Thus, this report should be considered provisional and it supersedes all previous reports.
- 3. Reporting of STI cases can be incomplete. Reporting rates can be vary by disease, geographic region, and demographic groups. At any time, reported STI cases represent only part of the total number of diagnosed cases, therefore STI surveillance data likely underestimates total STI morbidity.
- 4. Rate is calculated based on the population data available on WISH (Wisconsin Interactive Statistics on Health) system website. In these reports, rates presented are cases per 100,000 population (2019). Rates are not calculated for categories with small numbers of cases. See each report for the rate calculation threshold.
- 5. In these reports, cases are allocated to the derived county at the time of diagnosis. Cases diagnosed among inmates of federal or private correctional facilities and cases who resided outside Wisconsin are not included in this report.
- 6. Congenital Syphilis cases (5) are included in syphilis report.
- 7. All races are non-Hispanic ethnicity. Under the category race, Asian includes Asian Pacific Islander. Under the category race, American Indian Alaska Native is named as Native American.
- 8. Rates based on case counts five or less are not shown and rates based on counts less than 12 are marked as statistically unreliable.

For more information contact: Wisconsin STI Unit

1 West Wilson Street

PO Box 2659

Madison, WI 53701-2659 Telephone: 608-266-8479