# Sexually Transmitted Infections in Wisconsin, 2021

B

# Milwaukee

County



DEPARTMENT OF HEALTH SERVICES Division of Public Health Bureau of Communicable Diseases STI Unit P-00415 (11/2022)

## Wisconsin Sexually Transmitted Infections (STI) Surveillance Report Milwaukee County - 2021

Despite the interruption of delivery of STI testing services due to the Covid – 19 pandemic, overall STI cases reported in Milwaukee County increased 8.6% in 2021. The most significant change observed in 2021 was a **128.7% increase in Syphilis** cases reported. In 2021, gonorrhea cases increased by 6.7% chlamydia cases increased by 4.4%.

#### Table 1.


#### STIs in Milwaukee County continue to rise.

Trends of STI cases and Rates (per 100,000 people) in Milwaukee County 2017-2021

	2017		2018		20	19	20	20	2021	
Disease	Cases	Rate								
Chlamydia	10,942	1,148	11,221	1,777	12,217	1,282	10,671	1,129	11,136	1,176
Gonorrhea	4,726	496	4,552	477	5,182	544	5,279	558	5,635	595
Syphilis	286	30	220	23	296	31	456	48	1,043	110

Note: 2020 and 2021 counts exclude cases diagnosed in federal or private correctional facilities.

#### Figure 1. Syphilis rate (per 100,000 people) increased 129% in 2021



\*For comparison purposes these 2021 counts do not include cases reported from Federal and State Correctional Facilities cases.

					aukee (	v	- 2021						
		Chlamydia		Gonorrhea				Syphilis		Total			
	Cases	Percent	Rates	Cases	Percent	Rates	Cases	Percent	Rates	Cases	Percent	Rates	
Total	11,136	100%	1,176	5,635	100%	595	1,043	100%	110	17,814	100%	1,882	
Sex													
Male	3,778	33.9%	820	3,014	53.5%	654	636	61.0%	138	7,428	41.7%	1,612	
Female	7,341	65.9%	1,510	2,597	46.1%	534	384	36.8%	79	10,322	57.9%	2,124	
Transgender-Female	8	0.1%	-	15	0.3%	-	23	2.2%	-	46	0.3%	-	
Transgender-Male	1	0.0%	-	1	0.0%	-	0	0.0%	-	2	0.0%	-	
Unknown	8	0.1%	-	8	0.1%	-	0	0.0%	-	16	0.1%	-	
Race/Ethnicity													
White	1,258	11.3%	262	503	8.9%	105	143	13.7%	30	1,904	10.7%	397	
Black	6,935	62.3%	2,673	4,101	72.8%	1,581	709	68.0%	273	11,745	65.9%	4,527	
Native American	35	0.3%	541	17	0.3%	263	6	0.6%	93	58	0.3%	897	
Asian	119	1.1%	244	39	0.7%	80	8	0.8%	16	166	0.9%	340	
Hispanic	1,555	14.0%	1,023	470	8.3%	309	159	15.2%	105	2,184	12.3%	1,437	
Other/Unknown	1,234	11.1%	-	505	9.0%	-	18	1.7%	-	1,757	9.9%	-	
Age	,									, i			
0-4	8	0.1%	12	3	0.1%	5	11	1.1%	17	22	0.1%	34	
5-9	0	0.0%	0	1	0.0%	2	0	0.0%	0	1	0.0%	2	
10-14	138	1.2%	243	78	1.4%	137	0	0.0%	0	216	1.2%	380	
15-19	2949	26.5%	4,515	1,319	23.4%	2,020	38	3.6%	58	4,306	24.2%	6,593	
20-24	3809	34.2%	4,886	1,453	25.8%	1,864	139	13.3%	178	5,401	30.3%	6,928	
25-29	2170	19.5%	2,691	1,128	20.0%	1,399	201	19.3%	249	3,499	19.6%	4,339	
30-34	1078	9.7%	1,507	692	12.3%	968	194	18.6%	271	1,964	11.0%	2,746	
35-39	477	4.3%	696	362	6.4%	528	122	11.7%	178	961	5.4%	1,402	
40-44	232	2.1%	413	210	3.7%	374	105	10.1%	187	547	3.1%	974	
45-49	111	1.0%	210	142	2.5%	269	65	6.2%	123	318	1.8%	602	
50+	164	1.5%	56	247	4.4%	84	167	16.0%	57	578	3.2%	197	
Unknown	0	0.0%		0	0.0%		1	0.1%	<u> </u>	1	0.0%	- /	
Region of residence				•	,		_				,.		
Southeastern	11,136	100%	1,176	5,635	100%	595	1,043	100%	110	17,814	100%	1,882	

Wisconsin Sexually Transmitted Infection (STI) Surveillance Report

\*Rates based on five case counts or less are not shown; ^Rate is unreliable due to a count <12.

	V	Visconsi	in Sexua	ally Tr	ansmit	ted Infe	ctions	(STI) S	urveilla	ince Re	port		
		Report	ed Case	s and	Rates b	v Zip C	Code, N	/lilwauk	ee Cou	ntv - 20	21		
			Chlamydia			Gonorrhea			Syphilis	<b>/</b>		Total	
Zip	code/Post Office	Case	Percent	Rate	Case	Percent	Rate	Case	Percent	Rate	Case	Percent	Rate
53110	Cudahy	80	0.7%	439	27	0.5%	148	8	0.8%	44^	115	0.6%	631
53129	Greendale	28	0.3%	200	8	0.1%	57^	3	0.3%	*	39	0.2%	278
53130	Hales Corners	16	0.1%	205	1	0.0%	*	0	0.0%	0	17	0.1%	218
53132	Franklin	101	0.9%	284	22	0.4%	62	14	1.3%	39	137	0.8%	385
53154	Oak Creek	101	0.9%	278	25	0.4%	69	8	0.8%	22^	134	0.8%	369
53172	South Milwaukee	79	0.7%	379	25	0.4%	120	4	0.4%	*	108	0.6%	518
53202	Milwaukee	221	2.0%	885	109	1.9%	437	17	1.6%	68	347	1.9%	1,390
53203	Milwaukee	37	0.3%	2,123	12	0.2%	688	2	0.2%	*	51	0.3%	2,926
53204	Milwaukee	587	5.3%	1,514	255	4.5%	658	68	6.5%	175	910	5.1%	2,347
53205	Milwaukee	277	2.5%	3,038	140	2.5%	1,535	21	2.0%	230	438	2.5%	4,803
53206	Milwaukee	778	7.0%	3,295	505	9.0%	2,139	85	8.1%	360	1,368	7.7%	5,794
53207	Milwaukee	136	1.2%	367	71	1.3%	191	18	1.7%	49	225	1.3%	606
53208	Milwaukee	634	5.7%	2,171	377	6.7%	1,291	62	5.9%	212	1,073	6.0%	3,674
53209	Milwaukee	1,002	9.0%	2,074	625	11.1%	1,293	101	9.7%	209	1,728	9.7%	3,576
53210	Milwaukee	738	6.6%	2,860	448	8.0%	1,736	64	6.1%	248	1,250	7.0%	4,845
53211	Milwaukee	176	1.6%	512	64	1.1%	186	14	1.3%	41	254	1.4%	739
53212	Milwaukee	579	5.2%	1,923	318	5.6%	1,056	69	6.6%	229	966	5.4%	3,208
53213	Milwaukee	74	0.7%	267	31	0.6%	112	10	1.0%	36^	115	0.6%	414
53214	Milwaukee	250	2.2%	710	111	2.0%	315	21	2.0%	60	382	2.1%	1,085
53215	Milwaukee	669	6.0%	1,096	219	3.9%	359	81	7.8%	133	969	5.4%	1,588
53216	Milwaukee	721	6.5%	2,291	415	7.4%	1,318	63	6.0%	200	1,199	6.7%	3,809
53217	Milwaukee	76	0.7%	268	27	0.5%	95	3	0.3%	*	106	0.6%	373
53218	Milwaukee	900	8.1%	2,106	545	9.7%	1,276	78	7.5%	183	1,523	8.5%	3,564
53219	Milwaukee	205	1.8%	597	78	1.4%	227	12	1.2%	35	295	1.7%	860
53220	Milwaukee	125	1.1%	459	28	0.5%	103	12	1.2%	44	165	0.9%	606
53221	Milwaukee	244	2.2%	616	82	1.5%	207	17	1.6%	43	343	1.9%	866
53222	Milwaukee	222	2.0%	843	121	2.1%	459	25	2.4%	95	368	2.1%	1,397
53223	Milwaukee	465	4.2%	1,624	210	3.7%	733	34	3.3%	119	709	4.0%	2,476
53224	Milwaukee	364	3.3%	1,631	169	3.0%	757	26	2.5%	116	559	3.1%	2,504
53225	Milwaukee	507	4.6%	1,947	265	4.7%	1,018	34	3.3%	131	806	4.5%	3,096
53226	Milwaukee	74	0.7%	390	34	0.6%	179	6	0.6%	*	114	0.6%	600
53227	Milwaukee	106	1.0%	442	34	0.6%	142	6	0.6%	*	146	0.8%	609
53228	Milwaukee	58	0.5%	394	21	0.4%	143	6	0.6%	*	85	0.5%	578
53233	Milwaukee	360	3.2%	2,424	168	3.0%	1,131	47	4.5%	316	575	3.2%	3,872
53235	Milwaukee	40	0.4%	419	15	0.3%	157	4	0.4%	*	59	0.3%	617
Zip code	e specified	11,030	99.0%	1,162	5,605	99.5%	591	1,043	100%	17,678	17,678	99.2%	1,863
	e not specified	106	1.0%	NA	30	0.5%	-	0	0.0%	-	136	0.8%	-
County '	Total	11,136	100.0%	1,176	5635	100%	-	1,043	100%	110	17,814	100.0%	1,882

### Wisconsin Syphilis Surveillance Report - Reported Cases and Rates (per 100,000 people) by Stage of Infection, Gender, Race, Ethnicity, and Age – 2021 Milwaukee County - 2021

	Primary				Secondary		E	Early laten	t	I	Early Total		
	Cases	Percent	Rates	Cases	Percent	Rates	Cases	Percent	Rates	Cases	Percent	Rates	
Total	245	100.0%	26	256	100.0%	27	264	100.0%	28	765	100.0%	81	
Sex													
Male	193	21.2%	42	147	57.4%	32	152	57.6%	33	492	64.3%	107	
Female	52	0.0%	11	102	39.8%	21	101	38.3%	21	255	33.3%	52	
Transgender-Female	0	0.0%	-	7	2.7%	-	11	4.2%	-	18	2.4%	-	
Transgender-Male	0	0.0%	-	0	0.0%	_	0	0.0%	_	0	0.0%	-	
Unknown	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	
Race/Ethnicity													
White	27	72.2%	6	28	10.9%	6	35	13.3%	7	90	11.8%	19	
Black	177	0.8%	68	193	75.4%	74	178	67.4%	69	548	71.6%	211	
Native American	2	1.2%	*	0	0.0%	0	2	0.8%	*	4	0.5%	*	
Asian	3	0.0%	*	1	0.4%	*	2	0.8%	*	6	0.8%	*	
Hispanic	36	1.0%	24	22	8.6%	14	45	17.0%	30	103	13.5%	68	
Other/Unknown	0	3.0%	-	12	4.7%	-	2	0.8%	-	14	1.8%	-	
Age													
0-4	0	0.0%	0	0	0.0%	0	0	0.0%	0	0	0.0%	0	
5-9	0	0.0%	0	0	0.0%	0	0	0.0%	0	0	0.0%	0	
10-14	0	3.7%	0	0	0.0%	0	0	0.0%	0	0	0.0%	0	
15-19	9	13.1%	14^	8	3.1%	12^	11	4.2%	17^	28	3.7%	43	
20-24	32	20.8%	41	32	12.5%	41	47	17.8%	60	111	14.5%	142	
25-29	51	14.7%	63	50	19.5%	62	55	20.8%	68	156	20.4%	193	
30-34	36	13.1%	50	46	18.0%	64	54	20.5%	75	136	17.8%	190	
35-39	32	10.2%	47	27	10.5%	39	29	11.0%	42	88	11.5%	128	
40-44	25	8.2%	45	33	12.9%	59	21	8.0%	37	79	10.3%	141	
45-49	20	16.3%	38	11	4.3%	21^	17	6.4%	32	48	6.3%	91	
50+	40	0.0%	14	49	19.1%	17	29	11.0%	10	118	15.4%	40	
Unknown													

\*Rates based on five case counts or less are not shown; ^Rate is unreliable due to a count <12.

				Milw	aukee (	County	- 2021		C			
	F	Early laten	t	I	Late Laten	t		Congenita	l	А	ll stage tot	al
	Cases	Percent	Rates	Cases	Percent	Rates	Cases	Percent	Rates	Cases	Percent	Rates
Total	765	100.0%	81	267	100.0%	28	11	100.0%	1^	1,043	100.0%	110
Sex												
Male	492	64.3%	107	137	51.3%	30	3	27.3%	*	618	59.3%	134
Female	255	33.3%	52	125	46.8%	26	1	9.1%	*	260	24.9%	53
Transgender Female	18	2.4%	-	5	1.9%	-	0	0.0%	-	18	1.7%	-
Transgender Male	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-
Unknown	0	0.0%	-	267	100.0%	-	11	100.0%	-	1,043	100.0%	-
<b>Race/Ethnicity</b>												
White	90	11.8%	19	51	19.1%	11	2	18.2%	*	143	13.7%	30
Black	548	71.6%	211	157	58.8%	61	4	36.4%	*	709	68.0%	273
Native American	4	0.5%	8	1	0.4%	*	1	9.1%	*	6	0.6%	*
Asian	6	0.8%	12^	2	0.7%	*	0	0.0%	0	8	0.8%	*
Hispanic	103	13.5%	68	52	19.5%	34	4	36.4%	*	159	15.2%	105
Other/Unknown	14	1.8%	-	4	1.5%	-	0	0.0%	-	18	1.7%	-
Age												
0-4	0	0.0%	0	0	0.0%	0	11	100.0%	17^	11	1.1%	17^
5-9	0	0.0%	0	0	0.0%	0	0	0.0%	0	0	0.0%	0
10-14	0	0.0%	0	0	0.0%	0	0	0.0%	0	0	0.0%	0
15-19	28	3.7%	43	10	3.7%	15^	0	0.0%	0	38	3.6%	58
20-24	111	14.5%	142	28	10.5%	36	0	0.0%	0	139	13.3%	178
25-29	156	20.4%	193	45	16.9%	56	0	0.0%	0	201	19.3%	249
30-34	136	17.8%	190	58	21.7%	81	0	0.0%	0	194	18.6%	271
35-39	88	11.5%	128	34	12.7%	50	0	0.0%	0	122	11.7%	178
40-44	79	10.3%	141	26	9.7%	46	0	0.0%	0	105	10.1%	187
45-49	48	6.3%	91	17	6.4%	32	0	0.0%	0	65	6.2%	123
50+	118	15.4%	40	49	18.4%	17	0	0.0%	0	167	16.0%	57
Unknown	1	0.1%	-	0	-	-	0	-	-	1	0.1%	-

Wisconsin Syphilis Surveillance Report - Reported Cases and Rates (per 100,000 people) by Stage of Infection, Gender, Race, Ethnicity, and Age – 2021

\*Rates based on five case counts or less are not shown; ^Rate is unreliable due to a count <12.

#### **Technical Notes**

1. This report is compiled by the Wisconsin STI Unit and are based on STI case surveillance data collected by the Wisconsin Division of Public Health (DPH). In Wisconsin, state statutes require both laboratories and health care providers to report cases of chlamydia, gonorrhea, syphilis, chancroid, and pelvic inflammatory disease to local health departments. STI case surveillance data is automatically sent to the Wisconsin STI Unit via WEDSS (Wisconsin Electronic Disease Surveillance System).

2. This report includes cases diagnosed within the specified period. Additional cases diagnosed within the specified period may continue to be reported. Thus, this report should be considered provisional, and it supersedes all previous reports.

3. Reporting of STI cases can be incomplete. Reporting rates can be varied by disease, geographic region, and demographic groups. At any time, reported STI cases represent only part of the total number of diagnosed cases, therefore STI surveillance data likely underestimates total STI morbidity.

4. Rate is calculated based on the population data available on WISH (Wisconsin Interactive Statistics on Health) system website. In these reports, rates presented are cases per 100,000 population (2019). Rates are not calculated for categories with small numbers of cases. See each report for the rate calculation threshold.

5. In these reports, cases are allocated to the derived county at the time of diagnosis. Cases diagnosed among inmates of correctional facilities and cases who resided outside Wisconsin are not included in this report.

6. Congenital Syphilis cases are included in syphilis report.

7. All races are non-Hispanic race. The race Asian includes Asian Pacific Islander and the race American Indian Alaska Native are named Native American.

8. Rates based on five case counts or less are not shown; ^Rate is unreliable due to a count <12.

For more information contact: Wisconsin STI Unit West Wilson Street PO Box 2659 Madison, WI 53701-2659 Telephone: 608-266-8479